

DAFTAR PUSTAKA

- Achmadi, E. R. 2023. Strategi mengelola kemasan cerdas pada pangan. *Journal of Food and Agricultural Product*, 3(1).
- Agustin, D., dan I. Ismiyati. 2015. Pengaruh konsentrasi pelarut pada proses ekstraksi antosianin dari bunga kembang sepatu. *Jurnal Konversi*, 4(2): 9-16.
- Alizadeh-Sani, M., E. Mohammadian., J. W. Rhim., and S. M. Jafari. 2020. pH-sensitive (halochromic) smart packaging films based on natural food colorants for the monitoring of food quality and safety. *Trends in Food Science and Technology*, 105: 93-144.
- Almeida, M. D. D. J., C. A. D. Rovere., L. R. P. D. A. Lima., D. V. Ribeiro., and C. A. C. D. Souza. 2019. Glycerol effect on the corrosion resistance and electrodeposition conditions in a zinc electroplating process. *Materials Research*, 22(4): e20180480.
- Amalia, B., T. Mailisa., R. Karima., dan S. Herman. 2021. Karakterisasi label kolorimetrik dari karagenan/nanofiber selulosa dan ekstrak ubi ungu untuk indikator kerusakan pangan. *Jurnal Kimia dan Kemasan*, 43(2): 66-74.
- Amanda, A., dan I. Kurniaty. 2017. Pengaruh waktu maserasi terhadap rendemen zat antosianin pewarna alami minuman jelly dari terong ungu. *Prosiding Semnastek*.
- Barodah, L. L., S. Sumardianto., dan E. Susanto. 2018. Efektivitas serbuk *Sargassum polycystum* sebagai antibakteri pada ikan lele (*Clarias* sp.) selama penyimpanan dingin. *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 6(1): 10-20.
- Bedi, N., D. K. Srivastava., A. Srivastava., S. Mahapatra., D. S. Dkhar., P. Chandra., and A. Srivastava. 2022. Marine biological macromolecules as matriks material for biosensor fabrication. *Biotechnology and Bioengineering*, 119(8): 2046-2063.
- Behera, L., M. Mohanta., and A. Thirugnanam. 2022. Intensification of yam-starch based biodegradable bioplastic film with bentonite for food packaging application. *Environmental Technology and Innovation*, 25: 102180.
- Butar-Butar, M. E. T., S. Sianturi., dan F. G. Fajar. 2023. Formulasi dan evaluasi blush on compact powder menggunakan ekstrak daging buah naga merah (*Hylocereus polyrhizus*) sebagai coloring agent.
- Caroni, J. G., A. V. de Almeida Mattos., K. R. Fernandes., D. T. Balogh., A. C. M. Renno., M. H. Okura., A. C. G. Malpass., C. Ferraresi., L. A. Garcia., R. C. Sanfelice., and A. Pavinatto. 2021. Chitosan-based glycerol-plasticized membranes: bactericidal and fibroblast cellular growth properties. *Polymer Bulletin*, 78: 4297-4312.

- Carvalho, V. V., J. O. Gonçalves., A. Silva., T. R. Cadaval Jr., L. A. Pinto., and T. J. Lopes. 2019. Separation of anthocyanins extracted from red cabbage by adsorption onto chitosan films. *International Journal of Biological Macromolecules*, 131: 905-911.
- Cavalcanti, R. N., D. T. Santos., and M. A. A. Meireles. 2011. Non-thermal stabilization mechanisms of anthocyanins in model and food systems—An overview. *Food Research International*, 44(2): 499-509.
- Chalitangkoon, J., and P. Monvisade. 2021. Synthesis of chitosan-based polymeric dyes as colorimetric pH-sensing materials: Potential for food and biomedical applications. *Carbohydrate Polymers*, 260: 117836.
- Choi, I., J. Y. Lee., M. Lacroix., and J. Han. 2017. Intelligent pH indicator film composed of agar/potato starch and anthocyanin extracts from purple sweet potato. *Food Chemistry*, 218: 122-128.
- de Azeredo, H. M. C., M. F. Rosa., M. De Sá., M. Souza Filho., and K. W. Waldron. 2014. The use of biomass for packaging films and coatings. *Advances in Biorefineries*: 819-874.
- de Oliveira Filho, J. G., A. R. C. Braga., B. R. de Oliveira., F. P. Gomes., V. L. Moreira., V. A. C. Pereira., and M. B. Egea. 2021. The potential of anthocyanins in smart, active, and bioactive eco-friendly polymer-based films: A review. *Food Research International*, 142: 110202.
- Efendi, I., Djauhari, A. B., & Handarini, K. 2024. Pengaruh jenis alat pengangkut yang berbeda terhadap mutu ikan lemuru (*sardinella* sp.) pasca tangkap di pelabuhan perikanan nusantara (PPN) pengembangan. *Soetomo Jurnal Pertanian AgroPro*, 2(2): 296-306.
- Enaru, B., G. Dreţcanu., T. D. Pop., A. Stănilă., and Z. Diaconeasa. 2021. Anthocyanins: Factors affecting their stability and degradation. *Antioxidants*, 10(12): 1967.
- Enwere, C. F., I. S. Okafor., A. A. Adeleke., N. Petrus., K. Jakada., A. I. Olosho., P. Ikubanni., P. Paramasivam., and S. Ayuba. 2024. Production of bioplastic films from wild cocoyam (*Caladium bicolor*) starch. *Results in Engineering*, 24: 103132.
- Eskandarabadi, S. M., M. Mahmoudian., K. R. Farah., A. Abdali., E. Nozad., and M. Enayati. 2019. Active intelligent packaging film based on ethylene vinyl acetate nanocomposite containing extracted anthocyanin, rosemary extract and ZnO/Fe-MMT nanoparticles. *Food Packaging and Shelf Life*, 22: 100389.
- Farida, R., dan F. C. Nisa. 2015. Ekstraksi antosianin limbah kulit manggis metode microwave assisted extraction (lama ekstraksi dan rasio bahan: pelarut). *Jurnal Pangan dan Agroindustri*, 3(2): 362-373.

- Fitria, F. R. 2022. Optimasi Rasio Formulasi Bioplastik dengan Sumber Biomassa Kitosan- CMC (Carboxymethyl cellulose). Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Flórez, M., E. Guerra-Rodríguez., P. Cazón., and M. Vázquez. 2022. Chitosan for food packaging: Recent advances in active and intelligent films. *Food Hydrocolloids*, 124: 107328.
- Gafar, F., Y. Y. Oessoe., dan J. C. E. Lamaega. 2022. Pemanfaatan kulit ubi jalar ungu (*Ipomoea batatas* L.) dalam pembuatan nata de batatas. *Jurnal Teknologi Pertanian (Agricultural Technology Journal)*, 13(1): 1-7.
- Gasti, T., S. Dixit., O. J. D'souza., V. D. Hiremani., S. K. Vootla., S. P. Masti., R. B. Chougale., and R. B. Malabadi. 2021. Smart biodegradable films based on chitosan/methylcellulose containing *Phyllanthus reticulatus* anthocyanin for monitoring the freshness of fish fillet. *International Journal of Biological Macromolecules*, 187: 451-461.
- Gu, K. D., C. K. Wang., D. G. Hu., and Y. J. Hao. 2019. How do anthocyanins paint our horticultural products? *Scientia Horticulturae*, 249: 257-262.
- Guo, C., S. You., C. Li., T. Chen., and X. Wang. 2021. One-step and colorimetric detection of fish freshness indicator hypoxanthine based on the peroxidase activity of xanthine oxidase grade I ammonium sulfate suspension. *Frontiers in Microbiology*, 12: 791227.
- Habibi, N. A., S. Fathia., dan C. T. Utami. 2019. Perubahan karakteristik bahan pangan pada keripik buah dengan metode freeze drying. *JST (Jurnal Sains Terapan)*, 5(2): 67-76.
- Halász, K., and L. Csóka. 2018. Black chokeberry (*Aronia melanocarpa*) pomace extract immobilized in chitosan for colorimetric pH indicator film application. *Food Packaging and Shelf Life*, 16: 185-193.
- Handayani, L., S. Aprilia., N. Arahman., and M. R. Bilad. 2024. Identification of the anthocyanin profile from butterfly pea (*Clitoria ternatea* L.) flowers under varying extraction conditions: Evaluating its potential as a natural blue food colorant and its application as a colorimetric indicator. *South African Journal of Chemical Engineering*, 49(1): 151-161.
- Hellström, J., P. Mattila., and R. Karjalainen. 2013. Stability of anthocyanins in berry juices stored at different temperatures. *Journal of Food Composition and Analysis*, 31(1): 12-19.
- Huang, S., G. Wang., H. Lin., Y. Xiong., X. Liu., and H. Li. 2021. Preparation and dynamic response properties of colorimetric indicator films containing pH-sensitive anthocyanins. *Sensors and Actuators Reports*, 3: 100049.
- Huang, X., J. Xin., and J. Zhao. 2011. A novel technique for rapid evaluation of fish freshness using colorimetric sensor array. *Journal of Food Engineering*, 105(4): 632-637.

- Hussein, H. M., M. H. Al-Timimi., and Y. M. Jawad. 2022. The properties, preparation and applications for carboxymethyl cellulose (CMC) polymer: A review. *Academic Science Journal*, 18(4).
- Jaberı, R., G. Kaban., and M. Kaya. 2022. Effects of some extraction parameters on anthocyanin content of barberry (*Berberis vulgaris* L.) and its antioxidant activity. *Türkiye Tarımsal Araştırmalar Dergisi*, 9(1): 41-48.
- Jain, A., A. Gulbake., S. Shilpi., A. Jain., P. Hurkat., and S. K. Jain. 2013. A new horizon in modifications of chitosan: Syntheses and applications. *Critical Reviews in Therapeutic Drug Carrier Systems*, 30(2).
- Jiang, G., X. Hou., X. Zeng., C. Zhang., H. Wu., G. Shen., S. Li., Q. Luo., M. Li., X. Liu., A. Chen., Z. Wang., and Z. Zhang. 2020. Preparation and characterization of indicator films from carboxymethyl-cellulose/starch and purple sweet potato (*Ipomoea batatas* (L.) Lam) anthocyanins for monitoring fish freshness. *International Journal of Biological Macromolecules*, 143: 359-372.
- Ka, S., Anoobkumar, K. I., & Rasa, O. K. 2020. pH indicators: A valuable gift for analytical chemistry. *Saudi Journal of Medical and Pharmaceutical Sciences*, 6(05): 393-400.
- Kang, S., H. Wang., L. Xia., M. Chen., L. Li., J. Cheng., X. Li., and S. Jiang. 2020. Colorimetric film based on polyvinyl alcohol/okra mucilage polysaccharide incorporated with rose anthocyanins for shrimp freshness monitoring. *Carbohydrate Polymers*, 229: 115402.
- Kurniawan, D., V. Pramaningsih., R. Rusdi., dan O. D. Lesmana. 2022. Absorbsi antosianin buah anggur (*Vitis vinifera*) pada kertas saring Whatmann No. 41 dan Whatmann No. 42 untuk identifikasi boraks.
- Lee, J., R. W. Durst., R. E. Wrolstad., and Collaborators: T. Eisele., M. M. Giusti., J. Hach., H. Hofsommer., S. Koswig., D. A. Krueger., S. Kupina., S. K. Martin., B. K. Martinsen., T. C. Miller., F. Paquette., A. Ryabkova., G. Skrede., U. Trenn., and J. D. Wightman. 2005. Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: Collaborative study. *Journal of AOAC International*, 88(5): 1269-1278.
- Li, A., R. Xiao., S. He., X. An., Y. He., C. Wang., S. Yin., B. Wang., X. Shi., and J. He. 2019. Research advances of purple sweet potato anthocyanins: Extraction, identification, stability, bioactivity, application, and biotransformation. *Molecules*, 24(21): 3816.
- Li, J., X. D. Li., Y. Zhang., Z. D. Zheng., Z. Y. Qu., M. Liu., S. Zhu., S. Liu., M. Wang., and L. Qu. 2013. Identification and thermal stability of purple-fleshed sweet potato anthocyanins in aqueous solutions with various pH values and fruit juices. *Food Chemistry*, 136(3-4): 1429-1434.
- Li, W., M. Zhao., X. Xia., and Y. Zhu. 2024. Improving structural, physical, and sensitive properties of sodium alginate–purple sweet potato peel extracts

indicator films by varying drying temperature. *Foods*, 13(16): 2477.

- Liang, Z., H. Liang., Y. Guo., and D. Yang. 2021. Cyanidin 3-O-galactoside: A natural compound with multiple health benefits. *International Journal of Molecular Sciences*, 22(5): 2261.
- Lim, C., Y. J. Hong., J. Jung., Y. Shin., S. H. Sunwoo., S. Baik., O. Park., H. S. Choi., T. Hyeon., S. Lee., and D. H. Kim. 2021. Tissue-like skin-device interface for wearable bioelectronics by using ultrasoft, mass-permeable, and low-impedance hydrogels. *Science Advances*, 7(19): eabd3716.
- Liu, J., H. Yong., Y. Liu., Y. Qin., J. Kan., and J. Liu. 2019. Preparation and characterization of active and intelligent films based on fish gelatin and haskap berries (*Lonicera caerulea* L.) extract. *Food Packaging and Shelf Life*, 22: 100417.
- Liviawaty, E., dan E. Afrianto. 2014. Penentuan waktu rigor mortis ikan nila merah (*Oreochromis niloticus*) berdasarkan pola perubahan derajat keasaman. *Jurnal Akuatika*, 5(1): 40-44.
- Ma, Q., L. Du., and L. Wang. 2017. Tara gum/polyvinyl alcohol-based colorimetric NH₃ indicator films incorporating curcumin for intelligent packaging. *Sensors and Actuators B: Chemical*, 244: 759-766.
- Ma, Y., L. Wen., Y. Liu., P. Du., P. Hu., J. Cao., and W. Wang. 2024. Chitosan-enhanced pH-sensitive anthocyanin indicator film for the accurate monitoring of mutton freshness. *Polymers*, 16(6): 849.
- Mahmudatussa'adah, A., D. Fardiaz., N. Andarwulan., dan F. Kusnandar. 2014. Karakteristik warna dan aktivitas antioksidan antosianin ubi jalar ungu. *Jurnal Teknologi dan Industri Pangan*, 25(2): 176-176.
- Medina, V. F., C. S. Griggs., B. Petery., J. Mattei-Sosa., L. Gurtowski., S. A. Waisner., J. Blogdet., and R. Moser. 2017. Fabrication, characterization, and testing of graphene oxide and hydrophilic polymer graphene oxide composite membranes in a dead-end flow system. *Journal of Environmental Engineering*, 143(11).
- Mellinas, A. C., E. García-Serna., A. Jiménez., and M. C. Garrigós. 2024. Active films based on bio-polyethylene and natural extracts rich in tocopherols for food packaging applications. *Frontiers in Materials*, 11: 1365222.
- Merz, B., C. Capello., G. C. Leandro., D. E. Moritz., A. R. Monteiro., and G. A. Valencia. 2020. A novel colorimetric indicator film based on chitosan, polyvinyl alcohol and anthocyanins from jambolan (*Syzygium cumini*) fruit for monitoring shrimp freshness. *International Journal of Biological Macromolecules*, 153: 625-632.
- Miao, Y., Z. Chen., J. Zhang., N. Li., Z. Wei., Y. Zhang., X. Wu., J. Liu., Q. Gao., X. Sun., Q. Sun., and J. Zhang. 2023. Exopolysaccharide riclin and anthocyanin-based composite colorimetric indicator film for food freshness monitoring.

Carbohydrate Polymers, 314: 120882.

- Mohamed, M. A., J. Jaafar., A. F. Ismail., M. H. D. Othman., and M. A. Rahman. 2017. Fourier transform infrared (FTIR) spectroscopy. In *Membrane Characterization*, 3-29. Elsevier.
- Munandar, A., dan N. M. Nurjanah. 2009. Kemunduran mutu ikan nila (*Oreochromis niloticus*) pada penyimpanan suhu rendah dengan perlakuan cara kematian dan penyiangan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 12(2): 88-101.
- Nasution, H., H. Harahap., E. Julianti., A. Safitri., and M. Jaafar. 2024. Properties of active packaging of PLA-PCL film integrated with chitosan as an antibacterial agent and *Syzygium cumini* seed extract as an antioxidant agent. *Heliyon*, 10(1).
- Nhut Pham, T., T. Quoc Toan., T. Duc Lam., H. Vu-Quang., D. V. N. Vo., T. Anh Vy., and L. M. Bui. 2019. Anthocyanins extraction from purple sweet potato (*Ipomoea batatas* (L.) Lam): The effect of pH values on natural color. In *IOP Conference Series: Materials Science and Engineering*, 542(1): 012031. IOP Publishing.
- Nieto, G., G. Ros., and J. Castillo. 2018. Antioxidant and antimicrobial properties of rosemary (*Rosmarinus officinalis* L.): A review. *Medicines*, 5(3): 98.
- Nigam, S., A. K. Das., and M. K. Patidar. 2021. Synthesis, characterization and biodegradation of bioplastic films produced from *Parthenium hysterophorus* by incorporating a plasticizer (PEG600). *Environmental Challenges*, 5: 100280.
- Noshirvani, N., B. Ghanbarzadeh., C. Gardrat., M. R. Rezaei., M. Hashemi., C. Le Coz., and V. Coma. 2017. Cinnamon and ginger essential oils to improve antifungal, physical and mechanical properties of chitosan-carboxymethyl cellulose films. *Food Hydrocolloids*, 70: 36-45.
- Pacquit, A., J. Frisby., D. Diamond., K. T. Lau., A. Farrell., B. Quilty., and D. Diamond. 2007. Development of a smart packaging for the monitoring of fish spoilage. *Food Chemistry*, 102(2): 466-470.
- Piras, A. M., A. Fabiano., S. Sartini., Y. Zambito., S. Braccini., F. Chiellini., A. G. Cataldi., F. Bartoli., A. de la Fuente., and P. A. Erba. 2019. pH-Responsive carboxymethylcellulose nanoparticles for ⁶⁸Ga-WBC labeling in PET imaging. *Polymers*, 11(10): 1615.
- Piroozmand, F., F. Mohammadipanah., and F. Faridbod. 2020. Emerging biosensors in detection of natural products. *Synthetic and Systems Biotechnology*, 5(4): 293-303.
- Prabhakar, P. K., S. Vatsa., P. P. Srivastav., and S. S. Pathak. 2020. A comprehensive review on freshness of fish and assessment: Analytical methods and recent innovations. *Food Research International*, 133: 109157.

- Priska, M., N. Peni., L. Carvallo., dan Y. D. Ngapa. 2018. Antosianin dan pemanfaatannya. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 6(2): 79-97.
- Puspitaningtyas, D., G. G. Putra., dan L. Suhendra. 2021. Pengaruh konsentrasi etanol dan waktu ekstraksi menggunakan metode microwave assisted extraction (MAE) terhadap aktivitas antioksidan ekstrak kulit buah kakao. *Jurnal Rekayasa dan Manajemen Agroindustri*, 9(3): 371.
- Qi, Y., and Y. Li. 2024. Colorimetric films based on polyvinyl alcohol and anthocyanins extracted from purple tomato to monitor the freshness of shrimp. *Polymers*, 16(4): 495.
- Qin, Y., Y. Liu., H. Yong., J. Liu., X. Zhang., and J. Liu. 2019. Preparation and characterization of active and intelligent packaging films based on cassava starch and anthocyanins from *Lycium ruthenicum* Murr. *International Journal of Biological Macromolecules*, 134: 80-90.
- Qin, Y., Y. Liu., L. Yuan., H. Yong., and J. Liu. 2019. Preparation and characterization of antioxidant, antimicrobial and pH-sensitive films based on chitosan, silver nanoparticles and purple corn extract. *Food Hydrocolloids*, 96: 102-111.
- Rahmadhia, S. N., Y. A. Saputra., T. Juwitaningtyas., dan W. M. Rahayu. 2022. Intelligent packaging as a pH-indicator based on cassava starch with addition of purple sweet potato extract (*Ipomoea batatas* L.). *Journal of Functional Food and Nutraceutical*.
- Rasul, S. F., R. J. Noori., K. M. Ali., R. B. Khedhir., S. R. Ahmed., and A. M. Qadir. 2022. Roles of different packaging materials on the quality and shelf life of yogurt. *Food Science and Technology*, 42: e70821.
- Rinaudo, M., G. Pavlov., and J. Desbrieres. 1999. Influence of acetic acid concentration on the solubilization of chitosan. *Polymer*, 40(25): 7029-7032.
- Rozi, A. 2018. Laju kemunduran mutu ikan lele (*Clarias* sp.) pada penyimpanan suhu chilling. *Jurnal Perikanan Tropis*, 5(2): 169-182.
- Sahumena, M. H., S. Suryani., dan W. Pratiwi. 2023. Preparasi dan karakterisasi sistem pembawa liposom dari ekstrak etanol daun miana (*Coleus atropurpureus* L. Benth). *Indonesian Journal of Pharmaceutical Education*, 3(2).
- Sakina, N. S., dan F. Purwangka. 2021. Prioritas risiko penanganan dan transportasi ikan tuna di Pelabuhan Perikanan Pantai (PPP) Pondokdadap. *Albacore Jurnal Penelitian Perikanan Laut*, 5(2): 147-160.
- Santoso, V. R., R. Pramitasari., and D. S. B. Anugrah. 2023. Development of indicator film based on cassava starch–chitosan incorporated with red dragon fruit peel anthocyanins–gambier catechins to detect banana ripeness. *Polymers*, 15(17): 3609.

- Saputro, A. N. C., dan A. L. Ovita. 2017. Sintesis dan karakterisasi bioplastik dari kitosan-pati ganyong (*Canna edulis*). Jurnal Kimia dan Pendidikan Kimia, 1(2): 13-21.
- Septiati, Y. A., dan M. Karmini. 2023. Bioplastik berbasis pati kulit singkong: karakteristik dan kemampuan melindungi makanan. Penerbit NEM.
- Shafqat, A., N. Al-Zaqri., A. Tahir., and A. Alsalmeh. 2021. Synthesis and characterization of starch based bioplastics using varying plant-based ingredients, plasticizers and natural fillers. Saudi Journal of Biological Sciences, 28(3): 1739-1749.
- Sharaby, M. R., E. A. Soliman., and R. Khalil. 2024. Halochromic smart packaging film based on montmorillonite/polyvinyl alcohol-high amylose starch nanocomposite for monitoring chicken meat freshness. International Journal of Biological Macromolecules, 258: 128910.
- Sirwutubun, M., M. M. Ludong., dan D. Rawung. 2016. Pengaruh konsentrasi etanol terhadap karakteristik ekstrak pewarna alami buah merah (*Pandanus conoideus* Lamk.) dan aplikasinya pada produk pangan. In COCOS, 7(5).
- Sjahfirdi, L., N. Aldi., H. Maheshwari., dan P. Astuti. 2015. Aplikasi Fourier Transform Infrared (FTIR) dan pengamatan pembengkakan genital pada spesies primata, lutung jawa (*Trachypithecus auratus*) untuk mendeteksi masa subur. Jurnal Kedokteran Hewan - Indonesian Journal of Veterinary Sciences, 9(2).
- Sjamsiah, J. Saokani., dan Lismawati. 2017. Karakteristik edible film dari pati kentang (*Solanum tuberosum* L.) dengan penambahan gliserol. Jurnal Al-Kimia, 2(5): 181-192.
- Spinardi, A., G. Cola., C. S. Gardana., and I. Mignani. 2019. Variation of anthocyanin content and profile throughout fruit development and ripening of highbush blueberry cultivars grown at two different altitudes. Frontiers in Plant Science, 10: 1045.
- Sugumaran, S., and C. S. Bellan. 2014. Transparent nano composite PVA–TiO₂ and PMMA–TiO₂ thin films: Optical and dielectric properties. Optik, 125(18): 5128-5133.
- Suhandana, M., dan N. Tati. 2018. Kadar total volatile base, glikogen, katepsin dan water holding capacity daging ikan nila (*Oreochromis niloticus*) pada fase kemunduran mutu. MARINADE, 1(1): 27-35.
- Sultana, B., F. Anwar., and M. Ashraf. 2009. Effect of extraction solvent/technique on the antioxidant activity of selected medicinal plant extracts. Molecules, 14(6): 2167-2180.
- Supeni, G., dan S. Irawan. 2014. Pengaruh penggunaan kitosan terhadap sifat barrier edible film tapioka termodifikasi. Jurnal Kimia dan Kemasan, 34(1): 199-206.

- Suprayitno, E. 2020. Kajian kesegaran ikan di pasar tradisional dan modern Kota Malang. *JFMR (Journal of Fisheries and Marine Research)*, 4(2): 289-295.
- Thomas, S., P. A. Soloman., and V. O. Rejini. 2016. Preparation of chitosan-CMC blends and studies on thermal properties. *Procedia Technology*, 24: 721-726.
- Tirtashi, F. E., M. Moradi., H. Tajik., M. Forough., P. Ezati., and B. Kuswandi. 2019. Cellulose/chitosan pH-responsive indicator incorporated with carrot anthocyanins for intelligent food packaging. *International Journal of Biological Macromolecules*, 136: 920-926.
- Trouillas, P., J. C. Sancho-García., V. De Freitas., J. Gierschner., M. Otyepka., and O. Dangles. 2016. Stabilizing and modulating color by copigmentation: Insights from theory and experiment. *Chemical Reviews*, 116(9): 4937-4982.
- Valizadeh, S., M. Naseri., S. Babaei., S. M. H. Hosseini., and A. Imani. 2019. Development of bioactive composite films from chitosan and carboxymethyl cellulose using glutaraldehyde, cinnamon essential oil and oleic acid. *International Journal of Biological Macromolecules*, 134: 604-612.
- Wallace, T. C., and M. M. Giusti. 2019. Anthocyanins—nature’s bold, beautiful, and health-promoting colors. *Foods*, 8(11): 550.
- Wang, F., C. Xie., H. Tang., W. Hao., J. Wu., Y. Sun., J. Sun., Y. Liu., and L. Jiang. 2023. Development, characterization and application of intelligent/active packaging of chitosan/chitin nanofibers films containing eggplant anthocyanins. *Food Hydrocolloids*, 139: 108496.
- Wang, L., Y. Dong., H. Men., J. Tong., and J. Zhou. 2013. Preparation and characterization of active films based on chitosan incorporated tea polyphenols. *Food Hydrocolloids*, 32(1): 35-41.
- Wardani, N. I., W. Alahmad., and P. Varanusupakul. 2024. A review of utilizing anthocyanins as natural reagents for eco-friendly solid-state colorimetric sensors: A green perspective. *Green Analytical Chemistry*, 100117.
- Wati, G. A. S. W. T., L. Suriati., dan A. A. M. Semariyani. 2023. Karakteristik fisiko kimia edible film pulp kopi dengan penambahan kitosan. In *Prosiding Seminar Nasional Pertanian*, 3(2).
- Wei, Y. C., C. H. Cheng., Y. C. Ho., M. L. Tsai., and F. L. Mi. 2017. Active gellan gum/purple sweet potato composite films capable of monitoring pH variations. *Food Hydrocolloids*, 69: 491-502.
- Widyastutik, Y., P. T. Hardani., dan D. P. Sari. 2022. Optimasi perbandingan pelarut dan lama maserasi terhadap kadar total antosianin ekstrak jantung pisang (*Musa acuminata* x *Musa balbisiana*). *Pharmacon: Jurnal Farmasi Indonesia*, 19(2): 167-175.

- Wilorianza, R., Emelda., M. A. Munir., dan A. Fatmawati. 2023. The effect of solvent concentration against specific and non-specific parameters of standardization: ethanolic extract of papaya seed (*Carica papaya* Linn.). *Journal of Tropical Pharmacy and Chemistry*, 7(2): 105-113.
- Winiati, W., T. Wahyudi., I. Kurniawan., dan R. Yulina. 2012. Peningkatan sifat mekanik serat kitosan melalui proses plastisisasi dengan gliserol setelah proses dehidrasi dengan metanol. *Arena Tekstil*, 27(2): 54533.
- Wiraditama, A. P., M. Handayani., dan A. S. Putri. 2024. Assesment mutu ikan tongkol di tempat pelelangan ikan gudang lelang, Kota Bandar Lampung. *Jurnal Marshela (Marine and Fisheries Tropical Applied Journal)*, 2(1): 41-49.
- Wu, C., J. Sun., P. Zheng., X. Kang., M. Chen., Y. Li., Y. Ge., Y. Hu., and J. Pang. 2019. Preparation of an intelligent film based on chitosan/oxidized chitin nanocrystals incorporating black rice bran anthocyanins for seafood spoilage monitoring. *Carbohydrate Polymers*, 222: 115006.
- Yang, J., and R. L. Gadi. 2008. Effect of steaming and dehydration on anthocyanins, antioxidant activity, total phenols and color characteristics of purple-fleshed sweet potatoes (*Ipomea batatas*). *American Journal of Food Technology*, 3: 224-234.
- Yong, H., X. Wang., R. Bai., Z. Miao., X. Zhang., and J. Liu. 2019. Development of antioxidant and intelligent pH-sensing packaging films by incorporating purple-fleshed sweet potato extract into chitosan matrix. *Food Hydrocolloids*, 90: 216-224.
- Yong, H., X. Wang., X. Zhang., Y. Liu., Y. Qin., and J. Liu. 2019. Effects of anthocyanin-rich purple and black eggplant extracts on the physical, antioxidant and pH-sensitive properties of chitosan film. *Food Hydrocolloids*, 94: 93-104.
- Yoshida, C. M., V. B. V. Maciel., M. E. D. Mendonça., and T. T. Franco. 2014. Chitosan biobased and intelligent films: Monitoring pH variations. *LWT-Food Science and Technology*, 55(1): 83-89.
- Yudiono, K. 2011. Ekstraksi antosianin dari ubijalar ungu (*Ipomoea batatas* cv. Ayamurasaki) dengan teknik ekstraksi subcritical water. *Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*, 2(1).
- Yumas, M., J. E. Loppies., dan A. L. S. Barra. 2020. Stabilitas dan efektivitas antioksidan zat warna antosianin tepung kakao tanpa fermentasi (*Theobroma cacao* L) secara *in vivo*. *Jurnal Industri Hasil Perkebunan*, 15(1): 61-73.
- Zatalini, D. F., E. Hendradi., P. Drake., and R. Sari. 2023. The effect of chitosan and polyvinyl alcohol combination on physical characteristics and mechanical properties of chitosan-PVA-*Aloe vera* film. *Pharmacy and Pharmaceutical Sciences Journal/Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 10(2).

- Zhai, X., J. Shi., X. Zou., S. Wang., C. Jiang., J. Zhang., X. Huang., W. Zhang., and M. Holmes. 2017. Novel colorimetric films based on starch/polyvinyl alcohol incorporated with roselle anthocyanins for fish freshness monitoring. *Food Hydrocolloids*, 69: 308-317.
- Zhang, C., G. Sun., L. Cao., and L. Wang. 2020. Accurately intelligent film made from sodium carboxymethyl starch/ κ -carrageenan reinforced by mulberry anthocyanins as an indicator. *Food Hydrocolloids*, 108: 106012.
- Zhang, X., S. Lu., and X. Chen. 2014. A visual pH sensing film using natural dyes from *Bauhinia blakeana* Dunn. *Sensors and Actuators B: Chemical*, 198: 268-273.
- Zhang, Z., M. D. Harrison., D. W. Rackemann., W. O. Doherty., and I. M. O'Hara. 2016. Organosolv pretreatment of plant biomass for enhanced enzymatic saccharification. *Green Chemistry*, 18(2): 360-381.
- Zhang, Z., Y. Sun., S. Sang., L. Jia., and C. Ou. 2022. Emerging approach for fish freshness evaluation: Principle, application and challenges. *Foods*, 11(13): 1897.
- Zhu, Z., Q. Guan., M. Koubaa., F. J. Barba., S. Roohinejad., G. Cravotto., X. Yang., S. Li., and J. He. 2017. HPLC-DAD-ESI-MS2 analytical profile of extracts obtained from purple sweet potato after green ultrasound-assisted extraction. *Food Chemistry*, 215: 391-400.