

## DAFTAR PUSTAKA

- Achmad, F., Mulyo, J. H., Masyhuri, M., & Subejo, S. (2019). Ketahanan pangan rumah tangga peternak sapi potong rakyat di Daerah Istimewa Yogyakarta, Indonesia. *Jurnal Ketahanan Nasional*, 25(2), 151.
- Açikgöz, Z., Bayraktar, H., & Altan, A. (2002). The relationship between water intake and performance of laying hens in high temperature. *Hayvansal Üretim*, 43(1), 25–31.
- Adams, M. R., & Moss, M. O. (2000). *Food Microbiology* (2nd Ed.). Royal Society of Chemistry, Athenaeum Press Ltd, University of Surrey.
- Adesogan, A. T., Havelaar, A. H., McKune, S. L., Eilittä, M., & Dahl, G. E. (2020). Animal source foods: Sustainability problem or malnutrition and sustainability solution? Perspective matters. *Global Food Security*, 25.
- Ahmed, A. S., & Alamer, M. A. (2011). Effect of short-term water restriction on body weight, egg production, and immune response of local and commercial layers in the late phase of production. *Asian-Australasian Journal of Animal Sciences*, 24(6), 825–833.
- Ahyodi, F., Nova, K., & Kurtini, T. (2014). Pengaruh bobot telur terhadap fertilitas, susut tetas, daya tetas, dan bobot tetas telur kalkun. *Jurnal Ilmiah Peternakan Terpadu*, 2(1), 19–25.
- Akinsemolu, A. A., Onyeaka, H., Odion, S., & Adebajo, I. (2024). Exploring *Bacillus subtilis*: Ecology, biotechnological applications, and future prospects. *Journal of Basic Microbiology*, 64(6), 2300614.
- Alaqil, A. A., Abbas, A. O., El-Beltagi, H. S., Abd El-Atty, H. K., Mehaisen, G. M. K., & Moustafa, E. S. (2020). Dietary supplementation of probiotic *Lactobacillus acidophilus* modulates cholesterol levels, immune response, and productive performance of laying hens. *Animals*, 10(9), 1–12.
- Alig, B. N., Ferket, P. R., Malheiros, R. D., & Anderson, K. E. (2023). The effect of housing environment on egg production, USDA egg size, and USDA grade distribution of commercial white egg layers. *Poultry*, 2(2), 204–221.
- Al-Massad, M., Al-Ramamneh, D., Al-Sharafat, A., Abdelqader, A., & Hussain, N. (2018). Effect of using garlic on the economical and physiological characteristics of broiler chickens. *Russian Agricultural Sciences*, 44(3), 276–281.
- Al-Obaidi, B. M. W., Mahmood, E. K., Alnoori, M. A., Alnori, H. M., & Saeed, O. A. (2022). Effect of organic zinc supplementation into basal diets on

productive performance of laying hens. *Journal of the Indonesian Tropical Animal Agriculture*, 47(4), 257–264.

Al-Otaibi, A. M., Abd El-Hack, M. E., Dmour, S. M., Alsowayeh, N., Khafaga, A. F., Ashour, E. A., Nour-Eldeen, M. A., & Świątkiewicz, S. (2023). A narrative review on the beneficial impacts of probiotics on poultry: An updated knowledge. *Annals of Animal Science*, 23(2), 405–418.

Al-Sadi, R., Nighot, P., Nighot, M., Haque, M., Rawat, M., & Ma, T. Y. (2021). *Lactobacillus acidophilus* Induces a Strain-specific and Toll-Like Receptor 2–Dependent enhancement of intestinal epithelial tight junction barrier and protection against intestinal inflammation. *The American Journal of Pathology*, 191(5), 872–884.

Álvarez-Fernández, E., Cancelo, A., Díaz-Vega, C., Capita, R., & Alonso-Calleja, C. (2013). Antimicrobial resistance in *E. coli* isolates from conventionally and organically reared poultry: A comparison of agar disc diffusion and Sensi Test Gram-negative methods. *Food Control*, 30(1), 227–234.

Amrullah, I. K. (2003). *Nutrisi Ayam Ras Petelur* (Cetakan pertama). Penerbit Lembaga Satu Gunungbudi.

Anton, Taufik, E., & Wulandari, Z. (2020). Studi residu antibiotika dan kualitas mikrobiologi telur ayam konsumsi yang beredar di Kota Administrasi Jakarta Timur. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 8(3), 151–159.

Arifin, M., & Pramono, V. J. (2014). Pengaruh pemberian sinbiotik sebagai alternatif pengganti *Antibiotic Growth Promoter* terhadap pertumbuhan dan ukuran vili usus ayam broiler. *Jurnal Sain Veteriner*, 32(2), 205–217.

Arsyitahlia, N., Bagus, I., Ardana, K., Ayu, I., & Apsari, P. (2019). Prevalensi infeksi *Eimeria* spp. pada ayam pedaging yang diberi pakan Ttnpa *Antibiotic Growth Promoters* (AGP) di Kabupaten Tabanan, Bali. *Indonesia Medicus Veterinus*, 8(2), 2477–6637.

Asgari, F., Madjd, Z., Falak, R., Bahar, M. A., Nasrabadi, M. H., Raiani, M., & Shekarabi, M. (2016). Probiotic feeding affects T cell populations in blood and lymphoid organs in chickens. *Beneficial Microbes*, 7(5), 669–676.

Awin, T., Buzgaia, N., Abd Ghafar, S. Z., Mediani, A., Mohd Faudzi, S. M., Maulidiani, M., Shaari, K., & Abas, F. (2019). Identification of nitric oxide inhibitory compounds from the rhizome of *Curcuma xanthorrhiza*. *Food Bioscience*, 29, 126–134.

Ayana, G. U., & Kamutambuko, R. (2024). Probiotics in disease management for sustainable poultry production. *Advanced Gut & Microbiome Research*, 2024(1), 1.

- Azad, M. A. K., Sarker, M., Li, T., & Yin, J. (2018). Probiotic species in the modulation of gut microbiota: An overview. *BioMed Research International*, 2018, 9478630.
- Badan Pusat Statistik. (2022). *Statistik Indonesia 2022* (Direktorat Diseminasi Statistik, Ed.). BPS-Statistics Indonesia.
- Baliga, M. S., Jagetia, G. C., Rao, S. K., & Babu, S. K. (2003). Evaluation of nitric oxide scavenging activity of certain spices in vitro: A preliminary study. *Nahrung-Food*, 47, 261–264.
- Banong, S., & Hakim, M. R. (2011). The Effect of age and duration of fasting on performance and carcass characteristics of broiler chicken. *Jurnal Ilmu Dan Teknologi Peternakan*, 2, 98–106.
- Bell, D. D. (2002). Consumption and Quality of Water. In *Commercial Chicken Meat and Egg Production* (pp. 411–430). Springer US.
- Bermawie, N., & Purwiyanti, S. (2011). *Jahe*. BALITRO.
- Brady, Ms., & Katz, S.E. (1992). *Analysis of Antibiotic Drug Residues in Food Products of Animal Origin* (V. K. Agarwal, Ed.). Plenum Press.
- Brezoen, A., Van Haren, W., & Hanekamp, J. C. (1999). *Human Health and Antibiotic Growth Promoters (AGPs): Reassessing the risk*. Heidelberg Appeal Nederland Foundation.
- Bull, M., Plummer, S., Marchesi, J., & Mahenthiralingam, E. (2013). The life history of *Lactobacillus acidophilus* as a probiotic: A tale of revisionary taxonomy, misidentification and commercial success. *FEMS Microbiology Letters*, 349(2), 77–87.
- Button, K. S., Ioannidis, J. P. A., Mokrysz, C., Nosek, B. A., Flint, J., Robinson, E. S. J., & Munafò, M. R. (2013). Power failure: why small sample size undermines the reliability of neuroscience. *Nature Reviews Neuroscience*, 14(5), 365–376.
- Caballero, B., Finglas, P., & Toldra, F. (2003). *Encyclopedia of Food Sciences and Nutrition* (Second Edition). Academic Press.
- Callaway, T. R., Edrington, T. S., Byrd, J., & Nisbet, D. J. (2017). Use of direct-fed microbials in layer hen production-performance response and *Salmonella* control, producing safe eggs: The microbial ecology of *Salmonella*. In S. C. Ricke & R. K. Gast (Eds.), *Producing Safe Eggs* (p. 301). Academic Press.
- Chen, C. Y., Tsen, H. Y., Lin, C. L., Yu, B., & Chen, C. S. (2012). Oral administration of a combination of select lactic acid bacteria strains to reduce

- the *Salmonella* invasion and inflammation of broiler chicks. *Poultry Science*, 91(9), 2139–2147.
- Cherian, G. (2013). Keynote Symposium: “Tomorrow’s Poultry: Sustainability and Safety” introduction and welcome. *Poultry Science*, 92(2), 492.
- Choct, M. (2009). Managing gut health through nutrition. *British Poultry Science*, 50(1), 9–15.
- Cortese, M., Fuchs, F. M., Commichau, F. M., Eichenberger, P., Schuerger, A. C., Nicholson, W. L., Setlow, P., & Moeller, R. (2019). *Bacillus subtilis* spore resistance to simulated mars surface conditions. *Frontiers in Microbiology*, 10.
- Cutting, S. M. (2011). *Bacillus* probiotics. *Food Microbiology*, 28(2), 214–220.
- Dalimartha, S. (2000). *Atlas Tumbuhan Obat Indonesia*. Trubus Agriwidya.
- Dewi, A. A. S., Widdhiasmoro, N. P., Nurlatifah, I., Riti, N., & Purnawati, D. (2014). Residu antibiotik pada pangan asal hewan, dampak, dan upaya penanggulangannya. *Buletin Veteriner BBVet Denpasar*, 26(85), 1–12.
- Diaz-Sanchez, S., Moscoso, S., de los Santos, F. S., Andino, A., & Hanning, I. (2015). Antibiotic use in poultry: A driving force for organic poultry production. *Food Protection Trends*, 35(6), 440.
- Dirgahayu, F. I., Septinova, D., & Nova, K. (2016). Perbandingan kualitas eksternal telur ayam ras strain *Isa Brown* dan *Lohmann Brown*. *Jurnal Ilmiah Peternakan Terpadu*, 4(1), 1–5.
- Dong, Y., Li, R., Liu, Y., Ma, L., Zha, J., Qiao, X., Chai, T., & Wu, B. (2020). Benefit of dietary supplementation with *Bacillus subtilis* BYS2 on growth performance, immune response, and disease resistance of broilers. *Probiotics and Antimicrobial Proteins*, 12(4), 1385–1397.
- EFSA Panel on Additives and Products or Substances used in Animal Feed (FEEDAP). (2014). Scientific opinion on the safety and efficacy of vitamin B2 (80 %) as riboflavin produced by *Bacillus subtilis* for all animal species, based on a dossier submitted by VITAC EEIG. *EFSA Journal*, 12(1).
- Ekinci, O., Esenbuga, N., & Dagdemir, V. (2023). The effects of body weight and age on performance, egg quality, blood parameters, and economic production of laying hens. *Journal of the Hellenic Veterinary Medical Society*, 74(2), 5809–5816.
- Ensminger, R. C. (1992). *Poultry Science*. The International Printer and Publisher Inc.

- FAO. (2016). *Probiotics in animal nutrition: Production, impact and regulation by Yadav S. Bajagai, Athol V. Klieve, Peter J. Dart and Wayne L. Bryden* (H. P. S. Makkar, Ed.). FAO Animal Production and Health Paper No. 179.
- FAO. (2023). Contribution of terrestrial animal source food to healthy diets for improved nutrition and health outcomes. In *Contribution of terrestrial animal source food to healthy diets for improved nutrition and health outcomes*. Food and Agriculture Organization of the United Nations.
- FAO/WHO Joint Report. (2001). *Report of a Joint FAO/ WHO Expert Consultation on Evaluation of Health and Nutritional Properties of Probiotics in Food Including Powder Milk with Live Lactic Acid Bacteria*.
- Farooq, M., Mian, M. A., Durrani., F. R., & Syed, M. (2002). Feed consumption and efficiency of feed utilization by egg type layers for egg production. *Livestock Research for Rural Development*, 14(1), 20–32.
- Festing, M. F. W., & Altman, D. G. (2002). Guidelines for the design and statistical analysis of experiments using laboratory animals. *ILAR Journal*, 43(4), 244–258.
- Forte, C., Moscati, L., Acuti, G., Mugnai, C., Franciosini, M. P., Costarelli, S., Cobellis, G., & Trabalza-Marinucci, M. (2016). Effects of dietary *Lactobacillus acidophilus* and *Bacillus subtilis* on laying performance, egg quality, blood biochemistry and immune response of organic laying hens. *Journal of Animal Physiology and Animal Nutrition*, 100(5), 977–987.
- Gandhi, D. N. (2006). *Food and industrial microbiology: Microbiology of fermented dairy products*. Dairy Microbiology Division, National Dairy Research Institute.
- Gao, H., Li, X., Chen, X., Hai, D., Wei, C., Zhang, L., & Li, P. (2022). The functional roles of *Lactobacillus acidophilus* in different physiological and pathological processes. *Journal of Microbiology and Biotechnology*, 32(10), 1226–1233.
- Ghasemzadeh, A., Jaafar, H. Z. E., & Karimi, E. (2012). Involvement of salicylic acid on antioxidant and anticancer properties, anthocyanin production and chalcone synthase activity in ginger (*Zingiber officinale* roscoe) varieties. *International Journal of Molecular Sciences*, 13(11), 14828–14844.
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., Pretty, J., Robinson, S., Thomas, S. M., & Toulmin, C. (2010). Food security: The challenge of feeding 9 billion people. *Science*, 327(5967), 812–818.

- Grozina, A. A., Ilina, L. A., Laptev, G. Y., Yildirim, E. A., Ponomareva, E. S., Filippova, V. A., Tyurina, D. G., Fisinin, V. I., Kochish, I. I., Griffin, D. K., Surai, P. F., & Romanov, M. N. (2023). Probiotics as an alternative to antibiotics in modulating the intestinal microbiota and performance of broiler chickens. *Journal of Applied Microbiology*, 134(9), 1–9.
- Grumezescu, A., & Holban, A. M. (2019). *Value-added Ingredients and Enrichments of Beverages*. Academic Press.
- Gumelar, F. R., Suarantika, F., & Rusdi, B. (2024). In vitro evaluation of prebiotic potential of red ringer (*Zingiber officinale* var. *rubrum*) rhizome ethanol extract on *Lactobacillus acidophilus* and *Escherichia coli*. *Borneo Journal of Pharmacy*, 7(3), 290–296.
- Halder, N., Sunder, J., De, A. K., Bhattacharya, D., & Joardar, S. N. (2024). Probiotics in poultry: A comprehensive review. *The Journal of Basic and Applied Zoology*, 85(1), 23.
- Harmayanda, P. O. A., Rosyidi, D., & Sjojfan, O. (2016). Evaluasi kualitas pemberian telur dari beberapa hasil jenis pakan komersial ayam petelur. *Jurnal Pengelolaan Lestari*, 7(1), 25–32.
- Henrik, H., & Marhayani, M. (2020). Egg production and quality of Magelang duck, Mojosari duck, and their reciprocal crosses. *Jurnal Ilmu-Ilmu Peternakan*, 30(3), 180–183.
- Herawati, H., Anisa, A. K., Widiatmoko, K. D., Alam, S. S. P., Diari, I. A., Naprila, Z. H., Ayu Kisya, R. L., Puspabela, A., & Permata, F. S. (2022). Effect of red ginger powder (*Zingiber officinale* var. *rubrum*) as a feed additive for starter and finisher broiler chicken to increase immunoglobulin A and immunoglobulin Y expression and to prevent intestinal injury due to *Salmonella enteritidis* infection. *Veterinary World*, 15(6), 1506–1514.
- Hernandez-Patlan, D., Solis-Cruz, B., M. Hargis, B., & Tellez, G. (2020). The use of probiotics in poultry production for the control of bacterial infections and aflatoxins. In E. Franco-Robles & J. Ramírez-Emiliano (Eds.), *Prebiotics and Probiotics - Potential Benefits in Nutrition and Health*. IntechOpen.
- Hewlings, S., & Kalman, D. (2017). Curcumin: A review of its effects on human health. *Foods*, 6(10), 92.
- Hintono, A. (2022). *Ilmu Pengetahuan Telur*. UNDIP Press.
- Hrdý, J., Couturier-Maillard, A., Boutillier, D., Lapadatescu, C., Blanc, P., Procházka, J., Pot, B., Ryffel, B., Grangette, C., & Chamaillard, M. (2022). Oral supplementation with selected *Lactobacillus acidophilus* triggers IL-17-

dependent innate defense response, activation of innate lymphoid cells type 3 and improves colitis. *Scientific Reports*, 12(1).

Hwang, J. K., Shim, J. S., & Pyun, Y. R. (2000). Antibacterial activity of xanthorrhizol from *Curcuma xanthorrhiza* against oral pathogens. *Fitoterapia*, 71(3), 321–323.

Iannotti, L. L., Lutter, C. K., Bunn, D. A., & Stewart, C. P. (2014). Eggs: The uncracked potential for improving maternal and young child nutrition among the world's poor. *Nutrition Reviews*, 72(6), 355–368.

Ilham, N., Winarso, B., Maulana, M., & Nurasa, T. (2020). Kajian efisiensi rantai pasok ayam ras pedaging dan petelur dalam rangka meningkatkan daya saing dan kesejahteraan peternak. *Analisis Kebijakan Pertanian*, 18(1), 41–57.

ISA Brown Commercial Layers. (2009). *General Management Guide Commercial ISA Brown*. Hendrix Genetics Company.

ISA Product Performance. (2006). *ISA Brown Commercial Layer*. Hendrix Genetics Company.

Jaelani, A., Widaningsih, N., & Rahmadi. (2016). Pengaruh umur induk dan produksi telur ayam parent stock. *Media Sains*, 9(2), 198–209.

Juariah, S., Abu Bakar, F. I., Abu Bakar, M. F., Kartini, S., Dewi, A. P., Surya, A., & Endrini, S. (2024). Effectiveness and mechanism of *Zingiber officinale* var. rubrum (red ginger) ethanol extract as an inhibitor of *Escherichia coli* and *Staphylococcus aureus*. *Food Research*, 8(S5), 63–69.

Jumba, P. P. J., Suryatni, N. P. F., Sinlae, M., & Mulyantini, N. G. A. (2025). Pengaruh jenis ransum komersial pada dua strain ayam broiler terhadap performa ayam broiler. *Animal Agricultura*, 2(3), 890–897.

Kadam, J. H., Pawar, R. S., Fadhil, M. F. M., & Zambare, V. (2023). Advances on Probiotics Utilization in Poultry Health and Nutrition. In V. Zambare, M. F. M. Din, P. Gupta, & B. G. Prajapati (Eds.), *Advances in Probiotics for Health and Nutrition* (p. 15). IntechOpen.

Kamal, M. A. M., Atef, M., Khalf, M. A., & Ahmed, Z. A. M. (2024). Newcastle viral disease causation web correlations with laying hen productivity. *Scientific Reports*, 14(1), 16021.

Kartasudjana, R., & Suprijatna, E. (2006). *Manajemen Ternak Unggas*. Penebar Swadaya.

Kennedy, D. M. (2007). *An economic analysis of the human health impacts oantibiotic use in food animal production and the demand for antibiotic free-meat*. University of California, Davis.

- Kikusato, M. (2021). Phytobiotics to improve health and production of broiler chickens: Functions beyond the antioxidant activity. *Animal Bioscience*, 34(3), 345–353.
- Korver, D. R. (2022). Intestinal nutrition: Role of vitamins and biofactors and gaps of knowledge. *Poultry Science*, 101(4), 101665.
- Krauze, M., Cendrowska-Pinkosz, M., Matusevičius, P., Stepniowska, A., Jurczak, P., & Ognik, K. (2021). The effect of administration of a phytobiotic containing cinnamon oil and citric acid on the metabolism, immunity, and growth performance of broiler chickens. *Animals*, 11(2), 1–19.
- Krishnan, N., Velramar, B., & Velu, R. K. (2019). Investigation of antifungal activity of surfactin against mycotoxigenic phytopathogenic fungus *Fusarium moniliforme* and its impact in seed germination and mycotoxicosis. *Pesticide Biochemistry and Physiology*, 155, 101–107.
- Kustina, E., Zulharmita, & Misfadhila, S. (2020). Traditional uses, phytochemistry and pharmacology of *Curcuma xanthorrhiza* Roxb.: A review. *International Journal of Science and Healthcare Research*, 5(3), 494–500.
- Kusumawati, N., Anggarani, M. A., Rusijono, Setiarso, P., & Muslim, S. (2017). Product standardization of ginger (*Zingiber officinale* rosc.) and red ginger (*Zingiber officinale* var. *rubrum*) simplicia through washing time, slice thickness and raw materials drying process optimization. *Int. J. Adv. Sci. Eng. Inf. Technol.*, 7, 15–21.
- Lalev, M. (2013). A comparison of laying performance of egg type strains. *Archiva Zootechnica*, 16(2), 59–66.
- Lan, R., Tran, H., & Kim, I. (2017). Effects of probiotic supplementation in different nutrient density diets on growth performance, nutrient digestibility, blood profiles, faecal microflora and noxious gas emission in weaning pig. *Journal of The Science of Food and Agriculture*, 97, 1335–1341.
- Lee, J., Yu, M., & Heo, J. M. (2023). Strategies to enhance egg production performance under low stocking density conditions: a comprehensive review. *Animal Industry and Technology*, 10(2), 83–96.
- Lee, N.-K., Kim, W.-S., & Paik, H.-D. (2019). *Bacillus* strains as human probiotics: characterization, safety, microbiome, and probiotic carrier. *Food Science and Biotechnology*, 28(5), 1297–1305.
- Liu, J., Gu, H., Jia, R., Li, S., Chen, Z., Zheng, A., Chang, W., & Liu, G. (2025). Effects of *Lactobacillus acidophilus* on production performance and immunity of broiler chickens and their mechanism. *Frontiers in Veterinary Science*, 12.

- Luthfi, A. C., Suhardi, S., & Wulandari, E. C. (2020). Produktivitas ayam petelur fase layer II dengan pemberian pakan *free feeding choice*. *Tropical Animal Science*, 2(2), 57–65.
- Lutter, C. K., Iannotti, L. L., & Stewart, C. P. (2018). The potential of a simple egg to improve maternal and child nutrition. *Maternal and Child Nutrition*, 14(S3), 1.
- Maged, R., Nordin, N., & Sherwan Abdulla, M. (2013). Anti-inflammatory effects of *Zingiber officinale* roscoe involve suppression of nitric oxide and prostaglandin E2 production. *Zanco J. Med. Sci*, 17(1), 349–356.
- Mandey, J. S., & Sompie, F. N. (2021). Phytogenic Feed Additives as An Alternative to Antibiotic Growth Promoters in Poultry Nutrition. In L. Babinszky, J. Oliveira, & E. M. Santos (Eds.), *Advanced Studies in the 21st Century Animal Nutrition*. IntechOpen.
- Markey, B., Leonard, F., Archambault, M., Cullinane, A., & Maguire, D. (2013). *Clinical Veterinary Microbiology* (Second Edition). Mosby Elsevier.
- Marzuki, A., & Rozi, B. (2018). Pemberian pakan bentuk *Cramble* dan *Mash* terhadap produksi ayam petelur. *Jurnal Ilmiah INOVASI*, 18(1), 29–34.
- McSweeney, P. L. H., & McNamara, J. P. (2022). *Encyclopedia of Dairy Sciences* (Third Edition). Academic Press.
- Mohamed, F., Thabet, M., & Ali, M. (2019). The use of probiotics to enhance immunity of broiler chicken against some intestinal infection pathogens. *SVU-International Journal of Veterinary Sciences*, 2(1), 1–19.
- Monika, M., Tyagi, J. S., Sonale, N., Biswas, A., Murali, D., Sky, Tiwari, A. K., & Rokade, J. J. (2024). Evaluating the efficacy of *Lactobacillus acidophilus* derived postbiotics on growth metrics, health, and gut integrity in broiler chickens. *Scientific Reports*, 14(1), 24768.
- Muiz, A., Hafzah, & Mozin, S. (2022). Penggunaan tepung temulawak (*Curcuma xanthorrhiza* Roxb) dan jahe merah (*Zingiber officinale* var. Rubrum) dalam ransum terhadap performa pertumbuhan dan daya cerna ayam petelur jantan. *Mitra Sains*, 10, 12.
- Naeem, M., & Bourassa, D. (2025). Probiotics in poultry: Unlocking productivity through microbiome modulation and gut health. *Microorganisms*, 13(2), 257.
- Nasikin, M., Nangoy, F. J., Sarayar, C. L. K., & Kawatu, M. H. M. (2015). Pengaruh substitusi sebagian ransum dengan tepung tomat (*Polanum lycopersicum* L) terhadap berat telur, berat kuning telur dan massa telur ayam ras. *Jurnal Zootek*, 35(2), 225–234.

- Neumann, C., Harris, D. M., & Rogers, L. M. (2002). Contribution of animal source foods in improving diet quality and function in children in the developing world. *Nutrition Research*, 22(1–2), 193–220.
- Nova, T. D., Wizna, & Wati, D. I. (2020). The level of productivity and external quality of hen in open house cage . *Tertria Webinar Unggas Nasional*, 47–64.
- Nurhidayah, Yulianti, N. T., Palupi, M. F., Ariyani, N., Patriana, U., Werdiningsih, S., Nugraha, E., Sari, R. A., Ambarwati, Widyarimbi, D., & Rusmiati, E. (2015). Pengkajian residu beberapa golongan antibiotika pada telur di beberapa provinsi di Indonesia. *Buletin Pengujian Mutu Obat Hewan*, 23, 1–8.
- OECD/FAO. (2022). *OECD-FAO Agricultural Outlook 2022-2031*. OECD Publishing.
- Ognik, K., Cholewińska, E., Sembratowicz, I., Grela, E., & Czech, A. (2016). The potential of using plant antioxidants to stimulate antioxidant mechanisms in poultry. *World's Poultry Science Journal*, 72(2), 291–298.
- Oon, S. F., Nallappan, M., Tee, T. T., Shohaimi, S., Kassim, N. K., Sa'ariwijaya, M. S. F., & Cheah, Y. H. (2015). Xanthorrhizol: A review of its pharmacological activities and anticancer properties. *Cancer Cell International*, 15(1).
- Ozogul, F., & Hamed, I. (2016). Lactic acid bacteria: *Lactobacillus* spp.: *Lactobacillus acidophilus*. *Reference Module in Food Science*.
- Pandey, S., Kim, E. S., Cho, J. H., Song, M., Doo, H., Kim, S., Keum, G. B., Kwak, J., Ryu, S., Choi, Y., Kang, J., Choe, J., & Kim, H. B. (2023). Cutting-edge knowledge on the roles of phytobiotics and their proposed modes of action in swine. *Frontiers in Veterinary Science*, 10, 1265689.
- Park, J. H., Jung, Y. J., Shrestha, S., Lee, S. M., Lee, T. H., Lee, C.-H., Han, D., Kim, J., & Baek, N.-I. (2014). Inhibition of NO production in LPS-stimulated RAW264.7 macrophage cells with curcuminoids and xanthorrhizol from the rhizome of *Curcuma xanthorrhiza* Roxb. and quantitative analysis using HPLC. *J Korean Soc Appl Biol Chem*, 57, 407–412.
- Pashtetsky, V., Ostapchuk, P., Kuevda, T., Zubochenko, D., Yemelianov, S., & Uppe, V. (2020). Use of phytobiotics in animal husbandry and poultry. *E3S Web of Conferences*, 215.
- Peraturan Menteri Pertanian Republik Indonesia Nomor 14/PERMENTAN/PK.350/5/2017 Tentang Klasifikasi Obat Hewan, Pub. L. No. 14/PERMENTAN/PK.350/5/2017 (2017).

- Piper, S. K., Zocholl, D., Toelch, U., Roehle, R., Stroux, A., Hoessler, J., Zinke, A., & Konietzschke, F. (2023). Statistical review of animal trials—A guideline. *Biometrical Journal*, *65*(2).
- Plamada, D., & Vodnar, C. (2021). Polyphenols—gut microbiota interrelationship: A transition to a new generation of prebiotics. *Nutrients*, *14*(1), 137.
- Prayogi, H. S., Nurgiartiningsih, V. M. A., Sjojfan, O., & Suyadi. (2024). Effects of body condition, anatomical measurement, and age on the cumulative number of individual egg production and laying pattern in first laying hens. *Journal of World's Poultry Research*, *14*(1), 23–29.
- Puvača, N., Lika, E., Tufarelli, V., Bursić, V., Pelić, D. L., Nikolova, N., Petrović, A., Prodanović, R., Vuković, G., Lević, J., & Giannenas, I. (2020). Influence of different tetracycline antimicrobial therapy of *Mycoplasma* (*Mycoplasma synoviae*) in laying hens compared to tea tree essential oil on table egg quality and antibiotic residues. *Foods*, *9*(5), 1.
- Rabetafika, H. N., Razafindralambo, A., Ebenso, B., & Razafindralambo, H. L. (2023). Probiotics as antibiotic alternatives for human and animal applications. *Encyclopedia*, *3*(2), 561–581.
- Rahmadansah, R., Rahayu, D. S., Raisyadikara, F., Priosoeryanto, B. P., & Nurcholis, W. (2023). Meta-analysis on extraction methods, pharmacological activities, and cultivation techniques of *Curcuma xanthorrhiza* Roxb. *Indonesian Journal of Agronomy*, *51*(2), 163–172.
- Rahman, A. A., Hamka, M. S., Bilyaro, W., Dani, M., & Supratman, W. R. (2024). Food and livestock sustainability in the modern era. *Buletin Peternakan Tropis*, *5*(2), 187–195.
- Rahmat, E., Lee, J., & Kang, Y. (2021). Javanese turmeric (*Curcuma xanthorrhiza* Roxb.): Ethnobotany, phytochemistry, biotechnology, and pharmacological activities. *Evidence-Based Complementary and Alternative Medicine*, *2021*(9960813).
- Rajput, I. R., Li, W. F., Li, Y. L., Jian, L., & Wang, M. Q. (2019). Application of probiotic (*Bacillus subtilis*) to enhance immunity, antioxidation, digestive enzymes activity and hematological profile of Shaoxing duck. *Pakistan Veterinary Journal*, *33*(1), 69–72.
- Rasyaf, M. (1994). *Beternak Ayam Ras Petelur*. Penebar Swadaya.
- Rasyaf, M. (2003). *Beternak Ayam Pedaging*. Penebar Swadaya.
- Ravindran, V., & Blair, R. (1992). Feed resources for poultry production in asia and the pacific. II. Plant protein sources. *World's Poultry Science Journal*, *48*(3), 205–231.

- Razak, A. D., Kiramang, K., & Hidayat, MUH. N. (2016). Pertambahan bobot badan, konsumsi ransum dan konversi ransum ayam ras pedaging yang diberikan tepung daun sirih (*Piper betle* linn) sebagai imbuhan pakan. *Jurnal Ilmu Dan Industri Perternakan*, 1(3), 135.
- Réhault-Godbert, S., Guyot, N., & Nys, Y. (2019). The golden egg: Nutritional value, bioactivities, and emerging benefits for human health. *Nutrients*, 11(3), 1–26.
- Revathy, S. (2020). A study on the influence of poultry feed on the size, weight and protein content of egg. *Journal of Food and Animal Sciences*, 1(2), 121–125.
- Roky, S. A., Das, M., Akter, S., Islam, A., & Paul, S. (2022). Determinants of Newcastle disease in commercial layer chicken farms in two districts of Bangladesh: A case-control study. *Heliyon*, 8(8), e10229.
- Sachdeva, A., Tomar, T., Malik, T., Bains, A., & Karnwal, A. (2025). Exploring probiotics as a sustainable alternative to antimicrobial growth promoters: mechanisms and benefits in animal health. *Frontiers in Sustainable Food Systems*, 8, 1–20.
- Saili, T., Aka, R., Auza, F. A., Salido, W. L., Sari, A. M., & Napirah, A. (2019). Production performance of local village chicken fed by agriculture by-product supplemented with herbal probiotics and mud clams extract (*Polymesoda erosa*) in Kendari-South-East Sulawesi. *Jurnal Peternakan Indonesia (Indonesian Journal of Animal Science)*, 21(3), 327.
- Saint-Martin, V., Guillory, V., Chollet, M., Fleurot, I., Kut, E., Roesch, F., Caballero, I., Helloin, E., Chambellon, E., Ferguson, B., Velge, P., Kempf, F., Trapp, S., & Guabiraba, R. (2024). The gut microbiota and its metabolite butyrate shape metabolism and antiviral immunity along the gut-lung axis in the chicken. *Communications Biology*, 7(1), 1185.
- Salang, F., Wahyudi, L., De Queljoe, E., & Katili, D. Y. (2015). Kapasitas ovarium ayam petelur aktif. *Jurnal MIPA UNSRAT*, 4(1), 99–102.
- Salasa, A. R. (2021). Paradigm and dimensions of Indonesia's food security strategy. *Jejaring Administrasi Publik*, 13(1), 35–48.
- Salea, R., Widjojokusumo, E., Veriansyah, B., & Tjandrawinata, R. R. (2014). Optimizing oil and xanthorrhizol extraction from *Curcuma xanthorrhiza* Roxb. rhizome by supercritical carbon dioxide. *Journal of Food Science and Technology*, 51(9), 2197–2203.
- Salleh, N. A., Ismail, S., & Ab Halim, M. R. (2016). Effects of *Curcuma xanthorrhiza* extracts and their constituents on phase II drug-metabolizing enzymes activity. *Pharmacognosy Research*, 8(4), 309–315.

- Santin, E., Maiorka, A., Macari, M., Grecco, M., Sanchez, J. C., Okada, T. M., & Myasaka, A. M. (2001). Performance and intestinal mucosa development of broiler chickens fed diets containing *Saccharomyces cerevisiae* cell wall. *Journal of Applied Poultry Research*, 10(3), 236–244.
- Sarwono. (1994). *Pengawetan dan Pemanfaatan Telur*. Penebar Swadaya.
- Schmerold, I., van Geijlswijk, I., & Gehring, R. (2023). European regulations on the use of antibiotics in veterinary medicine. *European Journal of Pharmaceutical Sciences*, 189, 106473.
- Scott, M. L., Neheim, M., & Young, R. J. (1982). *Nutrition of the Chicken* (3rd ed.). Scott, M. L. and Associates.
- Semwal, R. B., Semwal, D. K., Combrinck, S., & Viljoen, A. M. (2015). Gingerols and shogaols: Important nutraceutical principles from ginger. *Phytochemistry*, 117, 554–568.
- Setiawati, T., Afnan, R., & Ulupi, N. (2016). Performa produksi dan kualitas telur ayam petelur pada sistem litter dan cage dengan suhu kandang berbeda. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 4(1), 197–203.
- Sheffield, S., Fiorotto, M. L., & Davis, T. A. (2024). Nutritional importance of animal-sourced foods in a healthy diet. *Frontiers in Nutrition*, 11, 1–6.
- Shen, H., Wang, T., Dong, W., Sun, G., Liu, J., Peng, N., & Zhao, S. (2024). Metagenome-assembled genome reveals species and functional composition of Jiangnan chicken gut microbiota and isolation of *Pediococcus acidilactic* with probiotic properties. *Microbiome*, 12(1), 1–19.
- Shi, Z., Rothrock, M. J., & Ricke, S. C. (2019). Applications of microbiome analyses in alternative poultry broiler production systems. *Frontiers in Veterinary Science*, 6, 157.
- Siagian, V. J. (2022). *Outlook Telur Ayam Ras Petelur*. Jakarta: Pusat Data dan Sistem Informasi Pertanian, Sekretariat Jenderal Kementerian Pertanian Republik Indonesia.
- Simamora, A., Timotius, K. H., Setiawan, H., Yerer, M. B., Ningrum, R. A., & Mun'im, A. (2024). Xanthorrhizol: Its bioactivities and health benefits. *Journal of Applied Pharmaceutical Science*, 14(2), 27–39.
- Singletary, K. W. (2010). Ginger: An overview of health benefits. *Nutrition Today*, 45(4), 171–183.
- Sinurat, A. P., Purwadaria, T., Togatorop, M. H., & Pasaribu, T. (2003). Pemanfaatan bioaktif tanaman sebagai “feed additive” pada ternak unggas:

Pengaruh pemberian gel lidah buaya atau ekstraknya dalam ransum terhadap penampilan ayam pedaging. *JITV*, 8(3), 139–145.

Sivalingam, P. L. (2019). *Deteksi residu antibiotika pada telur ayam dari pasar tradisional kota yogyakarta dengan metode pengujian secara bioassay* [Skripsi]. Universitas Gadjah Mada.

Sivasothy, Y., Chong, W. K., Hamid, A., Eldeen, I. M., Sulaiman, S. F., & Awang, K. (2011). Essential oils of *Zingiber officinale* var. rubrum Theilade and their antibacterial activities. *Food Chemistry*, 124(2), 514–517.

SNI 01-6366-2000: Batas Maksimum Cemaran Mikroba Dan Batas Maksimum Residu Dalam Bahan Makanan Asal Hewan, Pub. L. No. SNI 01-6366-2000 (2000).

SNI 3926:2023: Telur Ayam Konsumsi, Pub. L. No. SNI 3926:202 (2023).

Sudarmono, A. S. (2003). *Pedoman Pemeliharaan Ayam Ras Petelur*. Kanisius.

Sulaiman, D., Irwani, N., & Maghfiroh, K. (2019). Produktivitas ayam petelur strain *Isa Brown* pada umur 24-28 minggu. *Jurnal Peternakan Terapan*, 1(1), 26–31.

Supu, R. D., Diantini, A., & Levita, J. (2018). Red ginger (*Zingiber officinale* var. rubrum): Its chemical constituents, pharmacological activities and safety. *Fitofarmaka Jurnal Ilmiah Farmasi*, 8(1), 25–31.

Tabbu, C. R. (2015). *Penyakit Ayam dan Penanggulangannya* (Vol. 1). Penerbit Kanisius.

Tarrach, A., Pakroo, S., Carlot, M., Nesto, C., Cirillo, A., Lombardi, A., Corich, V., & Giacomini, A. (2021). Thermal resistance and high-performance microwave decontamination assessment of *Bacillus* endospores isolated from food-grade herbal extracts. *PLOS ONE*, 16(12), e0261988.

Tellez, G., Pixley, C., Wolfenden, R. E., Layton, S. L., & Hargis, B. M. (2012). Probiotics/direct fed microbials for *Salmonella* control in poultry. *Food Research International*, 45(2), 628–633.

Thomke, S., & Elwinger, K. (1998). Growth promotants in feeding pigs and poultry. I. Growth and feed efficiency responses to antibiotic growth promotants. *Ann Zootech*, 47, 87–97.

Tillman, D. A., Hartadi, H., Prawiro, S., & Lebdoesoekodjo. (1986). *Imu Makanan Ternak Dasar* (3rd ed.). Gajah Mada University Press.

Uehara, S., Yasuda, I., Takeya, K., & Itokawa, H. (1992). Terpenoids and curcuminoids of the rhizoma of *Curcuma xanthorrhiza* Roxb. *Yakugaku Zasshi*, 112(11), 817–823.

- Vieco-Saiz, N., Belguesmia, Y., Raspoet, R., Auclair, E., Gancel, F., Kempf, I., & Drider, D. (2019). Benefits and inputs from lactic acid bacteria and their bacteriocins as alternatives to antibiotic growth promoters during food-animal production. *Frontiers in Microbiology*, *10*.
- Vlaicu, P. A., Untea, A. E., Varzaru, I., Saracila, M., & Oancea, A. G. (2023). Designing nutrition for health—Incorporating dietary by-products into poultry feeds to create functional foods with insights into health benefits, risks, bioactive compounds, food component functionality and safety regulations. *Foods*, *12*(21), 1–36.
- Wang, J., Yue, H., Wu, S., Zhang, H., & Qi, G. (2017). Nutritional modulation of health, egg quality and environmental pollution of the layers. *Animal Nutrition*, *3*(2), 91–96.
- Wang, W., Dang, G., Hao, W., Li, A., Zhang, H., Guan, S., & Ma, T. (2024). Dietary supplementation of compound probiotics improves intestinal health by modulated microbiota and its SCFA products as alternatives to in-feed antibiotics. *Probiotics and Antimicrobial Proteins*, 1–16.
- WHO. (2012). *Global Tuberculosis Report 2012*. WHO Press.
- Widodo, A. Y., Sumiati, & Tarigan, R. (2023). Supplementation of *Bacillus subtilis* to productivity of laying hens on a commercial scale. *Jurnal Ilmu Nutrisi Dan Teknologi Pakan*, *21*(3), 201–207.
- Widodo, W., Imbang, I. D., Sutanto, A., Setyobudi, R. H., & Mel, M. (2019). The effectiveness of curcuma (*Curcuma xanthorrhiza* Roxb.) addition in the feed toward super kampung chicken performances. *Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences*, 39.
- Yasacaxena, L. N. Y., Defi, M. N., Kandari, V. P., Weru, P. T. R., Papilaya, F. E., Oktafera, M., & Setyaningsih, D. (2023). Review: Extraction of temulawak rhizome (*Curcuma xanthorrhiza* Roxb.) and activity as antibacterial. *Jurnal Jamu Indonesia*, *8*(1), 10–17.
- Yuan, C., Ji, X., Zhang, Y., Liu, X., Ding, L., Li, J., Ren, S., Liu, F., Chen, Z., Zhang, L., Zhu, W., Yu, J., & Wu, J. (2024). Important role of *Bacillus subtilis* as a probiotic and vaccine carrier in animal health maintenance. *World Journal of Microbiology and Biotechnology*, *40*(9), 268.
- Yurdakok-Dikmen, B., Turgut, Y., & Filazi, A. (2018). Herbal bioenhancers in veterinary phytomedicine. *Frontiers in Veterinary Science*, *5*, 249.
- Yuwanta, T. (2004). *Dasar Ternak Unggas*. Penerbit Kanisius.
- Zammuto, V., Fuchs, F. M., Fiebrandt, M., Stapelmann, K., Ulrich, N. J., Maugeri, T. L., Pukall, R., Gugliandolo, C., & Moeller, R. (2018). Comparing spore

resistance of *Bacillus* strains isolated from hydrothermal vents and spacecraft assembly facilities to environmental stressors and decontamination treatments. *Astrobiology*, 18(11), 1425–1434.

Zhang, S., Kou, X., Zhao, H., Mak, K. K., Balijepalli, M. K., & Pichika, M. R. (2022). *Zingiber officinale* var. rubrum: Red ginger's medicinal uses. *Molecules*, 27(3), 1–31.

Zhao, W., Liu, Y., Kwok, L. Y., Cai, T., & Zhang, W. (2020). The immune regulatory role of *Lactobacillus acidophilus*: An updated meta-analysis of randomized controlled trials. *Food Bioscience*, 36, 100656.