DAFTAR PUSTAKA

Abd El-Ghany, A. M., A. F. A. Mahmoud, A. L. M. El-Atabany, dan S. M. A. Attia. 2023. Occurrence and public health importance of ascaridoid nematodes in Red Porgy, *Pagrus pagrus* (Perciformes: Sparidae). Journal of Advanced Veterinary Research 13(8): 1678-1683.

Abdel-Gaber, R., G. Alojayri, S. Al Quraishy, E.M. Al-Shaebi, dan O.B. Mohammed. 2024. Morphological and molecular studies of *Hysterothylacium thalassini* third-stage larvae (Ascaridida, Raphidascarididae) in the greater Lizardfish *Saurida tumbil*. Arquivo Brasileiro de Medicina Veterinária e Zootecnia 76(4): 1-13.

Abdel-Ghaffar, F., R. Abdel-Gaber, A. Bashtar, K. Morsy, H. Mehlhorn, S. Al Quraishy, dan R. Saleh. 2015. *Hysterothylacium aduncum* (Nematoda, Anisakidae) with a new host record from the common Sole *Solea solea* (Soleidae) and its role as a biological indicator of pollution. Parasitology Research 114: 513-522.

Adroher-Auroux, F.J., and R. Benítez-Rodríguez. 2020. Anisakiasis and Anisakis: An underdiagnosed emerging disease and its main etiological agents. Research in Veterinary Science 132: 1-11.

Adroher-Auroux, F.J. dan R. Benítez-Rodríguez. 2021. Hysterothylacium aduncum. In: A. Sitjà-Bobadilla, J.E. Bron, G. Wiegertjes, dan M.C. Piazzon (Eds.), Fish Parasites. A Handbook of Protocols for Their Isolation, Culture and Transmission. European Association of Fish Pathologists (EAFP) / 5m Books Series. 5M Books Ltd, Great Easton, UK, p:311-329.

Al Gabbani, Q., F. Thagfan, S. Al-Quraishy, M. Banaeem, T. Alsaleh, M. Alotaibi, dan R. Abdel-Gaber. 2021. Morphological and molecular characterizations for the developmental stages of *Hysterothylacium* species infecting *Argyrops spinifer*. Journal of King Saud University - Science 33(7):1-11.

Andrade-Porto, S., M. Cárdenas, M. Martins, J. Oliveira, J. Pereira, C. Araújo, dan J. Malta. 2015. First record of larvae of *Hysterothylacium* (Nematoda: Anisakidae) with zoonotic potential in the Pirarucu *Arapaima gigas* (Osteichthyes: Arapaimidae) from South America. Brazilian Journal of Biology 75(4): 790-795.

Andriyono, S., M. J. Alam, L. Sulmartivi, A. S. Mubarak, H. Pramono, Suciyono, G. R. A. Kartika, A. H. W. Sari, dan S. P. Sektiana. 2022. The diversity of Carangidae (Carangiformes) was revealed by DNA barcoding collected from the traditional fish markets in Java and Bali, Indonesia. Biodiversitas 23(6): 2799-2806.

Anshary H, Sriwulan, Freeman MA, Ogawa K. 2014. Occurrence and molecular identification of *Anisakis dujardin*, 1845 from marine fish in southern Makassar Strait, Indonesia. Korean J Parasitol. 52(1):9-19.

Anugerah, P., D. Arfiati, dan E. Y. H. Endang. 2019. The feeding habit of Yellow Fish (*Selaroides leptolepis*) in Lekok waters, East Java. International Journal of Scientific and Technology Research 8(12): 386-387.

Arrebola-Casañas, F. J., M. Garrido, F. J. Adroher, R. Benítez, dan M. Morales-Yuste. 2025. First insights from on-board fish gutting into the zoonotic nematode burden of Pouting (*Trisopterus luscus*) at the point of sale to the consumer. Pathogens 14(252) : 1-9

Audicana, M.T., Ansotegui, I.J., de Corres, L.E., Kennedy, M.W., 2002. *Anisakis simplex*: dangerous – dead and alive? Trends Parasitol. 18: 20–25.

Ayun, N. Q., L. S. Dewi, dan E. Setyobudi. 2021. The occurrence of *Anisakis* larvae on hairtail, *Trichiurus lepturus* caught from the Pangandaran Waters, West Java, Indonesia. Biodiversitas 22(3): 1378-1384.

Badan Pusat Statistik Kabupaten Rembang. 2024. Statistik Perikanan Laut Kabupaten Rembang 2023.

Bannai, M., M. M. Jori, dan S. Shamsi. 2021. Molecular characterization of anisakid nematodes *Hysterothylacium* species from Japanese threadfin bream *Nemipterus japonicus* (Bloch, 1791) (Perciformes, Nemiperidae) from Iraqi marine water fish. Bulletin of the Iraq Natural History Museum 16(4): 399–420.

Bao, M., P. Cipriani, L. Giulietti, M. A. Alam, M. Palomba, S. Matilucci, dan A. Levsen. 2022. Ascaridoid nematodes infecting commercially important marine fish and squid species from Bangladesh waters in the Bay of Bengal. Food and Waterborne Parasitology 27.

Bao, M.; P. Cipriani; L. Giulietti; N. Drivenes; A. Levsen. 2021. Quality issues related to the presence of the fish parasitic nematode *Hysterothylacium aduncum* in export shipments of fresh Northeast Arctic Cod (Gadus morhua). Food Control 121: 1-8.

Bao, M., G. J. Pierce, N. J. C. Strachan, C. Martinez, R. Fernández, dan I. Theodoselou. 2018. Consumers' attitudes and willingness to pay for *Anisakis*-free fish in Spain. Fisheries Research 202: 149-160.

Berland, B., 1961. Nematodes from some Norwegian marine fishes. Sarsia 2, 1–50.

Borges, J. N., L. F. G. Cunha, H. L. C. Santos, C. Monteiro-Neto, dan C. P. Santos. 2012. Morphological and molecular diagnosis of anisakid nematode larvae from Cutlassfish (*Trichiurus lepturus*) off the coast of Rio de Janeiro, Brazil. PLoS ONE 7(7): 1-14.

Bray, R.A., H.W. Palm, and S. Theisen. 2019. *Bucephalus damriyasai n*. sp. (Digenea: Bucephalidae) from the Blacktip Trevally *Caranx heberi* (Bennett) (Perciformes: Carangidae) of Bali, Indonesia. Cyst Parasitol. 2019(96): 65-78.

Bush, A.O, K.D..Lafferty, J.M. Lotz, and A.W. Shostak. 1997. Parasitology meets ecology on its own terms: Margolis et al. revisited. J Parasitol. 83:575-583.

Buzo-Dominguez, S., M. Morales-Yuste, A.M. Domingo-Hernández, R. Benítez, F.J. Adroher. 2021. Molecular epidemiology of *Anisakis* spp. in Wedge Sole,

Dicologlossa cuneata (Moreau, 1881), from fishmarkets in Granada (Southern Spain), caught in two adjacent NE and CE Atlantic areas. Pathogens 10: 1-10

Caballero-Huertas, M., Salazar-Moscoso, M., & Ribas, L. 2025. Sex is a crucial factor in the immune response: an ichthyological perspective. Reviews in Fisheries Science & Aquaculture, 33(2), 217–237.

Cavallero, S., F. Lombardo, M. Salvemini, A. Pizzarelli, C. Cantacessi, dan S. D'Amelio. 2020. Comparative transcriptomics reveals clues for differences in pathogenicity between *Hysterothylacium aduncum*, *Anisakis simplex* sensu stricto and *Anisakis pegreffii*. Genes 11(321): 1-15.

Chan, A. H. E., K. Chaisiri, S. Saralamba, S. Morand, dan U. Thaenkham. 2021. Assessing the suitability of mitochondrial and nuclear DNA genetic markers for molecular systematics and species identification of helminths. Parasites & Vectors 14: 233.

Cheypanya, V., P. Wongsawad, C. Wongsawad, dan N. Nantarat. 2021. Morphological study and molecular epidemiology of *Anisakis* larvae in Mackerel fish. Asian Pacific Journal of Tropical Medicine 14(5): 214-222.

Chen, H.X., L.P. Zhang, D. I. Gibson, L. Lü, Z. Xu, H.T. Li, H.D. Ju, dan L. Li. 2018. Detection of ascaridoid nematode parasites in the important marine food-fish *Conger myriaster* (Brevoort) (Anguilliformes: Congridae) from the Zhoushan Fishery, China. Parasites & Vectors 11: 274.

Corral, A. C. T., M. N. de Queiroz, S. M. de Andrade-Porto, G. A. M. Morey, F. C. M. Chaves, V. L. A. Fernandes, E. A. Ono, dan E. G. Affonso. 2018. Control of *Hysterothylacium* sp. (Nematoda: Anisakidae) in juvenile Pirarucu (*Arapaima gigas*) by the oral application of essential oil of *Piper aduncum*. Aquaculture 494: 37–44.

D'Amelio S, Mathiopoulos K.D., Santos C.P., Pugachev O.N., Webb S.C., Picanco M., Paggi L. 2000. Genetic markers in ribosomal DNA for the identification of members of the genus *Anisakis* (Nematoda: Ascaridoidea) defined by polymerase chain reactionbase restriction fragment length polymorphism. International Journal of Parasitology. 30:223-226.

Dadar, M., A. Alborzi, R. Peyghan, dan M. Adel. 2016. Occurrence and intensity of anisakid nematode larvae in some commercially important fish species in Persian Gulf. Iranian Journal of Parasitology 11(2): 239-246.

De Benedetto, G., I. Corti, R. Malandra, K. Riolo, A. Giannetto, dan G. Gaglio. 2022. Unusual Localization of *Hysterothylacium incurvum* in *Xiphias gladius* (Linnaeus 1758) Caught in the Atlantic Ocean. Pathogens 11(11):1-9.

Dimara, O. F., J. Budiman, dan C. F. T. Mandey. 2015. Distribusi tertangkapnya Ikan Selar pada lembaran jaring soma darape di rumpon. Jurnal Ilmu dan Teknologi Perikanan Tangkap 2: 1-5.

Domingo-Hernández, A. M., M. Morales-Yuste, S. Buzo-Dominguez, F. J. Adroher, dan R. Benítez. 2023. *Anisakis* infection in Anchovies (*Engraulis encrasicolus*) from Iberian waters, southwestern Europe: Post-mortem larval migration. Research in Veterinary Science 157: 26-34.

Eissa, A.E., M. Showehdi, M.M. Ismail, A. El Naas. 2018. Identification and prevalence of *Anisakis pegreffii* and *A. pegreffii* × *A. simplex* (s.s.) hybrid genotype larvae in Atlantic Horse Mackerel (*Trachurus trachurus*) from some North African Mediterranean coasts. Egyptian Journal of Aquatic Research. 44(1) : 1-8

Fernández-Caldas, E., S. Quirce, F. Marañó, M. L. Díaz Gómez, H. Gijón Botella, dan R. López Román. 1998. Allergenic cross-reactivity between third stage larvae of *Hysterothylacium aduncum* and *Anisakis simplex*. Journal of Allergy and Clinical Immunology 101(4): 554-555.

Fischer, W., P. J. P. Whitehead (Eds.). 1974. FAO Species Identification Sheets For Fishery Purposes. Eastern Indian Ocean, Western Central Pacific: fishing areas 57 and 71. Family Carangidae. Volumes I-IV. FAO. Rome.

Floyd, R., E. Abebe, A. Papert, dan M. Blaxter. 2002. Molecular barcodes for soil nematode identification. Molecular Ecology 11: 839-850.

Furuya, K., Nakajima, H., Sasaki, Y., Urita, Y., 2018. Anisakiasis: the risks of seafood consumption. Niger. J. Clin. Pract. 21:1492–1494.

Guo, N., J. Sitko, H.X. Chen, L. Li. 2021. Morphological and genetic characterization of *Porrocaceum angusticolle* (Molin, 1860) (Nematoda: Ascaridomorpha) from the common Buzzard *Buteo buteo* (Linnaeus) (Accipitriformes: Accipitridae) in Czech Republic. Parasitology International. 83:1-7

Goffredo, E., L. Azzarito, P. Di Taranto, M. E. Mancini, G. Normanno, A. Didonna, S. Faleo, G. Occhiochiuso, L. D'Attoli, C. Pedarra, P. Pinto, G. Cammilleri, S. Grad, S. Sciortino, dan A. Costa. 2019. Prevalence of anisakid parasites in fish collected from Apulia region (Italy) and quantification of nematode larvae in flesh. International Journal of Food Microbiology 292: 159-170.

González-Amores, Y., E. Clavijo-Frutos, C. Salas-Casanova, G. Alcain-Martínez. 2015. Direct parasitological diagnosis of infection with *Hysterothylacium aduncum* in a patient with epigastralgia. Revista Española de Enfermedades Digestivas. 107: 699-700.

Guo, Y.-N., Z. Xu, L.-P. Zhang, Y.-H. Hu, dan L. Li. 2014. Occurrence of *Hysterothylacium* and *Anisakis* nematodes (Ascaridida: Ascaridoidea) in the Tanaka's snailfish *Liparis tanakae* (Gilbert & Burke) (Scorpaeniformes: Liparidae). Parasitology Research 113: 1289-1300.

Gunn, J. S. 1990. A revision of selected genera of the Family Carangidae (Pisces) from Australian Waters. Records of the Australian Museum, Supplement. 12: 1-77.

Henriksen, E. H., A. Smalás, J. F. Strom, dan R. Knudsen. 2019. The association between parasite infection and growth rates in Arctic Charr: do fast growing fish have more parasites? Hydrobiologia 840(1): 261-270.

Hermida, M., B. Cavaleiro, L. Gouveia, dan A. Saraiva. 2018. Parasites of Skipjack, *Katsuwonus pelamis*, from Madeira, Eastern Atlantic. Parasitology Research 117: 1025-1033.

Hillis, D. M., dan J. J. Bull. 1993. An Empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. Systematic Biology 42(2): 182–192.

Huss, H. H., L. Ababouch, dan L. Gram. 2003. Assessment and Management of Seafood Safety and Quality. FAO Fisheries Technical Paper No. 444. FAO, Rome.

Inkson, B. J. 2016. Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for materials characterization. In Materials characterization using nondestructive evaluation (NDE) methods. Woodhead Publishing. https://doi.org/10.1016/B978-0-08-100040-3.00002-X.

Indaryanto, F. R., M. M. Kamal, N. Butet, dan R. Affandi. 2024. Identifications and geographic distribution of six *Anisakis* species (Nematoda: Anisakidae) in Indonesia. Jurnal Veteriner 25(1): 143-164.

Ivanović, J., M. Baltić, M. Bošković, N. Kilibarda, M. Dokmanović, R. Marković, J. Janjić, B. Baltić. 2017. *Anisakis* allergy in human. Trends Food Sci. Technol. 59: 25–29.

Kasuya, S., H. Hamano, dan S. Izumi. 1990. Mackerel-induced urticaria and *Anisakis*. The Lancet 335(8690): 665.

Kempter, J., M. Kielpiński, R. Panicz, K. Mikołajczyk, dan S. Keszka. 2015. Genetic traceability of selected populations of the Yellowstripe Scad, *Selaroides leptolepis* (Actinopterygii: Perciformes: Carangidae), based on the analysis of microsatellite DNA. Acta Ichthyologica et Piscatoria 45(3): 299-305.

Kimura, M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. Journal of Molecular Evolution 16(2): 111-120.

Kimura. S, 2011. Fishes of Terengganu. Proceeding of Carangidae Jacks (Scad, Trevallies). National Museum of Nature and Science. Malaysia

Klimpel, S. and H.W. Palm. 2011. Anisakid Nematode (Ascaridoidea) Life Cycles and Distribution: Increasing Zoonotic Potential in the Time of Climate Change? In: H. Mehlhorn (Ed.). Progress in Parasitology. Springer-Verlag, Berlin, p: 201–222.

Klimpel, S., S. Rückert. 2005. Life cycle strategy of *Hysterothylacium aduncum* to become the most abundant anisakid fish nematode in the North Sea. Parasitology Research. 97: 141-149.

Køie, M. 1993. Aspects of the life cycle and morphology of *Hysterothylacium aduncum* (Rudolphi, 1802) (Nematoda, Ascaridoidea, Anisakidae). Canadian Journal of Zoology 71(7): 1289-1296.

Kuckartz, U., Rädiker, S., Ebert, T., dan Schehl, J. 2013. Statistik: Eine verständliche Einführung. Springer, Wiesbaden.

Lalev, A.I., and R.N. Nazar. 1998. Conserved core structure in the internal transcribed spacer 1 of the *Schizosaccharomyces pombe* precursor ribosomal RNA. Journal of Molecular Biology, 284(5): 1341-1351.

Latuconsina, H., R. Ambo-Rappe, dan I. Burhanuddin . 2023. Iktiofauna Padang Lamun Perairan Tropis: Biodiversitas, Ancaman, dan Pengelolaannya. Gadjah Mada University Press, Yogyakarta.

Li, L., J. Y. Zhao, H. X. Chen, H. D. Ju, M. An, Z. Xu, dan L. P. Zhang. 2017. Survey for the presence of Ascaridoid larvae in the Cinnamon Flounder *Pseudorhombus cinnamoneus* (Temminck & Schlegel) (Pleuronectiformes: Paralichthyidae). International Journal of Food Microbiology 241: 108-116.

Macchioni, F., P. Tedesco, V. Cocca, A. Massaro, P. Sartor, A. Ligas, C. Pretti, G. Monni, F. Cecchi, M. Caffara. 2021. Anisakid and raphidascaridid parasites *in Trachurus trachurus*: infection drivers and possible effects on the host's condition. Parasitology Research. 120: 3113-3122.

Marick, J., S.S. Mukherjee, B.K. Patra, dan A. Ash. 2024. Unlocking the biological enigma: influence of host length and infection site on parasite abundance in *Ompok bimaculatus*. Acta Parasitologica 69(3): 1492-1500.

Mattiucci, S., P. Abaunza, L. Ramadori, dan G. Nascetti. 2004. Genetic identification of *Anisakis* larvae in European Hake from Atlantic and Mediterranean waters for stock recognition. Journal of Fish Biology 65: 495-510.

Mattiucci, S., P. Cipriani, A. Levsen, M. Paoletti, G. Nascetti. 2018. Molecular Epidemiology of Anisakis and Anisakiasis: An Ecological and Evolutionary Road Map. 1st ed., Elsevier Ltd.

Mattiucci, S., M. Palomba, S. Cavallero, and S. D'Amelio. 2022. Anisakiasis. In: F. Bruschi (Ed.). Helminth Infections and their Impact on Global Public Health. Springer, Cham, Switzerland, p: 451–495.

Mejías-Alpizar, M. J., C. Porras-Silesky, E. J. Rodríguez, J. Quesada, M. P. Alfaro-Segura, J. Robleto-Quesada, R. Gutiérrez, dan A. Rojas. 2024. Mitochondrial and ribosomal markers in the identification of nematodes of clinical and veterinary importance. Parasites & Vectors 17: 77.

Menshawy, S., B. Essa, S. Shaaban, A. A. Zaid, M. Aboulaila, dan H. Wheeb. 2024. Prevalence and molecular characterization of *Hysterothylacium* species infecting Pandora (*Pagellus erythrinus*) in the Mediterranean Sea of Egypt. Veterinary Parasitology: Regional Studies and Reports. 52: 1-7

Morales-Yuste, M., J. López-Valverde, N. Sánchez-Fernández, J. Veiga, M. Garrido, F. J. Adroher, dan R. Benítez. 2024. *Mullus barbatus* L. and *Mullus surmuletus* L. from western Mediterranean waters (SE Spain) are infected by *Hysterothylacium fabri*, but not by zoonotic nematodes. Possible impact on fish hosts. Journal of Fish Diseases 47: e13989.

Mostafa, N.A., F. Abdel-Ghaffar, H.O. Fayed, A.A. Hasaan. 2023. Morphological and molecular identification of third-stage larvae of *Anisakis typica* (Nematoda: Anisakidae) from Red Sea coral trout, *Plectropomus areolatus*. Parasitology Research 122: 705–715.

Najjari, M., S. M. Sadjjadi, A. Derakhshanfar, dan M. Ebrahimipour. 2016. *Hysterothylacium amoyense* in *Platycephalus indicus*: a Persian Gulf fish and its experimental infection of mouse model. Comparative Clinical Pathology 25: 1143-1149.

Ning, J. 2021. Host-parasitic relationships between Antarctic Icefish (Channichthyidae) and its parasites, with focus on nematode and copepod. Shanghai Ocean University. Masters Thesis.

Palomba, M., P. Cipriani, L. Giulietti, A. Levsen, G. Nascetti, dan S. Mattiucci. 2020. Differences in gene expression profiles of seven target proteins in third-stage larvae of *Anisakis simplex* (sensu stricto) by sites of infection in Blue Whiting (*Micromesistius poutassou*). Genes 11(5): 559.

Palomares-Rius, J. E., C. Cantalapiedra-Navarrete, A. Archidona-Yuste, S. A. Subbotin, dan P. Castillo. 2017. The utility of mtDNA and rDNA for barcoding and phylogeny of plant-parasitic nematodes from Longidoridae (Nematoda, Enoplea). Scientific Reports 7(10905): 1–12.

Pasisingi, N., M. S. Bihale, dan O. S. Mokoagow. 2023. Identifikasi morfologi dan analisis truss morfometrik *Selar crumenophthalmus* (Bloch, 1793) di Teluk Tomini. Saintek Perikanan: Indonesian Journal of Fisheries Science and Technology 19(4): 192-198.

Pascual, S., Hochberg FG. 1996. Marine parasites as biological tags of *Cephalopod* hosts. Parasitol Today 12:324-327.

Paxton, J. R., D. F. Hoese, G. R. Allen, dan J. E. Hanley. 1989. Petromyzontidae to Carangidae. Zoological Catalogue of Australia, Vol. 7. Australian Government Publishing Service, Canberra.

R Core Team. 2013. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing. https://www.R-project.org/.

Reiczigel, J., M. Marozzi, I. Fábión, dan L. Rózsa. 2019. Biostatistics for parasitologists – a primer to quantitative parasitology. Trends in Parasitology 35: 277-281.

Ricker, W. E. 1975. Computation and interpretation of biological statistics of fish populations. Bulletin of the Fisheries Research Board of Canada 191: 1-382.

Rolbiecki, L. 2006. Correlation between the occurrence of parasites and body length of Roach, Carp Bream, European Perch, Zander, and Ruffle in the Vistula Lagoon estuary. Oceanological and Hydrobiological Studies 35(3): 257-267.

Rückert, S., H. W. Palm, dan S. Klimpel. 2008. Parasite fauna of Seabass (*Lates calcarifer*) under mariculture conditions in Lampung Bay, Indonesia. Journal of Applied Ichthyology 24(3): 321–327.

See, M. S., F. S. Harison, H. A. Zakeri, dan N. O. Harun. 2022. *Anisakis typica* (Diesing, 1860), Dominant anisakid nematode present in Shortfin Scad, *Decapterus macrosoma* (Bleeker, 1851) from Terengganu Waters, Malaysia. Journal of Sustainability Science and Management 17(7): 104-120.

Setyobudi, E., I. Rohmah, R. F. Syarifah, L. Ramatia, Murwantoko, dan D. W. K. Sari. 2019. Presence of *Anisakis* nematode larvae in Indian Mackerel (*Rastrelliger* spp.) along the Indian Ocean southern coast of East Java, Indonesia. Biodiversitas 20(1): 313-319.

Setyobudi, E., Murwantoko, A.M.R. Utami, and R.F. Syarifah. 2023. Anisakid nematodes from the largehead hairtail fish (*Trichiurus lepturus*) from the northern coast of Java, Indonesia. Biodiversitas. 24(3): 1560-1568.

Shamsi, S. 2017. Morphometric and molecular descriptions of three new species of *Hysterothylacium* (Nematoda: Raphidascarididae) from Australian marine fish. Journal of Helminthology 91(5): 613–624.

Sitjá-Bobadilla, A. 2008. Living off a fish: A trade-off between parasites and the immune system. Fish & Shellfish Immunology 25(4): 358-372.

Smith-Vaniz, W. F. 1995. Carangidae. Jacks, Scads, Pompanos, Runners, Leatherjacks, Amberjacks, Pilotfishes. pp. 940-986 in W. Fischer, F. Krupp, W. Schneider, C. Sommer, K. E. Carpenter, dan V. Niem (eds.), FAO Species Identification Guide for Fishery Purposes. The Eastern Central Pacific. Vol. 3. FAO, Rome.

Strømnes, E. 2014. An in vitro study of lipid preference in whaleworm (*Anisakis simplex*, Nematoda, Ascaridoidea, Anisakidae) third-stage larvae. Parasitology Research 113: 1113-1118.

Svobodova, Z., J. Machova, H. Kocour Kroupova, dan J. Velisek. 2017. Water quality-disease relationship on commercial fish farms. Fish Diseases: Prevention and Control Strategies: 167-185.

Syarifah, R.F., Murwantoko, E. Setyobudi. 2023. Prevalence and intensity of larvae of the genus *Anisakis* sensu lato (Nematoda, Anisakidae) in Bigeye Scad, *Selar crumenophthalmus* (Bloch 1793), from the Indian Ocean off Java, Indonesia. Asian Fisheries Society. 36(4): 192-202.

Tanaka, Y., S. Ohshimo. 2024. Where are you from? A case study of Japanese Spanish mackerel using Anisakis third-stage larvae as a biological tag in coastal northeast Aomori Prefecture, Japan. Environmental Biology of Fishes 107(11): 1235-1246.

Utami, A. M. R., Murwantoko, Istiqomah, I., Triyanto, dan E. Setyobudi. 2022. *Hysterothylacium amoyense* (Nematoda: Raphidascarididae) infecting *Trichiurus lepturus* (Scombriformes: Trichiuridae) from Demak, Central Java, Indonesia. Biodiversitas 23(2): 1030-1037.

Valero, A., S. Terrados, V. Díaz, V. Reguera, dan J. Lozano. 2003. Determination of IgE in the serum of patients with allergic reactions to four species of fish-parasite anisakids. Journal of Investigational Allergology and Clinical Immunology 13(2): 94–98.

van Gelderen, T. A., P. Debnath, S. Joly, E. Bertomeu, N. Duncan, D. Furones, dan L. Ribas. 2025. Gonadal miRNomes and transcriptomes in infected fish reveal sexually dimorphic patterns of the immune response. Functional & Integrative Genomics 25(1): 29.

Voutilainen, A., J. Taskinen, dan H. Huuskonen. 2012. Does *Diplostomum* sp. infection stimulate growth in juvenile arctic charr?. Bulletin of the European Association of Fish Pathologists 32(4): 118-126.

Waskitho, W. N. B. 2023. Preferensi pakan ikan selar (*Selar crumenophthalmus*, Bloch 1793) di perairan Pantai Baron Kabupaten Gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

White, W. T., P. R. Last, Dharmadi, R. Faizah, U. Chodrijah, B. I. Prisantoso, J. J. Pogonoski, M. Puckridge, dan S. J. M. Blaber. 2013. Market Fishes of Indonesia (Jenis-jenis Ikan Indonesia). CanPrint Communications, Canberra.

WoRMS Editorial Board. 2025. World Register of Marine Species. https://www.marinespecies.org at VLIZ. Diakses pada 18 Desember 2024.

Wuri, D. A., A. I. R. Detha, dan A. A. R. Dobo. 2022. Identification, prevalence, and mean intensity of *Anisakis* sp. in Mackerel Tuna (*Euthynnus affinis*) and Albacore (thunnus alalunga) caught in kupang bay. Veterinary Practitioner 23: 264-266.

Yamamoto, K., Takahashi, O., Kobayashi, D., 2020. Comparison of risk faktors between human intestinal and gastric anisakiasis. Parasitol. Int. 75.

Yagi, K., K. Nagasawa, H. Ishikura. 1996. Female worm *Hysterothylacium aduncum* excreted from human: a case report. Japanese Society of Parasitology. 45: 12-23.

Zhang, K., Z. Xu, H. X. Chen, N. Guo, dan L. Li. 2018. Ascaridoid and raphidascaridid nematodes (Ascaridoidea) infection in the important marine food-fish *Lophius litulon* (Jordan) (Lophiiformes: Lophiidae). International Journal of Food Microbiology 284: 105-111.

Zhou, Q., L. Wang, B. Xi, C. Ying, dan K. Liu. 2024. Ascaridoid nematodes infection in anadromous fish *Coilia nasus* from Yangtze River. Diversity 16(3): 167.