

DAFTAR PUSTAKA

- Abdullah, M. (2009). A Simple Method for Determining Surface Porosity Based on SEM Images Using OriginPro Software. In *Indonesian Journal of Physics* (Vol. 20, Issue 2).
- Abu Bakar, M. S., Cheang, P., & Khor, K. A. (2003). *Mechanical properties of injection molded hydroxyapatite-polyetheretherketone biocomposites*. www.elsevier.com/locate/compscitech
- Afifah, F., & Cahyaningrum, S. E. (2020). SINTESIS DAN KARAKTERISASI HIDROKSIAPATIT DARI TULANG SAPI (Bos taurus) MENGGUNAKAN TEKNIK KALSINASI SYNTHESIS AND CHARACTERIZATION OF HYDROXYAPATITE FROM COW BONES (Bos Taurus) USING CALCINATION TECHNIQUES. In *UNESA Journal of Chemistry* (Vol. 9, Issue 3).
- Akhtar, K., Khan, S. A., Khan, S. B., & Asiri, A. M. (2018). Scanning electron microscopy: Principle and applications in nanomaterials characterization. In *Handbook of Materials Characterization* (pp. 113–145). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_4
- Almasi, D., Lau, W. J., Rasae, S., Sharifi, R., & Mozaffari, H. R. (2020). Fabrication of a novel hydroxyapatite/polyether ether ketone surface nanocomposite via friction stir processing for orthopedic and dental applications. *Progress in Biomaterials*, 9(1–2), 35–44. <https://doi.org/10.1007/s40204-020-00130-7>
- Almukarrama, & Yusuf, Y. (2019). Development Carbonated Hydroxyapatite Powders from Oyster Shells (*Crassostrea gigas*) by Sintering Time Controlling. *IOP Conference Series: Materials Science and Engineering*, 546(4). <https://doi.org/10.1088/1757-899X/546/4/042001>
- Barakat, N. A. M., Khil, M. S., Omran, A. M., Sheikh, F. A., & Kim, H. Y. (2009). Extraction of pure natural hydroxyapatite from the bovine bones bio waste by three

- different methods. *Journal of Materials Processing Technology*, 209(7), 3408–3415. <https://doi.org/10.1016/j.jmatprotec.2008.07.040>
- Choudhary, O. P., & ka, P. (2017). Scanning Electron Microscope: Advantages and Disadvantages in Imaging Components. *International Journal of Current Microbiology and Applied Sciences*, 6(5), 1877–1882. <https://doi.org/10.20546/ijcmas.2017.605.207>
- Costa, M. R., Filho, J. A. C., Luna, C. B. B., Dantas, G. M. P., Costa, A. C. F. de M., & Oliveira, N. M. da S. (2024). Toward the Production of Hydroxyapatite/Poly(Ether-Ether-Ketone) (PEEK) Biocomposites: Exploring the Physicochemical, Mechanical, Cytotoxic and Antimicrobial Properties. *Polymers*, 16(17). <https://doi.org/10.3390/polym16172520>
- Dey, S. K., Chatterjee, S., Spieckermann, F., Ghosh, P., & Samanta, S. (2019). Reversing and non-reversing effects of PEEK-HA composites on tuning cooling rate during crystallization. *Journal of Polymer Research*, 26(12). <https://doi.org/10.1007/s10965-019-1967-2>
- Foley, B., Greiner, M., McGlynn, G., & Schmahl, W. W. (2020). Anatomical variation of human bone bioapatite crystallography. In *Crystals* (Vol. 10, Issue 10, pp. 1–25). MDPI AG. <https://doi.org/10.3390/cryst10100859>
- Habiburrohman, M. R., Jamilludin, M. A., Cahyati, N., Herdianto, N., & Yusuf, Y. (2025). Fabrication and in vitro cytocompatibility evaluation of porous bone scaffold based on cuttlefish bone-derived nano-carbonated hydroxyapatite reinforced with polyethylene oxide/chitosan fibrous structure. *RSC Advances*, 15(7), 5135–5150. <https://doi.org/10.1039/d4ra08457h>
- Hench, L. L. (1998). *Bioceramics: From Concept to Clinic*.
- Hilmi Nrp, M., Suwarno, A. L., & Prawara, E. B. (2018). *ANALYSIS OF MICROSTRUCTURAL CHARACTERISTICS, HARDNESS AND HIGH TEMPERATURE OXIDATION OF HIGH VELOCITY OXYGEN FUEL (HVOF) SPRAYED NiCrBSi-40SiC, NiCrBSi-40WC-Co AND Cr3C2-20NiCr COMPOSITE COATING*.
- Inkson, B. J. (2016). Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization. In *Materials Characterization*

- Using Nondestructive Evaluation (NDE) Methods* (pp. 17–43). Elsevier Inc.
<https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Jeong, J., Kim, J. H., Shim, J. H., Hwang, N. S., & Heo, C. Y. (2019). Bioactive calcium phosphate materials and applications in bone regeneration. *Biomaterials Research*, 23(1). <https://doi.org/10.1186/s40824-018-0149-3>
- Kadek Hariscandra Dinatha, I., Jamilludin, M. A., Supii, A. I., Wihadmadyatami, H., Partini, J., & Yusuf, Y. (2024). Porous *scaffold* hydroxyapatite from sand lobster shells (*Panulirus homarus*) using polyethylene oxide/chitosan as polymeric porogen for bone tissue engineering. *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 112(1). <https://doi.org/10.1002/jbm.b.35341>
- Karageorgiou, V., & Kaplan, D. (2005). Porosity of 3D biomaterial *scaffolds* and osteogenesis. In *Biomaterials* (Vol. 26, Issue 27, pp. 5474–5491). Elsevier BV. <https://doi.org/10.1016/j.biomaterials.2005.02.002>
- Karolina, R. (2022). *SCANNING ELECTRON MICROSCOPE (SEM) TM 3000: TEORI DAN APLIKASINYA*. <https://www.researchgate.net/publication/370953162>
- Kurtz, S. M., & Devine, J. N. (2007). PEEK biomaterials in trauma, orthopedic, and spinal implants. In *Biomaterials* (Vol. 28, Issue 32, pp. 4845–4869). <https://doi.org/10.1016/j.biomaterials.2007.07.013>
- Lau, N.-C., Lai, Y.-C., Chen, D. W., & Cheng, K.-W. (2022). Antibacterial Activity Studies of 3D-Printing Polyetheretherketone Substrates with Surface Growth of 2D TiO₂/ZnO Rodlike Arrays. *ACS Omega*, 7(11), 9559–9572. <https://doi.org/10.1021/acsomega.1c06931>
- Li, S., Li, G., Hu, J., Wang, B., Wang, L., Wang, H., Chen, R., & Zhou, Z. (2021). Porous polyetheretherketone-hydroxyapatite composite: A candidate material for orthopedic implant. *Composites Communications*, 28. <https://doi.org/10.1016/j.coco.2021.100908>
- Lu, W., Li, C., Wu, J., Ma, Z., Zhang, Y., Xin, T., Liu, X., & Chen, S. (2022). Preparation and Characterization of a Polyetherketoneketone/Hydroxyapatite Hybrid for Dental Applications. *Journal of Functional Biomaterials*, 13(4). <https://doi.org/10.3390/jfb13040220>

- Ma, H., Suonan, A., Zhou, J., Yuan, Q., Liu, L., Zhao, X., Lou, X., Yang, C., Li, D., & Zhang, Y. gang. (2021). PEEK (Polyether-ether-ketone) and its composite materials in orthopedic implantation. In *Arabian Journal of Chemistry* (Vol. 14, Issue 3). Elsevier B.V. <https://doi.org/10.1016/j.arabjc.2020.102977>
- Ma, R., & Guo, D. (2019). Evaluating the bioactivity of a hydroxyapatite-incorporated polyetheretherketone biocomposite. *Journal of Orthopaedic Surgery and Research*, 14(1). <https://doi.org/10.1186/s13018-019-1069-1>
- Mawuntu, V. J., & Yusuf, Y. (2018). Porous-structure engineering of hydroxyapatite-based *scaffold* synthesized from Pomacea canaliculata shell by using polyethylene oxide as polymeric porogen. *IOP Conference Series: Materials Science and Engineering*, 432(1). <https://doi.org/10.1088/1757-899X/432/1/012045>
- Megawati. (2022). *Sintesis dan Karakterisasi Scaffold Hidroksiapatit dan Karbonat Hidroksiapatit dari Kerang Mutiara dengan Metode Pengeringan Beku/Freeze Drying*. Tesis, Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Yogyakarta: Universitas Gadjah Mada
- Meyers, M. A., Chen, P. Y., Lin, A. Y. M., & Seki, Y. (2008). Biological materials: Structure and mechanical properties. In *Progress in Materials Science* (Vol. 53, Issue 1, pp. 1–206). <https://doi.org/10.1016/j.pmatsci.2007.05.002>
- Moharil, S., Reche, A., & Durge, K. (2023). Polyetheretherketone (PEEK) as a Biomaterial: An Overview. *Cureus*. <https://doi.org/10.7759/cureus.44307>
- Murphy, C. M., & O'Brien, F. J. (2010). Understanding the effect of mean pore size on cell activity in collagen-glycosaminoglycan *scaffolds*. In *Cell Adhesion and Migration* (Vol. 4, Issue 3, pp. 377–381). Taylor and Francis Inc. <https://doi.org/10.4161/cam.4.3.11747>
- Muttaqin, R., Sakti, W., Prayitno, W., Nurbaiti, U., Semarang, K., 50229, K. :, Fisika, K. J., D7, G., Sekaran, K. U., & Gunungpati, K. (n.d.). Pengembangan Buku Panduan Teknik Karakterisasi Material : X-ray Diffractometer (XRD) Panalytical Xpert3 Powder. In *JOURNAL OF LABORATORY ISSN* (Vol. 6, Issue 1). Online.
- Najeeb, S., Khurshid, Z., Matinlinna, J. P., Siddiqui, F., Nassani, M. Z., & Baroudi, K. (2015). Nanomodified Peek Dental Implants: Bioactive Composites and Surface

- Modification - A Review. In *International Journal of Dentistry* (Vol. 2015). Hindawi Publishing Corporation. <https://doi.org/10.1155/2015/381759>
- Nie, K. B., Wang, X. J., Wu, K., Xu, L., Zheng, M. Y., & Hu, X. S. (2011). Processing, microstructure and mechanical properties of magnesium matrix nanocomposites fabricated by semisolid stirring assisted ultrasonic vibration. *Journal of Alloys and Compounds*, 509(35), 8664–8669. <https://doi.org/10.1016/j.jallcom.2011.06.091>
- Ojeda, J. J., & Dittrich, M. (2012). Fourier transform infrared spectroscopy for molecular analysis of microbial cells. *Methods in Molecular Biology*, 881, 187–211. https://doi.org/10.1007/978-1-61779-827-6_8
- Okazaki, Y., & Gotoh, E. (2005). Comparison of metal release from various metallic biomaterials in vitro. *Biomaterials*, 26(1), 11–21. <https://doi.org/10.1016/j.biomaterials.2004.02.005>
- Oladapo, B. I., Zahedi, S. A., Ismail, S. O., & Omigbodun, F. T. (2021). 3D printing of PEEK and its composite to increase biointerfaces as a biomedical material- A review. In *Colloids and Surfaces B: Biointerfaces* (Vol. 203). Elsevier B.V. <https://doi.org/10.1016/j.colsurfb.2021.111726>
- Othman, R., Mustafa, Z., Mohd Juoi, J., Kien, P. T., & Mohd Noor, A. F. (2017). Effect of calcination temperatures on phase transformation and stability of β -tricalcium phosphate powder synthesized by a wet precipitation method. *Solid State Phenomena*, 264 SSP, 132–135. <https://doi.org/10.4028/www.scientific.net/SSP.264.132>
- Pan, Y., Shen, Q., & Chen, Y. (2013). Fabrication and characterisation of functional gradient hydroxyapatite reinforced poly (ether ether ketone) biocomposites. *Micro and Nano Letters*, 8(7), 357–361. <https://doi.org/10.1049/mnl.2013.0265>
- Patty, D. J., Nugraheni, A. D., Ana, I. D., & Yusuf, Y. (2022). In vitro bioactivity of 3D microstructure hydroxyapatite/collagen based-egg white as an antibacterial agent. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 110(6), 1412–1424. <https://doi.org/10.1002/jbm.b.35009>
- Pawarangan, I., & Yusuf, Y. (2018). Characteristics of hydroxyapatite from buffalo bone waste synthesized by precipitation method. *IOP Conference Series: Materials*

- Science and Engineering*, 432(1). <https://doi.org/10.1088/1757-899X/432/1/012044>
- Reznikov, N., Shahar, R., & Weiner, S. (2014). Bone hierarchical structure in three dimensions. *Acta Biomaterialia*, 10(9), 3815–3826. <https://doi.org/10.1016/j.actbio.2014.05.024>
- Rizkayanti, Y., & Yusuf, Y. (2019). Optimization of the Temperature Synthesis of Hydroxyapatite from Indonesian Crab Shells. In *International Journal of Nanoelectronics and Materials* (Vol. 12, Issue 1).
- Sadat-Shojai, M., Khorasani, M. T., Dinpanah-Khoshdargi, E., & Jamshidi, A. (2013). Synthesis methods for nanosized hydroxyapatite with diverse structures. In *Acta Biomaterialia* (Vol. 9, Issue 8, pp. 7591–7621). Elsevier Ltd. <https://doi.org/10.1016/j.actbio.2013.04.012>
- Sari, M., & Yusuf, Y. (2018). Synthesis and characterization of hydroxyapatite based on green mussel shells (*perna viridis*) with the variation of stirring time using the precipitation method. *IOP Conference Series: Materials Science and Engineering*, 432(1). <https://doi.org/10.1088/1757-899X/432/1/012046>
- Schneider, C. A., Rasband, W. S., & Eliceiri, K. W. (2012). NIH Image to ImageJ: 25 years of image analysis. In *Nature Methods* (Vol. 9, Issue 7, pp. 671–675). <https://doi.org/10.1038/nmeth.2089>
- Song, J., Liao, Z., Shi, H., Xiang, D., Liu, Y., Liu, W., & Peng, Z. (2017). Fretting wear study of PEEK-based composites for bio-implant application. *Tribology Letters*, 65(4). <https://doi.org/10.1007/s11249-017-0931-8>
- Sutoro, M., Falya, Y., & Damayanti, R. (2022). Method and Critical Aspect of Semisolid Mixing. *Sciences of Pharmacy*, 1(1), 24–37. <https://doi.org/10.58920/sciphar01010020>
- Torres-Sanchez, C., Al Mushref, F. R. A., Norrito, M., Yendall, K., Liu, Y., & Conway, P. P. (2017). The effect of pore size and porosity on mechanical properties and biological response of porous titanium scaffolds. *Materials Science and Engineering C*, 77, 219–228. <https://doi.org/10.1016/j.msec.2017.03.249>
- Valand, R., Tanna, S., Lawson, G., & Bengtström, L. (2020). A review of Fourier Transform Infrared (FTIR) spectroscopy used in food adulteration and authenticity

- investigations. In *Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment* (Vol. 37, Issue 1, pp. 19–38). Taylor and Francis Ltd. <https://doi.org/10.1080/19440049.2019.1675909>
- Vecchio, K. S., Zhang, X., Massie, J. B., Wang, M., & Kim, C. W. (2007). Conversion of bulk seashells to biocompatible hydroxyapatite for bone implants. *Acta Biomaterialia*, 3(6), 910–918. <https://doi.org/10.1016/j.actbio.2007.06.003>
- Wang, L., Weng, L., Song, S., Zhang, Z., Tian, S., & Ma, R. (2011). Characterization of polyetheretherketone-hydroxyapatite nanocomposite materials. *Materials Science and Engineering: A*, 528(10–11), 3689–3696. <https://doi.org/10.1016/j.msea.2011.01.064>
- Wang, W., & Yeung, K. W. K. (2017). Bone grafts and biomaterials substitutes for bone defect repair: A review. *Bioactive Materials*, 2(4), 224–247. <https://doi.org/10.1016/j.bioactmat.2017.05.007>
- Wu, A. M., Bisignano, C., James, S. L., Abady, G. G., Abedi, A., Abu-Gharbieh, E., Alhassan, R. K., Alipour, V., Arabloo, J., Asaad, M., Asmare, W. N., Awedew, A. F., Banach, M., Banerjee, S. K., Bijani, A., Birhanu, T. T. M., Bolla, S. R., Cámara, L. A., Chang, J. C., ... Vos, T. (2021). Global, regional, and national burden of bone fractures in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. *The Lancet Healthy Longevity*, 2(9), e580–e592. [https://doi.org/10.1016/S2666-7568\(21\)00172-0](https://doi.org/10.1016/S2666-7568(21)00172-0)
- Yin, B., Guo, J. liang, Wang, J. zhao, Li, S., Liu, Y. ke, & Zhang, Y. ze. (2019). Bone Material Properties of Human Phalanges Using Vickers Indentation. *Orthopaedic Surgery*, 11(3), 487–492. <https://doi.org/10.1111/os.12455>
- Zhang, L. Y., Bi, Q., Zhao, C., Chen, J. Y., Cai, M. H., & Chen, X. Y. (2020). Recent Advances in Biomaterials for the Treatment of Bone Defects. In *Organogenesis* (Vol. 16, Issue 4, pp. 113–125). Bellwether Publishing, Ltd. <https://doi.org/10.1080/15476278.2020.1808428>
- Zhao, X., Xiong, D., & Liu, Y. (2018). Improving surface wettability and lubrication of polyetheretherketone (PEEK) by combining with polyvinyl alcohol (PVA) hydrogel. *Journal of the Mechanical Behavior of Biomedical Materials*, 82, 27–34. <https://doi.org/10.1016/j.jmbbm.2018.03.014>

- Zheng, J., Zhao, H., Ouyang, Z., Zhou, X., Kang, J., Yang, C., Sun, C., Xiong, M., Fu, M., Jin, D., Wang, L., Li, D., & Li, Q. (2022). Additively-manufactured PEEK/HA porous *scaffolds* with excellent osteogenesis for bone tissue repairing. *Composites Part B: Engineering*, 232. <https://doi.org/10.1016/j.compositesb.2021.109508>
- Zimmermann, E. A., Schaible, E., Gludovatz, B., Schmidt, F. N., Riedel, C., Krause, M., Vettorazzi, E., Acevedo, C., Hahn, M., Puschel, K., Tang, S., Amling, M., Ritchie, R. O., & Busse, B. (2016). Intrinsic mechanical behavior of femoral cortical bone in young, osteoporotic and bisphosphonate-treated individuals in low-and high energy fracture conditions. *Scientific Reports*, 6. <https://doi.org/10.1038/srep21072>
- Zysset, P. K., Guo, X. E., Ho%er, C. E., Moore, K. E., & Goldstein, S. A. (1999). Elastic modulus and hardness of cortical and trabecular bone lamellae measured by nanoindentation in the human femur. In *Journal of Biomechanics* (Vol. 32).