UNIVERSITAS
GADJAH MADA
OPTIMASI CO-PROCESSED EXCIPIENTS LAKTOSA DAN KOLLIDONÂ® VA 64 DENGAN PEMANIS STEVIA SEBAGAI KANDIDAT FILLER-BINDER DALAM FORMULA FAST DISINTEGRATING TABLET
Brigitta Tyas Wening, Prof. Dr. apt. Teuku Nanda Saifullah Sulaiman, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abedi, B., 2024, Rheological Properties of Pharmaceutical Excipients: Lactose Monohydrate and Carboxymethyl Cellulose, *TA Instruments/Waters Corporation*, **140**, 1–6.

Agrawal, R. & Naveen, Y., 2011, Pharmaceutical Processing – A Review on Wet Granulation Technology, *International Journal of Pharmaceutical Frontier Research*, **1** (1), 65–83.

Aguilar, C.A. & Ziegler, G.R., 1994, Physical and Microscopic Characterization of Dry Whole Milk with Altered Lactose Content. 1. Effect of Lactose Concentration, *Journal of Dairy Science*, **77** (5), 1189–1197.

Ahmed, S. & Annu, 2023, *Advanced Applications of Biobased Materials: Food, Biomedical, and Environmental Applications*, Elsevier, Amsterdam.

Al-Hakim, N.A., Ratih, H. & Sabrilla, N., 2025, Formulation and Physical Evaluation of Stevia Granule Preparations as Natural Sweetener with the Incorporation of Polyvinylpyrrolidone (PVP) as Binder, *Journal of Pharmaceutical and Sciences*, **8** (2), 827–836.

Allen Jr., L.V & Ansel, H.C., 2014, *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*, Tenth Edition, Wolters Kluwer, Baltimore.

Amin, R., Biswas, S., Rahman, R., Bhuiyan, J.R. & Rana, S., 2014, Study and Impact Evaluation of Particle Size Distribution on Physicochemical Properties of Three Different Tablet Formulations through Sieve Technology, *International Journal for Pharmaceutical Research Scholars*, **3** (1), 448–463.

Anonim, 2012, *Physical Tests <731> Loss on Drying*, *The United States Pharmacopeia 35*, The United States Pharmacopeia Convention, Rockville.

Anonim, 2015, *Size, Shape, and Other Physical Attributes of Generic Tablets and Capsules: Guidance for Industry*, Food and Drug Administration, U.S. Department of Health and Human Services, Silver Spring.

Anonim, 2016, *Particle Size Distribution Estimation by Analytical Sieving*, *The United States Pharmacopeia 30/The National Formulary 25*, The United States Pharmacopeia Convention, Rockville.

Anonim, 2020, *Farmakope Indonesia*, Edisi VI, Kementerian Kesehatan Republik Indonesia, Jakarta.

Anonim, 2021, *Copovidone*, *Stage 4 Harmonization*, *The United States Pharmacopeia*, The United States Pharmacopeia Convention, Rockville.

UNIVERSITAS
GADJAH MADA
OPTIMASI CO-PROCESSED EXCIPIENTS LAKTOSA DAN KOLLIDONÂ® VA 64 DENGAN PEMANIS STEVIA SEBAGAI KANDIDAT FILLER-BINDER DALAM FORMULA FAST DISINTEGRATING TABLET
Brigitta Tyas Wening, Prof. Dr. apt. Teuku Nanda Saifullah Sulaiman, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Anonim, 2024, *Powder Flow, The United States Pharmacopeia 30/The National Formulary 25*, The United States Pharmacopeia Convention, Rockville.

Armstrong, B. & Clayton, J., 2012, Quantifying the impact of humidity on powder properties, *Freeman Technology*.

Augsburger, L.L. & Hoag, S.W., 2008, *Pharmaceutical Dosage Forms: Tablets*, Third Edition, Taylor & Francis Group, Boca Raton.

Aulton, M.E. & Taylor, K.M.G., 2018, *Aulton's Pharmaceutics: The Design and Manufacture of Medicines*, Fifth Edition, Elsevier, Edinburgh.

Benabbas, R., Sanchez-Ballester, N.M., Bataille, B., Sharkawi, T. & Soulairol, I., 2021, Development and pharmaceutical performance of a novel co-processed excipient of alginic acid and microcrystalline cellulose, *Powder Technology*, **378** (2021), 576–584.

Bestari, A.N., Hidayatullah, R. & Sulaiman, T.N.S., 2016, Pembuatan Amilum Sagu (*Metroxylon sagu*, Rottb.) Pregelatin dan Material Komposit Sebagai *Filler-Binder* Sediaan Tablet, *Prosiding Rakernas dan Pertemuan Ilmiah Tahunan Ikatan Apoteker Indonesia 2016*, **4**, 16–31.

Bhatia, V., Dhingra, A., Chopra, B. & Guarve, K., 2022, Co-processed excipients: Recent advances and future perspective, *Journal of Drug Delivery Science and Technology*, **71** (2022), 103316.

Bin, L.K., Gaurav, A. & Mandal, U.K., 2019, A review on co-processed excipients: current and future trend of excipient technology, *International Journal of Pharmacy and Pharmaceutical Sciences*, **11** (1), 1–9.

Bunaciu, A.A., Aboul-Enein, H.Y. & Fleschin, S., 2010, Application of Fourier Transform Infrared Spectrophotometry in Pharmaceutical Drugs Analysis, *Applied Spectroscopy Reviews*, **45** (3), 206–219.

Callister Jr., W.D. & Rethwisch, D.G., 2020, *Materials science and engineering: an introduction*, Tenth Edition, John Wiley & Sons, Hoboken.

Celaya, L.S., Kolb, E. & Kolb, N., 2016, Solubility of Stevioside and Rebaudioside A in water, ethanol and their binary mixtures, *International Journal of Food Studies*, **5** (2), 152–166.

Chaudhary, R.S., Patel, C., Sevak, V. & Chan, M., 2018, Effect of copovidone particle size and morphology as directly compressible excipient on tablet compression properties, *Drug Development and Industrial Pharmacy*, **44** (1), 19–29.

Daraghmeh, N., Rashid, I., Al Omari, M.M.H., Leharne, S.A., Chowdhry, B.Z. & Badwan, A., 2010, Preparation and Characterization of a Novel Co-processed Excipient of Chitin and Crystalline Manitol, *AAPS PharmSciTech*, **11** (4), 1558–1571.

UNIVERSITAS
GADJAH MADA
OPTIMASI CO-PROCESSED EXCIPIENTS LAKTOSA DAN KOLLIDONÂ® VA 64 DENGAN PEMANIS STEVIA SEBAGAI KANDIDAT FILLER-BINDER DALAM FORMULA FAST DISINTEGRATING TABLET
Brigitta Tyas Wening, Prof. Dr. apt. Teuku Nanda Saifullah Sulaiman, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Dasari, N., Kumar, C.S.P., Gummadi, R.K., Pindiprolu, S.K., Balla, S., Masa, A., Pulidindi, L. & Prasanth, V.S., 2024, Application of Novel Natural Sweetening Agent-Stevia in Formulation, Evaluation of Nicardipine Hydrochloride Orodispersable Tablets for Rapid Absorption, *Indian Journal of Pharmaceutical Education and Research*, **58** (1), 176–186.

de Backere, C., De Beer, T., Vervaet, C. & Vanhoorne V., 2021, Effect of binder type and lubrication method on the binder efficacy for direct compression, *International Journal of Pharmaceutics*, **607**, 120968.

Dominik, M., Vraníková, B., Svačinová, P., Elbl, J., Pavloková, S., Prudilová, B.B., Šklubalová, Z. & Franc, A., 2021, Comparison of Flow and Compression Properties of Four Lactose-Based Co-Processed Excipients: Cellactose® 80, CombiLac®, MicroceLac® 100, and StarLac®, *Pharmaceutics*, **13** (9), 1486.

Fournaise, T., Petit, J. & Gaiani, C., 2021, Main powder physicochemical characteristics influencing their reconstitution behavior, *Powder Technology*, **383** (2021), 65–73.

Fudholi, A., 1999, Pengaruh Formula dan Metode Pembuatan Granul Pembawa terhadap Kecepatan Pelarutan Tablet Deksametason yang Dibuat dengan Cara Campuran Interaktif, *Majalah Farmaseutik*, **3** (1), 1–14.

Gabbott, I.P., Husban, F.A. & Reynolds, G.K., 2016, The combined effect of wet granulation process parameters and dried granule moisture content on tablet quality attributes, *European Journal Pharmaceutics and Biopharmaceutics*, **106** (2016), 70–78

Goh H.P., Heng, P.W.S. & Liew, C.V., 2018, Comparative evaluation of powder flow parameters with reference to particle size and shape, *International Journal of Pharmaceutics*, **547** (1–2), 133–141.

Hurley, D., Carter, D., Ng, L.Y.F., Davis, M., Walker, G.M., Lyons, J.G. & Higginbotham, C.L., 2019, An investigation of the inter-molecular interaction, solid-state properties and dissolution properties of mixed copovidone hot-melt extruded solid dispersions, *Journal of Drug Delivery Science and Technology*, **53** (2019), 101132.

Iveson, S.M., Litster, J.D., Hapgood, K. & Ennis, B.J., 2001, Nucleation, growth and breakage phenomena in agitated wet granulation processes: a review, *Powder Technology*, **117** (2001), 3–39.

Köster, C., Pohl, S. & Kleinebudde, P., 2021, Evaluation of Binders in Twin-Screw Wet Granulation, *Pharmaceutics*, **13** (2), 241.

Kubat, K., Strojewski, D., Majda, D., Jakubiec, D., Andrzejowska, A., Bogdał, A., Krupa, A. & Harańczyk, H., 2023, Molecular phenomena related to moisture uptake in amorphous solid dispersion loaded with bosentan monohydrate and copovidone, *Powder Technology*, **430**, 119020.

UNIVERSITAS GADJAH MADA
OPTIMASI CO-PROCESSED EXCIPIENTS LAKTOSA DAN KOLLIDONÂ® VA 64 DENGAN PEMANIS STEVIA SEBAGAI KANDIDAT FILLER-BINDER DALAM FORMULA FAST DISINTEGRATING TABLET
Brigitta Tyas Wening, Prof. Dr. apt. Teuku Nanda Saifullah Sulaiman, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kudo, Y., Masatoshi Y. & Matsusaka, S., 2019, Effect of particle size distribution on flowability of granulated lactose, *Advanced Powder Technology*, **31** (1), 121–127.

Leuenberger, H. & Rohera, B.D., 1986, Fundamentals of Powder Compression. I. The Compactibility and Compressibility of Pharmaceutical Powders, *Pharmaceutical Research*, **3** (1), 12–22.

Li, J., Wang, Z., Xiu, H., Zhao, X., Ma, F., Liu, L., Yi, C., Zhang, M., Kozliak, E. & Ji, Y., 2022, Correlation between the powder characteristics and particle morphology of microcrystalline cellulose (MCC) and its tablet application performance, *Powder Technology*, **399** (2022), 117194.

Lucida H., Erizal & Rahmi, S., 2006, A Comparative Dissolution Test between Generic and Branded Name of Furosemide Tablets, *Jurnal Sains dan Teknologi Farmasi*, **11** (2), 58–62.

Lund, W., 1994, *The pharmaceutical codex: principles and practice of pharmaceutics*, 12th Edition, Royal Pharmaceutical Society of Great Britain, London.

Mohammed, A. & Abdullah, A., 2018, Scanning electron microscopy (SEM): A review, *In Proceedings of the 2018 International Conference on Hydraulics and Pneumatics – HERVEX, Băile Govora, Romania*, **2018**, 77–85.

Montgomery, D.C., 2017, *Design and Analysis of Experiments*, Eighth Edition, John Wiley & Sons, Inc., Hoboken.

Narang A.S. & Badawy, S.I.F., 2019, *Handbook of Pharmaceutical Wet Granulation: Theory and Practice in a Quality by Design Paradigm*, 263–315, Academic Press, Massachusetts.

National Center for Biotechnology Information, 2024, *PubChem Compound Summary for CID 442089, Stevioside,* https://pubchem.ncbi.nlm.nih.gov/compound/Stevioside, diakses pada 28 Oktober 2024 pukul 17.38 WIB.

Odeku, O.A. & Picker-Freyer, K.M., 2009, Evaluation of the material and tablet formation properties of modified forms of *Dioscorea* starches, *Drug Development and Industrial Pharmacy*, **35** (11), 1389–1406.

Osewa, S.Y. & Nasipuri, R.N., 1983, Effect Of Sieve Size For Wet And Dry Screening On The Physical Properties Of Lactose Granules And Their Corresponding Tablets, *Drug Development and Industrial Pharmacy*, **9** (1&2), 179–201.

Parikh, D.M., 2010, *Handbook of Pharmaceutical Granulation Technology*, Third Edition, Taylor & Francis Group, Boca Raton.

UNIVERSITAS
GADJAH MADA
OPTIMASI CO-PROCESSED EXCIPIENTS LAKTOSA DAN KOLLIDONÂ® VA 64 DENGAN PEMANIS STEVIA SEBAGAI KANDIDAT FILLER-BINDER DALAM FORMULA FAST DISINTEGRATING TABLET
Brigitta Tyas Wening, Prof. Dr. apt. Teuku Nanda Saifullah Sulaiman, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Parkash, V., Maan, S., Deepika, Yadav, S.K., Hemlata & Jogpal, V., 2011, Fast disintegrating tablets: Opportunity in drug delivery system, *Journal of Advanced Pharmaceutical Technology & Research*, **2** (4), 223–235.

Parmar, P.K., Rao, S.G. & Bansal, A.K., 2021, Co-processing of small molecule excipients with polymers to improve functionality, *Expert Opinion on Drug Delivery*, **18** (7), 907–928.

Pavia, D.L., Lampman, G.M. & Kriz, G.S., 2001, *Introduction to Spectroscopy*, Third Edition, Thomson Learning, Inc., Boston.

Persson, A., Pazesh, S. & Alderborn, G., 2022, Tabletability and compactibility of α-lactose monohydrate powders of different particle size. I. Experimental comparison, *Pharmaceutical Development and Technology*, **27** (3), 319–330.

Rahman, M., Akter, K., Sarker, M.S., Sharma, J.F. & Wahed, M.I.I., 2021, In vitro comparative quality evaluation of different brands of marketed paracetamol tablets available in Bangladesh, *Journal of Pharmaceutical Research International*, **33** (38A), 26–32.

Rakesh, P., Charmi, P. & Rajesh, K.S., 2014, Quantitative Analytical Applications of FTIR Spectroscopy in Pharmaceutical and Allied Areas, *Journal of Advanced Pharmacy Education & Research*, **4** (2), 145–157.

Rowe, R.C., Sheskey, P.J. & Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, Sixth Edition, 364–369, Pharmaceutical Press, London.

Sa'adah, H. & Fudholi, A., 2011, Optimization of Theophylline Tablet Formula Using Co-Processed Excipients of Lactose and Avicel, *Majalah Farmasi Indonesia*, **22** (4), 306–314.

Samadani, A. & Kudrolli, A., 2001, Angle of repose and segregation in cohesive granular matter, *Physical Review E*, **64** (5), 051301.

Sandler N., Reiche, K., Heinämäki, J. & Yliruusi, J., 2010, Effect of Moisture on Powder Flow Properties of Theophylline, *Pharmaceutics*, **2** (3), 275–290.

Shanmugam, S., 2015, Granulation techniques and technologies: recent progresses, *BioImpacts*, **5** (1), 55–63.

Shi, C., Fang, Y., Liu Z., Wang, Y., Shen, L. & Zhao L., 2025, Effect of Moisture Sorption and Lactose Type on Tablet Quality: A Hygroscopicity Study between Lactose Powder and Tablets, *Molecular Pharmaceutics*, **22** (1), 544–557.

Shi, C., Zhao, H., Fang, Y., Shen, L. & Zhao, L., 2023, Lactose in tablets: Functionality, critical material attributes, applications, modifications and co-processed excipients, *Drug Discovery Today*, **28** (9), 103696.

UNIVERSITAS
GADJAH MADA
OPTIMASI CO-PROCESSED EXCIPIENTS LAKTOSA DAN KOLLIDONÂ® VA 64 DENGAN PEMANIS STEVIA SEBAGAI KANDIDAT FILLER-BINDER DALAM FORMULA FAST DISINTEGRATING TABLET
Brigitta Tyas Wening, Prof. Dr. apt. Teuku Nanda Saifullah Sulaiman, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Shittu, T.A., Awonorin, S.O. & Raji, A.O., 2004, Evaluating Some Empirical Models for Predicting Water Absorption in African Breadfruit (Treculia Africana) Seeds, *International Journal of Food Properties*, **7** (3), 586–602.

Silverstein, R.M. & Webster, F.X., 1998, *Spectrometric Identification of Organic Compounds*, Sixth Edition, John Wiley & Sons, Inc., Hoboken.

Singh, M., Shirazian, S., Ranade, V., Walker, G.M. & Kumar, A., 2022, Challenges and opportunities in modelling wet granulation in pharmaceutical industry – A critical review, *Powder Technology*, **403** (2022), 117380.

Sonnergaard, J.M., 2006, Quantification of the compactibility of pharmaceutical powders, *European Journal of Pharmaceutics and Biopharmaceutics*, **63** (3), 270–277.

Sun, C.C., 2008, Mechanism of moisture induced variations in true density and compaction properties of microcrystalline cellulose, *International Journal of Pharmaceutics*, **346** (1–2), 93–101.

Szumilo, M., Belniak, P., Swiader, K., Holody, E. & Poleszak, E., 2017, Assessment of physical properties of granules with paracetamol and caffeine, *Saudi Pharmaceutical Journal*, **25** (6), 900–905.

Tharanon, W., Guo, Y., Peerapattana, J. & Sun, C.C., 2024, A systematic comparison of four pharmacopoeial methods for measuring powder flowability, *International Journal of Pharmaceutics*, **661** (2024), 124454.

Umeh, O.N.C., Azegba, J.C. & Ofoefule, S.I., 2013, Effect of Hydrophilic Diluents on the Release Profile of Griseofulvin from Tablet Formulations, *Indian Journal of Pharmaceutical Sciences*, **75** (6), 726–729.

Vemula, S.K. & Veerareddy, P.R., 2011, Fast Disintegrating Tablets of Flurbiprofen: Formulation and Characterization, *Latin American Journal of Pharmacy*, **30** (6), 1135–1141.

Vernon-Parry, K.D., 2000, Scanning Electron Microscopy: an introduction, *III-Vs review*, **13** (4), 40–44.

Winarni, S., Handoko, B. & Franty, Y.K., 2016, Penerapan Metode *Grey Relational Analysis* dan *Desirability Function* pada Optimasi Multi Respon Desain Taguchi, *Prosiding Seminar Nasional MIPA 2016*, **9**, 84–88.

Wisudyaningsih, B., Sari, L.O.K. & Arisanti, T.P., 2023, Optimasi *Sodium Starch Glycolate* dan *Polyvinylpyrrolidone* K-30 dalam Sediaan *Orally Disintegrating Tablet* Salbutamol Sulfat, *Jurnal Kesehatan Islam*, **12** (2): 19–27.

Wójcik, A & Frączek, J., 2017, The influence of the repose angle and porosity of granular plant materials on the angle of internal friction and cohesion, *Tribologia*, **275** (5), 117–123.

UNIVERSITAS
GADJAH MADA
OPTIMASI CO-PROCESSED EXCIPIENTS LAKTOSA DAN KOLLIDONÂ® VA 64 DENGAN PEMANIS STEVIA SEBAGAI KANDIDAT FILLER-BINDER DALAM FORMULA FAST DISINTEGRATING TABLET
Brigitta Tyas Wening, Prof. Dr. apt. Teuku Nanda Saifullah Sulaiman, S.Si., M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Wulandari, D., 2012, Optimasi Formula Tablet Ekstrak Buah Pare (*Momordica charantia* L.) dengan Bahan Penghancur Starch 1500 dan Bahan Pengisi-Pengering Avicel PH 101, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Islam Indonesia, Yogyakarta.