

DAFTAR PUSTAKA

- Abdullah, P. M. (2015). Metodologi Penelitian Kuantitatif. In *Aswaja Pressindo*.
- Akbar, F., Darmiati, D., Arfan, F., & Putri, A. A. Z. (2021). Pelatihan dan Pendampingan Kader Posyandu Lansia di Kecamatan Wonomulyo. *Jurnal Abdidas*, 2(2), 392–397. <https://doi.org/10.31004/abdidas.v2i2.282>
- Amanda, F., & Arsyad, N. (2024). Gambaran Kekuatan Otot Tangan dan Massa Otot Serta Peforma Fisik Terkait Potensi Sarkopenia pada Lansia. *Indonesian Journal of Business Finance and Accounting*, 1(36), 45–55. <https://doi.org/10.52019/ijpt.v4i1.6632>
- Ariyanto, A., Puspitasari, N., Nur, D., Universitas, U., & Yogyakarta, A. (2020). Aktivitas Fisik Terhadap Kualitas Hidup pada Lansia Physical Activity To Quality Of Life In The Elderly. In *Jurnal Kesehatan Al-Irsyad: Vol. XIII* (Issue 2). <https://doi.org/https://doi.org/10.36760/jka.v13i2.112>
- Atmoko, T. (2017). Bab II kajian teori. *BAB 2 Kajian Teori*, 1, 16–72.
- Auyeung, T. W., Arai, H., Chen, L. K., & Woo, J. (2020). Normative Data of Handgrip Strength in 26344 Older Adults - A Pooled Dataset from Eight Cohorts in Asia. *The Journal of Nutrition, Health and Aging*, 24(1), 125–126. <https://doi.org/10.1007/s12603-019-1287-6>
- Aydi, Z. M. (2021). Pengaruh Aktivitas Fisik Terhadap Subjective *Well-being* pada Siswa SLTA di Bandung Raya Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu. 2013.
- Bahat, G., Oren, M. M., Yilmaz, O., KiliÅ§, C., Aydin, K., & Karan, M. A. (2018). Comparing SARC-F with SARC-CalF to Screen Sarcopenia in Community Living Older Adults. *Journal of Nutrition, Health and Aging*, 22(9), 1034–1038. <https://doi.org/10.1007/s12603-018-1072-y>
- Batsis, J. A., & Villareal, D. T. (2018). Sarcopenic obesity in older adults: aetiology, epidemiology and treatment strategies. *Nature Reviews Endocrinology*, 14(9), 513–537. <https://doi.org/10.1038/s41574-018-0062-9>
- Buatois, S., Perret-Guillaume, C., Gueguen, R., Miget, P., Vançon, G., Perrin, P., & Benetos, A. (2010). A simple clinical scale to stratify risk of recurrent falls in communitydwelling adults aged 65 years and older. *Physical Therapy*, 90(4), 550–560. <https://doi.org/10.2522/ptj.20090158>
- Camry. (n.d.). *Hand Dynamometer User Manual – Vernier*. <https://www.vernier.com/manuals/hd-bta/>
- Carolina, P., Tarigan, Y. U., Novita, B., Indriani, D., Efriadi, E., Yangan, E. P., Mendi, M., & Afiana, M. (2019). Pengabdian Masyarakat Pendidikan

Kesehatan Menjaga Kesehatan dan Kebugaran melalui Olahraga bagi Lansia di Posyandu Eka Harapan Kelurahan Pahandut Palangka Raya. *Jurnal Surya Medika*, 4(2), 88–94. <https://doi.org/10.33084/jsm.v4i2.609>

Chen, L. K., Woo, J., Assantachai, P., Auyeung, T. W., Chou, M. Y., Iijima, K., Jang, H. C., Kang, L., Kim, M., Kim, S., Kojima, T., Kuzuya, M., Lee, J. S. W., Lee, S. Y., Lee, W. J., Lee, Y., Liang, C. K., Lim, J. Y., Lim, W. S., Arai, H. (2020). Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. *Journal of the American Medical Directors Association*, 21(3), 300-307.e2. <https://doi.org/10.1016/j.jamda.2019.12.012>

Chiquita, D. D., & Krisnatuti, D. (2017). Aktivitas Fisik, Status Kesehatan, Dukungan Sosial, dan Kualitas Hidup Lansia Laki-laki dan Perempuan. *IPB REPOSITORY*. <https://repository.ipb.ac.id/handle/123456789/89713>

Chua, S., Chia, J. Q., Lim, J. P., Chew, J., & Lim, W. S. (2024). Case-Finding for Sarcopenia in Community-Dwelling Older Adults: Comparison of Mini Sarcopenia Risk Assessment with SARC-F and SARC-CalF. *Annals of Geriatric Medicine and Research*, 28(1), 57–64. <https://doi.org/10.4235/agmr.23.0190>

Cruz-Jentoft, A. J., Baeyens, J. P., Bauer, J. M., Boirie, Y., Cederholm, T., Landi, F., Martin, F. C., Michel, J.-P., Rolland, Y., Schneider, S. M., Topinková, E., Vandewoude, M., & Zamboni, M. (2010). Sarcopenia: European consensus on definition and diagnosis. *Age and Ageing*, 39(4), 412–423. <https://doi.org/10.1093/ageing/afq034>

Cruz-Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., Cooper, C., Landi, F., Rolland, Y., Sayer, A. A., Schneider, S. M., Sieber, C. C., Topinkova, E., Vandewoude, M., Visser, M., Zamboni, M., Bautmans, I., Baeyens, J. P., Cesari, M., Schols, J. (2019). Sarcopenia: Revised European consensus on definition and diagnosis. *Age and Ageing*, 48(1), 16–31. <https://doi.org/10.1093/ageing/afy169>

Deviantika, I., Bachtiar, F., Dhari, I., & Sirada, A. (2024). Hubungan Antara Fear of Falling Dengan Aktivitas Fisik Pada Lansia Di Panti Jompo. *Jurnal Vokasi Indonesia*, 11(2), 2018–2024. <https://doi.org/10.7454/jvi.v11i2.1209>

Du, Y., Wang, X., Xie, H., Zheng, S., Wu, X., Zhu, X., Zhang, X., Xue, S., Li, H., Hong, W., Tang, W., Chen, M., Cheng, Q., & Sun, J. (2019). Sex differences in the prevalence and adverse outcomes of sarcopenia and sarcopenic obesity in community dwelling elderly in East China using the AWGS criteria. *BMC Endocrine Disorders*, 19(1), 1–11. <https://doi.org/10.1186/s12902-019-0432-x>

Five Times Sit to Stand Test. (2015). <https://www.sralab.org/rehabilitation->

measures/five-times-sit-stand-test

Garofalo, E. M., & Garvin, H. M. (2020). The confusion between biological sex and gender and potential implications of misinterpretations. In *Sex Estimation of the Human Skeleton* (pp. 35–52). Elsevier. <https://doi.org/10.1016/B978-0-12-815767-1.00004-3>

Ginting, C. F. (2022). Perbedaan Jenis Kelamin terhadap Aktivitas Fisik dan Risiko Jatuh pada Lansia di Unit Perawatan Jangka Panjang BPSTW Abiyoso dan Budi Luhur Yogyakarta. (Skripsi, Universitas Gadjah Mada). <http://etd.repository.ugm.ac.id/>

Goldberg, A., Chavis, M., Watkins, J., & Wilson, T. (2012). The five-times-sit-to-stand test: validity, reliability and detectable change in older females. *Aging Clinical and Experimental Research*, 24(4), 339–344. <https://doi.org/10.1007/BF03325265>

Green, L. W. (1984). Modifying and Developing Health Behavior. *Annual Review of Public Health*, 5(1), 215–236. <https://doi.org/10.1146/annurev.pu.05.050184.001243>

Gunadi, A., & Kumala, M. (2021). Profil Status Gizi, Massa Lemak, Dan Massa Bebas Lemak Pada Lanjut Usia Di Panti Werdha Ss. *Ebers Papyrus*, 27(2), 89–101. <https://doi.org/10.24912/ep.v27i2.16132>

Hamidi, A. L., & Marpuah, S. (2024). Development of the Clean and Healthy Living Behavior Improvement Model (PHBS) with a Teori Lawrence Green Approach to Santri in Islamic Boarding Schools. *Advances in Humanities* 5(1), 1–9. <https://publisher.uthm.edu.my/periodicals/index.php/ahcs/article/view/14880>

Hanum, P., & Lubis, R. (2017). Hubungan Karakteristik dan Dukungan Keluarga Lansia dengan Kejadian Stroke pada Lansia Hipertensi di Rumah Sakit Umum Pusat Haji Adam Malik Medan. Support from the Elderly Families, Stroke in the Elderly with Hypertension. *Jumantik*, 3(1), 72–88.

Hill, C., James, R. S., Cox, V. M., Seebacher, F., & Tallis, J. (2020). Age-related changes in isolated mouse skeletal muscle function are dependent on sex, muscle, and contractility mode. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 319(3), R296–R314. <https://doi.org/10.1152/ajpregu.00073.2020>

Holmes, S. D., Galik, E., & Resnick, B. (2017). Factors that Influence Physical Activity among Residents in Assisted Living. *Journal of Gerontological Social Work*, 60(2), 120–137. <https://doi.org/10.1080/01634372.2016.1269035>

- Huang, L., Liu, Y., Lin, T., Hou, L., Song, Q., Ge, N., & Yue, J. (2022). Reliability and validity of two hand dynamometers when used by community-dwelling adults aged over 50 years. *BMC Geriatrics*, 22(1), 1–8. <https://doi.org/10.1186/s12877-022-03270-6>
- Hwang, J., & Park, S. (2022). Sex Differences of Sarcopenia in an Elderly Asian Population: The Prevalence and Risk Factors. *International Journal of Environmental Research and Public Health*, 19(19), 11980Hwang, J., Park, S. (2022). Sex Differences. <https://doi.org/10.3390/ijerph191911980>
- Jasmin, M., Risnawati, & Siregar, R. S. (2023). *Metodologi Penelitian Kesehatan*.
- Jetté, M., Sidney, K., & Blümchen, G. (1990). Metabolic equivalents (METS) in exercise testing, exercise prescription, and evaluation of functional capacity. *Clinical Cardiology*, 13(8), 555–565. <https://doi.org/10.1002/clc.4960130809>
- Jia, S., Zhao, W., Hu, F., Zhao, Y., Ge, M., Xia, X., Yue, J., & Dong, B. (2022). Sex differences in the association of physical activity levels and vitamin D with obesity, sarcopenia, and sarcopenic obesity: a cross-sectional study. *BMC Geriatrics*, 22(1), 1–8. <https://doi.org/10.1186/s12877-022-03577-4>
- Kandinata, S. G., Widajanti, N., Ichwani, J., Firdausi, H., Aryana, I. G. P. S., & Alkaff, F. F. (2023a). Diagnostic performance of calf circumference, SARC-F, and SARC-CalF for possible sarcopenia screening in Indonesia. *Scientific Reports*, 13(1), 1–6. <https://doi.org/10.1038/s41598-023-36585-4>
- Kandinata, S. G., Widajanti, N., Ichwani, J., Firdausi, H., Aryana, I. G. P. S., & Alkaff, F. F. (2023b). Diagnostic performance of calf circumference, SARC-F, and SARC-CalF for possible sarcopenia screening in Indonesia. *Scientific Reports*, 13(1), 1–7. <https://doi.org/10.1038/s41598-023-36585-4>
- Kehler, D. S., & Theou, O. (2019). The impact of physical activity and sedentary behaviors on frailty levels. *Mechanisms of Ageing and Development*, 180(November 2018), 29–41. <https://doi.org/10.1016/j.mad.2019.03.004>
- Kitamura, A., Seino, S., Abe, T., Nofuji, Y., Yokoyama, Y., Amano, H., Nishi, M., Taniguchi, Y., Narita, M., Fujiwara, Y., & Shinkai, S. (2021). Sarcopenia: prevalence, associated factors, and the risk of mortality and disability in Japanese older adults. *Journal of Cachexia, Sarcopenia and Muscle*, 12(1), 30–38. <https://doi.org/10.1002/jcsm.12651>
- Kusumo, M. P. (2020). Buku Pemantauan Aktivitas Fisik Mahendro Prasetyo Kusumo. In *Yogyakarta: The Journal Publishing*. [http://repository.umy.ac.id/bitstream/handle/123456789/35896/Buku pemantauan aktivitas fisik.pdf?sequence=1](http://repository.umy.ac.id/bitstream/handle/123456789/35896/Buku_pemantauan_aktivitas_fisik.pdf?sequence=1)
- Lee, J. H., Kim, H. J., Han, S., Park, S. J., Sim, M., & Lee, K. H. (2024). Reliability

and Agreement Assessment of Sarcopenia Diagnosis through Comparison of Bioelectrical Impedance Analysis and Dual-Energy X-ray Absorptiometry. *Diagnostics*, 14(9). <https://doi.org/10.3390/diagnostics14090899>

Liguori, I., Russo, G., Aran, L., Bulli, G., Curcio, F., Della-Morte, D., Gargiulo, G., Testa, G., Cacciatore, F., Bonaduce, D., & Abete, P. (2018). Sarcopenia: assessment of disease burden and strategies to improve outcomes. *Clinical Interventions in Aging*, 13, 913–927. <https://doi.org/10.2147/CIA.S149232>

Lin, Y.-C., Yeh, M. C., Chen, Y.-M., & Huang, L.-H. (2010). Physical Activity Status and Gender Differences in Community-Dwelling Older Adults With Chronic Diseases. *Journal of Nursing Research*, 18(2), 88–97. <https://doi.org/10.1097/JNR.0b013e3181dda6d8>

Liu, P., Ma, F., Lou, H. *et al.* The utility of fat mass index vs. body mass index and percentage of body fat in the screening of metabolic syndrome. *BMC Public Health* 13, 629 (2013). <https://doi.org/10.1186/1471-2458-13-629>

Lupton-Smith, A., Fourie, K., Mazinyo, A., Mokone, M., Nxaba, S., & Morrow, B. (2022). Measurement of hand grip strength: A cross-sectional study of two dynamometry devices. *South African Journal of Physiotherapy*, 78(1), 1–5. <https://doi.org/10.4102/sajp.v78i1.1768>

Madyaningrum, E., Bintoro, B. S., Chuang, Y.-C., Chuang, K.-Y., & Chi, W.-C. (2021). Biometric indicators can be early signs of declines in activities of daily living functioning among the Indonesian elderly. *Disability and Health Journal*, 14(2), 101009. <https://doi.org/10.1016/j.dhjo.2020.101009>

Maharani, E. D. R. (2018). Hubungan paparan media dan dukungan orangtua dengan Pemeriksaan Payudara Sendiri (SADARI) pada remaja di Madrasah Aliyah Al Wathoniyyah Tlogosari Wetan. *Journal of Chemical Information and Modeling*, 9. <http://repository.unimus.ac.id/id/eprint/2529%0A>

Malmstrom, T. K., & Morley, J. E. (2013). SARC-F: A simple questionnaire to rapidly diagnose sarcopenia. *Journal of the American Medical Directors Association*, 14(8), 531–532. <https://doi.org/10.1016/j.jamda.2013.05.018>

McPhee, J. S., French, D. P., Jackson, D., Nazroo, J., Pendleton, N., & Degens, H. (2016). Physical activity in older age: perspectives for healthy ageing and frailty. *Biogerontology*, 17(3), 567–580. <https://doi.org/10.1007/s10522-016-9641-0>

Mielgo-Ayuso, J., & Fernández-Lázaro, D. (2021). Sarcopenia, exercise and quality of life. *International Journal of Environmental Research and Public Health*, 18(10), 6–9. <https://doi.org/10.3390/ijerph18105156>

Miller, C. A. (2009). *Nursing for Wellness in Older Adults* (5th ed.). Lippincott

Williams & Wilkins.

Mo, Y.-H., Zhong, J., Dong, X., Su, Y.-D., Deng, W.-Y., Yao, X.-M., Liu, B.-B., Wang, X.-Q., & Wang, X.-H. (2021). Comparison of Three Screening Methods for Sarcopenia in Community-Dwelling Older Persons. *Journal of the American Medical Directors Association*, 22(4), 746-750.e1. <https://doi.org/10.1016/j.jamda.2020.05.041>

Naseeb, M. A., & Volpe, S. L. (2017). Protein and exercise in the prevention of sarcopenia and aging. *Nutrition Research*, 40, 1–20. <https://doi.org/10.1016/j.nutres.2017.01.001>

National Institute on Aging. (2021). *Four Types of Exercise Can Improve Your Health and Physical Ability*. NIH National Institute on Aging. <https://www.nia.nih.gov/health/exercise-and-physical-activity/four-types-exercise-can-improve-your-health-and-physical>

Ning, H. T., Du, Y., Zhao, L. J., Tian, Q., Feng, H., & Deng, H. W. (2021). Racial and gender differences in the relationship between sarcopenia and bone mineral density among older adults. *Osteoporosis International*, 32(5), 841–851. <https://doi.org/10.1007/s00198-020-05744-y>

Njoto, E. N. (2023). Sarkopenia pada Lanjut Usia: Patogenesis, Diagnosis dan Tata Laksana. *Jurnal Penyakit Dalam Indonesia*, 10(3). <https://doi.org/10.7454/jpdi.v10i3.1444>

Nur Fadilah, A., Sabaruddin, G., & Kamaluddin, A. (2023). Konsep Umum Populasi dan Sampel dalam Penelitian. *Jurnal Kajian Islam Kontemporer*, 14(1), 15–31. <https://doi.org/10.21070/2017/978-979-3401-73-7>

Oktriani, S., Agustin, N. M., & Setiawan, A. (2022). Kondisi Body Mass Index (BMI) Dan Kebugaran Jasmani Lansia Pada Masa Pandemi Covid-19. *Jurnal Pendidikan Olahraga*, 11(1), 149–160. <https://doi.org/10.31571/jpo.v11i1.3027>

P2PTM Kemenkes RI. (2018). *Aktivitas Fisik Berat*. <https://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/page/43/aktivitas-fisik-berat>

P2PTM Kemenkes RI. (2019). *Apa Definisi Aktivitas Fisik?* <https://p2ptm.kemkes.go.id/infographicp2ptm/obesitas/apa-definisi-aktivitas-fisik>.

Petermann-Rocha, F., Balntzi, V., Gray, S. R., Lara, J., Ho, F. K., Pell, J. P., & Celis-Morales, C. (2022). Global prevalence of sarcopenia and severe sarcopenia: a systematic review and meta-analysis. *Journal of Cachexia, Sarcopenia and Muscle*, 13(1), 86–99. <https://doi.org/10.1002/jcsm.12783>

- Picca, A., Calvani, R., Leeuwenburgh, C., Coelho-Junior, H. J., Bernabei, R., Landi, F., & Marzetti, E. (2019). Targeting mitochondrial quality control for treating sarcopenia: lessons from physical exercise. *Expert Opinion on Therapeutic Targets*, 23(2), 153–160. <https://doi.org/10.1080/14728222.2019.1559827>
- Piercy, K. L., Troiano, R. P., Ballard, R. M., Carlson, S. A., Fulton, J. E., Galuska, D. A., George, S. M., & Olson, R. D. (2018). The Physical Activity Guidelines for Americans. *JAMA*, 320(19), 2020. <https://doi.org/10.1001/jama.2018.14854>
- Piodena-Aportadera, M. R. B., Lau, S., Chew, J., Lim, J. P., Ismail, N. H., Ding, Y. Y., & Lim, W. S. (2022). Calf Circumference Measurement Protocols for Sarcopenia Screening: Differences in Agreement, Convergent Validity and Diagnostic Performance. *Annals of Geriatric Medicine and Research*, 26(3), 215–224. <https://doi.org/10.4235/agmr.22.0057>
- Potter, P., & Perry, A. (2013). *Buku Ajar Keperawatan Fundamental Keperawatan*.
- Putra, S., Syahran Jailani, M., & Hakim Nasution, F. (2021). Penerapan Prinsip Dasar Etika Penelitian Ilmiah. *Jurnal Pendidikan Tambusai*, 7(3), 27876–27881.
- Ratmawati, R. (2019). Aktivitas Fisik Dan Massa Otot Lansia Non Panti Di Pangkalpinang. *JURNAL KESEHATAN POLTEKKES KEMENKES RI PANGKALPINANG*, 6(2), 54. <https://doi.org/10.32922/jkp.v6i2.61>
- Republik Indonesia. (1998). Undang-Undang Nomor 13 Tahun 1998 Tentang Kesejahteraan Lanjut Usia. *TAMBAHAN LEMBARAN NEGARA REPUBLIK INDONESIA NOMOR 3796*.
- Roberts, H. C., Denison, H. J., Martin, H. J., Patel, H. P., Syddall, H., Cooper, C., & Sayer, A. A. (2011). A review of the measurement of grip strength in clinical and epidemiological studies: Towards a standardised approach. *Age and Ageing*, 40(4), 423–429. <https://doi.org/10.1093/ageing/afr051>
- Rosenfeld, C. S. (2017). Sex-dependent differences in voluntary physical activity. *Journal of Neuroscience Research*, 95(1–2), 279–290. <https://doi.org/10.1002/jnr.23896>
- Sales, W. B., Mâcedo, S. G. G. F., Gonçalves, R. S. dos S. A., Andrade, L. E. L. de, Ramalho, C. S. T., de Souza, G. F., & Maciel, Á. C. C. (2024). Use of electrical bioimpedance in the assessment of sarcopenia in the older adults: A scoping review. *Journal of Bodywork and Movement Therapies*, 39(February), 373–381. <https://doi.org/10.1016/j.jbmt.2024.02.015>
- Sari, N. R., Yulianto, K. T., Agustina, R., Wilson, H., Nugroho, S. W., &

- Anggreani, G. (2023). *Statistik Penduduk Lanjut Usia 2023*. Badan Pusat Statistik.
<https://www.bps.go.id/id/publication/2023/12/29/5d308763ac29278dd5860fad/statistik-penduduk-lanjut-usia-2023.html>
- Scott, D., Johansson, J., Gandham, A., Ebeling, P. R., Nordstrom, P., & Nordstrom, A. (2021). Associations of accelerometer-determined physical activity and sedentary behavior with sarcopenia and incident falls over 12 months in community-dwelling Swedish older adults: "Physical activity, sarcopenia, and falls. *Journal of Sport and Health Science*, *10*(5), 577–584.
<https://doi.org/10.1016/j.jshs.2020.01.006>
- Seo, J. H., & Lee, Y. (2022). Association of physical activity with sarcopenia evaluated based on muscle mass and strength in older adults: 2008–2011 and 2014 – 2018 Korea National Health and Nutrition Examination Surveys. *BMC Geriatrics*, *22*(1), 1–17. <https://doi.org/10.1186/s12877-022-02900-3>
- Serafini, E., Marzetti, E., Calvani, R., Picca, A., Tosato, M., Bernabei, R., & Landi, F. (2019). Nutritional approach to sarcopenia. *Journal of Gerontology and Geriatrics*, *67*(1), 52–61.
- Silva, A. M., Campa, F., Stagi, S., Gobbo, L. A., Buffa, R., Toselli, S., Silva, D. A. S., Gonçalves, E. M., Langer, R. D., Guerra-Júnior, G., Machado, D. R. L., Kondo, E., Sagayama, H., Omi, N., Yamada, Y., Yoshida, T., Fukuda, W., Gonzalez, M. C., Orlandi, S. P., Marini, E. (2023). The bioelectrical impedance analysis (BIA) international database: aims, scope, and call for data. *European Journal of Clinical Nutrition*, *77*(12), 1143–1150.
<https://doi.org/10.1038/s41430-023-01310-x>
- Sujarwati, A., Agustina, E., Azmiyannoor, M., Rosadi, D., Fakhriyadi, R., Fadillah, N. A., Lasari, H. H. D., & Nisa, M. A. (2023). Faktor-Faktor yang Berhubungan dengan Perilaku Aktivitas Fisik Pada Remaja di Kota Banjarbaru Tahun 2021. *Jurnal Biostatistik, Kependudukan, Dan Informatika Kesehatan*, *3*(3), 192. <https://doi.org/10.51181/bikfokes.v3i3.7218>
- Topolski, T. D., LoGerfo, J., Patrick, D. L., Williams, B., Walwick, J., & Patrick, M. B. (2006). The Rapid Assessment of Physical Activity (RAPA) among older adults. *Preventing Chronic Disease*, *3*(4), 1–8.
- Vennu, V. (2023). Biological ageing and the risk of decreased handgrip strength among community-dwelling older adult Indians: a cross-sectional study. *BMC Geriatrics*, *23*(1), 1–10. <https://doi.org/10.1186/s12877-023-04498-6>
- Voelker, S. N., Michalopoulos, N., Maier, A. B., & Reijnierse, E. M. (2021). Reliability and Concurrent Validity of the SARC-F and Its Modified Versions: A Systematic Review and Meta-Analysis. *Journal of the American Medical Directors Association*, *22*(9), 1864–1876.e16.

<https://doi.org/10.1016/j.jamda.2021.05.011>

Wardhana, D. M., Widajanti, N., & Ichwani, J. (2020). Hubungan Komponen Comprehensive Geriatric Assessment dan Sarkopenia pada Usia Lanjut. *Jurnal Penyakit Dalam Indonesia*, 6(4), 188. <https://doi.org/10.7454/jpdi.v6i4.370>

World Health Organization. (2022). *Physical Activity*. <https://www.who.int/news-room/fact-sheets/detail/physical-activity>

Yana, S. (2023). *Perbedaan Efikasi Diri Ditinjau Berdasarkan Jenis Kelamin Pada Mahasiswa Yang Menyelesaikan Skripsi Di Universitas Islam Negeri Ar_Raniry Banda Aceh*. 19–20. http://repo.iain-tulungagung.ac.id/5510/5/BAB_2.pdf

Yin, L., Sawaya, Y., Sato, R., Shiba, T., Hirose, T., Onoda, K., & Urano, T. (2023). Minimal Detectable Changes in the Five Times Sit-to-Stand Test in Older Japanese Adults with Sarcopenia Requiring Long-Term Care. *Medicina (Lithuania)*, 59(11). <https://doi.org/10.3390/medicina59112019>

Yuan, S., & Larsson, S. C. (2023). Epidemiology of sarcopenia: Prevalence, risk factors, and consequences. *Metabolism: Clinical and Experimental*, 144(December 2022), 155533. <https://doi.org/10.1016/j.metabol.2023.155533>