

DAFTAR PUSTAKA

- Abdu, M., Babae, S., Worku, A., Msagati, T.A.M., and Nure, J.F., 2024, The Development of Giant Reed Biochar for Adsorption of Basic Blue 41 and Eriochrome Black T. Azo Dyes from Wastewater, *Sci. Rep.*, 14, 1–14.
- Aghajanzadeh, S., Ziaiifar, A.M., and Verkerk, R., 2023, Effect of thermal and non-thermal treatments on the color of citrus juice: A review, *Food. Rev. Int.*, 39, 3555–3577.
- Alfiandari, Y., Manfarizah, M., and Darusman, D., 2023, Analisis Karakteristik Biochar Bambu Petung (*Dendrocalamus asper*) dan Kayu Pulai (*Alstonia scholaris* (L.) R. Br), *Jurnal Ilmiah Mahasiswa Pertanian*, 4 (8), 817–825.
- Ambaye, T.G., Vaccari, M., van Hullebusch, E.D., Amrane, A., and Rtimi, S., 2021, Mechanisms and adsorption capacities of biochar for the removal of organic and inorganic pollutants from industrial wastewater, *IJEST*, 18, 3273–3294.
- Arabpour, A., Dan, S., and Hashemipour, H., 2021, Preparation and optimization of novel graphene oxide and adsorption isotherm study of methylene blue, *Arab. J. Chem.*, 14, 1–11.
- Ateş, A., 2024, Investigation of Physicochemical and Chemical Properties of Biochar Activated with Carbonate, Nitrate, and Borohydride, *Biomass. Convers. Biorefin.*, 1–9.
- Bai, Y.P., Luo, X.J., Zhao, Y.L., Li, C.X., Xu, D.S., and Xu, J.H., 2017, Efficient Degradation of Malathion in the Presence of Detergents Using an Engineered Organophosphorus Hydrolase Highly Expressed by *Pichia pastoris* without Methanol Induction, *J. Agric. Food. Chem.*, 65, 9094–9100.
- Behera, M., Tiwari, N., Banerjee, S., Sheik, A.R., Kumar, M., Pal, M., Pal, P., Chatterjee, R.P., Chakraborty, S., and Tripathy, S.K., 2022, Ag/biochar nanocomposites demonstrate remarkable catalytic activity towards reduction of p-nitrophenol via restricted agglomeration and leaching characteristics, *Colloid. Surf. A.*, 642, 2–14.
- Bouchenafa-Saïb, N., Mekarzia, A., Bouzid, B., Mohammedi, O., Khelifa, A., Benrachedi, K., and Belhaneche, N., 2014, Removal of malathion from polluted water by adsorption onto chemically activated carbons produced from coffee grounds, *Desalin. Water Treat.*, 52, 4920–4927.
- Budnyak, T.M., Vlasova, N.N., Golovkova, L.P., Slabon, A., and Tertykh, V.A., 2019, Bile acids adsorption by chitoan-fumed silica enterosorbent, *Colloid. Surf. A.*, 32, 1–5.

- Byambaa, B., Kim, E.J., Seid, M.G., An, B.M., Cho, J., Aung, S.L., and Song, K.G., 2023, Synthesis of N-doped sludge biochar using the hydrothermal route-enabled carbonization method for the efficient degradation of organic pollutants by peroxymonosulfate activation, *Chem. Eng. J.*, 456, 1–11.
- Canales-Flores, R.A., Prieto-García, F., Prieto-Méndez, J., Acevedo-Sandoval, O.A., and Otazo-Sánchez, E.M., 2022, Ecaluation of Three Lignocellulose Biomass Materials (Barley Husk, Corn Cobs, Agave Leaves) as Precursors of Activated C, *Rev. Fac. Med.*, 11, 17–39.
- Conte, P., Bertani, R., Sgarbossa, P., Bambina, P., Schmidt, H.P., Raga, R., Lo Papa, G., Chillura Martino, D.F., and Lo Meo, P., 2021, Recent developments in understanding biochar's physical–chemistry, *Agronomy*, 11, 2–32.
- Dal, M.C. and Onursal, N., 2023, Two new linearized equations derived from a pseudo-second-order kinetic model, *Desalination*, 308, 183–189.
- Dehghani, M.H., Niasar, Z.S., Mehrnia, M.R., Shayeghi, M., Al-Ghouti, M.A., Heibati, B., McKay, G., and Yetilmezsoy, K., 2017, Optimizing the removal of organophosphorus pesticide malathion from water using multi-walled carbon nanotubes, *Chemical Engineering Journal*, 310, 22–32.
- Demirçivi, P. and Nasün-Saygili, G., 2010, Desalination and Water Treatment Removal of boron from waste waters using HDTMA-modifi ed zeolites, *Desalination*, 23, 110-117.
- Deng, C., Lin, R., Kang, X., Wu, B., Wall, D.M., and Murphy, J.D., 2021, What physicochemical properties of biochar facilitate interspecies electron transfer in anaerobic digestion: A case study of digestion of whiskey by-products, *Fuel*, 306, 2–11.
- El-Kady, A.A., Abdel Ghafar, H.H., Ibrahim, M.B.M., and Abdel-Wahhab, M.A., 2013, Utilization of activated carbon prepared from agricultural waste for the removal of organophosphorous pesticide from aqueous media, *Desalination*, 51, 7276–7285.
- Ezzati, R., Ezzati, S., and Azizi, M., 2024, Exact solution of the Langmuir rate equation: New Insights into pseudo-first-order and pseudo-second-order kinetics models for adsorption, *Vacuum*, 220, 1–5.
- Gbouri, I., Yu, F., Wang, X., Wang, J., Cui, X., Hu, Y., Yan, B., and Chen, G., 2022, Co-Pyrolysis of Sewage Sludge and Wetland Biomass Waste for Biochar Production: Behaviors of Phosphorus and Heavy Metals, *Int. J. of Env. Res. Public. Health.*, 19, 1–12.
- Ginting, E., Elisabeth, D.A.A., Khamidah, A., Rinaldi, J., Ambarsari, I., and

- Antarlina, S.S., 2024, The nutritional and economic potential of tofu dreg (okara) and its utilization for high protein food products in Indonesia, *J. Ag. Food. Res.*, 16, 2–13.
- Goettlich, D., Hadi, A.S., McEnaney, K., and Kirtley, J., 2021, Investigations of biochar as a tunable platform for aqueous malathion adsorption and decomposition, *MRS Adv*, 6, 759–763.
- Hassan, N., Abdullah, R., Khadiran, T., Elham, P., and Vejan, P., 2023, Biochar derived from oil palm trunk as a potential precursor in the production of high-performance activated carbon, *Biomass Convers Biorefin*, 13, 15687–15703.
- He, P., Liu, Y., Shao, L., Zhang, H., and Lü, F., 2018, Particle size dependence of the physicochemical properties of biochar, *Chemosphere*, 212, 385–392.
- Ho, Y.S., 2006, Review of second-order models for adsorption systems, *J. Hazard. Mat.*, 136, 681–689.
- Hu, Q. and Zhang, Z., 2019a, Application of Dubinin–Radushkevich isotherm model at the solid/solution interface: A theoretical analysis, *J Mol Liq*, 277, 646–648.
- Iken, W., EL Ouafy, H., Naciri, S., Chriyaa, M.R., Halil, L., Aamor, M., Boutkbout Nait Moudou, M., and EL Ouafy, T., 2025, Effects of van der Waals interactions on the dipole moment and adsorption energy of H₂O on Au(100) and Cu(100) surfaces: Density functional theory study, *J. Indian. Chem. Soc.*, 102, 1–8.
- Iryani, A., Nur, H., Santoso, M., and Hartanto, D., 2020, Adsorption study of rhodamine B and methylene blue dyes with ZSM-5 directly synthesized from Bangka Kaolin without organic template, *Ind. J. Chem.*, 20, 130–140.
- Kalantary, R.R., Azari, A., Esrafil, A., Yaghmaeian, K., Moradi, M., and Sharafi, K., 2016, The survey of Malathion removal using magnetic graphene oxide nanocomposite as a novel adsorbent: thermodynamics, isotherms, and kinetic study, *Desalination*, 57, 28460–28473.
- Kalina, M., Sovova, S., Svec, J., Trudicova, M., Hajzler, J., Kubikova, L., and Enev, V., 2022, The Effect of Pyrolysis Temperature and the Source Biomass on the Properties of Biochar Produced for the Agronomical Applications as the Soil Conditioner, *Materials*, 15, 1–11.
- Kumar, P., Prajapati, A.K., Dixit, S., and Yadav, V.L., 2019, Adsorption of fluoride from aqueous solution using biochar prepared from waste peanut hull, *Matter. Res. Express.*, 6, 2–24.
- Kumar, P., Singh, H., Kapur, M., and Mondal, M.K., 2014, Comparative study of

malathion removal from aqueous solution by agricultural and commercial adsorbents, *J. Water. Proc. Eng.*, 3, 67–73.

Kurian, J.K., Garipey, Y., Orsat, V., and Raghavan, G.S.V., 2015, Microwave-assisted lime treatment and recovery of lignin from hydrothermally treated sweet sorghum bagasse, *Biofuels*, 6, 341–355.

Lan, K. and Zhao, D., 2022, Functional Ordered Mesoporous Materials: Present and Future, *Nano. Lett.*, 22, 3177–3179.

Lehmann, J., and Joseph, 2009, *Biochar for Enviromental Management Science and Technology*. Sterling, Va. Earthscan.

Li, B., Qiao, M., and Lu, F., 2012, Composition, Nutrition, and Utilization of Okara (Soybean Residue), *Food Rev. Int.*, 28, 231–252.

Li, J., Liu, Y., Ren, X., Dong, W., Chen, H., Cai, T., Zeng, W., Li, W., and Tang, L., 2021, Soybean residue based biochar prepared by ball milling assisted alkali activation to activate peroxydisulfate for the degradation of tetracycline, *J. Colloid. Int. Sci.*, 599, 631–641.

Li, J., Wang, T., Hao, T., Yao, X., Xu, K., and Liu, J., 2025, Application of biochar catalysts in tar catalytic reforming: A review on preparation, modification, deactivation, and regeneration, *Energy*, 317, 2–16.

Li, M., Tian, K., Liu, S., Liang, P., Xiong, W., and Yao, X., 2024, Highly efficient adsorption and removal of Cd(II) from wastewater by mass synthesis of magnetically functionalized UiO-66 based on its high coordination advantage, *Chem. Eng. J.*, 494, 1–7.

Li, W., Yan, X., Gao, C., Duan, J., and Beecham, S., 2020, A consecutive chlorination and alkaline hydrolysis process for rapid degradation and detoxication of malathion in aqueous solution, *Chem. Eng. J.*, 392, 1–5.

Li, Y., Zhang, Jie, Zhang, Jing, Tang, S., Pan, Q., Hu, T., and Hou, Y., 2024, Capability of *S. oneidensis* MR-1 for malathion degradation: Insights from physiological and biochemical analyses, *Int Biodeterior Biodegradation*, 192, 1–6.

Liang, L., Xi, F., Tan, W., Meng, X., Hu, B., and Wang, X., 2021, Review of organic and inorganic pollutants removal by biochar and biochar-based composites, *Biochar*, 3, 255–281.

Lin, Q., Huang, Y., and Yu, W., 2020, An in-depth study of molecular and supramolecular structures of bamboo cellulose upon heat treatment, *Carbohydr Polym*, 241, 1.

Liu, L., Huang, Y., Zhang, S., Gong, Y., Su, Y., Cao, J., and Hu, H., 2019,

Adsorption characteristics and mechanism of Pb(II) by agricultural waste-derived biochars produced from a pilot-scale pyrolysis system, *Waste Management*, 100, 287–295.

- Liu, Y., Gao, L., Wang, C., Fu, Z., Chen, R., Jiang, W., Yin, C., Mao, Z., and Wang, Y., 2024, Biochar combined with humic acid improves the soil environment and regulate microbial communities in apple replant soil, *Ecotoxic. Environ. Saf.*, 283, 1-10.
- Liu, Y., Ji, X., Gao, Z., Wang, Y., Zhu, Y., Zhang, Yan, Zhang, Yanxiang, Sun, H., Li, W., and Duan, J., 2023b, Adsorption characteristics and removal mechanism of malathion in water by high and low temperature calcium-modified water hyacinth-based biochar, *J. Clean. Prod.*, 411, 1–9.
- Liu, Y., Yuan, Y., Wang, Z., Wen, Y., Liu, L., Wang, T., and Xie, X., 2022, Removal of ofloxacin from water by natural ilmenite-biochar composite: A study on the synergistic adsorption mechanism of multiple effects, *Bioresour Technol*, 363, 1–8.
- Makinde, W.O., Hassan, M.A., Pan, Y., Guan, G., López-Salas, N., and Khalil, A.S.G., 2024, Sulfur and nitrogen co-doping of peanut shell-derived biochar for sustainable supercapacitor applications, *J. Alloys. Comp.*, 991, 1.
- Mekonnen, B., 2024, Electrochemical sensor based on polyaniline supported CdS/CeO₂/Ag₃PO₄ nanocomposite for Malathion detection, *Sens. Int.*, 5, 2–10.
- Milanković, V., Tasić, T., Brković, S., Potkonjak, N., Unterweger, C., Pašti, I., and Lazarević-Pašti, T., 2024, The adsorption of chlorpyrifos and malathion under environmentally relevant conditions using biowaste carbon materials, *J. Hazard. Mater.*, 480, 1–9.
- Mishra, R.K., Singh, B., and Acharaya, B., A comprehensive review on activated carbon from pyrolysis of lignocellulosic biomass: An application for energy and the environment, *Carbon Res. Convers.*, 7, 1-19.
- Ogata, F., Ueda, A., Tanei, S., Imai, D., and Kawasaki, N., 2016, Simultaneous removal of phosphate and nitrite ions from aqueous solutions using modified soybean waste, *J. Ind. Eng. Chem.*, 35, 287–294.
- Pan, Q., Li, Y., Zhang, J., Hu, T., Hou, Y., and Tang, S., 2024, Mechanisms of oxidative response during biodegradation of malathion by *S. oneidensis* MR-1, *ESPR*, 31, 16832–16845.
- Peterson, S.C., Jackson, M.A., Kim, S., and Palmquist, D.E., 2012, Increasing biochar surface area: Optimization of ball milling parameters, *Powder Technol*, 228, 115–120.

- Qiu, L., Yuan, R., Chen, H., Zhang, Z., Zhou, B., and Luo, S., 2025, Insight into the enhanced removal of dimethoate by ferrate(VI)/biochar system: Contributions of adsorption and active oxidants, *J. Hazard. Mater.*, 486, 1–12.
- Roghani, M., Nakhli, S.A.A., Aghajani, M., Rostami, M.H., and Borghei, S.M., 2016, Adsorption and oxidation study on arsenite removal from aqueous solutions by polyaniline/polyvinyl alcohol composite, *J. Water Process Eng.*, 14, 101–107.
- Sabbagh, N., Tahvildari, K., and Mehrdad Sharif, A.A., 2021a, Application of chitosan-alginate bio composite for adsorption of malathion from wastewater: Characterization and response surface methodology, *J. Contam. Hydrol.*, 242, 2-8.
- Sajida, G., Eka, S., Hermawan, P., and Puspa, I.J. Zeolite Adsorption Measurement Test Results with Various OF Curcumin as Adsorbate, *Fullerene J. Chem.*, 7, 13–22.
- Shan, D., Shao, Z., Liu, X., Wang, Y., Liu, Y., and Dai, Y., 2022, Efficient adsorption of three dyes by soybean residue (okara) biochar in an aqueous solution, *Desalination* , 266, 212–225.
- Singh, V.K. and Kumar, E.A., 2016, Comparative Studies on CO₂ Adsorption Kinetics by Solid Adsorbents,. In, *Energy Procedia*, 316–325.
- Sorour, M.H. and Shaalan, H.F., 2013, Removal of malathion using ceramic nanofiltration/adsorption system, *Desalination*, 51, 5009–5013.
- Suratman, A., Astuti, D.N., Kusumastuti, P.P., and Sudiono, S., 2024, Okara biochar immobilized calcium-alginate beads as eosin yellow dye adsorbent, *Results Chem*, 7, 2-11.
- Syawal, M.S., Ibrahim, A., Yustiawati, Nasution, S.H., Taufik, I., Saraswati, M., and Ardiwinata, A.N., 2023, Organophosphate pesticide residues in surface water and bilih fish (*Mystacoleucus padangensis* Blkr.) in Lake Singkarak, West Sumatra,. In, *IOP Conference Series*, Institute of Physics.
- Tan, X., Liu, Y., Zeng, G., Wang, X., Hu, X., Gu, Y., and Yang, Z., 2015, Application of biochar for the removal of pollutants from aqueous solutions, *Chemosphere*, 125, 70–85.
- Tasane, I., 2016, Uji Resistensi Insektisida Malathion 0,8% terhadap Nyamuk *Aedes Aegypti* di Wilayah Fogging Kantor Kesehatan Pelabuhan Kelas II Ambon, *Jurnal Kesmas*, 3 (3), 162-171.
- Tseng, R.L., Tran, H.N., and Juang, R.S., 2022, Revisiting temperature effect on the kinetics of liquid-phase adsorption by the Elovich equation: A simple

tool for checking data reliability, *J. Taiwan. Inst. Chem. Eng.*, 136, 2-15 .

- Usman, A.R.A., Abduljabbar, A., Vithanage, M., Ok, Y.S., Ahmad, Mahtab, Ahmad, Munir, Elfaki, J., Abdulazeem, S.S., and Al-Wabel, M.I., 2015, Biochar production from date palm waste: Charring temperature induced changes in composition and surface chemistry, *J. Anal. Appl. Pyrolysis.*, 115, 392–400.
- Wang, J. and Guo, X., 2022, Rethinking of the intraparticle diffusion adsorption kinetics model: Interpretation, solving methods and applications, *Chemosphere*, 309, 3-11.
- Wang, S., Kwak, J.H., Islam, M.S., Naeth, M.A., Gamal El-Din, M., and Chang, S.X., 2020, Biochar surface complexation and Ni(II), Cu(II), and Cd(II) adsorption in aqueous solutions depend on feedstock type, *Sci. Total Environt.*, 712, 3-17.
- Wang, T., Li, C., Wang, C., and Wang, H., 2018, Biochar/MnAl-LDH composites for Cu (II) removal from aqueous solution, *Colloids. Surf. Physicochem. Eng.*, 538, 443–450.
- Wang, T., Zhou, Y., Wang, L., Sui, J., Chen, F., Yang, J., Chen, S., Cui, X., Yang, Y., and Zhang, W., 2025, Assessing the biotic and abiotic degradation of malathion in the environment: Current strategies and advances, *J. Environ. Chem. Eng.*, 13, 2-15.
- Wang, X., Xue, H., Li, Y., Li, P., Liu, Z., and Piao, C., 2024, Characterization of physicochemical and functional properties of soluble dietary fiber from separate and co-fermented okara by lactic acid bacteria and *Kluyveromyces marxianus* C21, *LWT*, 205, 4-12.
- Wu, Z., Luo, F., Zheng, X., and Liu, J., 2024, Bismuth tungstate nanosheets sensors based on Temkin adsorption model for triethylamine detection, *Solid State Electron*, 213, 5-16.
- Yuan, J., Wang, C., Tang, Z., Chu, T., Zheng, C., Han, Q., Chen, H., and Tan, Y., 2024, Biochar derived from traditional Chinese medicine residues: An efficient adsorbent for heavy metal Pb(II), *Arab. J. Chem.*, 17, 1-14.
- Zaya, A.S., dan Lutfi F, M., Studi Pendidikan Kimia Jurusan FMIPA FKIP Universitas Bengkulu, P., 2018, Kapasitas Adsorpsi Arang Aktif Cangkang Bintaro (*Cerbera odollam*) Terhadap Zat Warna Sintesis Reactive Red-120 dan Reactive Blue-198, *Jurnal Kimia*, 148–155.
- Zhang, X., Lv, D., Liu, Z., Xu, D., Yang, F., Tang, Q., Zhong, L., Liang, Z., and Jia, Q., 2025, From waste to Resource: Engineering biochar through optimized HCl activation for microplastic mitigation, *Chem. Eng. Sci.*, 304,

2-10 .

- Zhang, X., Zhao, B., Liu, H., Zhao, Y., and Li, L., 2022, Effects of pyrolysis temperature on biochar's characteristics and speciation and environmental risks of heavy metals in sewage sludge biochars, *Environ. Technol. Innov.*, 26, 4-16.
- Zhang, Y. and Pagilla, K., 2010, Treatment of malathion pesticide wastewater with nanofiltration and photo-Fenton oxidation, *Desalination*, 263, 36–44.
- Zhu, S., Huang, X., Ma, F., Wang, L., Duan, X., and Wang, S., 2018, Catalytic Removal of Aqueous Contaminants on N-Doped Graphitic Biochars: Inherent Roles of Adsorption and Nonradical Mechanisms, *Environ. Sci. Technol.*, 52, 8649–8658.