

DAFTAR PUSTAKA

- Abd-Elaziem, W., Darwish, M. A., Hamada, A., & Daoush, W. M. (2024). Titanium-Based alloys and composites for orthopedic implants Applications: A comprehensive review. *Materials & Design*, 241, 112850. <https://doi.org/https://doi.org/10.1016/j.matdes.2024.112850>
- Adeleke, S. A., Ramesh, S., Bushroa, A. R., Ching, Y. C., Sopyan, I., Maleque, M. A., Krishnasamy, S., Chandran, H., Misran, H., & Sutharsini, U. (2018). The properties of hydroxyapatite ceramic coatings produced by plasma electrolytic oxidation. *Ceramics International*, 44(2), 1802–1811. <https://doi.org/https://doi.org/10.1016/j.ceramint.2017.10.114>
- Akpan, E. S., Dauda, M., Kuburi, L. S., & Obada, D. O. (2020). A facile synthesis method and fracture toughness evaluation of catfish bones-derived hydroxyapatite. *MRS Advances*, 5(26), 1357–1366. <https://doi.org/10.1557/adv.2020.172>
- Ali, A., Chiang, Y. W., & Santos, R. M. (2022). X-Ray Diffraction Techniques for Mineral Characterization: A Review for Engineers of the Fundamentals, Applications, and Research Directions. *Minerals*, 12(2). <https://doi.org/10.3390/min12020205>
- Arokiasamy, P., Al Bakri Abdullah, M. M., Abd Rahim, S. Z., Luhar, S., Sandu, A. V., Jamil, N. H., & Nabialek, M. (2022). Synthesis methods of hydroxyapatite from natural sources: A review. *Ceramics International*, 48(11), 14959–14979. <https://doi.org/https://doi.org/10.1016/j.ceramint.2022.03.064>
- Aziz, I., Mahmudah, H., & Yusuf, Y. (2022). Pembentukan Permukaan Porous Lapisan Tipis Ti-Cu-N pada Permukaan Stainless Steel 316L Menggunakan Metode Anodisasi. *Prosiding Sains Nasional Dan Teknologi*, 12(1), 202. <https://doi.org/10.36499/psnst.v12i1.7317>
- Bai, Y., Kim, K.-A., Park, I. S., Lee, S. J., Bae, T. S., & Lee, M. H. (2011). In situ composite coating of titania–hydroxyapatite on titanium substrate by micro-arc oxidation coupled with electrophoretic deposition processing. *Materials Science and Engineering: B*, 176(15), 1213–1221. <https://doi.org/https://doi.org/10.1016/j.mseb.2011.06.019>
- Bernal-Alvarez, L. R., Ramirez-Gutierrez, C. F., Gomez-Vazquez, O. M., Correa-Piña, B. A., Zubieta-Otero, L. F., Millán-Malo, B. M., & Rodriguez-Garcia, M. E. (2024). Enhancing surface chemistry and wetting behavior of laser-modified Ti–6Al–4V surgical titanium alloy surfaces through wet deposition of biogenic hydroxyapatite. *Surface and Coatings Technology*, 489. <https://doi.org/10.1016/j.surfcoat.2024.131065>
- Cheng, Y., Xie, H., Cao, J., & Cheng, Y. (2021). Effect of NaOH on plasma electrolytic oxidation of A356 aluminium alloy in moderately concentrated aluminate electrolyte. *Transactions of Nonferrous Metals Society of China*, 31(12), 3677–3690. [https://doi.org/https://doi.org/10.1016/S1003-6326\(21\)65756-4](https://doi.org/https://doi.org/10.1016/S1003-6326(21)65756-4)
- Clyne, T. W., & Troughton, S. C. (2019). A review of recent work on discharge characteristics during plasma electrolytic oxidation of various metals.

- International Materials Reviews*, 64(3), 127–162.
<https://doi.org/10.1080/09506608.2018.1466492>
- Durdu, S., Deniz, Ö. F., Kutbay, I., & Usta, M. (2013). Characterization and formation of hydroxyapatite on Ti6Al4V coated by plasma electrolytic oxidation. *Journal of Alloys and Compounds*, 551, 422–429.
<https://doi.org/10.1016/j.jallcom.2012.11.024>
- Durdu, S., Usta, M., & Berkem, A. S. (2016). Bioactive coatings on Ti6Al4V alloy formed by plasma electrolytic oxidation. *Surface and Coatings Technology*, 301, 85–93. <https://doi.org/https://doi.org/10.1016/j.surfcoat.2015.07.053>
- Elias, C. N., Lima, J. H. C., Valiev, R., & Meyers, M. A. (2008). Biomedical applications of titanium and its alloys. *JOM*, 60(3), 46–49.
<https://doi.org/10.1007/s11837-008-0031-1>
- Eliaz, N., & Metoki, N. (2017). Calcium Phosphate Bioceramics: A Review of Their History, Structure, Properties, Coating Technologies and Biomedical Applications. *Materials*, 10(4). <https://doi.org/10.3390/ma10040334>
- Fahelbom, K. M., Saleh, A., Al-Tabakha, M. M. A., & Ashames, A. A. (2022). Recent applications of quantitative analytical FTIR spectroscopy in pharmaceutical, biomedical, and clinical fields: A brief review. In *Reviews in Analytical Chemistry* (Vol. 41, Issue 1, pp. 21–33). Walter de Gruyter GmbH.
<https://doi.org/10.1515/revac-2022-0030>
- Fattah-alhosseini, A., Chaharmahali, R., Alizad, S., & Kaseem, M. (2023). Corrosion behavior of composite coatings containing hydroxyapatite particles on Mg alloys by plasma electrolytic oxidation: A review. *Journal of Magnesium and Alloys*, 11(9), 2999–3011.
<https://doi.org/https://doi.org/10.1016/j.jma.2023.09.003>
- Firraninda, N. E. (2024). *Sintesis dan Karakterisasi Hidroksiapatit (HAp) serta Karbonat Hidroksiapatit (CHAp) dari Tulang Ikan Patin (Pangasius hypophthalmus) dengan Variasi Suhu Sintering*. Universitas Gadjah Mada.
- Fiume, E., Magnaterra, G., Rahdar, A., Verné, E., & Baino, F. (2021). Hydroxyapatite for Biomedical Applications: A Short Overview. *Ceramics*, 4(4), 542–563. <https://doi.org/10.3390/ceramics4040039>
- Griffiths, P. R., & Haseth, J. A. De. (2007). *Fourier Transform Infrared Spectrometry Second Edition* (Second Edition). John Wiley & Sons, Inc., Hoboken, New Jersey.
- Han, F., Liu, Z., Wei, Q., Ding, L., Yu, L., Wang, J., Wang, H., Zhang, W., Yu, Y., Zhao, Y., Chen, S., & Li, B. (2024). Minimally Invasive Implantable Biomaterials for Bone Reconstruction. *Engineering*.
<https://doi.org/https://doi.org/10.1016/j.eng.2024.01.031>
- Hariani, P. L., Said, M., & Salni. (2019). Effect of sintering on the mechanical properties of hydroxyapatite from fish bone (Pangasius Hypophthalmus). *IOP Conference Series: Materials Science and Engineering*, 509(1), 12109.
<https://doi.org/10.1088/1757-899X/509/1/012109>
- Hu, Y., Wang, Z., Ai, J., Bu, S., & Liu, H. (2021). Preparation of Coating on the Titanium Surface by Micro-Arc Oxidation to Improve Corrosion Resistance. *Coatings*, 11(2). <https://doi.org/10.3390/coatings11020230>

- Hung, K.-Y., Lo, S.-C., Shih, C.-S., Yang, Y.-C., Feng, H.-P., & Lin, Y.-C. (2013). Titanium surface modified by hydroxyapatite coating for dental implants. *Surface and Coatings Technology*, 231, 337–345. <https://doi.org/https://doi.org/10.1016/j.surfcoat.2012.03.037>
- Inkson, B. J. (2016). 2 - Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for materials characterization. In G. Hübschen, I. Altpeter, R. Tschuncky, & H.-G. Herrmann (Eds.), *Materials Characterization Using Nondestructive Evaluation (NDE) Methods* (pp. 17–43). Woodhead Publishing. <https://doi.org/https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Karpiński, R., Jaworski, Ł., & Czubacka, P. (2017). *The Structural and Mechanical Properties of The Bone* (Vol. 3, Issue 1). <http://jteme.pl>
- Kartikasari, R., Sutrisna, & Aziz, I. (2017). Corrosion behavior of plasma nitrided SS316L biomaterial. *Open Materials Science Journal*, 11, 29–37. <https://doi.org/10.2174/1874088X01711010029>
- Kim, S.-P., Kaseem, M., & Choe, H.-C. (2020). Plasma electrolytic oxidation of Ti-25Nb-xTa alloys in solution containing Ca and P ions. *Surface and Coatings Technology*, 395, 125916. <https://doi.org/https://doi.org/10.1016/j.surfcoat.2020.125916>
- Kossenko, A., Lugovskoy, S., Astashina, N., Lugovskoy, A., & Zinigrad, M. (2013). Effect of time on the formation of hydroxyapatite in PEO process with hydrothermal treatment of the Ti-6Al-4V Alloy1. *Glass Physics and Chemistry*, 39(6), 639–642. <https://doi.org/10.1134/S1087659613060072>
- Li, G., Ma, F., Liu, P., Qi, S., Li, W., Zhang, K., & Chen, X. (2023). Review of micro-arc oxidation of titanium alloys: Mechanism, properties and applications. *Journal of Alloys and Compounds*, 948, 169773. <https://doi.org/https://doi.org/10.1016/j.jallcom.2023.169773>
- Lin, C. Y., & Kang, J. H. (2021). Mechanical properties of compact bone defined by the stress-strain curve measured using uniaxial tensile test: A concise review and practical guide. In *Materials* (Vol. 14, Issue 15). MDPI AG. <https://doi.org/10.3390/ma14154224>
- Liu, S., Li, B., Liang, C., Wang, H., & Qiao, Z. (2016). Formation mechanism and adhesive strength of a hydroxyapatite/TiO₂ composite coating on a titanium surface prepared by micro-arc oxidation. *Applied Surface Science*, 362, 109–114. <https://doi.org/https://doi.org/10.1016/j.apsusc.2015.11.086>
- Loginov, Y. N., Koptyug, A., Popov, V. V., Belikov, S. V., Mukanov, G., Golodnov, A. I., & Stepanov, S. I. (2022). Compression deformation and fracture behavior of additively manufactured Ti-6Al-4V cellular structures. *International Journal of Lightweight Materials and Manufacture*, 5(1), 126–135. <https://doi.org/10.1016/j.ijlmm.2021.11.003>
- Lokeshkumar, E., Premchand, C., Manojkumar, P., Shishir, R., Krishna, L. R., Prashanth, K. G., & Rameshbabu, N. (2023). Effect of electrolyte composition on the surface characteristics of plasma electrolytic oxidation coatings over Ti40Nb alloy. *Surface and Coatings Technology*, 465, 129591. <https://doi.org/https://doi.org/10.1016/j.surfcoat.2023.129591>

- Lugovskoy, A., & Lugovskoy, S. (2014). Production of hydroxyapatite layers on the plasma electrolytically oxidized surface of titanium alloys. *Materials Science and Engineering: C*, 43, 527–532. <https://doi.org/https://doi.org/10.1016/j.msec.2014.07.030>
- Madhuri, D., Ghosh, R., Hasan, M. A., Dey, A., Pillai, A. M., Angamuthu, M., Anantharaju, K. S., & Rajendra, A. (2022). Flat Absorber Black PEO coatings on Ti6Al4V for spacecraft thermal control application. *Ceramics International*, 48(23, Part B), 35906–35914. <https://doi.org/https://doi.org/10.1016/j.ceramint.2022.09.335>
- Mahmud, Md. Z. Al, Mobarak, M. H., Hossain, N., Islam, Md. A., & Rayhan, Md. T. (2023). Emerging breakthroughs in biomaterials for orthopedic applications: A comprehensive review. *Bioprinting*, 36, e00323. <https://doi.org/https://doi.org/10.1016/j.bprint.2023.e00323>
- Miseo, E. V. M., & Briggs, J. (2021, September 2). Common Problems with FT-IR Instruments and How to Avoid Them. *Spectroscopy: The SciX 2021 Preview and Companion Guide*, 36S9(S9A), 15–16. <https://www.spectroscopyonline.com/view/common-problems-with-ft-ir-instruments-and-how-to-avoid-them>
- Mohammadipour, E., & Ghorbani, M. (2024). Characterization, mechanical, corrosion, and in vitro apatite-formation ability properties of hydroxyapatite-reduced graphene oxide coatings on Ti6Al4V alloy by plasma electrolytic oxidation. *Journal of Materials Research and Technology*, 33, 441–457. <https://doi.org/10.1016/j.jmrt.2024.09.041>
- Molaei, M., Nouri, M., Babaei, K., & Fattah-Alhosseini, A. (2021). Improving surface features of PEO coatings on titanium and titanium alloys with zirconia particles: A review. *Surfaces and Interfaces*, 22, 100888. <https://doi.org/https://doi.org/10.1016/j.surfin.2020.100888>
- Mouritz, A. P. (2012). 5 - Mechanical and durability testing of aerospace materials. In *Introduction to Aerospace Materials* (pp. 91–127). Woodhead Publishing Limited. <https://doi.org/https://doi.org/10.1533/9780857095152.91>
- Najafizadeh, M., Yazdi, S., Bozorg, M., Ghasempour-Mouziraji, Mehran., Hosseinzadeh, M., Zarrabian, M., & Cavaliere, P. (2024). Classification and applications of titanium and its alloys: A review. *Journal of Alloys and Compounds Communications*, 3, 100019. <https://doi.org/https://doi.org/10.1016/j.jacomc.2024.100019>
- Nam, P. V., Hoa, N. Van, & Trung, T. S. (2019). Properties of hydroxyapatites prepared from different fish bones: A comparative study. *Ceramics International*, 45(16), 20141–20147. <https://doi.org/https://doi.org/10.1016/j.ceramint.2019.06.280>
- Nam, P. V., Van Hoa, N., Anh, T. T. L., & Trung, T. S. (2020). Towards Zero-waste Recovery of Bioactive Compounds from Catfish (*Pangasius hypophthalmus*) By-products Using an Enzymatic Method. *Waste and Biomass Valorization*, 11(8), 4195–4206. <https://doi.org/10.1007/s12649-019-00758-y>
- Nisar, S. S., & Choe, H. C. (2024a). Mechanical hydroxyapatite coatings on PEO-treated Ti–6Al–4V alloy for enhancing implant’s surface bioactivity.

- Ceramics International*, 50(10), 17703–17719.
<https://doi.org/10.1016/j.ceramint.2024.02.259>
- Nisar, S. S., & Choe, H.-C. (2024b). Plasma electrolytic oxidation coatings on mechanically cold-worked titanium in solution containing hydroxyapatite ions. *Surface and Coatings Technology*, 479, 130524. <https://doi.org/https://doi.org/10.1016/j.surfcoat.2024.130524>
- Parfenov, E., Parfenova, L., Mukaeva, V., Farrakhov, R., Stotskiy, A., Raab, A., Danilko, K., Rameshbabu, N., & Valiev, R. (2020). Biofunctionalization of PEO coatings on titanium implants with inorganic and organic substances. *Surface and Coatings Technology*, 404, 126486. <https://doi.org/https://doi.org/10.1016/j.surfcoat.2020.126486>
- Patty, D. J., Nugraheni, A. D., Dewi Ana, I., & Yusuf, Y. (2022). Mechanical Characteristics and Bioactivity of Nanocomposite Hydroxyapatite/Collagen Coated Titanium for Bone Tissue Engineering. *Bioengineering*, 9(12). <https://doi.org/10.3390/bioengineering9120784>
- Qaid, T. H., Ramesh, S., Yusof, F., Basirun, W. J., Ching, Y. C., Chandran, H., Ramesh, S., & Krishnasamy, S. (2019). Micro-arc oxidation of bioceramic coatings containing eggshell-derived hydroxyapatite on titanium substrate. *Ceramics International*, 45(15), 18371–18381. <https://doi.org/https://doi.org/10.1016/j.ceramint.2019.06.052>
- Ragunathan, S., Govindasamy, G., Raghul, D. R., Karuppaswamy, M., & VijayachandraTogo, R. K. (2020). Hydroxyapatite reinforced natural polymer scaffold for bone tissue regeneration. *Materials Today: Proceedings*, 23, 111–118. <https://doi.org/https://doi.org/10.1016/j.matpr.2019.07.712>
- Roberts, T. R., & Vidthayanon, C. (1991). Systematic Revision of the Asian Catfish Family Pangasiidae, with Biological Observations and Descriptions of Three New Species. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 143, 97–143. <http://www.jstor.org/stable/4064995>
- Sari, M., Kristianto, N. A., Chotimah, Ana, I. D., & Yusuf, Y. (2021). Carbonated hydroxyapatite-based honeycomb scaffold coatings on a titanium alloy for bone implant application—physicochemical and mechanical properties analysis. *Coatings*, 11(8). <https://doi.org/10.3390/coatings11080941>
- Setiabudi, A., Hardian, R., & Mudzakir, A. (2012). *Karakterisasi Material; Prinsip dan Aplikasinya dalam Penelitian Kimia*. UPI Press.
- Sharir, A., Barak, M. M., & Shahar, R. (2008). Whole bone mechanics and mechanical testing. *The Veterinary Journal*, 177(1), 8–17. <https://doi.org/https://doi.org/10.1016/j.tvjl.2007.09.012>
- Shayesteh Moghaddam, N., Taheri Andani, M., Amerinatanzi, A., Haberland, C., Huff, S., Miller, M., Elahinia, M., & Dean, D. (2016). Metals for bone implants: safety, design, and efficacy. *Biomaterials Reviews*, 1(1), 1. <https://doi.org/10.1007/s40898-016-0001-2>
- Suryanarayana, C., & Norton, M. G. (1998). *X-Ray Diffraction: a Practical Approach*. Springer US. <https://doi.org/10.1007/978-1-4899-0148-4>
- Vishwakarma, V., Kaliaraj, G. S., & Kirubaharan, A. M. K. (2022). Advanced Alloys and Coatings for Bioimplants. In *Coatings* (Vol. 12, Issue 10). MDPI. <https://doi.org/10.3390/coatings12101525>

- Wang, R., Ni, S., Ma, L., & Li, M. (2022). Porous construction and surface modification of titanium-based materials for osteogenesis: A review. In *Frontiers in Bioengineering and Biotechnology* (Vol. 10). Frontiers Media S.A. <https://doi.org/10.3389/fbioe.2022.973297>
- Wang, Y., Yu, H., Chen, C., & Zhao, Z. (2015). Review of the biocompatibility of micro-arc oxidation coated titanium alloys. *Materials & Design*, 85, 640–652. <https://doi.org/https://doi.org/10.1016/j.matdes.2015.07.086>
- Yang, X., Huang, Z., Liao, X., Lei, H., Hao, D., Zhang, T., & Jiang, B. (2025). The Effect of Oxidation Time on the Organization and Corrosion Performance of 6061 Aluminum Alloy Micro-Arc Oxidation Coatings. *Coatings*, 15(2). <https://doi.org/10.3390/coatings15020117>
- Yusuf, Y., Khasanah, D. U., Syafaat, F. Y., Pawarangan, I., Sari, M., Mawuntu, V. J., & Rizkayanti, Y. (2019). *Hidroksiapatit Berbahan Dasar Biogenik* (Ifan, Ed.). Gadjah Mada University Press.
- Zhai, D., & Feng, K. (2019). Preparation of micro/nano-structured ceramic coatings on Ti6Al4V alloy by plasma electrolytic oxidation process. *Transactions of Nonferrous Metals Society of China*, 29(12), 2546–2555. [https://doi.org/https://doi.org/10.1016/S1003-6326\(19\)65162-9](https://doi.org/https://doi.org/10.1016/S1003-6326(19)65162-9)
- ZhiLi, D. (2022). *Fundamentals of Crystallography, Powder X-ray Diffraction, and Transmission Electron Microscopy for Materials Scientists* (First). CRC Press. <https://doi.org/10.1201/9780429351662>