

## DAFTAR PUSTAKA

- Abdelbasir, S. M., and Shalan, A. E., 2019, An Overview of Nanomaterials for Industrial Wastewater Treatment, *Korean J. Chem. Eng.*, 36 (8), 1209–1225.
- Abdelfattah, I., and El-Shamy, A., 2024, A Comparative Study for Optimizing Photocatalytic Activity of TiO<sub>2</sub>-Based Composites with ZrO<sub>2</sub>, ZnO, Ta<sub>2</sub>O<sub>5</sub>, SnO, Fe<sub>2</sub>O<sub>3</sub>, and CuO Additives, *Scientific Reports*, 14, 27175.
- Akhter, P., Arshad, A., Saleem, A., and Hussain, M., Recent Development in Non-Metal-Doped Titanium Dioxide Photocatalysts for Different Dyes Degradation and the Study of Their Strategic Factors: A Review, *Catalyst*, 12, 1331.
- Ali, I., Suhail, M., Allothman, Z.A., and Alwarthan, A., 2018, Recent Advances in Syntheses, Properties and Applications of TiO<sub>2</sub> Nanostructures, *RSC Adv.*, 53(8), 30125–30147.
- Al-Jitan, S., Palmisano, G., and Garlisi, C., 2020, Synthesis and Surface Modification of TiO<sub>2</sub>-Based Photocatalysts for The Conversion of CO<sub>2</sub>, *Catalysts*, 10, 227–257.
- Allen, N. S., Mahdjoub, N., Vishnyakov, V., Kelly, P. J. and Kriek, R. J., 2018, The Effect of Crystalline Phase (Anatase, Brookite and Rutile) and Size on the Photocatalytic Activity of Calcined Polymorphic Titanium Dioxide (TiO<sub>2</sub>), *Polym. Degrad. Stab.*, 150, 31–36.
- Amakiri, K., Angelis-Dimakis, A., and Canon, A., Recent Advances, Influencing Factors, and Future Research Prospects Using Photocatalytic Process for Produced Water Treatment, *Water Science & Technology*, 85(3), 769.
- An, L., and Onishi, H., 2015, Electron-hole Recombination Controlled by Metal Doping Sites in NaTaO<sub>3</sub> Photocatalysts, *ACS Catal.*, 5, 3196–3206.
- An, M., Li, L., Gao, X., Zhu, Y., Guan, J., and Wu, Q., 2022, The Improved Photocatalytic Performance of The Gully-like CdS-APS@TiO<sub>2</sub>-ZrO<sub>2</sub> Composite by Constructing Z-Scheme Heterojunction, *Physicochem. Eng. Asp.*, 643, 128794.
- Andita, K. R., Kurniawan, R., and Syoufian, A., 2019, Synthesis and Characterization of Cu-Doped Zirconium Titanate as a Potential Visible Light Responsive Photocatalyst, *Indones. J. Chem.*, 19, 761–766.
- Arce-Saldaña, L. A., Caudillo-Flores, U., Sayago-Carro, R., Soto-Herrera, G., Fernández-García, M., and Kubacka, A., 2023, Hydrogen Photoproduction Using Au Promoted ZrO<sub>x</sub>-TiO<sub>2</sub> Composite Catalysts, *Catal. Today.*, 419, 114148.
- Arisanti, Y., Supriyatna, Y., Masduki, N. and Soepriyanto, S., 2019, Effect of Calcination Temperature on the Characteristic of TiO<sub>2</sub> Synthesized from Ilmenite and its Applications for Photocatalysis, *IOP Conf. Ser.: Mater.*, 478, 12–19.
- Arjun, A., Dharr, A., Raguram, T., and Rajni, K. S., 2020, Study of Copper Doped Zirconium Dioxide Nanoparticles Synthesized via Sol–Gel Technique for Photocatalytic Applications, *J. Inorg. Organomet. Polym. Mater.*, 30, 4989–4998.

- Arunprasath, T., Sudalai, S., Meenatchi, R., Jeyavishnu, K., and Arumugam, A., 2019, Biodegradation of Triphenylmethane Dye Malachite Green by a Newly Isolated Fungus Strain. *Biocatalysis and Agricultural Biotechnology*, 17, 672–679.
- Azizi, K. F. and Bagheri-Mohagheghi, M. M., 2013, Transition from Anatase to Rutile Phase in Titanium Dioxide (TiO<sub>2</sub>) Nanoparticles Synthesized by Complexing Sol-Gel Process: Effect of Kind of Complexing Agent and Calcinating Temperature, *J. Sol-gel Sci. Technol.*, 65, 329–335.
- Bandara, W. N., De Silva, R. M., De Silva, K., Dahanayake, D., Gunasekara, S., and Thanabalasingam, K., 2017, Is Nano ZrO<sub>2</sub> a Better Photocatalyst Than Nano TiO<sub>2</sub> for Degradation of Plastics, *RSC Adv.*, 7, 46155–46163.
- Barazorda, K., Salas, C. J., Bishop, D. K., Lucchi, N., and Valdivia, H. O., 2020, Comparison of Real Time and Malachite-Green Based Loop-mediated Isothermal Amplification Assays for the Detection of Plasmodium Vivax and P. Palciparum, *PLoS One*, 15, 234–263.
- Barkul, R. P., Koli, V. B., Shewale, V. B., Patil, M. K., and Deleker, S. D., 2016, Visible Active Nanocrystalline N-Doped Anatase TiO<sub>2</sub> Particles for Photocatalytic Mineralization Studies, *Mater. Chem. Phys.*, 173, 42-51.
- Bashrom, N., Tan, W.K., Kawamura, G., Matsuda, A., and Lockman, Z., 2022, Formation of Self-Organized ZrO<sub>2</sub>-TiO<sub>2</sub> and ZrTiO<sub>4</sub>-TiO<sub>2</sub> Nanotube Arrays by Anodization of Ti-40Zr Foil for Cr (VI) Removal, *J. Mater. Res. Technol.*, 19, 2991–3003.
- Bellardita, M., Paola, A. Di, Yurdakal, S., and Palmisano, L., 2019, Preparation of Catalysts and Photocatalysts Used for Similar Processes, *Elsevier B.V.*, 25–56.
- Buhani, 2005, Penerapan Model Langmuir-Hinshelwood (LH) pada Proses Adsorpsi Ion Fe (II), Mn (II), Cu (II) dan Zn (II) dengan Tanah yang Mengandung Herbisida Glifosat, *J. Sains Tek.*, 11, 11–18.
- Chakraborty, A.K., Ganguli, S., and Sabur, M.A., 2023, Nitrogen doped Titanium Dioxide (N-TiO<sub>2</sub>): Electronic Band Structure, Visible Light Harvesting and Photocatalytic Applications, *JWPE*, 55, 104183–104200.
- Chalatsi-Diamanti, P., Isari, E., Grilla, E., Kokkinos, P., and kalavrouziotis, I., 2025 Recent Prospects, Challenges and Advancements of Photocatalysis as a Wastewater Treatment Method, *Water Emerg. Contam. Nanoplastics*, 4(12).
- Chen, S., Wang, H., and Liu, Y., 2022, Preparation of TiO<sub>2</sub>/Fe<sub>2</sub>O<sub>3</sub> Composite Photocatalysts Via a Sol-Gel Method for Efficient Degradation of Organic Dyes Under Visible Light Irradiation, *J. Environ. Chem. Eng.* 10(1), 105991.
- Chen, X. and Zhu, H., 2011, Catalysis by Supported Gold Nanoparticles, *J. Nanosci. Nanotechnol.*, 1–11.
- Chen Z., He, B., Bian, Y., Zhang, Y., and Feng, X., 2024, Malachite Green and Related Substances in Environmental Samples: Updates on Pretreatment and Analysis Methods, *J. Environ. Eng.*, 113812.
- Cheng, H.H., Chen, S.S., Yang, S.Y., Liu, H.M. and Lin, K.S., 2018, Sol-Gel Hydrothermal Synthesis and Visible Light Photocatalytic Degradation

- Performance of Fe/N Codoped TiO<sub>2</sub> Catalysts, *Materials (Basel)*, 6(11), 939.
- Cheng, R., Shen, L., Wang, Q., Xiang, S., Shi, L., Zheng, X., and Lv, W., 2018, Photocatalytic Membrane Reactor (PMR) for Virus Removal in Drinkingwater: Effect of Humic Acid, *Catalysts*, 8, 1–12.
- Choi, J., Park, H. and Michael, R., 2010, Effects of single Metal-Ion Doping on the Visible-Light Photoreactivity of TiO<sub>2</sub>, *J. Phys. Chem*, 114, 783–792.
- Chopra, N. K., and Sondhi, S., 2022, Biodegradation of Malachite Degradation by Laccase from Bacillus Licheniformis NS2324. *Int. J. Health Sci.*, 6(S2), 8517–8527.
- Crini, G. and Lichtfouse, E., 2019, Advantages and Disadvantages of Techniques Used for Wastewater Treatment, *Environ. Chem. Lett.*, 17, 145–155.
- Daghrir, R., Drogui, P., and Robert, D., 2013, Modified TiO<sub>2</sub> for Environmental Photocatalytic Applications: A review, *Ind. Eng. Chem. Res.*, 52, 3581–3599.
- Doufar, N., Benamira, M., Lahmar, H., Trari, M., Avramova, I. and Caldes, M.T., 2020, Structural and Photochemical Properties of Fe-Doped ZrO<sub>2</sub> and Their Application as Photocatalysts with TiO<sub>2</sub> for Chromate Reduction, *J. Photochem. Photobiol. A Chem.*, 386, 112105.
- Dutta, H., Nandy, A. dan Pradhan, S. K., 2016, Microstructure and Optical Characterizations of Mechanosynthesized Nanocrystalline Semiconducting ZrTiO<sub>4</sub> Compound, *J. Phys. Chem. Solids*, 95, 56-64.
- Farid, S. H., 2019, Structure, Microstructure, and Properties of Bioceramics, *Biocer: For Material Sci and Eng.*, 39-76.
- Feng, C., Chen, Z., Jing, J., and Hou, J., 2020, The Photocatalytic Phenol Degradation Mechanism of Ag-Modified ZnO Nanorods, *J. Mater. Chem. C Mater.*, 8, 3000–3009.
- Ferreira, O., Monteiro, O.C., do Rego, A.M.B., Ferraria, A.M., Batista, M., Santos, R., Monteiro, S., Freire, M., and Silva, E.R., 2021, Visible Light-Driven Photodegradation of Triclosan and Antimicrobial Activity Against Legionella Pneumophila with Cobalt and Nitrogen co-doped TiO<sub>2</sub> Anatase Nanoparticles, *J. Environ. Chem. Eng.*, 9, 1–15.
- Ganesan, S., Thangevalu, K., Shanmugam, S., and arunkumar, P., 2024, Efficient Photocatalytic Degradation of Textile Dye Pollutans Using Thermally Exfoliated Graphitic Carbon Nitride (TE-g-C<sub>3</sub>N<sub>4</sub>), *Scientific Reports*, 14, 2248.
- Gatou, M. A., Fiorentis, E., Lagopati, N., and Pavlatou, E.A., 2023, Photodegradation of Rhodamine B and Phenol Using TiO<sub>2</sub>/SiO<sub>2</sub> Composite Nanoparticles: A Comparative Study, *Water (Basel)*, 15, 2773–2801.
- Guo, M., Yao, S., Zhang, W., Wang, Q., Lin, R., Liang, D., and Shen, D., 2025, Cobalt Doped-Rutile/Anatase TiO<sub>2</sub> Photoanode with Oriented Energy Band Offset for Photoelectrochemical Water Splitting, *Appl. Surface Sci.*, 700, 159-163.
- Gurushantha, K., Anantharaju, K. S., Nagabhushana, H., Sharma, S. C., Vidya, Y.S., Shivakumara, C., Nagaswarupa, H. P., Prashantha, S. C. and

- Anilkumar, M.R., 2015, Facile Green Fabrication of Iron-Doped Cubic ZrO<sub>2</sub> Nanoparticles by *Phyllanthus Acidus*: Structural, Photocatalytic and Photoluminescent Properties, *J. Mol. Catal. A Chem.*, 397, 36–47.
- Haidry, A. A., Puskelova, J., Plecenik, T., Durina, P., Gregus, J., Truchly, M., Roch, T., Zahoran, M., Vargova, M., Kus, P., Plecenik, A. and Plesch, G., 2012, Characterization and Hydrogen Gas Sensing Properties TiO<sub>2</sub> Thin Films Prepared by Sol-gel Method, *Appl. Surf. Sci.*, 259, 270–275.
- Hamad, H., Bailón-garcía, E., Pérez-cadenas, A.F., Maldonado-hódar, F.J. and Carrascomarín, F., 2020 ZrO<sub>2</sub>-TiO<sub>2</sub>/Carbon core-shell Composites as Highly Efficient Solar-Driven Photo-Catalysts: An Approach for Removal of Hazardous Water Pollutants, *J. Environ. Chem. Eng*, 8, 104–350.
- Hao, D., Song, Y.X., Zhang, Y., and Fan, H.T., 2021, Nanocomposites of Reduced Graphene Oxide with Pure Monoclinic-ZrO<sub>2</sub> and Pure Tetragonal-ZrO<sub>2</sub> For Selective Adsorptive Removal of Oxytetracycline, *Appl Surf Sci*, 543, 148810.
- Hao, Z., and Haiming, Z., 2022, Ultra-efficient Catalytic Degradation of Malachite Green Dye Wastewater by KMNO<sub>4</sub> Modified Biochar (Mn/SRBC), *RSC Adv.*, 12, 27002-27011.
- Hoffman, M, R., Martin, S, T., Choi, W., and Bahnemann, D. W., 1995, Environmental Applications of Semiconductor Photocatalyst, *Chem. Rev.*, 95, 69-96.
- Hovhannisyan, H., Sargsyan, A., and Avagyan, R., 2020, Health Risk Assessment of Toxicologically Relevant Residues in Emerging Countries: A Pilot Study on Malachite Green Residues in Farmed Freshwater Fish of Armenia. *Food and Chemical Toxicology*, 144, 111603.
- Hayati, R., Kurniawan, R., Prasetyo, N., Sudiono, S., and Syoufian, A., 2022, Codoping Effect of Nitrogen (N) to Iron (Fe) Doped Zirconium Titanate (ZrTiO<sub>4</sub>) Composite toward Its Visible Light Responsiveness as Photocatalysts, *Indones. J. Chem.*, 22, 692–702.
- Jabeen, S., Ganie, A. S., Bala, S., and Khan, T., 2023, Photocatalytic Degradation of Malachite Green Dye via an Inner Transition Metal Oxide-Based Nanostructure Fabricated through a Hydrothermal Route, *Mater. Proc.*, 14 (5), 1-6.
- Jaffari Z.H., Abbas A., Lam S.M., Park, S., Chon, K., Kim, E.S., and Cho, K.H., 2023, Machine Learning Approaches to Predict the Photocatalytic Performance of Bismuth Ferrite-based Materials in the Removal of Malachite Green, *J. Hazard Mater*, 442, 130031.
- Kambur, A., Pozan, G.S., and Boz, I., 2012, Preparation, Characterization and Photocatalytic Activity of TiO<sub>2</sub>-ZrO<sub>2</sub> Binary Oxide Nanoparticles, *Appl. Catal. B: Environ.*, 15, 149–158.
- Khan, S., Kim, J., Sotto, A. and Van der B. B., 2015, Humic Acid Fouling in a Submerged Photocatalytic Membrane Reactor with Binary TiO<sub>2</sub>-ZrO<sub>2</sub> Particles, *J. Ind. Eng. Chem.*, 21, 779–786.
- Khan, S., Lemes Ruwer, T., Khan, N., Köche, A., Lodge, R.W., Coelho Júnior, H., Sommer, R. L., Leite Santos, M. J., Malfatti, C. F., Bergmann, C. P., and

- Fernandes, J. A., 2021, Revealing the True Impact of Interstitial and Substitutional Nitrogen Doping in TiO<sub>2</sub> on Photoelectrochemical Applications, *J. Mater. Chem. A Mater.*, 9, 12214–12224.
- Kim, D., Park, D., Kim, G., and Choi, S., 2004, Dielectric Properties of ZrTiO<sub>4</sub> Thin Films Synthesized by Sol-Gel Method, *Met. Mater. Int.*, 10(4), 361-365.
- Kocijan, M., Ćurković, L., Gonçalves, G., and Podlogar, M., 2022, The Potential of rGO@TiO<sub>2</sub> Photocatalyst for the Degradation of Organic Pollutants in Water, *Sustainability*, 14, 1–19.
- Krалеva, E., Spojakina, A., Saladino, M., Caponetti, E., and Jiratova, K., Mechanical Treatment of TiO<sub>2</sub> and ZrO<sub>2</sub> Oxide Mixtures, *J. Nanosci. Nanotechnol.*, 10(12), 8417.
- Lamas, D.G., Rosso, A.M., Anzorena, M.S., Fernández, A., Bellino, M.G., Cabezas, M.D., Walsöe de Reça, N.E., and Craievich, A.F., 2006, Crystal Structure of Pure ZrO<sub>2</sub> Nanopowders, *Scr. Mater.*, 55, 553–556.
- Lavand, A. B., and Bhatu, M. N., 2019, Visible Light Photocatalytic Degradation of Malachite Green Using Modified Titania, *J. Mater. Res. Technol.*, 8(2), 1560–1570.
- Lhimr, S., Bouhlassa, S., and Ammary, B., 2021, Influence Of Calcination Temperature on Size, Morphology and Optical Properties of ZnO/C Composite Synthesized by a Colloidal Method, *Indones. J. Chem.*, 21, 537–545.
- Li, R., Li, T., and Zhou, Q., 2020, Impact of Titanium Dioxide (TiO<sub>2</sub>) Modification on Its Application to Pollution Treatment—A Review, *Catalysts*, 10 (7), 804.
- Lin, H. Y. and Shih, C.Y., 2015, Efficient One-Pot Microwave-Assisted Hydrothermal Synthesis of M (M = Cr, Ni, Cu, Nb) and Nitrogen Codoped TiO<sub>2</sub> for Hydrogen Production by Photocatalytic Water Splitting, *J. Mol. Catal. A. Chem.*, 411, 128–137.
- Lin, Y. T., Weng, C. H., Hsu, H. J., Lin, Y. H., and Shiesh, C. C., 2013, The Synergistic Effect of Nitrogen Dopant and Calcination Temperature on the Visible-light-induced Photoactivity of N-Doped TiO<sub>2</sub>, *Int. J. Photoenergy.*, 1, 1-13.
- Ma, X., Zhao, J., Wang, R., Li, Y., Liu, C., and Liu, Y., 2022, Multi-Angle WideSpectrum Light-Trapping Nanofiber Membrane for Highly Efficient Solar Desalination, *Appl. Energy.*, 328, 1–10.
- Mhalshekar, K., Pawar, V., Gaydhane, M., and Sontakke, S., 2025, Ni-Co Doped TiO<sub>2</sub> Catalyst for Efficient Photocatalytic Degradation of Malachite Green under UV and Direct Sunlight, *Environ. Sci. Pollut. Res. Int.*, 22(12), 11356.
- M.Munshi, A., 2023, Collaborative Impact of Cu/TiO<sub>2</sub> Nano Composites for Elimination of Cationic Dye from Aqueous Solution: Kinetics and Isothermal Modeling, *Arab. J. Chem.*, 16, 1–12.
- Mogal, S. I., Mishra, M., Gandhi, V. G., and Tayade, R. J., 2013, Metal Doped Titanium Dioxide: Synthesis and Effect of Metal Ions on Physico-Chemical and Photocatalytic Properties, *Mater. Sci. Forum.*, 734, 364–378.

- Molinari, R., Argurio, P., Bellardita, M., and Palmisano, L., 2017, Photocatalytic Processes in Membrane Reactors, *CMSE*, 13(3), 101-138.
- Nakata, K. and Fujishima, A., 2012, TiO<sub>2</sub> Photocatalysis: Design and Applications, *J. Photochem. Photobiol. Photochem. Rev*, 13, 169–189.
- Nasirian, M. and Mehrvar, M., 2018, Photocatalytic degradation of aqueous Methyl Orange using Nitrogen-doped TiO<sub>2</sub> Photocatalyst Prepared by Novel Method of Ultraviolet-assisted Thermal Synthesis, *J. Environ. Sci. (China)*, 66, 81–93.
- Neppolian, B., Wang, Q., Yamashita, H., and Choi, H., 2007, Synthesis and Characterization of ZrO<sub>2</sub>–TiO<sub>2</sub> Binary Oxide Semiconductor Nanoparticles: Application and Interparticle Electron Transfer Process, *Appl. Catal. A. Gen.*, 333, 264–271.
- Nguyen, T. M., and Bark, C.W., 2020, Synthesis of Cobalt-Doped TiO<sub>2</sub> Based on Metal–Organic Frameworks as an Effective Electron Transport Material in Perovskite Solar Cells, *ACS Omega*, 5(5), 2280-2286.
- Nisha, U.M., Meeran, M.N., Sethupathi, R., Subha, V., Rajeswaran, P., and Sivakarthik, P., 2023, Studies on Chitosan Modified ZrO<sub>2</sub>–CeO<sub>2</sub> Metal Oxide and Their Photo Catalytic Activity Under Solar Light Irradiation for Water Remediation, *J. Indian Chem. Soc.*, 100, 101061.
- Pedanekar, R.S., Shaikh, S.K., and Rajpure, K.Y., 2020, Thin Film Photocatalysis for Environmental Remediation: A Status Review, *Curr. Appl. Phys.*, 20, 931–952.
- Piątkowska, A., Janus, M., Szymański, K., and Mozia, S., 2021, C-, N-, and S-Doped TiO<sub>2</sub> Photocatalysts: A Review, *Catalysts*, 11, 144.
- Pirzada, B. M., Mir, N. A., Qutub, N., Mehraj, O., Sabir, S., and Muneer, M., 2015, Synthesis, Characterization, and Optimization of Photocatalytic Activity of TiO<sub>2</sub>/ZrO<sub>2</sub> Nanocomposite Heterostructures, *Materials Science and Engineering: B*, 193, 137–145.
- Radecka, M., Rekas, M., Trenczek-Zajac, A., and Zakrzewska, K., 2008, Importance of The Band Gap Energy and Flat Band Potential for Application of Modified TiO<sub>2</sub> Photoanodes in Water Photolysis, *J. Power Sources.*, 181, 46–55.
- Rajvee, M. H., Jagadeesh Chandra, S. V., Rajesh Kumar, P., Ramana, C. V., Neelama, K., and Dubey, R.S., 2021, Synthesis and Analysis of Zirconium Titanate Thin Films by Using Sol-Gel Method, *Biointerface Res. Appl. Chem.*, 11, 12761–12768.
- Ramamoorthy, S., Das, S., Balan, R. and Lekshmi, I. C., 2021, TiO<sub>2</sub>–ZrO<sub>2</sub> Nanocomposite with Tetragonal Zirconia Phase and Photocatalytic Degradation of Alizarin Yellow GG Azo Dye Under Natural Sunlight, *Mater. Today Proc.*, 47, 4641-4646.
- Raval NP, Shah PU, Shah NK (2016b) Nanoparticles Loaded Biopolymer as Effective Adsorbent for Adsorptive Removal of Malachite Green from Aqueous Solution. *Water Conserv. Sci. Eng.*, 69–81.
- Reda, S.M., Khairy, M., and Mousa, M.A., 2020, Photocatalytic Activity of Nitrogen and Copper Doped TiO<sub>2</sub> Nanoparticles Prepared by Microwave Assisted Sol-Gel Process, *Arab. J. Chem.*, 13, 86–95.

- Sahu, M., Suttiponparnit, K., Suvachittanont, S., Charinpanitkul, T., dan Biswas, P., 2011, Characterization of Doped TiO<sub>2</sub> Nanoparticle dispersions. *Chem. Eng. Sci.*, 66 (15), 3482–3490.
- Samarasinghe, L.V., Muthukumar, S., and Baskaran, K., 2024, Recent Advances in Visible Light-Activated Photocatalysts for Degradation of Dyes: A Comprehensive Review, *Chemosphere*, 349, 140818–140855.
- Saravanan, A., Kumar, P. S., Vo, D. N., Yaashikaa, P. R., Karishma, S., Jeevanantham, S., Gayathri, B., and Bharathi, V. D., 2021, Photocatalysis for Removal of Environmental Pollutants and Fuel Production: a Review, *Environ. Chem. Lett.*, 19, 441–463.
- Sarkar, N., Park, J. G., Mazumder, S., Aneziris, C. G., and Kim, I. J., 2015, Processing of Particle Stabilized Al<sub>2</sub>TiO<sub>5</sub>-ZrTiO<sub>4</sub> Foam to Porous Ceramics, *J. Eur. Ceram. Soc.*, 35, 3969–3976.
- Schubert, U., 2005, Chemical Modification of Titanium Alkoxides for Sol–gel Processing, *J. Mater. Chem.*, 15, 3701-3715.
- Selvaraj, A., Sivakumar, S., Ramasamy, A., and Balasubramanian, V., 2013, Photocatalytic Degradation of Triazine Dyes Over N-doped TiO<sub>2</sub> in Solar Radiation, *Res. Chem. Intermed.*, 39, 2287-2302.
- Shao, G. N., Imran, S. M., Jeon, S. J., Engole, M., Abbas, N., Salman Haider, M., Kang, S. J., and Kim, H. T., 2014, Sol-gel Synthesis of Photoactive Zirconia-titania from Metal Salts and Investigation of Their Photocatalytic Properties in the Photodegradation of Methylene Blue, *Powder Technol.*, 258, 99–109.
- Simon, S. M., George, G., Anna, J. T., Vasudevan, P., Saritha, A. C., Biju, P. R., Joseph, C., and Unnikrishnan, N. V., 2021, Recent Advancements in Multifunctional Applications of Sol-Gel Derived Polymer Incorporated TiO<sub>2</sub>-ZrO<sub>2</sub> Composite Coatings: A Comprehensive Review, *Appl. Surf. Sci.*, 6, 100–173.
- Singh, H., Sunaina, Yadav, K. K., Bajpai, V. K., dan Jha, M., 2020, Tuning the Bandgap of m-ZrO<sub>2</sub> by Incorporation of Copper Nanoparticles into Visible Region for the Treatment of Organic Pollutants. *Mater. Res. Bulletin*, 123, 110698.
- Singh, K.P., Shin, C.H., Lee, H.Y., Razmjooei, F., Sinhamahapatra, A., Kang, J., and Yu, J.S., 2020, TiO<sub>2</sub>/ZrO<sub>2</sub> Nanoparticle Composites for Electrochemical Hydrogen Evolution, *ACS Appl. Nano Mater.*, 3, 3634–3645.
- Singh, S., and Purohit, M., 2012, Application of Eco-friendly Natural dye on Wool Fibers using Combination of Natural and Chemical Mordants, *Universal J. Environ. Res. technol.*, 2(2), 48–55.
- Slimani, Y., Almessiere, M. A., Mohamed, M. S., Hannachi, E., Caliskan, S., Akhtar, S., Baykal, A., and Gondal, M. A., 2023, Synthesis of Ce and Sm Co Doped TiO<sub>2</sub> Nanoparticles with Enhanced Photocatalytic Activity for Rhodamine B Dye Degradation, *Catalysts*, 13, 668.
- Sorour, F., Aboeleneen, N., El-Monem, N., Ammar, and Mansour, R., 2024, Removal of Malachite Green from Wastewater Using Date Seeds as

- Natural Adsorbent: Isotherm, Kinetics, Thermodynamic, and Batch Adsorption Process Design, *Int. J. Phytoremediation*, 26 (8), 1321-1335.
- Subramanian, M., Vijayalakshmi, S., Venkataraj, S., and Jayavel, R., 2008, Effect of Cobalt Doping on the Structural and Optical Properties of TiO<sub>2</sub> Films Prepared by Sol-gel Process, *Thin Solid Film*, 516, 3776 - 3782.
- Sulaikhah, E., Kurniawan, R., Pradipta, M., Trisunaryati, and Syoufian, A., 2020, Cobalt Doping on Zirconium Titanate as a Potential Photocatalyst with Visible-Light-Response, *Indones. J. Chem*, 20(4), 911-918.
- Sun, P., Zhang, J., Liu, W., Wang, Q., and Cao, W., 2018, Modification to L-H Kinetics Model and Its Application in The Investigation on Photodegradation of Gaseous Benzene y Nitrogen-Doped TiO<sub>2</sub>, *Catalysts*, 8, 326-340.
- Thambiliyagodge, C. and Usgodaarachchi, L., 2021, Photocatalytic Activity of N, Fe and Cu Co-Doped TiO<sub>2</sub> Nanoparticles Under Sunlight, *CRGSC*, 4, 100-116.
- Tran, H. D., Nguyen, D. Q., Do, P. T., and Tran, U. P., 2023, Kinetics of Photocatalytic Degradation of Organic Compounds: A Mini-Review and New Approach, *RSC Adv.*, 13, 16915-16925.
- Tumbelaka, R., Nurul, I., Takeshi, K., Daiki, O., and Edi, S., 2022, High Reusability of green-Synthesized Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> Photocatalyst Nanoparticles for efficient Degradation of Methylene Blue Dye, *Mater. Today Commun.*, 33.
- Varshney, G., Kanel, S.R., Kempisty, D.M., Varshney, V., Agrawal, A., Sahle-Demessie, E., Varma, R.S., and Nadagouda, M.N., 2016, Nanoscale TiO<sub>2</sub> Films and Their Application in Remediation of Organic Pollutants, *Coord. Chem. Rev.*, 306, 43-64.
- Verma, S., Rani, S., Kumar, S., and Khan, M.A.M., 2018, Rietveld Refinement, MicroStructural, Optical ana Thermal Parameters of Zirconium Titanate Composites, *Ceram. Int.*, 2(44), 1653-1661.
- Vinayagam, R., Singhanian, B., Murugesan, G., Kumar, P.S., Bhole, R., Narasimhan, M.K., Varadavenkatesan, T., and Selvaraj, R., 2022, Photocatalytic Degradation of Methylene Blue Dye Using Newly Synthesized Zirconia Nanoparticles, *Environ. Res.*, 214, 113785.
- Wang, X., Wang, F., Sang, Y., and Liu, H., 2017, Full-Spectrum Solar-Light Activated Photocatalysts for Light-Chemical Energy Conversion, *Adv. Energy Mater.*, 7, 1700473.
- Wardhani, S., Ramadhana, K. dan Purwanugroho., 2013, Fotodegradasi Zat Warna Jingga Metil Menggunakan TiO<sub>2</sub>-Zeolit dengan Penambahan Anion Anorganik NO<sub>3</sub>, *J. Chem. Stud.*, 1, 98-104.
- Wu, Y., Guan, M., Chang, X., Wang, J., and Xu, S., 2023, Homogeneous Double Layer TiO<sub>2</sub>-ZrO<sub>2</sub>-SiO<sub>2</sub> Photocatalyst with Multi-Heterojunction 57 Structure for Enhanced Visible Light-Responsive Photocatalytic Activity, *J. Mol. Liq.*, 369, 120959.
- Xia, Y., Mou, J., Deng, G., Wan, S., Tieu, K., Zhu, H., and Xue, Q., 2020, Sintered ZrO<sub>2</sub>-TiO<sub>2</sub> Ceramic Composite and Its Mechanical Appraisal, *Ceram. Int.*, 46, 775-785.

- Yaacob, N., Sean, G.P., Nazri, N.A.M., Ismail, A.F., Zainol Abidin, M.N., and Subramaniam, M.N., 2021, Simultaneous Oily Wastewater Adsorption and Photodegradation by ZrO<sub>2</sub>-TiO<sub>2</sub> Heterojunction Photocatalysts, *J. Water Process Eng.*, 39.
- Yang, C., Chao, W., Hsieh, C., and Chang, B., 2019, Biodegradation of Malachite Green in Milkfish Pond Sediments, *Sustainability*, 11, 4179.
- Yulizar, Y., Abdullah, I., Surta, R., and Alifa, N., 2023, Green Synthesis of Novel YMnO<sub>3</sub>-doped TiO<sub>2</sub> for Enhanced Visible-Light-Driven Photocatalytic Degradation of Malachite Green, *J. Environ. Manag.*, 342, 118–139.
- Zeitoun, Z. and Selem, N.Y., 2023, A Comprehensive Review on Textile Wastewater Treatment by Coupling TiO<sub>2</sub> with PVDF Membrane, *Bull. Natl. Res. Cen.*, 47.
- Zhang, H., Wang, D., Han, Y., Tang, Q., Wu, H., and Mao, N., 2018, High Photoactivity Rutile-Type TiO<sub>2</sub> Particles co-doped with Multiple Elements under Visible Light Irradiation, *Mater. Res. Express*, 5, 1–10.
- Zhang, J., Zhou, P., Liu, J., and Yu, J., 2014, New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO<sub>2</sub>, *Phys. Chem. Chem. Phys.*, 16, 20382–20386.
- Zhang, Z., Cui, Z., Xu, Y., Ghazzal, M, N., Colbeau-Justin, C., Pan, D., and Wu, W., 2024, A Facile Strategy for the Preparation of N-Doped TiO<sub>2</sub> with Oxygen Vacancy via the Annealing Treatment with Urea, *Nanomaterials*, 14, 2-8.
- Zhao, Z., Liu, J., Sa, G., and Xu, A., 2022, Electronic Properties and Photodegradation Ability of Nd-TiO<sub>2</sub> for Phenol, *J. Rare Earths*, 40, 1063–1072.