

## DAFTAR PUSTAKA

- Alauddin, Z. A. B. Z., Lahijani, P., Mohammadi, M., & Mohamed, A. R. (2010). Gasification of lignocellulosic biomass in fluidized beds for renewable energy development: A review. *Renewable and Sustainable Energy Reviews*, 14(9), 2852–2862. <https://doi.org/10.1016/j.rser.2010.07.026>
- American Petroleum Institute (1998). *Welded Steel Tanks for Oil storage*, API Standard 650. Washington: Api.
- American Water Works Association. (2011). *Water Quality & Treatment: A Handbook on Drinking Water* (J. K. Edzwald, Ed.; 6 ed.). McGraw-Hill Companies, Inc.
- An, Q., Li, J., Zhang, L., Wang, N., Zhang, P., Luo, Z., & Lu, C. (2024). Study on flow characteristics and phase holdup in a slurry bubble column coupled with mild agitation. *Particuology*, 91, 226-234.
- Anis, S., & Zainal, Z. A. (2011). Tar reduction in biomass producer gas via mechanical, catalytic and thermal methods: A review. *Renewable and sustainable energy reviews*, 15(5), 2355-2377.
- Antonopoulou, G., Gavala, H. N., Skiadas, I. V, Angelopoulos, K., & Lyberatos, G. (2008). Biofuels generation from sweet sorghum: Fermentative hydrogen production and anaerobic digestion of the remaining biomass. *Bioresource Technology*, 99(1), 110–119. <https://doi.org/https://doi.org/10.1016/j.biortech.2006.11.048>
- Aries, R. S., & Newton, R. D. (1955). *Chemical Engineering Cost Estimation*. Chemonomics.
- Badan Pusat Statistik Kota Tarakan. (2024). Jumlah Penduduk Menurut Jenis Kelamin di Kota Tarakan (Jiwa), 2022-2024. Retrieved from: <https://tarakankota.bps.go.id/id/statistics-table/2/MTYxIzI=/jumlah-penduduk-menurut-jenis-kelamin-di-kota-tarakan.html> [Accesed 7 November 2024].
- Badan Pusat Statistik Provinsi Kalimantan Utara. (2024). Jumlah Curah Hujan Menurut Bulan dan Stasiun (mm). Retrieved from:

<https://kaltara.bps.go.id/id/statistics-table/2/MzQjMg==/jumlah-curah-hujan-menurut-bulan-dan-stasiun.html> [Accessed 11 November 2024].

Badan Pusat Statistik Provinsi Kalimantan Utara. (2024). Rata-rata Kecepatan Angin Menurut Bulan dan Stasiun (m/det). Retrieved from: <https://kaltara.bps.go.id/id/statistics-table/2/NzgjMg==/rata-rata-kecepatan-angin-menurut-bulan-dan-stasiun.html> [Accessed 11 November 2024].

Badan Pusat Statistik. (2023). Statistik Sumber Data Laut dan Pesisir 2023. Ekonomi Laut Berkelanjutan dan Tantangan Pengelolaan Kawasan Pesisir. 20.

Badan Pusat Statistik. (2024). Data Ekspor Impor. Retrieved from: <https://www.bps.go.id/id/exim> [Accessed 31 October 2024].

Baker, R.W., 2004. Membrane Technology and Applications, 2nd ed. John Wiley & Sons, Ltd., Chichester.

Battino, R., Rettich, T. R., & Tominaga, T. (1983). The solubility of oxygen and ozone in liquids. *Journal of physical and chemical reference data*, 12(2), 163-178.

BAPPEDA Kota Tarakan. (2019). Rencana Pembangunan Jangka Menengah Daerah (RPJMD) Kota Tarakan Tahun 2019-2020.

Berglin, T., & Shoon, N.T. (1983) *Ind. Engng. Chem. Process. Des. Dev.*, 22, 150.  
Santacesaria et al., 1999

Bertucco, A. dan Vetter, G. (2001). *High Pressure Process Technology: Fundamentals and Applications*. Elsevier.

Betahita. (2024). Raksasa Kayu Bangun PLTU di Pulau Kecil Tarakan, Gak Bahaya Ta?. Retrieved from: <https://betahita.id/news/detail/9963/raksasa-kayu-bangun-pltu-di-pulau-kecil-tarakan-gak-bahaya-ta-.html?v=1709165697> [Accessed on 7 November 2024]

Bittante, A., García-Serna, J., Biasi, P., Sobron, F. dan Salmi, T. (2014). Residence time and axial dispersion of liquids in Trickle Bed Reactors at laboratory scale. *Chemical Engineering Journal*, 250, pp.99–111. doi:<https://doi.org/10.1016/j.cej.2014.03.062>.

Branan, C. (2002). *Rules of Thumb for Chemical Engineers*.

Brown, G.G. (1950). *Unit Operations*. John Wiley & Sons, Inc.

- Brownell, L. E. (1959). Process Equipment Design. Chemical Engineering Explained: Basic Concepts for Novices, 324–346. <https://doi.org/10.1039/bk9781782628613-00324>
- Buros, O.K., 2000. The ABCs of Desalting, 2nd ed. International Desalination Association, Topsfield, MA, USA.
- Caritra. (2022). Profil PKP Kota Tarakan. <https://www.caritra.org/2022/11/04/profil-perumahan-dan-kawasan-permukiman-kota-tarakan/> [Accessed 7 November 2024]
- Chan, Y. J., Chong, M. F., Law, C. L., & Hassell, D. G. (2009). A review on anaerobic–aerobic treatment of industrial and municipal wastewater. *Chemical engineering journal*, 155(1-2), 1-18.
- Chen, C.-C., Chuang, Y.-S., Lin, C.-Y., Lay, C.-H., & Sen, B. (2012). Thermophilic dark fermentation of untreated rice straw using mixed cultures for hydrogen production. *International Journal of Hydrogen Energy*, 37. <https://doi.org/10.1016/j.ijhydene.2012.01.036>
- Collet, C., Adler, N., Schwitzguébel, J.-P., & Péringer, P. (2004). Hydrogen production by *Clostridium thermolacticum* during continuous fermentation of lactose. *International Journal of Hydrogen Energy*, 29, 1479–1485. <https://doi.org/10.1016/j.ijhydene.2004.02.009>
- Coppola, A., Solimene, R., Bareschino, P., & Salatino, P. (2015). Mathematical modeling of a two-stage fuel reactor for chemical looping combustion with oxygen uncoupling of solid fuels. *Applied Energy*, 157, 449–461. <https://doi.org/10.1016/j.apenergy.2015.04.052>
- Coronado, I., Pitínová, M., Karinen, R., Reinikainen, M., Puurunen, R. L., & Lehtonen, J. (2018). Aqueous-phase reforming of Fischer-Tropsch alcohols over nickel-based catalysts to produce hydrogen: Product distribution and reaction pathways. *Applied Catalysis A: General*, 567, 112–121. <https://doi.org/10.1016/j.apcata.2018.09.013>
- Coronado, I., Arandia, A., Reinikainen, M., Karinen, R., Puurunen, R. L., & Lehtonen, J. (2019). Kinetic Modelling of the Aqueous-Phase Reforming of Fischer-Tropsch Water over Ceria-Zirconia Supported Nickel-Copper Catalyst. *Catalysts*, 9(11), 936. <https://doi.org/10.3390/catal9110936>

- Chemanalyst. (2023). Hydrogen Peroxide Market Size, Growth, and Forecast. Retrieved from: <https://www.chemanalyst.com/industry-report/hydrogen-peroxide-market-191> [Accessed at 3 November 2024].
- Dahiya, S., Chatterjee, S., Sarkar, O., & Mohan, S. V. (2021). Renewable hydrogen production by dark-fermentation: Current status, challenges and perspectives. *Bioresource Technology*, 321, 124354. <https://doi.org/10.1016/j.biortech.2020.124354>
- Dale E, S. (2003). Process Dynamics and Control. In *Agro-Product Processing Technology*. <https://doi.org/10.1201/9780429487507-14>
- Dang, Q., Zhang, X., Zhou, Y., & Jia, X. (2021). Prediction and optimization of syngas production from a kinetic-based biomass gasification process model. *Fuel Processing Technology*, 212, 106604. <https://doi.org/10.1016/j.fuproc.2020.106604>
- Dincer, I., Rosen, M. A., & Al-Zareer, M. (2018). 3.11 Chemical Energy Production. In *Comprehensive Energy Systems* (pp. 470–520). Elsevier. <https://doi.org/10.1016/B978-0-12-809597-3.00326-6>
- Du, Z., Liu, C., Zhai, J., Guo, X., Xiong, Y., Su, W., & He, G. (2021). A Review of Hydrogen Purification Technologies for Fuel Cell Vehicles. *Catalysts*, 11(3), 393. <https://doi.org/10.3390/catal11030393>
- Duduković, M.P., Larachi, F. and Mills, P.L., 2002, Multiphase catalytic reactors: A perspective on current knowledge and future trends, *Catal Rev Sci Eng*, 44 (1), 123–246.
- DuPont Water Solutions. FilmTec™ XLE-440 Element: Product Data Sheet [Brochure]. DuPont
- DuPont Water Solutions. FilmTec™ BW30 PRO-365 Element: Product Data Sheet [Brochure]. DuPont
- Dzulkarnain, E. L. N., Audu, J. O., Wan Dagang, W. R. Z., & Abdul-Wahab, M. F. (2022). Microbiomes of biohydrogen production from dark fermentation of industrial wastes: current trends, advanced tools and future outlook. In *Bioresources and Bioprocessing* (Vol. 9, Issue 1). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1186/s40643-022-00504-8>

- Edwards, J. K., Freakley, S. J., Lewis, R. J., Pritchard, J. C., & Hutchings, G. J. (2015). Advances in the direct synthesis of hydrogen peroxide from hydrogen and oxygen. *Catalysis Today*, 248, 3–9. <https://doi.org/10.1016/j.cattod.2014.03.011>
- Eker, S., & Sarp, M. (2017). Hydrogen gas production from waste paper by dark fermentation: Effects of initial substrate and biomass concentrations. *International Journal of Hydrogen Energy*, 42(4), 2562–2568. <https://doi.org/https://doi.org/10.1016/j.ijhydene.2016.04.020>
- Fayol, H., *General and Industrial Management*, Martino Publishing.
- Filho, D. M., Coelho, S. T., & Perecin, D. (2022). Opportunities and Challenges of Gasification of Municipal Solid Waste (MSW) in Brazil. *Energies*, 15(8), 2735. <https://doi.org/10.3390/en15082735>
- Gallucci, F., Tanaka, D. A. P., Medrano, J. A., & Sole, J. L. V. (2020). Membrane reactors using metallic membranes. *Current Trends and Future Developments on (Bio-) Membranes*, 235–260. <https://doi.org/10.1016/b978-0-12-818332-8.00010-7>
- Gao, G., Tian, Y., Gong, X., Pan, Z., Yang, K., & Zong, B. (2020). Advances in the production technology of hydrogen peroxide. *Chinese Journal of Catalysis*, 41(7), 1039–1047. [https://doi.org/10.1016/S1872-2067\(20\)63562-8](https://doi.org/10.1016/S1872-2067(20)63562-8)
- Geng, A., He, Y., Changli, Q., Yan, X., & Zhou, Z. (2010). Effect of key factors on hydrogen production from cellulose in a co-culture of *Clostridium thermocellum* and *Clostridium thermopalmarium*. *Bioresource Technology*, 101, 4029–4033. <https://doi.org/10.1016/j.biortech.2010.01.042>
- Ghimire, A., Frunzo, L., Pirozzi, F., Trably, E., Escudie, R., Lens, P. N. L., & Esposito, G. (2015). A review on dark fermentative biohydrogen production from organic biomass: Process parameters and use of by-products. *Applied Energy*, 144, 73–95. <https://doi.org/https://doi.org/10.1016/j.apenergy.2015.01.045>
- Global Asset Protection Services LLC. (2001). *Oil and Chemical Plant Layout and Spacing. GAPS Guidelines, GAP.2.5.2*, 1–13.

- Google Maps. (2024). Retrieved from: <https://www.google.com/maps/place/Tarakan+Island>. [Accessed on 3 November 2024]
- Guo, X. M., Trably, E., Latrille, E., Carrère, H., & Steyer, J.-P. (2010). Hydrogen production from agricultural waste by dark fermentation: A review. *International Journal of Hydrogen Energy*, 35(19), 10660–10673. <https://doi.org/https://doi.org/10.1016/j.ijhydene.2010.03.008>
- Halder, R., & Lawal, A. (2007). Experimental studies on hydrogenation of anthraquinone derivative in a microreactor. *Catalysis today*, 125(1-2), 48-55.
- Han, B. (2017). Bubble Dynamics and Bed Expansion for Single-Component and Binary Gas-Solid Fluidization Systems.
- Haverkamp, V., Hessel, V., Löwe, H., Menges, G., Warnier, M. J., Rebrov, E. V., de Croon, M.H., Schouten, J.C., & Liauw, M. A. (2006). Hydrodynamics and mixer-induced bubble formation in micro bubble columns with single and multiple-channels. *Chemical Engineering & Technology: Industrial Chemistry-Plant Equipment-Process Engineering-Biotechnology*, 29(9), 1015-1026.
- International Organization for Standardization. (2015). *Environmental management systems — Requirements with guidance for use* (ISO Standard No. 14001:2015). <https://www.iso.org/standard/60857.html>
- Jelle, B. P. (2011). Traditional, state-of-the-art and future thermal building insulation materials and solutions—Properties, requirements and possibilities. *Energy and buildings*, 43(10), 2549-2563.
- Kantarci, N., Borak, F., & Ulgen, K. O. (2005). Bubble column reactors. *Process biochemistry*, 40(7), 2263-2283.
- Kementrian Perindustrian. (2018). Jadi Pionir Industri 4.0, Kemenperin Fokus Kembangkan Sektor Kimia. Retrieved from: <https://kemenperin.go.id/artikel/19415/Jadi-Pionir-Industri-4.0,-Kemenperin-Fokus-Kembangkan-Sektor-Kimia> [Accessed 5 November 2024].
- Kern, D. Q. (1965). *Procces Heat Transfer*

- Khuriyah, F. A., Nabila, A. S., Billah, M. T., & Nandini, A. (2023, November). Pengolahan Limbah Cair Industri Tahu Secara Aerob Menggunakan Lumpur Aktif. In *Prosiding Seminar Nasional Soebardjo Brotohardjono* (Vol. 19, No. 1).
- Lalaurette, E., Thammannagowda, S., Mohagheghi, A., Maness, P.-C., & Logan, B. (2009). Hydrogen production from cellulose in a two-stage process combining fermentation and electrohydrogenesis. *International Journal of Hydrogen Energy*, 34, 6201–6210. <https://doi.org/10.1016/j.ijhydene.2009.05.112>
- Levenspiel, O. (1999). *Chemical Reaction Engineering*. New Delhi: Wiley India.
- Levin, D. B., Pitt, L., & Love, M. (2004). Biohydrogen production: prospects and limitations to practical application. *International Journal of Hydrogen Energy*, 29(2), 173–185. [https://doi.org/10.1016/S0360-3199\(03\)00094-6](https://doi.org/10.1016/S0360-3199(03)00094-6)
- Li, J., Liu, S., Wang, X., Wang, J., Chen, C., Xia, X., Yue, L., Gao, J., Hou, J., Huang, H., & Xiao, C. (2024). Experimental activities in view of hydrogen-deuterium equilibrium reaction in dielectric barrier discharge reactor: Effects of plasma treatment parameters and reactor design. *Fusion Engineering and Design*, 202, 114294–114294. <https://doi.org/10.1016/j.fusengdes.2024.114294>
- Lin, C.-Y., Chang, C.-C., & Hung, C.-H. (2008). Fermentative hydrogen production from starch using natural mixed cultures. *International Journal of Hydrogen Energy*, 33, 2445–2453. <https://doi.org/10.1016/j.ijhydene.2008.02.069>
- Lu, S., Wang, L., Wang, Y., & Mi, Z. (2011). Kinetic Model of Gas-Liquid-Liquid Reactive Extraction for Production of Hydrogen Peroxide. *Chemical Engineering & Technology*, 34(5), 823-830.
- Ludwig, E. E. (1995). *Applied process design for chemical and petrochemical plants* (Vol. 2). Gulf Professional Publishing.
- Luo, G., Xie, L., Zou, Z., Zhou, Q., & Wang, J.-Y. (2010). Fermentative hydrogen production from cassava stillage by mixed anaerobic microflora: Effects of

temperature and pH. *Applied Energy*, 87, 3710–3717.  
<https://doi.org/10.1016/j.apenergy.2010.07.004>

Market Bisnis. (2024). Sumber Global Energy (SGER) Bangun Pabrik Hidrogen Peroksida Rp791,25 Miliar. Retrieved from: <https://market.bisnis.com/read/20240130/192/1736732/sumber-global-energy-sger-bangun-pabrik-hidrogen-peroksida-rp79125-miliar> [Accessed 3 November 2024].

Metcalf & Eddy, Abu-Orf, M., Bowden, G., Burton, F. L., Pfrang, W., Stensel, H. D., & AECOM (Firm). (2014). *Wastewater engineering: treatment and resource recovery*. McGraw Hill Education.

Minton, P. (1970). Designing Spiral Plate Exchangers. *Chem. Eng. Progr.*, 11, 103-112.

Mordor Intelligence. (2022). Retrieved from: <https://www.mordorintelligence.com/industry-reports/hydrogen-peroxide-market/market-trends> [Accessed 7 November 2024].

Naratama, N.C. & Rivade, F.L. (2024). Prarancangan Pabrik Hidrogen Peroksida dengan Metode Auto-Oxidation dengan Kapasitas 50.000 Ton per Tahun.

Narnaware, S. L., & Panwar, N. L. (2022). AGRICULTURAL WASTE BIOMASS UTILIZATION FOR ENERGY PRODUCTION THROUGH GASIFICATION. In *Advances in Agriculture For Doubling Farmers' Income*. BFC Publications Pvt. Ltd.

Niemz, P., Clauss, S., Michel, F., Hansch, D., & Hansel, A. (2014). Physical and mechanical properties of common ash (*Fraxinus excelsior* L.). *Wood Research*, 59(4), 671-682.

National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 784, Hydrogen Peroxide. Retrieved November 8, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Hydrogen-Peroxide>.

Nti, S. O., Buamah, R., & Atebiya, J. (2021). Polyaluminium chloride dosing effects on coagulation performance: case study, Barekese, Ghana. *Water Practice & Technology*, 16(4), 1215-1223.

OSHA. (2000). *Process Safety Management*. OSHA 3132. U.S. Department of Labor, Occupational Safety and Health Administration, Washington, DC.

Available at:

<https://www.osha.gov/sites/default/files/publications/osha3132.pdf>

Othmer, K. (1995). Kirk-Othmer Encyclopedia of Chemical Technology (4th ed., Vol. 13). Wiley-Interscience.

Panagopoulos, A., Haralambous, K. J., & Loizidou, M. (2019). Desalination brine disposal methods and treatment technologies-A review. *Science of the Total Environment*, 693, 133545.

Pawar, S. S., Nkemka, V. N., Zeidan, A. A., Murto, M., & van Niel, E. W. J. (2013). Biohydrogen production from wheat straw hydrolysate using *Caldicellulosiruptor saccharolyticus* followed by biogas production in a two-step uncoupled process. *International Journal of Hydrogen Energy*, 38(22), 9121–9130. <https://doi.org/10.1016/j.ijhydene.2013.05.075>

Perry, R.H. (2008) *Perry's Chemical Engineers' Handbook*. 8th Edition, McGraw-Hill, New York

Peters, M. S., Timmerhaus, K. D., & West, R. E. (2003). *Plant Design and Economics for Chemical Engineers*. McGraw-Hill Education.

Peterson, A. A., Vogel, F., Lachance, R. P., Fröling, M., Antal, M. J., & Tester, J. W. (2008). Thermochemical biofuel production in hydrothermal media: A review of sub- and supercritical water technologies. In *Energy and Environmental Science* (Vol. 1, Issue 1, pp. 32–65). Royal Society of Chemistry. <https://doi.org/10.1039/b810100k>

Powell, S.T. (1954). *Water Conditioning for Industry*. 1st ed. Tokyo: McGraw-Hill.

Proses Produksi. (2021). *Ini Dia Pabrik H<sub>2</sub>O<sub>2</sub> di Indonesia*. Retrieved from: <https://www.prosesproduksi.com/pabrik-h2o2-di-indonesia/> [Accesed 1 November 2024].

PT Phoenix Resources International. (2023). *AMDAL Rencana Pembangunan Industri Bubur Kertas*.

Ranade, V. V., Chaudhari, R. V. and Gunjal, P.R., 2011, *Trickle Bed Reactors*, Elsevier B. V., Oxford.

Rase, F. H. (1977). *Chemical Reactor Design For Process Plants Volume One: Principles and Techniques*. New York: John Wiley and Sons.

- Roš, M., & Zupančič, G. D. (2002). Thermophilic Aerobic Digestion of Water Activated Sludge. *Acta Chim. Slov.*, 49, 931–943.
- Sabouri Shirazi, A. H., Jafari Nasr, M. R., & Ghodrat, M. (2020). Effects of temperature differences in optimization of spiral plate heat exchangers. *Process Integration and Optimization for Sustainability*, 4(4), 391-408.
- Samanta, C. (2008). Direct synthesis of hydrogen peroxide from hydrogen and oxygen: An overview of recent developments in the process. *Applied Catalysis A: General*, 350(2), 133–149. <https://doi.org/10.1016/j.apcata.2008.07.043>
- Santacesaria, E. (1999). Examples of Hydrogenation in Semibatch and Continuous Slurry Reactors. *Catalysis Today*, 52(2-3), pp.363–376. doi:[https://doi.org/10.1016/S0920-5861\(99\)00088-7](https://doi.org/10.1016/S0920-5861(99)00088-7).
- Santacesaria, E., Di Serio, M., Russo, A., Leone, U., & Velotti, R. (1999). Kinetic and catalytic aspects in the hydrogen peroxide production via anthraquinone. *Chemical Engineering Science*, 54(13–14), 2799–2806. [https://doi.org/10.1016/S0009-2509\(98\)00377-7](https://doi.org/10.1016/S0009-2509(98)00377-7)
- Siharis, A. A., Amin, F., Abriansyah, A., Aldiyansyah, A., Shaddad, A. R., Ladianto, H. Z., & Saleh, F. (2025). Pengujian kualitas air laut di kecamatan Bahodopi, Kabupaten Morowali, Sulawesi Tengah
- Sinnott, R. K. (2002). *Coulson & Richardson's Chemical Engineering*, vol. 2 *Chemical Engineering Design*, 5.
- Sinnott, R. K., & Towler, G. (2020). *Coulson and Richardson's chemical engineering series: Chemical engineering design (6th ed.)*. Butterworth-Heinemann.
- Solvay. (2024). Leading the Charge in Hydrogen Peroxide Solutions. Retrieved from: <https://www.solvay.com/en/solvay-leading-the-charge-in-hydrogen-peroxide-solutions#:~:text=At%20Solvay%2C%20we%20produce%20hydrogen%20peroxide%20at%20mega,of%20capacity%20annually%20in%20a%20single%20production%20line> [Accesed 3 November 2024].

- Sui, H., Wang, X., Shao, J., Li, Y., Zou, J., & Yang, H. (2014). Analysis of wood tar and its chemical composition. *Taiyangneng Xuebao/Acta Energiæ Solaris Sinica*, 35 (11) : 2204-2209.
- Treybal, R.E. (1988). *Mass-Transfer Operations*. McGraw-Hill Science, Engineering & Mathematics.
- Ulrich D, G. (1884). *A Guide to Chanical Engineering Process Design and Economic*.
- Vaez, E., & Zilouei, H. (2020). Towards the development of biofuel production from paper mill effluent. *Renewable Energy*, 146, 1408–1415. <https://doi.org/https://doi.org/10.1016/j.renene.2019.07.059>
- Venetsaneas, N., Antonopoulou, G., Stamatelatou, K., Kornaros, M., & Lyberatos, G. (2009). Using cheese whey for hydrogen and methane generation in a two-stage continuous process with alternative pH controlling approaches. *Bioresource Technology*, 100(15), 3713–3717. <https://doi.org/https://doi.org/10.1016/j.biortech.2009.01.025>
- Whitty, K. (2024). *Advancing Entrained-Flow Gasification of Waste Materials and Biomass for Hydrogen Production*. Retrieved from: [https://www.hydrogen.energy.gov/docs/hydrogenprogramlibraries/pdfs/review24/fe004\\_whitty\\_2024\\_o.pdf?sfvrsn=aee2066e\\_3](https://www.hydrogen.energy.gov/docs/hydrogenprogramlibraries/pdfs/review24/fe004_whitty_2024_o.pdf?sfvrsn=aee2066e_3)
- Willey, R. J. (2014). Layer of protection analysis. *Procedia Engineering*, 84, 12–22. <https://doi.org/10.1016/j.proeng.2014.10.405>
- Yaws, C. L. (1999). *Chemical properties handbook: physical, thermodynamic, environmental, transport, safety, and health related properties for organic and inorganic chemicals*.
- Zagala, M., & Abdelaal, H. (2017). Flue gas cleaning systems-A review paper. *Contemporary Problems of Power Engineering and Environmental Protection*, 75-82.