

DAFTAR PUSTAKA

- Abduh, M. Y., Adam, A., Fadhlullah, M., Putra, R. E., & Manurung, R. 2020. Production of propolis and honey from *Tetragonula laeviceps* cultivated in Modular *Tetragonula* Hives. *Heliyon*, 6(11), e05405. <https://doi.org/10.1016/j.heliyon.2020.e05405>
- Abduh, M.Y., Shabrina, A., Caman, A.R., Pratiwi, A.E. and Insanu, M. 2023. Effect of hive sizes and mesh materials on the productivity of propolis produced by *Tetragonula laeviceps*. *IJUM Engineering Journal*, 24(2), pp.34-44.
- Afrouzan, H., Tahghighi, A., Zakeri, S., & Es-haghi, A. (2018). Chemical Composition and Antimicrobial Activities of Iranian Propolis. *Iranian biomedical journal*, 22(1), 50–65.
- Agus, A., Agussalim, A., Umami, N. and Budisatria, I.G.S. 2019. Effect of different beehives size and daily activity of stingless bee *Tetragonula laeviceps* on bee-pollen production. *Buletin Peternakan*, 43(4), pp.242-246.
- Algifari, A., 2024. Inventarisasi jenis-jenis tanaman penghasil nektar dan polen sebagai pakan lebah madu *Trigona* di Desa Bengkaung Kabupaten Lombok Barat. *i-SAPI Journal: Integrated and Sustainable Animal Production Innovation*, 1(1), pp.25-35.
- Anaktototy, Y., Priawandiputra, W., Sayusti, T., Lamerkabel, J.S. and Raffiudin, R. 2021. Morfologi dan variasi morfometrik stingless bees di Kepulauan Maluku, Indonesia. *Jurnal Entomologi Indonesia*, 18(1), pp.10-10.
- Ansyarif, A.R., 2023. Uji Sifat Fisika dan Kimia Madu Hutan (Apis Dorsata) Berdasarkan SNI 8664-2018. *Cokroaminoto Journal of Chemical Science*, 5(2), pp.47-50.

- Antary, P.S.S., Ratnayani, K. and Laksmiwati, A.A.I.A.M., 2013. Nilai daya hantar listrik, kadar abu, natrium, dan kalium pada madu bermerk di pasaran dibandingkan dengan madu alami (lokal). *Jurnal Kimia*, 7(2), pp.172-180.
- Apriani, D. 2013. Studi tentang nilai viskositas madu hutan dari beberapa daerah di Sumatera Barat untuk mengetahui kualitas madu. *Pillar of Physics*, 2(1).
- Ariandi, A. and Khaerati, K., 2017. Uji Aktivitas Enzim Diastase, Hidroksimetilfurfural (Hmf), Kadar Gula Pereduksi, Dan Kadar Air Pada Madu Hutan Battang. In *Seminar Nasional Hasil Penelitian & Pengabdian Kepada Masyarakat (SNP2M)* (Vol. 2).
- Badan Standardisasi Nasional. (2018). Standar Nasional Indonesia SNI 8664:2018 Madu. *Badan Standardisasi Nasional*, 1–19.
- Boontop, Y., Malaipan, S., Chareansom, K. and Wiwatwittaya, D., 2008. Diversity of stingless bees (Apidae: Meliponini) in Thong Pha Phum District, Kanchanaburi Province, Thailand. *Agriculture and Natural Resources*, 42(3), pp.444-456.
- Bueno, F.G.B., Hajjar, R., Colin, T., Buchmann, G., Latty, T. and Gloag, R. 2023. Virgin queen behaviour and controlled mating in the stingless bee *Tetragonula carbonaria* (Meliponini). *Insectes Sociaux*, 70(1), pp.17-27.
- Chanchao, C., 2012. Bioactivity of Honey and Propolis of *Tetragonula laeviceps* in Thailand. In *Pot-Honey: A legacy of stingless bees* (pp. 495-505). New York, NY: Springer New York.
- Chayati, I., 2008. Sifat fisikokimia madu monoflora dari daerah istimewa Yogyakarta dan Jawa Tengah. *Agritech*, 28(1).
- Conti, M.E., Canepari, S., Finoia, M.G., Mele, G. and Astolfi, M.L. 2018. Characterization of Italian multiflora honeys on the basis of their

mineral content and some typical quality parameters. *Journal of Food Composition and Analysis*, 74, pp.102-113

Discover Life. *Tetragonula laeviceps*. Discover.org. Diakses pada 2024

Efin, A., Atmowidi, T. and Prawasti, T.S., 2019. Morphological characteristics and morphometric of stingless bee (Apidae: Hymenoptera) from Banten Province, Indonesia. *Biodiversitas Journal of Biological Diversity*, 20(6).

Fatoni, A., ARTIKA, I.M. and Hasan, A.E.Z., 2008. Antibacterial Activity of Propolis Produced by Trigona spp. Against Campylobacter spp. *HAYATI Journal of Biosciences*, 15(4), pp.161-164.

Ferdyan, R., Sumarmin, R. and Putri, D.H., 2021. Perbandingan sumber pakan dan strategi pemberian pakan Apis cerana dengan apidae lainnya: a review. *Bio-Lectura: Jurnal Pendidikan Biologi*, 8(1), pp.37-44.

Fidela, A. and Ekawati, A.H., 2020. Sosialisasi Budidaya Lebah Trigona sp. di Desa Barudua, Kecamatan Malangbong, Kabupaten Garut. *Jurnal Pusat Inovasi Masyarakat*, 2(4), pp.647-651.

Gaston, K. J., Chown, S. L., & Evans, K. L. 2008. "Ecogeographical Rules: Elements of a Synthesis." *Journal of Biogeography* 3(35): 483–500.

GBIF, 2024. <https://www.gbif.org/species/1344554> diakses pada 14 Mei 2024

Gebremariam, T. and Brhane, G. 2014. Determination of quality and adulteration effects of honey from Adigrat and its surrounding areas. *Int J Technol Emerg Engin Res*, 2(10), pp.71-76.

Gojmerac, W. L. 1983. *Bee, Beekeeping, Honey and Pollination*. AVI, Westport.

- Gouw, M.S. and Gimenes, M. 2013. Differences of the daily flight activity rhythm in two neotropical stingless bees (Hymenoptera, Apidae). *Sociobiology*, 60(2), pp.183-189.
- Grob, R.L. and Barry, E.F. eds. 2004. *Modern practice of gas chromatography*. John Wiley & Sons.
- Hakim, M. N., & Abduh, M. Y. (2015). Produksi Propolis dari Lebah *Tetragonula laeviceps* Menggunakan Sarang MOTIVE yang Dilengkapi dengan Sistem Instrumentasi. *J.Auto.Ctrl.Inst.* 10(2): 133-148.
- Haneda, N.F., Rusniarsyah, L. and Robbani, M.R., 2022. Aktivitas Terbang dan Perkembangan Koloni Lebah Kelulut (*Tetragonula laeviceps*) di Kampus IPB Darmaga Bogor: Flying Activities and Development of The Colony of Kelulut Bees (*Tetragonula laeviceps*) at IPB Darmaga Campus, Bogor. *HUTAN TROPIKA*, 17(1), pp.30-39.
- Harmain, U., Saragih, J.R., Simarmata, M.M. and Pasaribu, M.P. 2022. Sosialisasi budidaya lebah madu tanpa sengat (stingless bee) dan manfaatnya. *Jurnal Pengabdian Masyarakat Sapangambei Manoktok Hitei*, 2(2), pp.159-165.
- Hilário, S.D., Imperatriz-Fonseca, V.L. & Kleinert, A. 2001. Responses to climatic factors by foragers of *Plebeia pugnax* Moure (In Litt.) (Apidae, Meliponinae). *Rev. Brasil. Biol.*, 61: 191-196.
- Inabee. 2018. *Perlebahan lestari*. Diakses pada 2024. <https://www.inabee.id/2019/08/semua-jenis-lebah-tanpa-sengat-klanceng.html?m=1>
- Junior, N.T., Blochtein, B. and Moraes, J.F.D., 2010. Seasonal flight and resource collection patterns of colonies of the stingless bee *Melipona bicolor schencki* Gribodo (Apidae, Meliponini) in an Araucaria forest area in southern Brazil. *Revista Brasileira de Entomologia*, 54, pp.630-636.

- Kartikasari, D., Muslimin, M.A.I.I. and Putri, D.F.A., 2023. Pembudidayaan Lebah Klanceng di Peternakan Azka Trigona Desa Jiwut, Kabupaten Blitar. *RADIKULA: Jurnal Ilmu Pertanian*, 2(2), pp.100-112.
- Kothai S., Jayanthi B. A. 2015. Study on propolis of stingless bees reared from the most commercial hub of Chennai, Tamilnadu, India. *Int. Res. J. Environ. Sci.* 2015;4(7):39–47.
- Kwapong, P., Aidoo, K., Combey, R. and Karikari, A., 2010. Stingless bees: Importance, management and utilisation: A training manual for stingless beekeeping. *Unimax macmillan LTD*, p.188.
- Leonhardt, S.D., Dworschak, K., Eltz, T. and Blüthgen, N., 2007. Foraging loads of stingless bees and utilisation of stored nectar for pollen harvesting. *Apidologie*, 38(2), pp.125-135.
- Macias-Macias, J. O., J. J. G. Quezada-Euan, F. Contreras-Escareno, J. M. Tapia-Gonzalez, H. Moo-Valle, & R. Ayala. 2011. Comparative temperature tolerance in stingless bee species from tropical and lowlands of Mexico and implications for their conservation (Hymenoptera: Apidae: Meliponini). *Apidologie*. 42: 679-689.
- Mathiasson, M.E., 2015. Early colony development of an equatorial afrotropical stingless bee (*Hypotrigona* sp.) In a new habitat. *Journal of Young Investigators*, 29(3).
- Minarti, S., Jaya, F. and Merlina, P.A., 2016. Pengaruh masa panen madu lebah pada area tanaman kaliandra (*Calliandra calothyrsus*) terhadap jumlah produksi kadar air, viskositas dan kadar gula madu. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 11(1), pp.46-51.
- Novita, S., Rustama, & Sutriyono. 2013. “Analisis Morfometrik Lebah Madu Pekerja Apis Cerana Budidaya Pada Dua Ketinggian Tempat Yang Berbeda.” *Jurnal Sains Perternakan Indonesia* 8(1): 41–56.

- Nugroho, M., 1993. Inventarisasi dan pemanfaatan tanaman pakan lebah di kawasan gunung Arca Sukabumi. *Skripsi. Fakultas Peternakan, Institut Pertanian Bogor, Bogor.*
- Nugroho, R.B. and Soesilohadi, R.H., 2014. Identifikasi macam sumber pakan lebah Trigona sp (Hymenoptera: Apidae) di Kabupaten Gunungkidul. *Biomedika*, 7(2), pp.42-45.
- Nugroho, R.B. and Soesilohadi, R.H., 2015. Aktivitas Mencari Makan Lebah pekerja, Trigonasp (Hymenoptera: Apidae) di Gunungkidul. *Biomedika*, 8(1), pp.37-41.
- Nuraini, T.M. and Sukmawati, M.F. 2020. Keanekaragaman sumber pakan dan perilaku mencari pakan lebah Tetragonula laeviceps (Hymenoptera: Meliponini) di Kecamatan PArigi Selatan. *JBE*, 5, pp.173-184.
- Nurhasanah Sari, D., & Rifkah Ansyarif, A. (2018). Karakteristik Madu Hutan Lebah Apis Dorsata Daerah Sulawesi Tenggara Ditinjau Dari Sifat Fisika-Kimia. *Cokroaminoto Journal of Chemical Science*, 5(2), 42–46.
- Nurwahda, N., Ramadhan, A., Budiarsa, I.M., Dhafir, F., Sutrisnawati, S. and Zainal, S., 2024. Analisis Kualitas Kimia dan Organoleptik Madu Lebah Tetragonula laeviceps serta Pemanfaatannya Sebagai Media Pembelajaran. *Journal of Biology Science and Education*, 12(2), pp.25-32.
- Perhutani, D.P., 1986. Pembudidayaan Lebah Madu Untuk Peningkatan Kesejahteraan Masyarakat. *Prosiding Lokakarya, Direksi Perum Perhutani, Jakarta*, pp.129-131.
- Polatto, L.P., Chaud-Netto, J. and Alves-Junior, V.V. 2014. Influence of abiotic factors and floral resource availability on daily foraging activity of bees: influence of abiotic and biotic factors on bees. *Journal of Insect Behavior*, 27, pp.593-612.

- Pratama, I.P.N.E., Watiniasih, N.L. and Ginantra, I.K., 2018. Perbedaan ketinggian tempat terhadap jenis polen yang dikoleksi oleh lebah Trigona. *Jurnal Biologi Udayana*, 22(1), pp.42-48.
- Priambudi, A.S., Raffiudin, R. and Djuita, N.R., 2021. Identifikasi Tumbuhan Penghasil Polen dari Madu Lebah Tanpa Sengat di Belitung. *Jurnal Sumberdaya Hayati*, 7(1), pp.25-35.
- Pujiastuti, Y., Herlin, W. and Meilin, A. 2024, May. Variation of plant species as feed sources in honey beekeeping in Jambi and South Sumatera Indonesia. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1346, No. 1, p. 012028). IOP Publishing.
- Purwanto, H. and Trianto, M., 2021. Species description, morphometric measurement and molecular identification of stingless bees (Hymenoptera: Apidae: meliponini) in meliponiculture industry in West Java Province, Indonesia. *Serangga*, 26(1), pp.13-33.
- Puteri, G., Herwina, H., Mairawita, and Janra. M. N. 2022. Foraging Activity of Tetragonula laeviceps Workers for Natural Resources and Nest Materials at a Polyculture Cropland in Batusangkar, Tanah Datar Regency, West Sumatra. *IOP Conf. Series: Earth and Environmental Science*. 1-7.
- Radloff, S.E., Hepburn, C., Hepburn, H.R., Fuchs, S., Hadisoesilo, S., Tan, K., Engel, M.S. and Kuznetsov, V., 2010. Population structure and classification of Apis cerana. *Apidologie*, 41(6), pp.589-601.
- Ramnath, S., Venkataramegowda, S. and Singh, C. 2015. Chemical composition of bee propolis collected from different regions in India by GCMS analysis. *International Journal of Pharmacognosy and Phytochemistry*, 30(1), pp.1319-1328.
- Roubik, D.W., 2006. Stingless bee nesting biology. *Apidologie*, 37(2), pp.124-143.

- Ruttner, F., 2013. *Biogeography and taxonomy of honeybees*. Springer Science & Business Media.
- Saepudin, R., Fuah, A.F.M., Sumantri, C., Abdullah, L. and Hadisoesilo, S., 2011. Peningkatan produktifitas lebah madu melalui penerapan sistem integrasi dengan kebun kopi. *Jurnal Ilmu-Ilmu Peternakan*, 21(1), pp.29-39.
- Sakagami, S.F., 1954. Tetragonula Stingless Bees of the Continental Asia and Sri. *Zoology*, 21(2), pp.165-247.
- Salatnaya, H., Widodo, W. D., Winarno, & Fuah, A. M. 2020. The Influence of Environmental Factors on the Activity and Propolis Production of Tetragonula laeviceps. *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*. 8(2): 67-71.
- Sanpa, S., Popova, M., Bankova, V., Tunkasiri, T., Eitssayeam, S., & Chantawannakul, P. 2015. Antibacterial Compounds from Propolis of Tetragonula laeviceps and Tetrigona melanoleuca (Hymenoptera: Apidae) from Thailand. *PloS one*, 10(5), e0126886. <https://doi.org/10.1371/journal.pone.0126886>.
- Santos, J.P., Vieira, B.G., da Silva, R.C. and Do Nascimento, F.S., 2021. When is it necessary to avoid your enemies? A stingless bee ignores aggressive competitor cues to explore food sources. *Apidologie*, 52(4), pp.801-812.
- Saranraj, P. and Sivasakthi, S. 2018. Comprehensive review on honey: Biochemical and medicinal properties. *J. Acad. Ind. Res*, 6(10), pp.165-178.
- Sari, A.M., Kusuma, I.W., Yani, S. and Arung, E.T. 2024. Antibacterial activity *Homotrigona apicalis* ya. *Gorontalo Journal of Forestry Research*, 7(2), pp.108-117.

- Sari, D.N., 2023. Karakteristik Madu Hutan Lebah Apis Dorsata Daerah Sulawesi Tenggara Ditinjau Dari Sifat Fisika-Kimia. *Cokroaminoto Journal of Chemical Science*, 5(2), pp.42-46.
- Sila, M., dan Budiaman., 2005. Manajemen dan Teknologi Lebah Madu (*Breeding-Harvesting-Processing-Packaging-Marketing*). Unit Pengembangan Lebah Madu Lembaga Penelitian. Universitas Hasanuddin Makassar.
- Sommeijer, M.J., De Rooy, G.A., Punt, W. and De Bruijn, L.L.M., 1983. A comparative study of foraging behavior and pollen resources of various stingless bees (Hym., Meliponinae) and honeybees (Hym., Apinae) in Trinidad, West-Indies. *Apidologie*, 14(3), pp.205-224.
- Souza, B.A., Carvalho, C.A.L. and Alves, R.M.O., 2006. Flight activity of *Melipona asilvai* moure (Hymenoptera: Apidae). *Brazilian Journal of Biology*, 66, pp.731-737.
- Sparkman, O.D., 2011. GC/MS: A practical user's guide, Marvin McMaster.
- Sudaryadi, I., Sutikno, Firdausya, S.A., Rahmah, A.A. and Rasyiid, M., 2020. Pollen diversity as feed source of stingless bee, *Tetragonula iridipennis* (Hymenoptera: Apidae) in the forest of biology faculty, Universitas Gadjah Mada, Indonesia. In AIP Conference Proceedings (Vol. 2260, No. 1, p. 040021). AIP Publishing LLC.
- Suhri, A.G.M.I., Retnoaji, B., Mustamin, Y. and Kahono, S. 2024. Daily Activity and Honey Production Patterns of *Tetragonula laeviceps* Smith (Hymenoptera: Apidae) During the Wet and Dry Seasons. *Journal of Tropical Biodiversity and Biotechnology*, 9(4), p.84083.
- Sumoprastowo RM, Suprpto RA. 1980. *Berternak Lebah Madu Modern*. Jakarta (ID): PT. Bantara Niaga Media.
- Suranto, A. D., 2013. *Terapi Madu*. Penerbit Penebar Plus. Jakarta

- Tahir, H., Irundu, D. and Rusmidin, R. 2021. Jenis Tumbuhan Sumber Pakan Lebah (*Trigona* Sp.) Di Desa Mirring Polewali Mandar Sulawesi Barat. *Jurnal Nusa Sylva*, 21(2), pp.39-47.
- Tanuwidjaya, S.J., 2014. Karakteristik Kimia dan Organoleptik Madu dari Lebah Apis mellifera, Apis cerana, Apis dorsata, dan Trigona Sp.
- Trianto, M. and Dirham, D., 2024. Diversity of Insect Pollinators on Dragon Fruit Plants (*Hylocereus polyrhizus*):(Diversity of Insect Pollinators on Dragon Fruit Plants (*Hylocereus polyrhizus*)). *Otus Education: Jurnal Biologi dan Pendidikan Biologi*, 2(2), pp.70-76.
- Trianto, M., Marisa, F., & Kisman, M. D. 2020. *Tetragonula laeviceps* (Hymenoptera: Apidae: Meliponini): Morphology, Morphometric, and Nest Structure. *BIOEDUSCIENE*. 4(2): 188-194.
- Wahyudi, I.W. and Suardana, A.K., 2024. produktifitas lebah madu tetragonula laeviceps di desa bongkasa pertiwi, badung. *JURNAL WIDYA BIOLOGI*, 15(01), pp.46-53.
- Wahyuningsih, E., Syaputra, M., Suparyana, P.K., Maya, I.P.A.T. and Lestari, A.T., 2022. Identifikasi diversitas sumber pakan lebah berbasis lahan pekarangan pada meliponikultur (identification of bee forage sources diversity based on home garden in meliponicultural). *Jurnal Penelitian Hutan Tanaman*, 19(1), pp.29-44.
- Windra, P., Azizi, M. G., Rismayanti, Djakaria, K. M., Wicaksono, A., Raffiudin, R., Atmowidi, T., & Buchori, D. 2020. *Panduan Budidaya Lebah Tanpa Sengat stingless bee di Desa Perbatasan Hutan*. ZSL.
- Wulandari, A.P., Atmowidi, T. and Kahono, S., 2017. Peranan lebah *Trigona laeviceps* (Hymenoptera: Apidae) dalam produksi biji kailan (*Brassica oleracea* var. *alboglabra*). *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 45(2), pp.196-203.

Zahra, N.N., Mulasari, H., Andayani, Y. and Sudarma, I.M. 2021.
Karakteristik fisikokimia ekstrak madu dan propolis Trigona sp. asal
Lombok Utara. *Jurnal Agrotek Ummat*, 8(1), pp.7-14.