Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdou, A. A., & Budaiwi, I. M., 2005. Comparison of thermal conductivity measurements of building insulation materials under various operating temperatures. *Journal of Thermal Envelope and Building Science*. https://doi.org/10.1177/1744259105056291

Abduwoh, M., & Risdianto, Y., 2019. *Pemanfaatan electric arc furnace slag pada beton kinerja tinggi dengan FAS bervariasi*. Jurnal Rekayasa Teknik Sipil, 13(2), 123–130. https://ejournal.unesa.ac.id/index.php/rekayasa-teknik-sipil/article/view/31708

Abhirama, N. R., 2025. Pengaruh penggunaan *steel slag* sebagai bahan pengganti agregat halus pada campuran AC-WC terhadap performa termal perkerasan (Skripsi Sarjana, Universitas Gadjah Mada). UGM Repository. https://etd.repository.ugm.ac.id/penelitian/detail/249637

Adegoloye, G., Beaucour, A.L., Ortola, S., Noumow´ e, A., 2015. Concretes made of eaf slag and aod slag aggregates from stainless steel process: mechanical properties and durability. *Construct. Build. Mater*. 76, 313–321. https://doi.org/10.1016/J.CONBUILDMAT.2014.12.007

Adolphe, L., 2011. *Conception thermique du bâtiment dans son environnement*. Institut Supérieur Fluides, Energies, Réseaux, Environnement (ISUPFERE).

Ahmad, S., Iqbal, Y., Muhammad, R., 2017. *Effects of coal and wheat husk additives on the physical, thermal and mechanical properties of clay bricks*. Bol. Soc. Espanola Ceram. Vidr. 56, 131–138. https://doi.org/10.1016/j.bsecv.2017.02.001

Aisha, I. N., & Indradjati, P. N., 2013. *Adaptasi Penerapan Bentuk Mitigasi Urban Heat Island (UHI) pada Kawasan Pusat Kota Bandung*. Jurnal Perencanaan Wilayah dan Kota, 3(1), 27–43.

Al Mukmin, S. A., Wijaya, A. P., & Sukmono, A., 2016. *Analisis pengaruh perubahan tutupan lahan terhadap distribusi suhu permukaan dan keterkaitannya dengan fenomena urban heat island*. Jurnal Geodesi Undip, 5(1), 224–233. https://doi.org/10.14710/jgundip.2016.10594

Aletba, S.R.O., Abdul Hassan, N., Putra Jaya, R., Aminudin, E., Mahmud, M.Z.H., Mohamed, A., Hussein, A.A., 2021. Thermal performance of cooling strategies for asphalt pavement: A state-of-the-art review. Journal of Traffic and Transportation Engineering (English Edition). https://doi.org/10.1016/j.jtte.2021.02.001

Aliyah, F., Setiawan, A. F., Kambali, I., Radzi, Y. M., Hidayat, U. S., Wicaksono, A. S., Robbie, A. F., & Rahman, A. A., 2023. *Characterization and evaluation of steel slag aggregate waste as eco-friendly neutron-gamma shielding concrete: Experimental study*. SSRN. https://doi.org/10.2139/ssrn.4423234

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Amin, M. H. D., 2025. Pengaruh Substitusi Agregat Steel Slag Terhadap Perilaku Mekanika Beton f_s 5 MPa dengan Semen Hidraulis untuk Perkerasan Kaku. Universitas Gadjah Mada, Yogyakarta.

Andrade, H.D., de Carvalho, J.M.F., Costa, L.C.B., El´oi, F.P.d.F., e Silva, K.D.d.C., Peixoto, R.A.F., 2021. *Mechanical performance and resistance to carbonation of steel slag reinforced concrete*. Construct. Build. Mater. 298, 123910 https://doi.org/ 10.1016/j.conbuildmat.2021.123910

Asadi, I., Shafigh, P., Bin Abu Hassan, Z. F., & Mahyuddin, N. B., 2018. Thermal conductivity of concrete–A review. *Journal of Building Engineering*. https://doi.org/10.1016/j.jobe.2018.07.002

Awoyera, P. O., Olofinnade, O. M., Busari, A. A., Akinwumi, I. I., Oyefesobi, M., & Ikemefuna, M., 2024. Performance of *steel slag* aggregate concrete with varied water-cement ratio. Journal of Technology, 78, Article 8819. https://doi.org/10.11113/jt.v78.8819

Badan Meteorologi, Klimatologi, dan Geofisika, 2025. *Anomali Suhu Udara Rata-Rata Tahun 2024*. https://www.bmkg.go.id/iklim/anomali-suhu-udara-rata-rata-tahun-2024

Badan Standarisasi Nasional, 1989. SK SNI S-04-1989-F tentang Pengujian Kekerasan Agregat dengan Bejana Rudeloff. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 1990. SNI 03-1968-1990 tentang Metode Pengujian Tentang Analisis Saringan Agregat Halus dan Kasar. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 1990. SNI 03-1974-1990 tentang Metode Pengujian Kuat Tekan Beton. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 1992. SNI 03-2816-1992 tentang Pengujian Kotoran Organik dalam Pasir untuk Campuran Mortar atau Beton. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 1996. SNI 03-4142-1996 tentang Metode Pengujian Jumlah Bahan dalam Agregat yang Lolos Saringan No. 200. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 1998. SNI 03-4804-1998 tentang Metode Pengujian Berat Isi dan Rongga Udara dalam Agregat. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2000. SNI-03-2834-2000 tentang Tata Cara Pembuatan Rencana Campuran Beton Normal. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2004. SNI 15-2049-2004 tentang Semen Portland. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2004. SNI 15-7064-2004 tentang Tata Cara Semen Portland Komposit. Badan Standarisasi Nasional, Jakarta.

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Badan Standarisasi Nasional, 2008. SNI 1969-2008 tentang Cara Uji Berat Jenis dan Penyerapan Air Agregat Kasar. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2008. SNI 1970-2008 tentang Cara Uji Berat Jenis dan Penyerapan Air Agregat Halus. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2008. SNI 1972:2008 tentang Cara Uji *Slump* Beton. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2008. SNI 2417:2008 tentang Pengujian Keausan Agregat dengan Mesin *Los angeles*. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2011. SNI 1974:2011 tentang Cara Uji Kuat Tekan Beton dengan Benda Uji Silinder. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2011. SNI 2493:2011 tentang Tata Cara Pembuatan dan Perawatan Benda Uji Beton di Laboratorium. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2011. SNI 4431:2011 tentang Cara Uji Kuat Lentur Beton Normal dengan Dua Titik Pembebanan. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2012. SNI 7656:2012 tentang Tata Cara Pemilihan Campuran Untuk Beton Normal, Beton Berat dan Beton Massa. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2013. SNI 2847:2013 tentang Persyaratan Beton Struktural untuk Bangunan Gedung. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2017. SNI 8457:2017 tentang Rancangan Tebal Jalan Beton untuk Lalu Lintas Rendah. Badan Standarisasi Nasional, Jakarta.

Badan Standarisasi Nasional, 2024. RSNI3 9290:2024 tentang Spesifikasi Slag Besi/Baja Sebagai Material Teknik Sipil. Badan Standarisasi Nasional, Jakarta.

Bazˇant, M. F., & Kaplan, Z. P., 1996. *Concrete at high temperatures: Material properties and mathematical models*. Essex, England.

Belhadj, E., Diliberto, C., & Lecomte, A., 2012. Characterization and activation of Basic Oxygen Furnace slag. *Cement and Concrete Composites, 34*(1), 34–40. https://doi.org/10.1016/j.cemconcomp.2011.08.012

Bhattacharjee, B., & Krishnamoorthy, S., 2004. Permeable porosity and thermal conductivity of construction materials. *Journal of Materials in Civil Engineering*, *16*(4), 322–330. https://doi.org/10.1061/(ASCE)0899-1561(2004)16:4(322)

Bradley, A. V., Thornes, J. E., Chapman, L., Unwin, D., & Roy, M., 2002. Modelling spatial and temporal road thermal climatology in rural and urban areas using a GIS. Climate Research, 22(1), 41–55. https://www.int-res.com/abstracts/cr/v22/n1/p41-55/

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Brand, A.S., Roesler, J.R., 2015. Steel furnace slag aggregate expansion and hardened concrete properties. *Cement Concr. Compos. 60*, 1–9. https://doi.org/10.1016/J.CEMCONCOMP.2015.04.006

British Standards Institution, 2013. BS 7976-2:2002+A1:2013 – Pendulum testers: Method of operation. British Standards Institution.

Carlson, J., Bhardwaj, R., Phelan, P., Kaloush, K., & Golden, J., 2010. Determining thermal conductivity of paving materials using cylindrical sample geometry. *Journal of Materials in Civil Engineering, 22*(2), 186–191. https://doi.org/10.1061/(asce)0899-1561(2010)22:2(186)

Carte, A. E., 1955. Thermal conductivity and mineral composition of some Transvaal rocks. *American Journal of Science*, *253*(8), 482–496. https://doi.org/10.2475/ajs.253.8.482

Chen, J., Chu, R., Wang, H., Zhang, L., Chen, X., & Du, Y., 2019. Alleviating urban heat island effect using high-conductivity permeable concrete pavement. Journal of Cleaner Production, 237, 117722. https://doi.org/10.1016/j.jclepro.2019.117722

Coppola, L., Buoso, A., Coffetti, D., Kara, P., & Lorenzi, S., 2016. Electric arc furnace granulated slag for sustainable concrete. *Construction and Building Materials, 123*, 115–119. https://doi.org/10.1016/j.conbuildmat.2016.06.142

Das, B., Prakash, S., Reddy, P. S. R., & Misra, V. N., 2007. An overview of utilization of slag and sludge from steel industries. *Resources, Conservation and Recycling, 50*(1), 40–57. https://doi.org/10.1016/j.resconrec.2006.05.008

Departemen Pekerjaan Umum, 1971. *Peraturan beton Indonesia 1971 (PBI 1971 – NI-2)*. Direktorat Jenderal Cipta Karya, Departemen Pekerjaan Umum.

Departemen Permukiman dan Prasarana Wilayah, 2003. Pd T-14-2003: Perencanaan perkerasan jalan beton semen. Departemen Permukiman dan Prasarana Wilayah.

Durán-Herrera, A., Campos-Dimas, J. K., Valdez-Tamez, P. L., & Bentz, D. P., 2016. Effect of a micro-copolymer addition on the thermal conductivity of fly ash mortars. *Journal of Building Physics*. https://doi.org/10.1177/1744259115611650

Faleschini, F., Alejandro Fern´andez-Ruíz, M., Zanini, M.A., Brunelli, K., Pellegrino, C., Hern´andez-Montes, E., 2015. High performance concrete with electric arc furnace slag as aggregate: mechanical and durability properties. *Construct. Build. Mater. 101*, 113–121. https://doi.org/10.1016/J.CONBUILDMAT.2015.10.022

Fwa, T. F., 2021. *Determination and prediction of pavement skid resistance–Connecting research and practice*. Journal of Engineering Research, **10**, Article 12.001. https://doi.org/10.1016/j.jreng.2021.12.001

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Gencel, O., Karadag, O., Oren, O., & Bilir, T., 2021. *Steel slag and its applications in cement and concrete technology: A review*. *Construction and Building Materials, 283*, 122783. https://doi.org/10.1016/j.conbuildmat.2021.122783

Georgakis, C., & Santamouris, M. 2017. Determination of the surface and canopy urban heat island in Athens central zone using advanced monitoring. *Climate, 5*(4), 97. https://doi.org/10.3390/cli5040097

Gorai, B., Jana, R., & Premchand, R., 2003. Characteristics and utilisation of copper slag - A review. *Resources, Conservation and Recycling, 39*(4), 299–313. https://doi.org/10.1016/S0921-3449(02)00171-4

Hall, J. W., Smith, K. L., Titus-Glover, L., Evans, L. D., Wambold, J. C., Yager, T. J., & Rado, Z., 2009. *Guide for pavement friction* (Contractor's Final Report for NCHRP Project 01-43). Transportation Research Board of the National Academies. http://onlinepubs.trb.org/onlinepubs/nchrp/nchrp_w108.pdf

Hermawan, E., 2015. *Fenomena Urban Heat Island (UHI) pada beberapa kota besar di Indonesia sebagai salah satu dampak perubahan lingkungan global*. Prosiding Seminar Nasional Geografi, 1(1), 89–97. https://download.garuda.kemdikbud.go.id/article.php?article=1291700

Hesami, S., Ahmadi, S., & Nematzadeh, M., 2014. Effects of rice husk ash and fiber on mechanical properties of pervious concrete pavement. *Construction and Building Materials, 53*, 680–691. https://doi.org/10.1016/j.conbuildmat.2013.11.070

Huang, Y.H., Liu, C.J., 2008. Analysis on comprehensive utilization of electric furnace slag. Ind. Heat 37, 4e6 (in Chinese).

Incropera, F. P., DeWitt, D. P., Bergman, T. L., & Lavine, A. S., 2007. *Fundamentals of Heat and Mass Transfer* (6th ed.). John Wiley & Sons.

Indonesian Iron & Steel Industry Association., 2024. *Proyeksi kinerja baja nasional 2024*. https://iisia.or.id/news/proyeksi-kinerja-baja-nasional-2024

Indrawan, N., & Supriyadi, D., 2010. Analisis kekesatan permukaan jalan dalam menunjang keselamatan lalu lintas. *Jurnal Teknik Sipil Indonesia, 15*(2), 123–133.

International Organization for Standardization, 2008. Plastics — Determination of thermal conductivity and thermal diffusivity — Part 2: Transient plane heat source (hot disc) method (ISO 22007-2:2008). ISO. https://www.iso.org/standard/40683.html

Jagadisha, A., Rao, K. B., Nayak, G., & Kamath, M., 2021. Influence of nano-silica on the microstructural and mechanical properties of high-performance concrete containing EAF aggregate and processed quarry dust. *Construction and Building Materials, 304*, 124392. https://doi.org/10.1016/j.conbuildmat.2021.124392

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Khalaf, M.A., Ban, C.C., Ramli, M., Ahmed, N.M., Sern, L.J., Khaleel, H.A., 2020. *Physicomechanical and gamma-ray shielding properties of high-strength heavyweight concrete containing steel furnace slag aggregate*. J. Build. Eng. 30, 101306 https://doi.org/10.1016/j.jobe.2020.101306

Khomaruddin, M. R., 2004. *Mendeteksi Pulau Panas (Heat Island) dengan Data Satelit Penginderaan Jauh*. Warta LAPAN, 6(2), 74–81. https://doi.org/10.31172/jmg.v23i2.852

Kodur, V., 2011. Effect of temperature on thermal properties of different types of high-strength concrete. *Journal of Materials in Civil Engineering*, *23*(6), 793–801. https://doi.org/10.1061/(ASCE)MT.1943-5533.0000225

Kuo, W., Shu, C., & Han, Y., 2014. Electric arc furnace oxidizing slag mortar with volume stability for rapid detection. *Construction and Building Materials, 53*, 324–330. https://doi.org/10.1016/j.conbuildmat.2013.12.023

Lanciani, A., Morabito, P., Rossi, P., Barberis, F., Berti, R., & Capelli, A., 1989. Measurements of the thermophysical properties of structural materials in laboratory and in situ: methods and instrumentation. *High Temperatures. High Pressures (Print)*, *21*(4), 391-400.

Lee, M., Huang, Y., Chang, T., & Pao, C., 2011. *Experimental study of pervious concrete pavement*. In Proceedings of the 4th International Conference on Sustainable Design, Engineering and Construction. https://doi.org/10.1061/47629(408)12

Letelier, V., Bustamante, M., Mu˜ noz, P., Rivas, S., Ortega, J.M., 2021. *Evaluation of mortars with combined use of fine recycled aggregates and waste crumb rubber*. J. Build. Eng. 43, 103226 https://doi.org/10.1016/j.jobe.2021.103226

Li, H., Harvey, J., & Jones, D., 2013. Cooling effect of permeable asphalt pavement under dry and wet conditions. *Transportation Research Record, 2372*, 97–107. https://doi.org/10.3141/2372-11

Li, X., Bao, Y., Wu, L., Yan, Q., Ma, H., Chen, G., & Zhang, H., 2017. Thermal and mechanical properties of high-performance fiber-reinforced cementitious composites after exposure to high temperatures. *Construction and Building Materials*, *157*, 829–838. https://doi.org/10.1016/j.conbuildmat.2017.09.125

Lim, E., Tan, K., & Fwa, T., 2013. *High-strength high-porosity pervious concrete pavement*. In *Advanced Materials Research* (Vol. 723, pp. 361–368). Trans Tech Publications. https://doi.org/10.4028/www.scientific.net/AMR.723.361

Lim, J. S., Cheah, C. B., & Ramli, M. B., 2019. The setting behavior, mechanical properties and drying shrinkage of ternary blended concrete containing granite quarry dust and processed *steel slag* aggregate. *Construction and Building Materials, 215*, 447–461. https://doi.org/10.1016/j.conbuildmat.2019.04.162

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, Q., Schlangen, E., García, A., & van de Ven, M., 2010. Induction heating of electrically conductive *porous* asphalt concrete. *Construction and Building Materials, 24*(7), [halaman belum ditentukan]. https://doi.org/10.1016/j.conbuildmat.2009.12.019

Luxán, M., Sotolongo, R., Dorrego, F., & Herrero, E., 2000. Characteristics of the slags produced in the fusion of scrap steel by electric arc furnace. *Cement and Concrete Research, 30*(4), 533–538. https://doi.org/10.1016/S0008-8846(99)00253-7

Mahieux, P., Aubert, J., & Escadeillas, G. (2009). Utilization of weathered basic oxygen furnace slag in the production of hydraulic road binders. *Construction and Building Materials, 23*(2), 742–747. https://doi.org/10.1016/j.conbuildmat.2008.02.015

Malik, M., Bhattacharyya, S. K., & Barai, S. V., 2020. Thermal and mechanical properties of concrete and its constituents at elevated temperatures: A review. *Construction and Building Materials*, *272*, 121398. https://doi.org/10.1016/j.conbuildmat.2020.121398

Marie, I., 2017. *Thermal conductivity of hybrid recycled aggregate – rubberized concrete*. Construct. Build. Mater. 133, 516–524. https://doi.org/10.1016/j. conbuildmat.2016.12.113

McCormac, J. C., 2003. Desain Beton Bertulang, Penerbit Erlangga, Jakarta

Milačič, R., Zuliani, T., Oblak, T., Mladenovič, A., & Ščančar, J., 2011. Environmental impacts of asphalt mixes with electric arc furnace steel slag. *Journal of Environmental Quality, 40*(5), 1494–1502. https://doi.org/10.2134/jeq2010.0516

Mirnezami, S., Hassani, A., & Bayat, A., 2023. Evaluation of the effect of metallurgical aggregates (steel and copper slag) on the thermal conductivity and mechanical properties of concrete in jointed plain concrete pavements (JPCP). *Construction and Building Materials, 367*, 129532. https://doi.org/10.1016/j.conbuildmat.2022.129532

Monosi, S., Ruello, M. L., & Sani, D., 2016. Electric arc furnace slag as natural aggregate replacement in concrete production. *Cement and Concrete Composites, 66*, 66–72. https://doi.org/10.1016/j.cemconcomp.2015.10.004

Morabito, P., 1989. Measurement of the thermal properties of different concretes. *High Temperatures. High Pressures (Print)*, *21*(1), 51-59.

Mukrim, M. I., Kushari, B., Suparma, L. B., & Kanitpong, K., 2022. Investigasi sifat termal permukaan perkerasan jalan. *Jurnal Teknik Sipil*, 12(1), 1–10. https://www.researchgate.net/publication/375585061_INVESTIGASI_SIFAT_TERMAL_PERMUKAAN_PERKERASAN_JALAN

Murdock, L. J., Brook, K.M., 1991. Bahan dan Praktek Beton, Penerbit Erlangga, Jakarta

Murphy, J., Meadowcroft, T., & Barr, P., 1997. Enhancement of the cementitious properties of steelmaking slag. *Canadian Metallurgical Quarterly, 36*(5), 315–324. https://doi.org/10.1179/cmq.1997.36.5.315

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Nayak, P., & Pal, B., 2010. Characterisation of solid wastes generated from Bhilai Steel Plant. *Journal of Mines, Metals and Fuels, 58*(1-2),

Nugraha, A., 2024. 94 kejadian bencana banjir akibatkan kerusakan struktural infrastruktur publik di Jabar. Liputan6. https://www.liputan6.com/regional/read/5587000/94-kejadian-bencana-banjir-akibatkan-kerusakan-struktural-infrastruktur-publik-di-jabar?page=3

Nugraha, P., & Antoni, 2004. *Teknologi beton: Dari material, pembuatan, ke beton kinerja tinggi* (Edisi ke-1). Andi.

Ohmar, C. A. A., 2025. Pengaruh Penggunaan Steel Slag sebagai Substitusi Agregat Terhadap Perilaku Mekanika Beton Perkerasan Kaku dengan Mutu Fs 4 MPa dengan Semen PCC. Universitas Gadjah Mada, Yogyakarta.

Oke, T. R., 1987. *Boundary layer climates* (2nd ed., p. 435). Routledge, Taylor and Francis Group.

Oktoviar, E., 2010. *Evaluasi penurunan kekesatan akibat proses keausan pada campuran beton aspal (AC-WC) menggunakan agregat batu basalt dan agregat batu kapur* (Tesis, Universitas Gadjah Mada). ETD UGM. https://etd.repository.ugm.ac.id/penelitian/detail/48372

Papachristoforou, M., Anastasiou, E. K., & Papayianni, I., 2020. Durability of steel fiber reinforced concrete with coarse *steel slag* aggregates including performance at elevated temperatures. *Construction and Building Materials*, *262*, 120569. https://doi.org/10.1016/j.conbuildmat.2020.120569

Pellegrino, C., & Gaddo, V., 2009. Mechanical and durability characteristics of concrete containing EAF slag as aggregate. *Cement and Concrete Composites*, *31*(9), 663–671. https://doi.org/10.1016/j.cemconcomp.2009.05.006

Pellegrino, C., Cavagnis, P., Faleschini, F., Brunelli, K., 2013. Properties of concretes with black/oxidizing Electric Arc furnace slag aggregate. *Cement Concr. Compos. 37*, 232–240. https://doi.org/10.1016/J.CEMCONCOMP.2012.09.001

Permanent International Association of Road Congresses (PIARC), 1987. *Report of the Committee on Surface Characteristics*. In *Proceedings of the 18th World Road Congress*, Brussels, Belgium, 13–19 September (p. 108).

Proctor, D. M., Fehling, K. A., Shay, E. C., Wittenborn, J. L., Green, J. J., Avent, C., Bigham, R. D., Connolly, M., Lee, B., Shepker, T. O., & Zak, M. A., 2000. Physical and chemical characteristics of blast furnace, basic oxygen furnace, and electric arc furnace steel industry slags. *Environmental Science & Technology, 34*(8), 1576–1582. https://doi.org/10.1021/es9906002

Pusat Penelitian dan Pengembangan Jalan, 1993. Pengkajian kerataan dan kekesatan permukaan jalan pada berbagai tipe konstruksi perkerasan. Badan Penelitian dan Pengembangan PU, Departemen Pekerjaan Umum. https://simantu.pu.go.id/personal/img-post/autocover/53496349f181f7cc3832b41922b23554.pdf

UNIVERSITAS
GADJAH MADA
**Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku**
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Putrawirawan, A., 2010. *Pengaruh perendaman terhadap penurunan kekesatan akibat proses keausan pada campuran AC-WC menggunakan agregat batu kapur* (Tesis, Universitas Gadjah Mada). ETD UGM. https://etd.repository.ugm.ac.id/penelitian/detail/48368

Qasrawi, H., Shalabi, F., & Asi, I., 2009. Use of low CaO unprocessed *steel slag* in concrete as fine aggregate. *Construction and Building Materials, 23*(2), 1118–1125. https://doi.org/10.1016/j.conbuildmat.2008.06.003

Rajasekar, A., Arunachalam, K., & Kottaisamy, M., 2019. Assessment of strength and durability characteristics of copper slag incorporated ultra high strength concrete. *Journal of Cleaner Production, 208*, 210–219. https://doi.org/10.1016/j.jclepro.2018.10.118

Ramachandran, V., 1975. Calcium chloride in concrete. *Precast Concrete, 6*(3), 30–40.

Rashad, A. M., 2022. Behavior of *steel slag* aggregate in mortar and concrete – A comprehensive overview. *Journal of Building Engineering, 53*, 104536. https://doi.org/10.1016/j.jobe.2022.104536

Ratri, Z., & Prasetyo, A. Y., 2024. *Cuaca panas dan jejak pemanasan global satu dekade terakhir*. Kompas.id. https://www.kompas.id/baca/riset/2024/05/10/cuaca-panas-dan-jejak-pemanasan-global-satu-dekade-terakhir

Reed, S. J. B., 2005). *Electron microprobe analysis and scanning electron microscopy in geology*. Cambridge University Press.

Rezaei Lori, A., Hassani, A., & Sedghi, R., 2019. Investigating the mechanical and hydraulic characteristics of pervious concrete containing copper slag as coarse aggregate. Construction and Building Materials, 197, 130–142. https://doi.org/10.1016/j.conbuildmat.2018.11.230

Rojas, M., & Sánchez De Rojas, M., 2004. Chemical assessment of the electric arc furnace slag as construction material: Expansive compounds. *Cement and Concrete Research, 34*(10), 1881–1888. https://doi.org/10.1016/j.cemconres.2004.01.029

Rojas, N., Bustamante, M., Muñoz, P., Godoy, K., & Letelier, V., 2023. Study of properties and behavior of concrete containing EAF slag as coarse aggregate. *Developments in the Built Environment, 14*, 100137. https://doi.org/10.1016/j.dibe.2023.10013

Rosta, S., & Gáspár, L., 2023. *Skid resistance* of asphalt pavements. *Eng*, *4*(2), 1597–1615. https://doi.org/10.3390/eng4020091

Rosyid, K. N., 2022. *Di PT Krakatau Posco, PT Krakatau Steel bisa apa?* Indonesiana.id. https://www.indonesiana.id/read/154333/di-pt-krakatau-posco-pt-krakatau-steel-bisa-apa

Salain, I Made Alit Karyawan, 2009. Pengaruh Jenis Semen dan Jenis Agregat Kasar Terhadap Kuat Tekan Beton. Majalah Teknologi dan Kejuruan, 32(1), 63. https://core.ac.uk/download/pdf/296296733.pdf

UNIVERSITAS
GADJAH MADA
**Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku**
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Salama, M. I., Elayat, A., Reda, M., & Elsamak, G., 2024. Influence of concrete type on rigid pavement behavior under static loads. *Innovative Infrastructure Solutions, 9*(15). https://doi.org/10.1007/s41062-023-01316-1

Santamaría, A., Romera, J. M., Marcos, I., Revilla-Cuesta, V., & Ortega-López, V.,2022. Shear strength assessment of reinforced concrete components containing EAF *steel slag* aggregates. *Journal of Building Engineering, 46*, 103730. https://doi.org/10.1016/j.jobe.2021.103730

Santamouris, M., 2013. Using cool pavements as a mitigation strategy to fight urban heat island—A review of the actual developments. *Renewable and Sustainable Energy Reviews, 26*, 224–240. https://doi.org/10.1016/j.rser.2013.05.047

Sante, L. D., Cirilli, F., & Angelucci, N., 2013. *EAF slag: A product no longer a problem*. Paper presented at the Iron and Steel Technology Conference, Rome, Italy.

Saxena, S., Tembhurkar, A., 2018. Impact of use of *steel slag* as coarse aggregate and wastewater on fresh and hardened properties of concrete. *Construct. Build. Mater. 165*, 126–137. https://doi.org/10.1016/j.conbuildmat.2018.01.030

Schneider, U., Diederichs, U., & Ehm, C., 1982. Effect of temperature on steel and concrete for PCRV's. *Nuclear Engineering and Design*, *67*, 245–258. https://doi.org/10.1016/0029-5493(82)90144-3

Setién, J., Hernández, D., & González, J., 2009. Characterization of ladle furnace basic slag for use as a construction material. *Construction and Building Materials, 23*(5), 1953–1960. https://doi.org/10.1016/j.conbuildmat.2008.10.003

Shao, J., Guo, S., & Wang, H., 2025. A Review of the Performance, Sustainable Applications, and Research Challenges of Limestone-Calcined Clay-Cement (LC3) Systems. *Coatings*, *15*(5), 611. https://doi.org/10.3390/coatings15050611

Sharma, R., & Khan, R., 2017. Sustainable use of copper slag in self compacting concrete containing supplementary cementitious materials. *Journal of Cleaner Production, 151*, 179–192. https://doi.org/10.1016/j.jclepro.2017.03.031

Shi, C., & Qian, J., 2000. High performance cementing materials from industrial slags: A review. *Resources, Conservation and Recycling, 29*(3), 195–207. https://doi.org/10.1016/S0921-3449(99)00060-9

Sidler, O., 2003. *L'inertie thermique des bâtiments: Consommation et confort d'été en climat méditerranéen*. Paris, France: ENERTECH.

Singh, P., Roy, A.D., Singh, H., 2022. *Mechanical and durability properties of concrete incorporating weathered coarse Linz-Donawitz (LD) steel slag*. J. Build. Eng. 61, 105301 https://doi.org/10.1016/j.jobe.2022.105301

Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Skaf, M., Pasquini, E., Revilla-Cuesta, V., & Ortega-López, V., 2019. Performance and durability of porous asphalt mixtures manufactured exclusively with electric steel slags. *Materials*, *12*(20), 3306. https://doi.org/10.3390/ma12203306

Sorlini, S., Sanzeni, A., & Rondi, L., 2012. Reuse of steel slag in bituminous paving mixtures. *Journal of Hazardous Materials, 209–210*, 84–91. https://doi.org/10.1016/j.jhazmat.2011.12.066

Stan, P. ., & Stan, M., 2024. Study of the Aquaplaning Phenomenon for the Wheel of a Vehicle Moving on a Wet Road. *Current Approaches in Engineering Research and Technology Vol. 7*, 166–176. https://doi.org/10.9734/bpi/caert/v7/1865

Stempihar, J. J., Pourshams-Manzouri, T., Kaloush, K. E., & Rodezno, M. C., 2012. *Porous* asphalt pavement temperature effects for urban heat island analysis. *Transportation Research Record, 2293*, 123–130. https://doi.org/10.3141/2293-15

Sukirman, Silvia, 1999. Perkerasan Lentur Jalan Raya. Bandung : Nova.

Sundberg, J., Back, P.-E., Ericsson, L. O., & Wrafter, J., 2009. Estimation of thermal conductivity and its spatial variability in igneous rocks from in situ density logging. *International Journal of Rock Mechanics and Mining Sciences*, *46*(4), 655–661. https://doi.org/10.1016/j.ijrmms.2009.01.010

Sutapa, A. A. G., 2011. Porositas, kuat tekan dan kuat tarik belah beton dengan agregat kasar batu pecah pasca dibakar. Jurnal Ilmiah Teknik Sipil, 15(1), 9–15. https://ojs.unud.ac.id/index.php/jits/article/download/3612/2641

Tan, J., Zheng, Y., Tang, X., Guo, C., Li, L., Song, G., Zhen, X., Yuan, D., Kalkstein, A. J., Li, F., dkk., 2010. The urban heat island and its impact on heat waves and human health in Shanghai. *International Journal of Biometeorology, 54*(1), 75–84. https://doi.org/10.1007/s00484-009-0256-x

Teir, S., Eloneva, S., Fogelholm, C., & Zevenhoven, R., 2007. Dissolution of steelmaking slags in acetic acid for precipitated calcium carbonate production. *Energy, 32*(4), 528–539. https://doi.org/10.1016/j.energy.2006.06.023

Tjokrodimuljo, K., 2007. Teknologi beton. Biro Penerbit Teknik Sipil, Universitas Gadjah Mada.

Transport Research Laboratory, 1999. *A guide to the pavement evaluation and maintenance of bitumen-surfaced roads in tropical and sub-tropical countries* (Overseas Road Note 18). Department for International Development.

U.S. Environmental Protection Agency, 2012. *Cool pavements. In Reducing urban heat islands: Compendium of strategies* (Chapter 5). U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2017-05/documents/reducing_urban_heat_islands_ch_5.pdf

UNIVERSITAS
GADJAH MADA
**Studi Pengaruh Substitusi Agregat Electric Arc Furnace Slag pada Beton Kuat Lentur 4 MPa terhadap
Perilaku Termal dan Skid Resistance untuk Perkerasan Kaku**
Saiful Wasiim Maisaan, Ir. Suprapto Siswosukarto, Ph.D., IPM.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Van Geem, M. G., & E, F. A., 1983. *Thermal properties of masonry materials for passive solar design: A state-of-the-art review*. Portland Cement Association.

VanGeem, K. M. G., Gajda, J. W., & Dombrowski, A., 1997. Thermal properties of commercially available high-strength concretes. *Cement and Concrete Aggregates*, *19*(1), 38–53.

Vaughan, A., 2025. *Earth has entered 'a new era' with its hottest year on record*. The Times. https://www.thetimes.com/uk/environment/article/hottest-year-climate-change-15c-paris-agreement-2q23q8rv2

Voogt JA. 2002. Urban Heat Island: Causes and Consequences of Global Environmental Change. Chichester: John Wiley and Sons, Ltd..hlm 660-666.

Vujovic, S., Haddad, B., Karaky, H., Sebaibi, N., & Boutouil, M., 2021. Urban heat island: Causes, consequences, and mitigation measures with emphasis on reflective and permeable pavements. *CivilEng, 2*(3), 459–484. https://doi.org/10.3390/civileng2020026

Wang, R., Shi, Q., Li, Y., Cao, Z., & Si, Z., 2021. A critical review on the use of copper slag (CS) as a substitute constituent in concrete. Construction and Building Materials, 292, 123371. https://doi.org/10.1016/j.conbuildmat.2021.123371

World Meteorological Organization, 2024. *2024 is on track to be hottest year on record as warming temporarily hits 1.5°C*. https://wmo.int/news/media-centre/2024-track-be-hottest-year-record-warming-temporarily-hits-15degc

World Meteorological Organization. (n.d.). *Urban heat island*. World Meteorological Organization. https://community.wmo.int/en/activity-areas/urban/urban-heat-island

Yang, M., Yan, Z., & Li, Z., 2025. Revealing the tricalcium silicate formation behaviors in modified EAF slag at high temperatures for the production of electric recycled cement. *Cement and Concrete Research, 189*, 107756. https://doi.org/10.1016/j.cemconres.2024.107756

Zhang, W., Min, H., Gu, X., Xi, Y., & Xing, Y., 2015. Mesoscale model for thermal conductivity of concrete. *Construction and Building Materials*, *98*, 9–16. https://doi.org/10.1016/j.conbuildmat.2015.08.106