

DAFTAR PUSTAKA

- Aditian, A., Kubota, T., & Shinohara, Y. (2018). Comparison of GIS-based landslide susceptibility models using frequency ratio, logistic regression, and artificial neural network in a tertiary region of Ambon, Indonesia. *Geomorphology*, 318, 101–111. <https://doi.org/10.1016/j.geomorph.2018.06.006>
- Amarasinghe, M. P., Kulathilaka, S. A. S., Robert, D. J., Zhou, A., & Jayathissa, H. A. G. (2024). Risk assessment and management of rainfall-induced landslides in tropical regions: a review. In *Natural Hazards* (Vol. 120, Issue 3, pp. 2179–2231). Springer Science and Business Media B.V. <https://doi.org/10.1007/s11069-023-06277-3>
- Bobade, S., Dhawale, A., & Garg, V. (2024). Tempo-spatial impact assessment of landuse land covers on slope stability through GIS modeling at Raigad district of Maharashtra. *Innovative Infrastructure Solutions*, 9(8). <https://doi.org/10.1007/s41062-024-01602-6>
- Can, A., Dagdelenler, G., Ercanoglu, M., & Sonmez, H. (2019). Landslide susceptibility mapping at Ovacık-Karabük (Turkey) using different artificial neural network models: comparison of training algorithms. *Bulletin of Engineering Geology and the Environment*, 78(1), 89–102. <https://doi.org/10.1007/s10064-017-1034-3>
- Çellek, S. (2020). Effect of the Slope Angle and Its Classification on Landslide. *Natural Hazards and Earth System Sciences Discussions*, 1–23. <https://doi.org/10.5194/nhess-2020-87>
- De Reu, J., Bourgeois, J., Bats, M., Zwertvaegher, A., Gelorini, V., De Smedt, P., Chu, W., Antrop, M., De Maeyer, P., Finke, P., Van Meirvenne, M., Verniers, J., & Crombé, P. (2013). Application of the topographic position index to heterogeneous landscapes. *Geomorphology*, 186, 39–49. <https://doi.org/10.1016/j.geomorph.2012.12.015>
- Donnarumma, A., Revellino, P., Grelle, G., & Guadagno, F. M. (2013). Slope angle as indicator parameter of landslide susceptibility in a geologically complex area. *Landslide Science and Practice Landslide Inventory and Susceptibility*

and Hazard Zoning, 1, 425–433. https://doi.org/10.1007/978-3-642-31325-7_56

- Ekeanyanwu, C. V., Obisakin, I. F., Aduwenye, P., & Dede-Bamfo, N. (2022). Merging GIS and Machine Learning Techniques: A Paper Review. *Journal of Geoscience and Environment Protection, 10*(09), 61–83. <https://doi.org/10.4236/gep.2022.109004>
- Emberson, R., Kirschbaum, D. B., Amatya, P., Tanyas, H., & Marc, O. (2022). Insights from the topographic characteristics of a large global catalog of rainfall-induced landslide event inventories. *Natural Hazards and Earth System Sciences, 22*(3), 1129–1149. <https://doi.org/10.5194/nhess-22-1129-2022>
- EORC, & JAXA. (2017). *ALOS Global Digital Surface Model (DSM) “ALOS World 3D-30m” (AW3D30) Dataset Product Format Description Version 1.1.*
- ESA. (2024). *Sentinel-2A (10m) Satellite Sensor.*
- Fell, R., Corominas, J., Bonnard, C., Cascini, L., Leroi, E., & Savage, W. Z. (2008). Guidelines for landslide susceptibility, hazard and risk zoning for land use planning. *Engineering Geology, 102*(3–4), 85–98. <https://doi.org/10.1016/j.enggeo.2008.03.022>
- Garg, P. K. (2024). *Remote Sensing: Theory and Applications.* Mercury Learning and Information.
- Glade, T., Anderson, M., & Crozier, M. J. (2005). *Landslide Hazard and Risk.* Wiley.
- Gorokhovich, Y., & Vustianiuk, A. (2021). Implications of slope aspect for landslide risk assessment: A case study of Hurricane Maria in Puerto Rico in 2017. *Geomorphology, 391*. <https://doi.org/10.1016/j.geomorph.2021.107874>
- Han, H. (2022). The Utility of Receiver Operating Characteristic Curve in Educational Assessment: Performance Prediction. *Mathematics, 10*(9). <https://doi.org/10.3390/math10091493>
- Haq, A. H. (2024). *Kestabilan Lereng di Ruas Jalan Magelang – Purworejo Dengan Menggunakan Pemodelan Spasial Infinite Slope.* Universitas Gadjah Mada.

- Huang, F., Chen, J., Liu, W., Huang, J., Hong, H., & Chen, W. (2022). Regional rainfall-induced landslide hazard warning based on landslide susceptibility mapping and a critical rainfall threshold. *Geomorphology*, 408. <https://doi.org/10.1016/j.geomorph.2022.108236>
- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types, an update. In *Landslides* (Vol. 11, Issue 2, pp. 167–194). Springer Verlag. <https://doi.org/10.1007/s10346-013-0436-y>
- Islam, M. N., Siddika, A., Hossain, B., Rahman, A., & Asad, A. (2011). EFFECT OF PARTICLE SIZE ON THE SHEAR STRENGTH BEHAVIOUR OF SANDS. *Australian Geomechanics*, 46(3).
- Jensen, J. R. . (2014). *Remote Sensing of The Environment : an Earth Resource Perspective*. Pearson.
- Jing, F., Ling, H. S., Xiuli, D., & Jinlong, W. (2020). Influence of rainfall on transient seepage field of deep landslides: A case study of area II of Jinpingzi landslide. *IOP Conference Series: Earth and Environmental Science*, 570(2). <https://doi.org/10.1088/1755-1315/570/2/022056>
- Kawabata, D., & Bandibas, J. (2009a). Landslide susceptibility mapping using geological data, a DEM from ASTER images and an Artificial Neural Network (ANN). *Geomorphology*, 113(1–2), 97–109. <https://doi.org/10.1016/j.geomorph.2009.06.006>
- Kawabata, D., & Bandibas, J. (2009b). Landslide susceptibility mapping using geological data, a DEM from ASTER images and an Artificial Neural Network (ANN). *Geomorphology*, 113(1–2), 97–109. <https://doi.org/10.1016/j.geomorph.2009.06.006>
- Keeping, T., Harrison, S. P., & Prentice, I. C. (2024). Modelling the daily probability of wildfire occurrence in the contiguous United States. *Environmental Research Letters*, 19(2). <https://doi.org/10.1088/1748-9326/ad21b0>
- Kopecký, M., Macek, M., & Wild, J. (2021). Topographic Wetness Index calculation guidelines based on measured soil moisture and plant species composition. *Science of the Total Environment*, 757. <https://doi.org/10.1016/j.scitotenv.2020.143785>

- Kramer, O. (2017). Machine learning. In *Studies in Computational Intelligence* (Vol. 679). https://doi.org/10.1007/978-3-319-52156-5_8
- Krenker, A., Bešter, J., & Kos, A. (2011). *Artificial Neural Networks: Methodological Advances and Biomedical Applications* (K. Suzuki, Ed.). InTech.
- M. Soeprahardjo. (1982). *Jenis-Jenis Tanah di Indonesia*. Pusat Pendidikan Interpretasi Citra Penginderaan Jauh dan Survey Terpadu.
- Mallick, J., Alkahtani, M., Hang, H. T., & Singh, C. K. (2024). Game-theoretic optimization of landslide susceptibility mapping: a comparative study between Bayesian-optimized basic neural network and new generation neural network models. *Environmental Science and Pollution Research*, 31(20), 29811–29835. <https://doi.org/10.1007/s11356-024-33128-w>
- Margottini, C., Canuti, P., & Sassa, K. (2013). *Landslide Science and Practice Volume 1: Landslide Inventory and Susceptibility and Hazard Zoning* (Vol. 1). Springer.
- Marindah, O., Iswari, Y., & Anggraini, K. (2018). *DEMNAS: MODEL DIGITAL KETINGGIAN NASIONAL UNTUK APLIKASI KEPESISIRAN*. XLIII, 68. <https://earthexplorer>.
- McCoy, R. M. (2005). *Field Methods in Remote Sensing*. The Guilford Press.
- Nakileza, B. R., & Nedala, S. (2020). Topographic influence on landslides characteristics and implication for risk management in upper Manafwa catchment, Mt Elgon Uganda. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00160-0>
- Nichols, J. A., Herbert Chan, H. W., & Baker, M. A. B. (2019). Machine learning: applications of artificial intelligence to imaging and diagnosis. In *Biophysical Reviews* (Vol. 11, Issue 1, pp. 111–118). Springer Verlag. <https://doi.org/10.1007/s12551-018-0449-9>
- Noack, S., Knobloch, A., Etzold, S. H., Barth, A., & Kallmeier, E. (2014). Spatial predictive mapping using artificial neural networks. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 40(2), 79–86. <https://doi.org/10.5194/isprsarchives-XL-2-79-2014>

- Oh, H. J., Lee, S., & Soedradjat, G. M. (2010). Quantitative landslide susceptibility mapping at Pemalang area, Indonesia. *Environmental Earth Sciences*, 60(6), 1317–1328. <https://doi.org/10.1007/s12665-009-0272-5>
- Ohlmacher, G. C. (2007). Plan curvature and landslide probability in regions dominated by earth flows and earth slides. *Engineering Geology*, 91(2–4), 117–134. <https://doi.org/10.1016/j.enggeo.2007.01.005>
- Oliveira, S. C., Zêzere, J. L., Garcia, R. A. C., Pereira, S., Vaz, T., & Melo, R. (2024). Landslide susceptibility assessment using different rainfall event-based landslide inventories: advantages and limitations. *Natural Hazards*. <https://doi.org/10.1007/s11069-024-06691-1>
- Pangaribuan, J., Sabri, L. M., & Amarrohman, J. (2019). Analisis Daerah Rawan Bencana Tanah Longsor di Kabupaten Magelang Menggunakan Sistem Informasi Geografis Dengan Metode Standar Nasional Indonesia dan Analytical Hierarchy Process. *Jurnal Geodesi Undip*, 8(1).
- Poursanidis, D., & Chrysoulakis, N. (2017). Remote Sensing, natural hazards and the contribution of ESA Sentinel missions. *Remote Sensing Applications: Society and Environment*, 6, 25–38. <https://doi.org/10.1016/j.rsase.2017.02.001>
- Prancevic, J. P., Lamb, M. P., McArdell, B. W., Rickli, C., & Kirchner, J. W. (2020). Decreasing Landslide Erosion on Steeper Slopes in Soil-Mantled Landscapes. *Geophysical Research Letters*, 47(10). <https://doi.org/10.1029/2020GL087505>
- Pudyastowo. (2024). *Analisis Kerawanan Tanah Longsor di Kecamatan Salaman Kabupaten Magelang*. Universitas Gadjah Mada.
- Qin, X., & Dai, C. (2022). Comparison of different quantile delta mapping schemes in frequency analysis of precipitation extremes over mainland Southeast Asia under climate change. *Journal of Hydrology*, 606. <https://doi.org/10.1016/j.jhydrol.2021.127421>
- Qiu, H., Regmi, A. D., Cui, P., Hu, S., Wang, Y., & He, Y. (2017). Slope aspect effects of loess slides and its spatial differentiation in different geomorphologic types. *Arabian Journal of Geosciences*, 10(15). <https://doi.org/10.1007/s12517-017-3135-5>

- Rasamoelina, A. D., Adjailia, F., & Sinčák, P. (2020). A Review of Activation Function for Artificial Neural Network. *IEEE 18th World Symposium on Applied Machine Intelligence and Informatics (SAMI)*, 281–286.
- Rosenqvist, A., Shimada, M., & Watanabe, M. (2004). ALOS PALSAR: Technical outline and mission concepts. *4th International Symposium on Retrieval of Bio- and Geophysical Parameters from SAR Data for Land Applications Innsbruck*, 1–7.
- Saha, A., Villuri, V. G. K., & Bhardwaj, A. (2022). Development and Assessment of GIS-Based Landslide Susceptibility Mapping Models Using ANN, Fuzzy-AHP, and MCDA in Darjeeling Himalayas, West Bengal, India. *Land*, *11*(10). <https://doi.org/10.3390/land11101711>
- Santacana, N., Baeza, B., Corominas, J., De Paz, A., & Marturiá, J. (2003). A GIS-Based Multivariate Statistical Analysis for Shallow Landslide Susceptibility Mapping in La Pobla de Lillet Area (Eastern Pyrenees, Spain). In *Natural Hazards* (Vol. 30).
- Sarkar, S., & Kanungo, D. P. (2004). An Integrated Approach for Landslide Susceptibility Mapping Using Remote Sensing and GIS. *Photogrammetric Engineering & Remote Sensing*, *70*(5), 617–625.
- Sarker, I. H. (2021). Machine Learning: Algorithms, Real-World Applications and Research Directions. In *SN Computer Science* (Vol. 2, Issue 3). Springer. <https://doi.org/10.1007/s42979-021-00592-x>
- Selamat, S. N., Majid, N. A., & Taha, M. R. (2024). Multicollinearity and spatial correlation analysis of landslide conditioning factors in Langat River Basin, Selangor. *Natural Hazards*. <https://doi.org/10.1007/s11069-024-06903-8>
- Selamat, S. N., Majid, N. A., Taha, M. R., & Osman, A. (2022). Landslide Susceptibility Model Using Artificial Neural Network (ANN) Approach in Langat River Basin, Selangor, Malaysia. *Land*, *11*(6). <https://doi.org/10.3390/land11060833>
- Shanmuganathan, S., & Samarasinghe, S. (2016). *Artificial Neural Network Modelling* (Vol. 628). Springer. <https://doi.org/10.1007/978-3-319-28495-8>

- Sharma, S., Sharma, S., & Athaiya, A. (2020). Activation Functions in Neural Networks. *International Journal of Engineering Applied Sciences and Technology*, 4(12), 310–316. <http://www.ijeast.com>
- Sholarin, E. A., & Awange, J. L. (2015). Geographical information system (GIS). In *Environmental Science and Engineering Subseries Environmental Science* (Issue 9783319276). https://doi.org/10.1007/978-3-319-27651-9_12
- Sobieszczyk, S. (2023, July 20). *Types of Landslides*. USGS.
- Temme, A. J. A. M. (2021). Relations Between Soil Development and Landslides. In *Hydrogeology, Chemical Weathering, and Soil Formation* (pp. 177–185). Wiley. <https://doi.org/10.1002/9781119563952.ch9>
- Trentin, E. (2006). *LNCS 4132 - A Novel Connectionist-Oriented Feature Normalization Technique*.
- Tyagi, A., Tiwari, R. K., & James, N. (2023). Mapping the landslide susceptibility considering future land-use land-cover scenario. *Landslides*, 20(1), 65–76. <https://doi.org/10.1007/s10346-022-01968-7>
- Ullah, I., Aslam, B., Shah, S. H. I. A., Tariq, A., Qin, S., Majeed, M., & Havenith, H. B. (2022). An Integrated Approach of Machine Learning, Remote Sensing, and GIS Data for the Landslide Susceptibility Mapping. *Land*, 11(8). <https://doi.org/10.3390/land11081265>
- Werner, E. D., & Friedman, H. P. (2010). Landslides: Causes, types and effects. In *Landslides Causes Types and Effects*.
- Yi, Y., Zhang, W., Xu, X., Zhang, Z., & Wu, X. (2022). Evaluation of neural network models for landslide susceptibility assessment. *International Journal of Digital Earth*, 15(1), 934–953. <https://doi.org/10.1080/17538947.2022.2062467>
- Youssef, A. M., El-Haddad, B. A., Skilodimou, H. D., Bathrellos, G. D., Golkar, F., & Pourghasemi, H. R. (2024). Landslide susceptibility, ensemble machine learning, and accuracy methods in the southern Sinai Peninsula, Egypt: Assessment and Mapping. *Natural Hazards*. <https://doi.org/10.1007/s11069-024-06769-w>



- Yu, C., & Chen, J. (2020). Landslide susceptibility mapping using the slope unit for southeastern Helong city, Jilin province, China: A comparison of ANN and SVM. *Symmetry*, 12(6), 1–23. <https://doi.org/10.3390/sym12061047>
- Zhou, J., & Civco, D. I. (1996). Using Genetic Learning Neural Networks for Spatial Decision Making in GIS. *Photogrammetric Engineering & Remote Sensing*, 62(11), 1287–1295.