

## DAFTAR PUSTAKA

- Abadi, M., & Moore, D. R. (2022). Selection of Circular Proposals in Building Projects: An MCDM Model for Lifecycle Circularity Assessments Using AHP. *Buildings*, 12(8). <https://doi.org/10.3390/buildings12081110>
- Achadin, Moch. A. D. N. (2017). Analisis Faktor Yang Mempengaruhi Produksi Tebu Pada Sub Sektor Perkebunan Di Provinsi Jawa Timur Tahun 2011-2015. *JURNAL EKONOMI PEMBANGUNAN*, 15, 193–206. <https://doi.org/https://doi.org/10.22219/jep.v15i2.8432>
- Aziz, M. H., & Santosa, S. H. M. B. (2019). Pemanfaatan Citra Sentinel-2A untuk Estimasi Produksi Tanaman Kopi di Sebagian Wilayah Kabupaten Temanggung. *Jurnal Bumi Indonesia*, 8(3).
- BPS. (2023). *Statistik Tebu Indonesia 2022* (Vol. 13). BPS RI.
- Ceccato, P., Gobron, N., Flasse, S., Pinty, B., & Tarantola, S. (2002). Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1 Theoretical approach. *Remote Sensing of Environment*, 82, 198–207. [www.elsevier.com/locate/rse](http://www.elsevier.com/locate/rse)
- Dubey, S. K., Gavli, A. S., Yadav, S. K., Sehgal, S., & Ray, S. S. (2018). Remote Sensing-Based Yield Forecasting for Sugarcane (*Saccharum officinarum* L.) Crop in India. *Journal of the Indian Society of Remote Sensing*, 46(11), 1823–1833. <https://doi.org/10.1007/s12524-018-0839-2>
- Fajri, F. N., & Arifin, Z. (2018). *RANCANG BANGUN APLIKASI TAKSASI TEBU BERBASIS WEBSITE UNTUK MEMREDIKSI HASIL PANEN TEBU PADA PABRIK GULA (PG) PANJI* (Vol. 3, Issue 2).
- Filho, M. G., Kuplich, T. M., & De Quadros, F. L. F. (2020). Estimating natural grassland biomass by vegetation indices using Sentinel 2 remote sensing data. *International Journal of Remote Sensing*, 41(8), 2861–2876. <https://doi.org/10.1080/01431161.2019.1697004>

- Gao, B.-C. (1996). A normalized difference water index for remote sensing of vegetation liquid water from space. *Remote Sensing of Environment*, 58, 257–266. [https://doi.org/10.1016/S0034-4257\(96\)00067-3](https://doi.org/10.1016/S0034-4257(96)00067-3)
- Gavahi, K., Abbaszadeh, P., & Moradkhani, H. (2021). DeepYield: A combined convolutional neural network with long short-term memory for crop yield forecasting. *Expert Systems with Applications*, 184. <https://doi.org/10.1016/j.eswa.2021.115511>
- Ghosh, P., Mandal, D., Bhattacharya, A., Nanda, M. K., & Bera, S. (2018). Assessing crop monitoring potential of sentinel-2 in a spatio-temporal scale. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(5), 227–231. <https://doi.org/10.5194/isprs-archives-XLII-5-227-2018>
- Gitelson, A. A. (2004). Wide Dynamic Range Vegetation Index for Remote Quantification of Biophysical Characteristics of Vegetation. In *J. Plant Physiol* (Vol. 161). <http://www.elsevier-deutschland.de/jplhp>
- Hao, C., Wu, S., & Xu, C. (2008). Comparison of some vegetation indices in seasonal information. *Chinese Geographical Science*, 18(3), 242–248. <https://doi.org/10.1007/s11769-008-0242-y>
- Huang, S., Tang, L., Hupy, J. P., Wang, Y., & Shao, G. (2021). A commentary review on the use of normalized difference vegetation index (NDVI) in the era of popular remote sensing. In *Journal of Forestry Research* (Vol. 32, Issue 1). Northeast Forestry University. <https://doi.org/10.1007/s11676-020-01155-1>
- Jalil, A., Hartatik, S., & Avivi, S. (2022). Pertumbuhan Tanaman Tebu Hasil Mutasi Pada Ketinggian Lokasi Berbeda. *JURNAL BIOLOGI PAPUA*, 14(2), 150–157. <https://doi.org/10.31957/jbp.2295>
- Jenkins, D. G., & Quintana-Ascencio, P. F. (2020). A solution to minimum sample size for regressions. *PLoS ONE*, 15(2). <https://doi.org/10.1371/journal.pone.0229345>
- Kaufman, Y. J., & Tanre, D. (1992). Atmospherically Resistant Vegetation Index (ARVI) for EOS-MODIS. *IEEE TRANSACTIONS ON GEOSCIENCE AND REMOTE SENSING*, 30(2), 261–270. <https://doi.org/10.1109/36.134076>

- Kevin, V., Que, S., Prasetyo, Y. J., & Fibriani, C. (2019). Analisis Perbedaan Indeks Vegetasi Normalized Difference Vegetation Index (NDVI) dan Normalized Burn Ratio (NBR) Kabupaten Pelalawan Menggunakan Citra Satelit Landsat 8. *Indonesian Journal of Modeling and Computing* 1, 1–7.
- Khetkeeree, S. (2020). Infrared Normalized Difference Vegetation Index for Sentinel-2A Imagery. *2020 17th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON)*, 405–408. <https://doi.org/10.1109/ECTI-CON49241.2020.9158105>.
- Kusumawati, N., Marisa, F., & Dharma Wijaya, I. (2017). Prediksi Kurs Rupiah Terhadap Dollar Amerika Dengan Menggunakan Metode Regresi Linear. *JIMP-Jurnal Informatika Merdeka Pasuruan*, 2, 45–56.
- Liang, S., & Wang, J. (2020). Estimate of vegetation production of terrestrial ecosystem. *Advanced Remote Sensing*, 581–620. <https://doi.org/10.1016/B978-0-12-815826-5.00015-5>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing And Image Interpretation* (7th ed.). JohnWiley & Sons, Inc.
- Louis, J., Pflug, B., Debaecker, V., Mueller-Wilm, U., Iannone, R. Q., Boccia, V., & Gascon, F. (2021). EVOLUTIONS OF SENTINEL-2 LEVEL-2A CLOUD MASKING ALGORITHM SEN2COR PROTOTYPE FIRST RESULTS. *International Geoscience and Remote Sensing Symposium (IGARSS), 2021-July*, 3041–3044. <https://doi.org/10.1109/IGARSS47720.2021.9553445>
- Mangewa, L. J., Ndakidemi, P. A., Alward, R. D., Kija, H. K., Bukombe, J. K., Nasolwa, E. R., & Munishi, L. K. (2022). Comparative Assessment of UAV and Sentinel-2 NDVI and GNDVI for Preliminary Diagnosis of Habitat Conditions in Burunge Wildlife Management Area, Tanzania. *Earth (Switzerland)*, 3(3), 769–787. <https://doi.org/10.3390/earth3030044>
- Matsushita, B., Yang, W., Chen, J., Onda, Y., & Qiu, G. (2007). Sensitivity of the Enhanced Vegetation Index (EVI) and Normalized Difference Vegetation Index

- (NDVI) to Topographic Effects: A Case Study in High-Density Cypress Forest. *Sensors*, 7, 2636–2651. <https://doi.org/https://doi.org/10.3390/s7112636>
- Mo, D., Yan, E., Lin, H., Sun, H., Li, J., & Zhang, G. (2012). Development and validation of 2-band EVI with MODIS data in Southeast China. *Proceedings of 2012 International Conference on Measurement, Information and Control*, 88–91. <https://doi.org/10.1109/MIC.2012.6273306>
- Musu, W., Ibrahim, A., & Heriadi. (2021). Pengaruh Komposisi Data Training dan Testing terhadap Akurasi Algoritma C4.5. *SISITI: Seminar Ilmiah Sistem Informasi Dan Teknologi Informasi*, 10(1), 186–195.
- Mutanga, S., Schoor, C. van, Olorunju, P. L., Gonah, T., & Ramoelo, A. (2013). Determining the Best Optimum Time for Predicting Sugarcane Yield Using Hyper-Temporal Satellite Imagery. *Advances in Remote Sensing*, 02(03), 269–275. <https://doi.org/10.4236/ars.2013.23029>
- Odermatt, D., & Gege, P. (2022). Lake Colors: Interpreting Apparent Optical Properties. *Encyclopedia of Inland Waters, Second Edition*, 1, 474–489. <https://doi.org/10.1016/B978-0-12-819166-8.00041-4>
- PTPN X. (2024). *Profil » PTPN X*. <https://ptpn10.co.id/page/profil>
- Putri, E. A. W., Danoedoro, P., & Farda, Moh. N. (2024). Studi Komparasi Teknik Klasifikasi berbasis Objek terhadap Citra Resolusi Spasial Menengah dan Tinggi untuk Pemetaan Tutupan Lahan di Sebagian Kabupaten Kulonprogo. *Majalah Geografi Indonesia*, 38, 1–7. <https://doi.org/10.22146/mgi.70636>
- Rahimi Jamnani, M., Liaghat, A., & Mirzaei, F. (2019). Optimization of sugarcane harvest using remote sensing. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(4/W18), 857–861. <https://doi.org/10.5194/isprs-archives-XLII-4-W18-857-2019>
- Rahman, M. M., & Robson, A. (2020). Integrating landsat-8 and sentinel-2 time series data for yield prediction of sugarcane crops at the block level. *Remote Sensing*, 12(8). <https://doi.org/10.3390/RS12081313>
- Richards, J. A., & Jia, X. (2006). *Remote Sensing Digital Image Analysis: An Introduction*. Germany: springer.

- Ritung, S., & Suryani, E. (2013). Karakteristik Tanah dan Kesesuaian Lahan Tanaman Tebu di Kecamatan Kunduran, Blora, Jawa Tengah. *Jurnal Tanah Dan Iklim*, 37, 57–68.
- Roman, A., & Ursu, T. (2016). Multispectral satellite imagery and airborne laser scanning techniques for the detection of archaeological vegetation marks. *Landscape Archaeology on the Northern Frontier of the Roman Empire at Porolissum: An Interdisciplinary Research Project*, 141–152.
- Roy, P. S. (1989). Spectral reflectance characteristics of vegetation and their use in estimating productive potential. *Proc. Indian Acad. Sci. (Plant Sci.)*, 99(1), 59–81. <https://doi.org/10.1007/bf03053419>
- Safrida, Sofyan, & Taufani, A. (2020). Dampak Impor Gula Terhadap Produksi Tebu Dan Harga Gula Domestik Di Indonesia. *Agribisnis Dan Sosial Ekonomi Pertanian Unpad*, 5(1).
- Schauberger, B., Jägermeyr, J., & Gornott, C. (2020). A systematic review of local to regional yield forecasting approaches and frequently used data resources. In *European Journal of Agronomy* (Vol. 120). Elsevier B.V. <https://doi.org/10.1016/j.eja.2020.126153>
- Shofiyati, R., Habibie, M. I., Ardha, M., & Susanto, B. (2023). A Multi-Index Satellite Data Investigation for Corn Growth Patterns Identification. *2023 IEEE Asia-Pacific Conference on Geoscience, Electronics and Remote Sensing Technology: Global Challenges in Geoscience, Electronics, and Remote Sensing: Future Directions in City, Land, and Ocean Sustainable Development, AGERS 2023*, 156–160. <https://doi.org/10.1109/AGERS61027.2023.10490925>
- Sow, M., Mbow, C., Hély, C., Fensholt, R., & Sambou, B. (2013). Estimation of herbaceous fuel moisture content using vegetation indices and land surface temperature from MODIS data. *Remote Sensing*, 5(6), 2617–2638. <https://doi.org/10.3390/rs5062617>
- Sutanto. (1992). *Penginderaan Jauh II*. Gadjah Mada Press.
- Torgbor, B. A., Rahman, M. M., Robson, A., Brinkhoff, J., & Khan, A. (2022). Assessing the Potential of Sentinel-2 Derived Vegetation Indices to Retrieve

Phenological Stages of Mango in Ghana. *Horticulturae*, 8(1).  
<https://doi.org/10.3390/horticulturae8010011>

Van Thinh, T., Duong, P. C., Nasahara, K. N., & Tadono, T. (2019). How does land use/land cover map's accuracy depend on number of classification classes? *Scientific Online Letters on the Atmosphere*, 15, 28–31.  
<https://doi.org/10.2151/SOLA.2019-006>

Wahyuni, A. P., Astuti, I. S., & Purwanto. (2022). *Estimasi fase pertumbuhan dan produktivitas tebu menggunakan citra sentinel 2 di Kecamatan Dampit, Kabupaten Malang*. 2(12), 1260–1278.  
<https://doi.org/10.17977/um063v2i122022p1260-1278>

Zerrouki, N., & Bouchaffra, D. (2014). Pixel-Based or Object-Based: Which Approach is More Appropriate for Remote Sensing Image Classification? *IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, 864–869.  
<https://doi.org/10.1109/SMC.2014.6974020>.