

- Abbott, R. A. *et al.* (2020) 'Effectiveness of pharmacist home visits for individuals at risk of medication-related problems: A systematic review and meta-analysis of randomised controlled trials', *BMC Health Services Research*, 20(1). doi: 10.1186/s12913-019-4728-3.
- Abdelhafiz, A. H. and Sinclair, A. J. (2019) 'Diabetes in the elderly', *Medicine (United Kingdom)*, 47(2), pp. 119–122. doi: 10.1016/j.mpmed.2018.11.007.
- Achmad, G. N. V. *et al.* (2023) 'Translation, validation, and reliability of the Indonesian version of the Assessment of Quality of Life-4 Dimensions (AQoL-4D)', *Pharmacy Education*, 23(2), pp. 9–13. doi: 10.46542/pe.2023.232.913.
- Aguiar, J. ., Marques, J. . and Alves da Costa, F. (2021) 'Utility and limitations of a screening tool of older person's prescription among psychiatric elder patients: A comprehensive review', *Aging and Health Research*, 1(3), p. 100031. doi: 10.1016/J.AHR.2021.100031.
- Ahmad, A. *et al.* (2014) 'Identification of drug-related problems of elderly patients discharged from hospital', *Patient Preference and Adherence*, 8, pp. 155–165. doi: 10.2147/PPA.S48357.
- Al-Qudah, R. A. *et al.* (2020) 'Cost-benefit analysis of clinical pharmacist intervention in preventing adverse drug events in the general chronic diseases outpatients', *Journal of Evaluation in Clinical Practice*, 26(1), pp. 115–124. doi: 10.1111/jep.13209.
- Al-Temimi, A. A. *et al.* (2021) 'Medication Nonadherence: Implications for Patient Health Outcomes in Pharmacy Practice', *Indonesian Journal of Pharmacy*, 32(4), pp. 416–428. doi: 10.22146/IJP.2236.
- Alfian, R. and Putra, A. M. P. (2017) *Uji Validitas Dan Reliabilitas Kuesioner Medication Adherence Report Scale (MARS) Terhadap Pasien Diabetes Mellitus, Jurnal Ilmiah Ibnu Sina.*
- Alfian, S. D. *et al.* (2020) 'Targeted and tailored pharmacist-led intervention to improve adherence to antihypertensive drugs among patients with type 2 diabetes in Indonesia: study protocol of a cluster randomised controlled trial', *BMJ Open*, 10(1), p. e034507. doi: 10.1136/bmjopen-2019-034507.
- Ali, S., Shimels, T. and Bilal, A. I. (2019) 'Assessment of Patient Counseling on Dispensing of Medicines in Outpatient Pharmacy of Tikur-Anbessa Specialized Hospital, Ethiopia', *Ethiopian journal of health sciences*, 29(6), pp. 727–736. doi: 10.4314/ejhs.v29i6.9.
- Alqallaf, S. M. *et al.* (2022) 'Medication-related burden from the perspective of the elderly', *Medicine and Pharmacy Reports*, 95(3), pp. 320–331. doi: 10.15386/mpr-2133.
- American Diabetes Association Professional Practice Committee (2022) '13 . Older Adults : Standards of Medical Care in Diabetes — 2022', *Diabetes Care*, 45(Supplemen 1), pp. S195–S207.
- American Geriatrics Society (2023) 'American Geriatrics Society 2023 updated AGS Beers criteria® for potentially inappropriate medication use in older adults.', *Journal of the American Geriatrics Society*, (March). doi: 10.1111/jgs.18372.
- Andayani, T. M. *et al.* (2020) *Drug Related Problems : Identifikasi, Faktor risiko dan Pencegahannya.* Yogyakarta: UGM Press.
- Andayani, T.M. *et al.* (2020) 'Perbandingan EQ-5D-5L dan SF-6D Untuk Mengukur Index Utility Kesehatan Pada Populasi Umum di Yogyakarta', *Jurnal Manajemen dan Pelayanan Farmasi*, 10(1), pp. 35–44. doi: 10.22146/JMPF.49462.
- Ansari, A. I. *et al.* (2023) 'Interactions between diabetic and hypertensive drugs: a

- pharmacogenetics approach', *Molecular Genetics and Genomics*, 298(4), pp. 803–812. doi: 10.1007/S00438-023-02011-7/METRICS.
- Aremu, T. O. *et al.* (2022) 'Medication Adherence and Compliance: Recipe for Improving Patient Outcomes', *Pharmacy*, 10(5), p. 106. doi: 10.3390/pharmacy10050106.
- Armando, L. G. *et al.* (2023) 'Clinical decision support systems to improve drug prescription and therapy optimisation in clinical practice: a scoping review', *BMJ Health and Care Informatics*, 30(1), pp. 1–10. doi: 10.1136/bmjhci-2022-100683.
- Awad, A., Alhadab, A. and Albassam, A. (2020) 'Medication-Related Burden and Medication Adherence Among Geriatric Patients in Kuwait: A Cross-Sectional Study', *Front Pharmacol*, 11, p. 1. doi: 10.3389/FPHAR.2020.01296.
- Awad, A. and Hanna, O. (2019) 'Potentially inappropriate medication use among geriatric patients in primary care setting: A cross-sectional study using the Beers, STOPP, FORTA and MAI criteria', *PLoS ONE*, 14(6). doi: 10.1371/JOURNAL.PONE.0218174.
- Bakhtiar, M. . and Seppraudiva, D. (2025) 'Peresepan berpotensi tidak tepat, luaran klinis dan efek samping obat pada pasien geriatri dengan terapi antihipertensi', *Jurnal Ilmiah Manuntung : Sains Farmasi dan Kesehatan*, 11(1), pp. 36–48.
- Basger, B. J., Moles, R. J. and Chen, T. F. (2014) 'Application of drug-related problem (DRP) classification systems: A review of the literature', *European Journal of Clinical Pharmacology*, 70(7), pp. 799–815. doi: 10.1007/S00228-014-1686-X/METRICS.
- Bastani, P. *et al.* (2021) 'Medication adherence among the elderly: applying grounded theory approach in a developing country', *Journal of Pharmaceutical Policy and Practice*, 14(1), pp. 1–8. doi: 10.1186/s40545-021-00340-9.
- Bełtowski, J., Rachańczyk, J. and Włodarczyk, M. (2013) 'Thiazolidinedione-Induced Fluid Retention: Recent Insights into the Molecular Mechanisms', *PPAR Research*, 2013(1), p. 628628. doi: 10.1155/2013/628628.
- Bezrukov, V. *et al.* (2023) 'Effectiveness and safety of pharmacotherapy in elderly patients. Short Review', *Ageing & Longevity*, 4(1 2023), pp. 16–21. doi: 10.47855/jal9020-2023-1-3.
- Biessels, G. J. and Whitmer, R. A. (2020) 'Cognitive dysfunction in diabetes: how to implement emerging guidelines', *Diabetologia*, 63(1), pp. 3–9. doi: 10.1007/S00125-019-04977-9/METRICS.
- Bjerre, L. M. *et al.* (2015) 'Assessing potentially inappropriate prescribing (PIP) and predicting patient outcomes in Ontario's older population: a population-based cohort study applying subsets of the STOPP/START and Beers' criteria in large health administrative databases', *BMJ open*, 5(11). doi: 10.1136/BMJOPEN-2015-010146.
- Bülow, C. *et al.* (2023) 'Medication review in hospitalised patients to reduce morbidity and mortality', *Cochrane Database of Systematic Reviews*, 2023(1). doi: 10.1002/14651858.CD008986.pub4.
- Cabrera, M. A. S. *et al.* (2022) 'Drug Interaction in Institutionalized Elderly People', *International Journal of Geriatrics and Gerontology*, 6(1), p. 133. doi: 10.29011/2577-0748.100033.
- Cahyaningsih, I. and Wicaksono, W. A. (2020) 'Penilaian Risiko Interaksi Obat pada Pasien dengan Diabetes Melitus Tipe 2', *Indonesian Journal of Clinical Pharmacy*, 9(1), p. 9. doi: 10.15416/ijcp.2020.9.1.9.
- Candeias, C. *et al.* (2021) 'Potentially Inappropriate Medications and Potential Prescribing Omissions in Elderly Patients Receiving Post-Acute and Long-Term Care: Application of Screening Tool of Older People's Prescriptions/Screening Tool to Alert to Right Treatment Criteria', *Frontiers in Pharmacology*, 12, p. 2852. doi: 10.3389/FPHAR.2021.747523/BIBTEX.



- Chandrasekhar, D., Samjas, M. and pattani, D. (2019) 'Evaluation of potentially inappropriate medications among hospitalized geriatric patients in tertiary care referral hospital using STOPP/START criteria', *Clinical Epidemiology and Global Health*, 7(3), pp. 268–273. doi: 10.1016/j.cegh.2018.10.008.
- Chen, W. S. *et al.* (2022) 'Factors associated with patient experiences of the burden of using medicines and health-related quality of life: A cross-sectional study', *PLoS ONE*, 17(4). doi: 10.1371/journal.pone.0267593.
- Chen, X., Mao, G. and Leng, S. X. (2014) 'Frailty syndrome: An overview', *Clinical Interventions in Aging*, 9, pp. 433–441.
- Christiandari, H., Supadmi, W. and Sudibyoy, J. (2022) 'Hubungan Medication Related Burden Dengan Kepatuhan Terapi Pada Pasien Stroke Di Rumah Sakit Pku Muhammadiyah Gamping Periode Oktober – November 2021', *Jurnal Kefarmasian Akfarindo*, 7(2), pp. 52–59. doi: 10.37089/JOFAR.VI0.122.
- Christopher, C. M. *et al.* (2023) 'Helping older adults with their medication use problems: A qualitative study on perspectives and challenges of primary health care providers', *Arch Gerontol Geriatr*, 111, pp. 167–4943. doi: 10.1016/j.archger.2023.105007.
- Coleman, J. J. *et al.* (2013) 'On the alert: future priorities for alerts in clinical decision support for computerized physician order entry identified from a European workshop', *BMC Medical Informatics and Decision Making*, 13, p. 1. doi: 10.1186/1472-6947-13-111.
- Cross, A. *et al.* (2020) 'Intervention for Improving Medication-taking ability and Adherence in older adults prescribed multiple medications', *Cochrane Database of Systematic Reviews*, (5), p. CD012419. doi: 10.1002/14651858.CD012419.pub2.www.cochranelibrary.com.
- Curtin, D., Gallagher, P. F. and O'Mahony, D. (2019) 'Explicit criteria as clinical tools to minimize inappropriate medication use and its consequences', *Therapeutic Advances in Drug Safety*, 10, p. 204209861982943. doi: 10.1177/2042098619829431.
- Dabidian, A. *et al.* (2024) 'Impact of a Clinical Decision Support System on the Efficiency and Effectiveness of Performing Medication Reviews in Community Pharmacies: A Randomized Controlled Trial', *Healthcare (Switzerland)*, 12(23), p. 2491. doi: 10.3390/healthcare12232491.
- Darmawan, E. *et al.* (2020) 'Pharmacist intervention can reduce the potential use of inappropriate drugs medications in Indonesian geriatric patients', *Journal of Applied Pharmaceutical Science*, 10(1), pp. 88–95. doi: 10.7324/JAPS.2020.101012.
- Delgado-Silveira, E. and Bermejo-Vicedo, T. (2021) 'The role of pharmacists in geriatric teams: the time is now', *European Geriatric Medicine*, 12(6), pp. 1119–1121. doi: 10.1007/s41999-021-00501-8.
- Dhalwani, N. N. *et al.* (2017) 'Association between polypharmacy and falls in older adults: A longitudinal study from England', *BMJ Open*, 7(10), pp. 1–8. doi: 10.1136/bmjopen-2017-016358.
- Dillon, L. *et al.* (2020) 'Facilitators and barriers to participation in mental well-being programs by older Australians with vision impairment: community and stakeholder perspectives', *Eye* 2020 34:7, 34(7), pp. 1287–1295. doi: 10.1038/s41433-020-0992-z.
- Dinas Kesehatan Kota Surakarta (2023) *Profil Kesehatan Kota Surakarta 2023*.
- Direktorat Pengawasan Distribusi and Produk Terapeutik dan PKRT (2012) *Pedoman Monitoring Efek Samping Obat (MESO) Bagi Tenaga Kesehatan, BPOM RI*. Jakarta.
- Drenth-van Maanen, A. C., Wilting, I. and Jansen, P. A. F. (2020) 'Prescribing medicines to older people—How to consider the impact of ageing on human organ and body functions', *British Journal of Clinical Pharmacology*, 86(10), pp. 1921–1930. doi: 10.1111/bcp.14094.
- Drusch, S., Zureik, M. and Herr, M. (2023) 'Potentially inappropriate medications and

- polypharmacy in the older population: a nationwide cross-sectional study in France in 2019 Potentially', *Therapies*. doi: 10.1016/j.therap.2023.02.001.
- Dwiningrum, A. (2016) 'Evaluasi Pharmacy Support System Dalam Identifikasi Drug Related Problems Pada Pasien Geriatrik Rawat Jalan Evaluation of Pharmacy Support System in Identifying of Drug Related', *Jurnal Manajemen dan Pelayanan Farmasi*, 6(1), pp. 13–18.
- Dwiningrum, A., Andayani, T. M. and Rahmawati, F. (2016) 'Evaluasi Pharmacy Support System dalam Identifikasi Drug Related Problems pada Pasien Geriatrik Rawat Jalan', *Jurnal Manajemen dan Pelayanan Farmasi*, 6(1). doi: <https://doi.org/10.22146/jmpf.233>.
- Ekdahl, A. W. *et al.* (2016) 'Long-Term Evaluation of the Ambulatory Geriatric Assessment: A Frailty Intervention Trial (AGe-FIT): Clinical Outcomes and Total Costs After 36 Months', *Journal of the American Medical Directors Association*, 17(3), pp. 263–268. doi: 10.1016/j.jamda.2015.12.008.
- ElSayed, N. A. *et al.* (2025) 'Older Adults: Standards of Care in Diabetes—2025', *Diabetes Care*, 48(Supplement\_1), pp. S266–S282. doi: 10.2337/DC25-S013.
- EuroQoL (2025) *EQ-5D-5L | EuroQol*. Available at: <https://euroqol.org/information-and-support/euroqol-instruments/eq-5d-5l/?form=MG0AV3> (Accessed: 31 January 2025).
- Fajriansyah *et al.* (2020) 'Impact of pharmacist counseling on health-related quality of life of patients with type 2 diabetes mellitus: a cluster randomized controlled study', *Journal of Diabetes and Metabolic Disorders*, 19(2), pp. 675–682. doi: 10.1007/s40200-020-00528-x.
- Fauziyah, S. *et al.* (2020) 'Adaptation and validation of the screening tool of older people's prescriptions instrument for the Indonesian population', *Journal of Research in Pharmacy Practice*, 9(1), p. 24. doi: 10.4103/jrpp.jrpp\_19\_106.
- Fentahun B., A. *et al.* (2022) 'Medication-related burden and associated factors among diabetes mellitus patients at Felege Hiwot Comprehensive Specialized Hospital in northwest Ethiopia', *Frontiers in Clinical Diabetes and Healthcare*, 3, p. 977216. doi: 10.3389/FCDHC.2022.977216.
- Fick, D. M. *et al.* (2019) 'American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults', *Journal of the American Geriatrics Society*, 67(4), pp. 674–694. doi: 10.1111/jgs.15767.
- Firmansyah, R. (2018) 'Usability Testing Dengan Use Questionnaire Pada Aplikasi Sipolin Provinsi Jawa Barat', *Jurnal Swabumi*, 6(1), pp. 1–7. doi: 10.31294/swabumi.v6i1.3310.
- Flori, D. (2023) 'Caregiving for the Elderly', pp. 221–225. doi: 10.1177/0886109909337376.
- Fried, T. R. *et al.* (2017) 'Effect of the Tool to Reduce Inappropriate Medications (TRIM) on Medication Communication and Deprescribing', *Journal of the American Geriatrics Society*, 65(10), p. 2265. doi: 10.1111/JGS.15042.
- Gallagher, J. *et al.* (2016) 'Structured pharmacist review of medication in older hospitalised patients: a cost-effectiveness analysis.', *Drugs & aging*, 33(4), pp. 285–294. doi: 10.1007/s40266-016-0348-3.
- Gast, A. and Mathes, T. (2019) 'Medication adherence influencing factors - An (updated) overview of systematic reviews', *Systematic Reviews*, 8(1), pp. 1–17. doi: 10.1186/s13643-019-1014-8.
- Gervais, F. *et al.* (2021) 'Drug-related problems among older patients: Analysis of 8 years of pharmacist's interventions', *Annales Pharmaceutiques Françaises*, 79(5), pp. 511–521. doi: 10.1016/j.pharma.2021.02.002.
- Girsang, A. P. L. *et al.* (2022) *Statistik Penduduk Lanjut Usia 2022 (The Statistics of Senior Citizens 2022)*, Badan Pusat Statistik. Edited by A. S. Mustari *et al.* Jakarta: Badan

- Glastras, S. J. *et al.* (2020) 'The Clinical Role of Insulin Degludec/Insulin Aspart in Type 2 Diabetes: An Empirical Perspective from Experience in Australia', *Journal of Clinical Medicine*, 9(4), p. 1091. doi: 10.3390/JCM9041091.
- Gnanasakthy, A. and DeMuro, C. R. (2024) 'The Limitations of EQ-5D as a Clinical Outcome Assessment Tool', *Patient*, 17(3), pp. 215–217. doi: 10.1007/s40271-024-00683-w.
- Griese-Mammen, N. *et al.* (2018) 'PCNE definition of medication review: reaching agreement', *International Journal of Clinical Pharmacy*, 40(5), pp. 1199–1208. doi: 10.1007/s11096-018-0696-7.
- Habsy, B. Al *et al.* (2024) 'Pendekatan Solution Focused Brief Counseling dalam Konseling Kelompok', *Jurnal Pendidikan Non formal*, 1(4), p. 14. doi: 10.47134/jpn.v1i4.515.
- Hamida, N. *et al.* (2019) 'Pengukuran Kualitas Hidup Pasien Program Pengelolaan Penyakit Kronis (Prolanis) di Puskesmas Menggunakan Instrumen EQ-5D-5L', *Majalah Farmaseutik*, 15(2), p. 67. doi: 10.22146/farmaseutik.v15i2.46328.
- Hammar, T., Hellström, L. and Ericson, L. (2020) 'The Use of a Decision Support System in Swedish Pharmacies to Identify Potential Drug-Related Problems—Effects of a National Intervention Focused on Reviewing Elderly Patients' Prescriptions', *Pharmacy 2020, Vol. 8, Page 118*, 8(3), p. 118. doi: 10.3390/PHARMACY8030118.
- Hamzah, I. (2024) 'Teori Perubahan Perilaku', in Nasution, A. S. (ed.) *Konsep Dasar Promosi Kesehatan*. Malang: Future Science.
- Hassanzadeh, T. E., Hohmann, C. and Culmsee, C. (2024) 'Impact of a DSS-supported medication review on the safety of drug therapy and quality of life in patients with antithrombotic therapy', *Frontiers in Pharmacology*, 15(May), pp. 1–13. doi: 10.3389/fphar.2024.1194201.
- Herledan, C. *et al.* (2023) 'Impact of pharmaceutical care interventions on multidisciplinary care of older patients with cancer: A systematic review', *Journal of Geriatric Oncology*, p. 101450. doi: 10.1016/J.JGO.2023.101450.
- Herman, J. M., Handayani, R. . and Siahaan, S. A. (2013) 'Kajian Praktik Kefarmasian Apoteker pada Tatanan Rumah Sakit', *Jurnal Kesehatan Masyarakat Nasional*, 7(8), pp. 365–372.
- Hersberger, K. E., Boeni, F. and Arnet, I. (2013) 'Dose-dispensing service as an intervention to improve adherence to polymedication', *Expert review of clinical pharmacology*, 6(4), pp. 413–421. doi: 10.1586/17512433.2013.811829.
- Hochhold, D. *et al.* (2025) 'Identification, classification, and documentation of drug related problems in community pharmacy practice in Europe: a scoping review', *International Journal of Clinical Pharmacy*, (0123456789). doi: 10.1007/s11096-024-01834-7.
- Husnayain, A. *et al.* (2020) 'Multimorbidity patterns of chronic diseases among indonesians: Insights from indonesian national health insurance (inhi) sample data', *International Journal of Environmental Research and Public Health*, 17(23), pp. 1–12. doi: 10.3390/ijerph17238900.
- Jennings, E. L. M., O'Mahony, D. and Gallagher, P. F. (2022) 'Medication-related quality of life (MRQoL) in ambulatory older adults with multi-morbidity and polypharmacy', *European Geriatric Medicine*, 13(3), pp. 579–583. doi: 10.1007/s41999-021-00573-6.
- Joby, A. *et al.* (2018) 'Impact of Pharmacist Assisted Patient Counselling for Improving Medication Adherence and Quality of Life in Pulmonary Tuberculosis Patients- An Educational Interventional Study', *Journal of Pharmaceutical Research*, 17(4), pp. 1–8. doi: 10.36347/sjams.2022.v10i06.023.
- Jódar-Sánchez, F. *et al.* (2015) 'Cost-utility analysis of a medication review with follow-up service for older adults with polypharmacy in community pharmacies in spain: The conSIGUE program', *Pharmacoeconomics*, 33(6), pp. 599–610. doi: 10.1007/s40273-

- Kardela, W. *et al.* (2022) ‘Penilaian Kualitas Hidup Terkait Kesehatan Pasien Diabetes Melitus Tipe 2 Di Puskesmas Andalas Kota Padang’, *Jurnal Farmasi Higea*, 14(2), p. 110. doi: 10.52689/higea.v14i2.496.
- Kartha, G. *et al.* (2021) ‘Comparison of Beers criteria with START/STOPP criteria for detecting potentially inappropriate medications in a geriatric setting’, *Annals of R.S.C.B.*, 25(4), pp. 224–230.
- Katusiime, B., Corlett, S. A. and Krska, J. (2018) ‘Development and validation of a revised instrument to measure burden of long-term medicines use: the Living with Medicines Questionnaire version 3’, *Patient Related Outcome Measures*, 9, p. 155. doi: 10.2147/PROM.S151143.
- Kim, J. and Parish, A. L. (2021) ‘Nursing: polypharmacy and medication management in older adults’, *Clinics Int Car*, 8, p. 100070. doi: 10.1016/j.intcar.2021.100070.
- Kim, S. K. *et al.* (2015) ‘Estimation of minimally important differences in the EQ-5D and SF-6D indices and their utility in stroke’, *Health and Quality of Life Outcomes*, 13(1), pp. 10–15. doi: 10.1186/s12955-015-0227-3.
- Kornholt, J. *et al.* (2022) ‘Effects of a comprehensive medication review intervention on health-related quality of life and other clinical outcomes in geriatric outpatients with polypharmacy: A pragmatic randomized clinical trial’, *Br J Clin Pharmacol*, 88, pp. 3360–3369. doi: 10.1111/bcp.15287.
- Krieger, T. *et al.* (2020) ‘Caring for Family Caregivers of Geriatric Patients: Results of a Participatory Health Research Project on Actual State and Needs of Hospital-Based Care Professionals’, *International Journal of Environmental Research and Public Health*, 17(16), pp. 1–17. doi: 10.3390/IJERPH17165901.
- Krska, J., Katusiime, B. and Corlett, S. A. (2017) ‘Validation of an instrument to measure patients’ experiences of medicine use: The Living with Medicines Questionnaire’, *Patient Preference and Adherence*, 11, pp. 671–679. doi: 10.2147/PPA.S126647.
- Kwakye, A. O. *et al.* (2024) ‘Factors influencing medication adherence in co-morbid hypertension and diabetes patients: A scoping review’, *Exploratory Research in Clinical and Social Pharmacy*, 13, p. 100426. doi: 10.1016/J.RCSOP.2024.100426.
- Kyriazos, T. A. *et al.* (2018) ‘Applied Psychometrics: The Steps of Scale Development and Standardization Process’, *Psychology*, 9(11), pp. 2531–2560. doi: 10.4236/PSYCH.2018.911145.
- Laka, M., Milazzo, A. and Merlin, T. (2021) ‘Factors That Impact the Adoption of Clinical Decision Support Systems (CDSS) for Antibiotic Management’, *International Journal of Environmental Research and Public Health 2021, Vol. 18, Page 1901*, 18(4), p. 1901. doi: 10.3390/IJERPH18041901.
- Leung, E., Wongrakpanich, S. and Munshi, M. N. (2018) ‘Diabetes management in the elderly’, *Diabetes Spectrum*. American Diabetes Association Inc., pp. 245–253. doi: 10.2337/ds18-0033.
- Lin, H. W. *et al.* (2018) ‘Economic outcomes of pharmacist-physician medication therapy management for polypharmacy elderly: A prospective, randomized, controlled trial’, *Journal of the Formosan Medical Association*, 117(3), pp. 235–243. doi: 10.1016/j.jfma.2017.04.017.
- Lipska, K. J. *et al.* (2015a) ‘Potential overtreatment of diabetes mellitus in older adults with tight glycemic control’, *JAMA Internal Medicine*, 175(3), pp. 356–362. doi: 10.1001/jamainternmed.2014.7345.
- Lipska, K. J. *et al.* (2015b) ‘Potential Overtreatment of Diabetes Mellitus in Older Adults With Tight Glycemic Control’, *JAMA internal medicine*, 175(3), p. 356. doi: 10.1001/JAMAINTERNMED.2014.7345.

- Lopez, N. P., Svensson, S. A. and Wallerstedt, S. M. (2022) 'Clinical relevance of potentially inappropriate medications and potential prescribing omissions according to explicit criteria—a validation study', *European Journal of Clinical Pharmacology*, 78(8), pp. 1331–1339. doi: 10.1007/S00228-022-03337-8/TABLES/5.
- Lucchetti, G. and Lucchetti, A. (2017) 'Inappropriate prescribing in older persons: A systematic review of medications available in different criteria', *Archives of Gerontology and Geriatrics*, 68, pp. 55–61. doi: 10.1016/J.ARCHGER.2016.09.003.
- Malakouti, S. K. *et al.* (2021a) 'A systematic review of potentially inappropriate medications use and related costs among the elderly', *Value in Health Regional Issues*, 25, pp. 172–179. doi: 10.1016/J.VHRI.2021.05.003.
- Malakouti, S. K. *et al.* (2021b) 'A Systematic Review of Potentially Inappropriate Medications Use and Related Costs Among the Elderly', *Value in Health Regional Issues*, 25, pp. 172–179. doi: 10.1016/J.VHRI.2021.05.003.
- Malet-Larrea, A. *et al.* (2017) 'Cost analysis and cost-benefit analysis of a medication review with follow-up service in aged polypharmacy patients', *European Journal of Health Economics*, 18(9), pp. 1069–1078. doi: 10.1007/s10198-016-0853-7.
- Massoud, L., Agha, H. Al and Taleb, M. (2017) 'Pharmacokinetic and Pharmacodynamic Changes in Elderly People', *Wjpmr*, 3(11), pp. 14–23.
- McClure, N. S. *et al.* (2018) 'Minimally Important Difference of the EQ-5D-5L Index Score in Adults with Type 2 Diabetes', *Value in Health*, 21(9), pp. 1090–1097. doi: 10.1016/j.jval.2018.02.007.
- McDonald, E. G. *et al.* (2019) 'The MedSafer Study: A Controlled Trial of an Electronic Decision Support Tool for Deprescribing in Acute Care', *Journal of the American Geriatrics Society*, 67(9), pp. 1843–1850. doi: 10.1111/JGS.16040,.
- Mehl, G., Labrique, A. B. and Tamrat, T. (2018) *Classification of Digital Health Interventions*. doi: 10.13140/RG.2.2.14531.30243.
- Menkes (2014) 'Peraturan Menteri Kesehatan Republik Indonesia Nomor 79 tahun 2014 tentang Penyelenggaraan Pelayanan Geriatri di Rumah Sakit'.
- Meulendijk, M. C. *et al.* (2015) 'Computerized Decision Support Improves Medication Review Effectiveness: An Experiment Evaluating the STRIP Assistant's Usability', *Drugs & Aging*, 32(6), p. 495. doi: 10.1007/S40266-015-0270-0.
- Meunier, P. Y. *et al.* (2023) 'Barriers and Facilitators to the Use of Clinical Decision Support Systems in Primary Care: A Mixed-Methods Systematic Review', *Annals of Family Medicine*, 21(1), pp. 57–69. doi: 10.1370/AFM.2908/-/DC1.
- Mohiuddin, A. K. (2019) 'Patient Counseling: a Complete Guide for Compliance', *Journal of Applied Pharmaceutical Sciences and Research*, 1(4), pp. 1–10. doi: 10.31069/japsr.v1i4.1.
- Momin, T. *et al.* (2013) 'Use of potentially inappropriate medications in hospitalized elderly at a teaching hospital: A comparison between Beers 2003 and 2012 criteria', *Indian Journal of Pharmacology*, 45(6), p. 603. doi: 10.4103/0253-7613.121372.
- Mongaret, C. *et al.* (2021) 'Barriers and enablers to pharmacist-led medication review in community pharmacy: A prospective study in Grand Est, France', *Annales Pharmaceutiques Francaises*, 79(2), pp. 119–124. doi: 10.1016/j.pharma.2020.10.009.
- Moon, J. *et al.* (2024) 'Clinical decision support systems in community pharmacies: a scoping review', *Journal of the American Medical Informatics Association*, 31(1), pp. 231–239. doi: 10.1093/jamia/ocad208.
- Mouazer, Abdelmalek *et al.* (2022) 'Decision-support systems for managing polypharmacy in the elderly: A scoping review', *Journal of Biomedical Informatics*, 130, p. 104074. doi: 10.1016/j.jbi.2022.104074.
- Mouazer, A *et al.* (2022) 'Decision-support systems for managing polypharmacy in the elderly:

- A scoping review', *Journal of Biomedical Informatics*, 130, p. 104074. doi: 10.1016/j.jbi.2022.104074.
- Mucherino, S. *et al.* (2022) 'The Effectiveness of Interventions to Evaluate and Reduce Healthcare Costs of Potentially Inappropriate Prescriptions among the Older Adults: A Systematic Review.', *International journal of environmental research and public health*, 19(11). doi: 10.3390/ijerph19116724.
- Mulyagustina, M., Wiedyaningsih, C. and Kristina, S. A. (2017) 'Implementation of Pharmaceutical Care Standard in Jambi City's Pharmacies', *Jurnal Manajemen dan Pelayanan Farmasi (Journal of Management and Pharmacy Practice)*, 7(2), p. 83. doi: 10.22146/jmpf.30284.
- Musich, S. *et al.* (2017) 'Caregivers for older adults: Prevalence, characteristics, and health care utilization and expenditures', *Geriatric Nursing*, 38(1), pp. 9–16. doi: 10.1016/J.GERINURSE.2016.06.017.
- Nachtigall, A., Heppner, H. J. and Thürmann, P. A. (2019) 'Influence of pharmacist intervention on drug safety of geriatric inpatients: a prospective, controlled trial', *Therapeutic Advances in Drug Safety*, 10, p. 204209861984336. doi: 10.1177/2042098619843365.
- Nguyen, P. V.-Q. and Martínez, A. V. (2020) 'Impact of Pharmacist Interventions in an Ambulatory Geriatric Care Clinic: The IMPACC Study', *The Senior Care Pharmacist*, 35(5), pp. 230–236. doi: 10.4140/TCP.n.2020.230.
- Niehoff, K. M. *et al.* (2016) 'Development of the Tool to Reduce Inappropriate Medications (TRIM): A Clinical Decision Support System to Improve Medication Prescribing for Older Adults', *Pharmacotherapy*, 36(6), p. 694. doi: 10.1002/PHAR.1751.
- Notenboom, K. *et al.* (2014) 'Practical Problems with Medication Use that Older People Experience: A Qualitative Study', *J Am Geriatr Soc*, 62(12), p. 2339. doi: 10.1111/JGS.13126.
- Nuruzzaman (2017) *Pengaruh Intervensi Apoteker dengan Bantuan Pharmacy Support System (PSS) terhadap Outcome Klinik dan Biaya Terapi Obat Pasien Hipertensi*. Universitas Gadjah Mada.
- O'Sullivan, D. *et al.* (2014) 'The impact of a structured pharmacist intervention on the appropriateness of prescribing in older hospitalized patients', *Drugs and Aging*, 31(6), pp. 471–481. doi: 10.1007/s40266-014-0172-6.
- Orabone, A. W., Do, V. and Cohen, E. (2022) 'Pharmacist-Managed Diabetes Programs: Improving Treatment Adherence and Patient Outcomes.', *Diabetes, metabolic syndrome and obesity: targets and therapy*, 15, pp. 1911–1923. doi: 10.2147/DMSO.S342936.
- Pangribo, S. (2022) 'Infodatin: Lansia Berdaya, Bangsa Sejahtera'. Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI.
- Parekh, N. *et al.* (2019) "'They must help if the doctor gives them to you": A qualitative study of the older person's lived experience of medication-related problems', *Age and Ageing*, 48(1), pp. 147–151. doi: 10.1093/ageing/afy142.
- Pratiwi, A. I., Fudholi, A. and Satibi, S. (2021) 'Analisis Faktor yang Mempengaruhi Implementasi Pelayanan Kefarmasian Puskesmas di Kota Semarang', *Majalah Farmaseutik*, 17(1), p. 1. doi: 10.22146/farmaseutik.v17i1.46980.
- Purba, F. D. *et al.* (2017) 'The Indonesian EQ-5D-5L Value Set', *Pharmacoeconomics*, 35(11), p. 1153. doi: 10.1007/S40273-017-0538-9.
- Putra, J. A. K. (2023) *Analisis Psikometri Validitas Dan Reliabilitas Instrumen Living With Medicine Questionnaire (LMQ) Versi Bahasa Indonesia terhadap Pasien Hipertensi di Daerah Istimewa Yogyakarta (DIY)*. Universitas Gadjah Mada.
- Putra, J. A. K., Anna, W. W. and Chairun, W. (2023) 'Pengukuran Perilaku Kepatuhan

- Penggunaan Obat pada Pasien Hipertensi dengan Probabilistic Medication Adherence Scale (ProMAS)', *Majalah Farmaseutik*, 19(3), pp. 377–384.
- Putri Febriyanti, A. *et al.* (2022) 'Studi Pustaka Evaluasi Polifarmasi pada Pasien Geriatri Diabetes Melitus', *Jurnal Farmasi UIN Alauddin Makassar*, 10(1), pp. 20–27. doi: 10.24252/JFUINAM.V10I1.51056.
- Reutrakul, S. and Van Cauter, E. (2018) 'Sleep influences on obesity, insulin resistance, and risk of type 2 diabetes', *Metabolism: clinical and experimental*, 84, pp. 56–66. doi: 10.1016/J.METABOL.2018.02.010.
- Rina, H., Nasution, A. and Khairunisa (2024) 'Impact of pharmacist counseling on the clinical outcomes in the management of type 2 diabetes mellitus outpatients admitted to a hospital', *International Journal of Basic & Clinical Pharmacology* |, 13(Issue 1), pp. 42–46. doi: 10.22159/ajpcr.2018.v11s1.26577.
- Robert, L. *et al.* (2023) 'Detection of Drug-Related Problems through a Clinical Decision Support System Used by a Clinical Pharmacy Team', *Healthcare (Switzerland)*, 11(6). doi: 10.3390/healthcare11060827.
- Robinson, E. G. *et al.* (2022) 'Healthcare costs of adverse drug reactions and potentially inappropriate prescribing in older adults: a population-based study', *BMJ open*, 12(9). doi: 10.1136/BMJOPEN-2022-062589.
- Rodrigues, A. R. *et al.* (2022) 'Pharmacist Intervention in Portuguese Older Adult Care', *Healthcare (Switzerland)*, 10(10), pp. 1–21. doi: 10.3390/healthcare10101833.
- Rose, O. *et al.* (2020) 'Standards in medication review: An international perspective', *Canadian Pharmacists Journal: CPJ*, 153(4), p. 215. doi: 10.1177/1715163520929665.
- Roughead, E. *et al.* (2019) 'Medicine safety: take care', (January).
- Salihin, M. S. . *et al.* (2020) 'Anti-diabetic medication burden amongst older persons with diabetes and associated quality of life', *Medical Journal of Malaysia*, 75(5), pp. 525–530.
- Sari, N. R. *et al.* (2023) *Statistik penduduk lanjut usia 2023 (Statistics of Senior Citizens 2023)*. 20th edn. Edited by Y. Rachmawati, R. Sinang, and B. Santoso. Jakarta: Badan Pusat Statistik.
- Satria, M. A., Andrajati, R. and Supardi, S. (2022) 'The Translation Process of Pharmaceutical Care Network Europe v9.00 to Bahasa Indonesia: An Instrument to Detect Drug-Related Problem', *Malaysian Journal of Medical Sciences*, 29(3), pp. 133–144. doi: 10.21315/mjms2022.29.3.13.
- Savchenko, L. H. *et al.* (2013) 'Clinical effectiveness of metformin and ramipril combination in complex therapy of patients with metabolic syndrome', *Lik Sprava*, 1, pp. 109–117.
- Schiavo, G. *et al.* (2022) 'Cost of adverse drug events related to potentially inappropriate medication use: A systematic review', *Journal of the American Pharmacists Association*, 62(5), pp. 1463-1476.e14. doi: 10.1016/J.JAPH.2022.04.008.
- Setiati, S. *et al.* (2019) 'Frailty state among Indonesian elderly: Prevalence, associated factors, and frailty state transition', *BMC Geriatrics*, 19(1), pp. 1–10. doi: 10.1186/s12877-019-1198-8.
- Setiawati, M. K., Yasin, N. M. and Pramantara, I. D. P. (2021) 'Pengaruh Intervensi Apoteker terhadap Tingkat Bahaya Drug-Related Problems pada Pasien Geriatrik Rawat Inap', *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, 11(3), p. 201. doi: 10.22146/jmpf.66776.
- Shinu, C. and Dilip, C. (2020) 'Impact of pharmaceutical care programme on health outcome of geriatric patients', *Clinical Epidemiology and Global Health*, 8(3), pp. 894–898. doi: 10.1016/j.cegh.2020.02.019.
- Siallagan, D. and Gesall, J. (2016) 'Geriatric Frailty Syndrome', *Jurnal Universitas Sam*

- Sigal, R. J. *et al.* (2018) ‘Physical Activity and Diabetes’, *Canadian Journal of Diabetes*, 42, pp. S54–S63. doi: 10.1016/J.JCJD.2017.10.008.
- Sinclair, A. J. and Abdelhafiz, A. H. (2020) ‘Challenges and Strategies for Diabetes Management in Community-Living Older Adults’, *Diabetes Spectrum*, 33(3), pp. 217–227. doi: 10.2337/ds20-0013.
- Soelistijo, S. *et al.* (2021) *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*, PB. PERKENI.
- Son, H. *et al.* (2014) ‘Development of a Pharmacokinetic Interaction Model for Co-administration of Simvastatin and Amlodipine’, *Drug Metabolism and Pharmacokinetics*, 29(2), pp. 120–128. doi: 10.2133/DMPK.DMPK-13-RG-053.
- Sternberg, S. A., Guy-Alfandary, S. and Rochon, P. A. (2021) ‘Prescribing cascades in older adults’, *Canadian Medical Association journal*, 193(6), p. E215. doi: 10.1503/cmaj.201564.
- Sukmasetya, P., Setiawan, A. and Arumi, E. R. (2020) ‘Penggunaan Usability Testing Sebagai Metode Evaluasi Website Krs Online Pada Perguruan Tinggi’, *JST (Jurnal Sains dan Teknologi)*, 9(1), pp. 58–67. doi: 10.23887/jstundiksha.v9i1.24691.
- Supadmi, W., Muhlis, M. and Agung, I. B. (2021) ‘Medication Related Burden pada Pasien Gagal Ginjal Kronis di RSUD Kota Yogyakarta’, *Jurnal Sains dan Kesehatan*, 3(6), pp. 760–766. doi: 10.25026/jsk.v3i6.575.
- Suryadi, A. (2024) ‘Dampak Teknologi Informasi Bagi Generasi Milenial’, *Jurnal Manajemen dan Rencana Bisnis Indonesia*, 12(2), pp. 32–42.
- Sutton, R. T. *et al.* (2020) ‘An overview of clinical decision support systems: benefits, risks, and strategies for success’, *npj Digital Medicine*, 3(1), pp. 1–10. doi: 10.1038/s41746-020-0221-y.
- Tamura, Y. *et al.* (2020) ‘Nutrition Management in Older Adults with Diabetes: A Review on the Importance of Shifting Prevention Strategies from Metabolic Syndrome to Frailty’, *Nutrients*, 12(11), p. 3367. doi: 10.3390/NU12113367.
- Tharanon, V., Putthipokin, K. and Sakthong, P. (2022) ‘Drug-related problems identified during pharmaceutical care interventions in an intensive care unit at a tertiary university hospital’, *SAGE Open Medicine*, 10, p. 205031212210908. doi: 10.1177/20503121221090881.
- Thiruchelvam, K. *et al.* (2022) ‘Development, validation and evaluation of an online medication review tool (MedReview)’, *PLoS ONE*, 17(6), p. e0269322. doi: 10.1371/JOURNAL.PONE.0269322.
- Torres-Robles, A. *et al.* (2022) ‘Effectiveness of a medication adherence management intervention in a community pharmacy setting: a cluster randomised controlled trial’, *BMJ Quality and Safety*, 31(2), pp. 105–115. doi: 10.1136/bmjqs-2020-011671.
- Tuladhar, L. R. *et al.* (2021) ‘Drug-drug Interactions between Hypoglycemic and Non-hypoglycemic Medication in Diabetic Patients with Comorbidities in a Tertiary Care Center: A Descriptive Cross-sectional Study’, *JNMA: Journal of the Nepal Medical Association*, 59(243), p. 1125. doi: 10.31729/JNMA.7080.
- Turnodihardjo, M. A., Hakim, L. and Kartikawatiningsih, D. (2016) ‘Effect of Pharmacist Participation During Physician Rounds and Prescription Error in the Intensive Care Unit’, *Indonesian Journal of Clinical Pharmacy*, 5(3), pp. 160–168. doi: 10.15416/ijcp.2016.5.3.160.
- Twigg, M. J. *et al.* (2015) ‘The four or more medicines (FOMM) support service: results from an evaluation of a new community pharmacy service aimed at over-65s.’, *The International journal of pharmacy practice*, 23(6), pp. 407–414. doi: 10.1111/ijpp.12196.

- Verdoorn, S. *et al.* (2018) 'Drug-related problems identified during medication review before and after the introduction of a clinical decision support system', *Journal of Clinical Pharmacy and Therapeutics*, 43(2), pp. 224–231. doi: 10.1111/JCPT.12637.
- Vicente, A. *et al.* (2021) 'Dose Administration Aid Service in Community Pharmacies: Characterization and Impact Assessment', *Pharmacy: Journal of Pharmacy Education and Practice*, 9(4), p. 190. doi: 10.3390/PHARMACY9040190.
- W.K. Kellogg Foundation (2004) *Using Logic Models to Bring Together Planning, Evaluation, and Action : Logic Model Development Guide*. Michigan: W.K. Kellogg Foundation.
- Wahyu, A. *et al.* (2023) 'Pengukuran Kualitas Hidup Menggunakan Instrumen Quality of Well Being Self-Administered Scale (QWB-SA) pada Pasien Hipertensi Measurement of Quality of Life Assessed with Quality of Well Being Self-Administered Scale Instruments in Hypertensive Patients', *Majalah Farmaseutik*, 19(2), pp. 204–213. doi: 10.22146/farmaseutik.v19i2.75595.
- Wang, Y. *et al.* (2021) 'Exploring polypharmacy burden among elderly patients with chronic diseases in Chinese community: a cross-sectional study.', *BMC Geriatr*, 21(1), p. 308. doi: 10.1186/s12877-021-02247-1.
- Wang, Z., Yang, T. and Fu, H. (2021) 'Prevalence of diabetes and hypertension and their interaction effects on cardio-cerebrovascular diseases: a cross-sectional study', *BMC public health*, 21(1), p. 1224. doi: 10.1186/S12889-021-11122-Y/TABLES/7.
- Wasylewicz, A. T. M. and Scheepers-Hoeks, M. J. W. (2018) 'Clinical Decision Support', in Kubben, P., Dumontier, M., and Dekker, A. (eds) *Fundamentals of Clinical Data Science*. Eindhoven, Netherland: Springer, pp. 1–219. doi: 10.1007/978-3-319-99713-1.
- WHO (2019) *Recommendations on digital interventions for health system strengthening*. Geneva: World Health Organization.
- Wibisono, S. *et al.* (2021) *Pedoman Petunjuk Praktis Terapi Insulin Pada Pasien Diabetes Mellitus 2021, Pb Perkeni*.
- Wohlgemut, J. M. *et al.* (2024) 'A scoping review, novel taxonomy and catalogue of implementation frameworks for clinical decision support systems', *BMC medical informatics and decision making*, 24(1), p. 323. doi: 10.1186/s12911-024-02739-1.
- Wooten, J. M. (2012) 'Pharmacotherapy considerations in elderly adults', *Southern Medical Journal*, 105(8), pp. 437–445. doi: 10.1097/SMJ.0b013e31825fed90.
- Wowor, R. and Wantania, F. (2020) 'Masalah Kesehatan pada Lansia: Sindroma Frailty', *Jurnal Biomedik:JBM*, 12(2), p. 83. doi: 10.35790/jbm.12.2.2020.29162.
- Yaacob, N. L. C. *et al.* (2024) 'The Impact of Pharmacist Medication Reviews on Geriatric Patients: A Scoping Review', *Korean Journal of Family Medicine*, 45(3), p. 125. doi: 10.4082/KJFM.23.0220.
- Yuswar, M. A., Susanti, R. and Az-zahra, N. S. (2019) 'Pengukuran Kualitas Hidup Pasien Pengguna Antihipertensi dengan European Quality of Life 5 Dimensions (EQ5D) Questionnaire dan Visual Analog Scale (VAS)', *Jurnal Sains dan Kesehatan*, 2(2), pp. 93–99. doi: 10.25026/jsk.v2i2.123.
- Zhang, S. *et al.* (2023) 'Cognitive dysfunction in diabetes: abnormal glucose metabolic regulation in the brain', *Frontiers in Endocrinology*, 14, p. 1192602. doi: 10.3389/FENDO.2023.1192602/BIBTEX.
- Zhou, T. *et al.* (2021) 'Health-Related Quality of Life in Patients With Different Diseases Measured With the EQ-5D-5L: A Systematic Review', *Frontiers in Public Health*, 9, p. 675523. doi: 10.3389/FPUBH.2021.675523/PDF.
- Zhu, H. T. *et al.* (2019) 'Factors associated with glycemic control in community-dwelling elderly individuals with type 2 diabetes mellitus in Zhejiang, China: A cross-sectional study', *BMC Endocrine Disorders*, 19(1), pp. 1–11. doi: 10.1186/S12902-019-0384-



UNIVERSITAS  
GADJAH MADA

**PENGEMBANGAN DAN EVALUASI EFEKTIVITAS MODEL PELAYANAN STRUCTURED MEDICATION  
REVIEW AND COUNSELING  
(SMaRC) APOTEKER UNTUK PASIEN GERIATRI RAWAT JALAN**

Yeni Farida, 1. Prof. Dr. apt. Tri Murti Andayani, Sp.FRS; 2. Dr. apt., Anna Wahyuni Widayanti, M.P.H. ; 3. Dr. dr. Pro

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

I/TABLES/5.

Zikos, D. and Delellis, N. (2018) 'CDSS-RM: A clinical decision support system reference model', *BMC Medical Research Methodology*, 18(1), pp. 1–14. doi: 10.1186/s12874-018-0587-6.