

## DAFTAR PUSTAKA

- Abdelazim, E.B., Abed, T., Goher, S. S., Alya, S. H., El-Nashar, H. A. S., EL-Moslamy, S. H., El-Fakharany, E. M., Abdul-Baki, E. A., Shakweer, M. M., Eissa, N. G., Elsabahy, M., & Kamoun, E. A. (2024). In vitro and in vivo Studies of Syzygium cumini-loaded electrospun PLGA/PMMA/collagen Nanofibers for accelerating topical wound healing. *RSC Advances*, 14(1), 101-117.
- Agarwal, A., Simonaitis, J., Goyal, V.K., dan Berggren, K.K., 2023, Secondary electron count imaging in SEM, *Ultramicroscopy*, 245, .
- Ahmad, S., Ahmed, W., Mihoub, A., Jamal, A., Farhan Saeed, M., Masood, N., E., Fawad, M., & Nicola, S. (2023). Developmental, Phytochemical and Enzymatic Changes in Pot Marigold (*Calendula officinalis* L.) cvs. Hybrid and French with Salicylic Acid (SA) and Polyamine Spermidine (SP) Foliar Spray. *Agronomy*, 13(1).
- Ahmadi Bonakdar, M., & Rodrigue, D. (2024). Electrospinning: Processes, Structures, and Materials. In *Macromol* (Vol. 4, Issue 1, pp. 58–103). Multidisciplinary Digital Publishing Institute (MDPI).
- Ali, A., Zhang, N., dan Santos, R.M., 2023, Mineral Characterization Using Scanning Electron Microscopy (SEM): A Review of the Fundamentals, Advancements, and Research Directions, *Appl. Sci.*, 13, 12600.
- Almuwallad, F., (2023). Evaluation of hyaluronic acid-loaded nanofiber delivery systems in topical cosmetic formulations. *Pharmaceutics*, 15(1), 115.
- Almuwallad, F. M., Alshahrani, S. M., Al-Qahtani, N. H., Alshahrani, A. M., Alqahtani, N. A., & Alharbi, N. A. (2023). Eflornithine hydrochloride loaded electrospun nanofibers as a potential face mask for hirsutism application. *Journal of Drug Delivery Science and Technology*, 80, 104107.
- Alven, S., & Aderibigbe, B. A. (2021). Fabrication of hybrid nanofibers from biopolymers and polyvinyl alcohol (PVA) for wound dressing applications. *Pharmaceutics*, 14(2), 106.
- Aslam, M., Kalyar, M. A., & Raza, Z. A. (2018). Polyvinyl alcohol: A review of research status and use of polyvinyl alcohol based nanocomposites. *Polymer Engineering & Science*, 58(12), 2119-2132.
- Azimi, B., Maleki, H., Zavagna, L., de la Ossa, J.G., Linari, S., Lazzeri, A., dan Danti, S., 2020, Bio-based electrospun fibers for wound healing, *J. Funct. Biomater.*, 11, .
- Bazmandeh, A.Z., Mirzaei, E., Fadaie, M., Shirian, S., & Ghasemi, Y. (2020). Dual spinneret electrospun nanofibrous/gel structure of chitosan-Gelatin/chitosan-hyaluronic acid as a wound dressing: In-vitro and in-vivo Studies. *International Journal of Biological Macromolecules*, 162, 359-373
- Belz, G.T., dan Auchterlonie, G.J., 1995, An investigation of the use of chromium, platinum and gold coating for scanning electron microscopy of casts of lymphoid tissues, *Micron*, 26, 141–144.
- Bhattarai, R. S., Bachu, R. D., Boddu, S. H. S., & Bhaduri, S. (2019). Biomedical Applications of electrospun nanofibers: Drug and nanoparticle delivery. Dalam *Pharmaceutics* (Vol. 11, Nomor 1).MDPI AG.

- Bonilla-Jaimes, J.D., Henao-Martínez, J.A., Mendoza-Luna, C., Castellanos-Alarcón, O.M., dan Ríos-Reyes, C.A., 2016, Non-destructive in situ analysis of garnet by combining scanning electron microscopy and X-ray diffraction techniques, *Dyna*, 83, 84–92.
- Cao, X., Chen, W., Zhao, P., Yang, Y., & Yu, D.-G. (2022). Electrospun Porous Nanofibers: Pore-Forming Mechanisms and Applications for Photocatalytic Degradation of Organic Pollutants in Wastewater. *Polymers*, 14(19).
- Choudhary, O. P., & Priyanka. (2017). Scanning Electron Microscope: Advantages and Disadvantages in Imaging Components. *International Journal of Current Microbiology and Applied Sciences*, 6(5), 1877-1882.
- Contardi, M., Russo, D., Suarato, G., Heredia-Guerrero, J. A., Ceseracciu, L., Penna, I., Margaroli, N., Summa, M., Spanò, R., Tassistro, G., Vezzulli, L., Bandiera, T., Bertorelli, R., Athanassiou, A., & Bayer, I. S. (2019). Polyvinylpyrrolidone/hyaluronic acid-based bilayer constructs for sequential delivery of cutaneous antiseptic and antibiotic. *Chemical Engineering Journal*, 358, 912–923.
- Das, S., Das, J., & Bhattacharjee, S. (2010). *Calendula officinalis* L.: An ornamental plant with high therapeutic value. *Journal of Pharmacognosy and Phytochemistry*, 2(2), 123–130.
- Doostan, M., (2022). Electrospun nanofiber mats loaded with Calendula extract for skin healing applications. *Polymer Bulletin*, 79, 11059–11078.
- Doostan, Mahtab, Doostan, Maryam, Maleki, H., Faridi Majidi, R., Bagheri, F., dan Ghanbari, H., 2022, Co-electrospun poly(vinyl alcohol)/poly( $\epsilon$  caprolactone) nanofiber scaffolds containing coffee and *Calendula officinalis* extracts for wound healing applications, *J. Bioact. Compat. Polym.*, 37, 437–452.
- Environmental Working Group. (2023). *Global cosmetic waste and packaging report*.
- Erol, A., 2018, High-Magnification SEM Micrograph of Siloxanes, *At. Microsc. Its Appl.*, 13.
- Fadlelmoula, A., Pinho, D., Carvalho, V. H., Catarino, S. O., & Minas, G. (2022). Fourier Transform Infrared (FTIR) Spectroscopy to Analyse Human Blood over the Last 20 Years: A Review towards Lab-on-a-Chip Devices. Dalam *Micromachines* (Vol. 13, Nomor 2). MDPI.
- Fatiqin, A., Amrulloh, H., Apriani, I., Lestari, A., Erawanti, B., Saputri, A., Gita, M., Fitrianti, M., Sathuluri, R.R., Kurniawan, Y.S., Wulan, R.M.S., dan Khan, M.S., 2021, A Comparative Study on Phytochemical Screening and Antioxidant Activity of Aqueous Extract from Various Parts of *Moringa oleifera*, *Indones. J. Nat. Pigment.*, 3, 43.
- Forouzande, R., Gharehaghaji, A. A., & Mohammadi, D. (2025). *Advances in electrospinning techniques for synthesis of nanofibers loaded with herbal extracts and natural ingredients: A comprehensive review*. Synsint.
- Fu, R., Li, C., Yu, C., Xie, H., Shi, S., Li, Z., Wang, Q., & Lu, L. (2016). A novel Electrospun membrane based on moxifloxacin hydrochloride/poly(vinyl alcohol)/sodium alginate for antibacterial wound dressings in practical application. *Drug Delivery*, 23(3), 828-839.

- Ghasemi, A. H., Farazin, A., Mohammadimehr, M., & Naeimi, H. (2022). Fabrication and characterization of biopolymers with antibacterial nanoparticles and Calendula officinalis flower extract as an active ingredient for modern hydrogel wound dressings. *Materials Today Communications*, 31.
- Grandgirard, J., Poinot, D., Krespi, L., Nénon, J.-P., & Cortesero, A.-M. (2002). Costs of secondary parasitism in the facultative hyperparasitoid *Pachycrepoideus dubius*: does host size matter? *Entomologia Experimentalis et Applicata*, 103(3), 239-248.
- Han, Y., Zhang, L., Li, X., & Wang, S. (2024). Advances in electrospun nanofiber membranes for dermatological applications: A review. *Materials Science & Engineering C*, 158, 113819.
- Holubovska, A., et al. (2023). Calendula officinalis hydrogel sheet mask for sensitive skin: Formulation and dermatological assessment. *Journal of Cosmetic Science*, 74(2), 187–195.
- Holubovska, Y. I., Petrina, R. O., et al. (2023). *Creation of cosmeceutical hydrogel mask with plant extract*. ResearchGate.
- Hosseini, S. F., Sadeghi, A., & Farokhi, M. (2021). Electrospinning of PVA/chitosan/hyaluronic acid nanofiber containing growth hormone and its release investigations. *Journal of Biomedical Materials Research Part A*, 109(6), 931–940.
- Hsieh, C. T., Lou, C. W., Pan, Y. J., Huang, C. L., Lin, J. H., Lin Z. I., Chen, Y. S., & Chiang, K. C. (2016). Fabrication of poly(vinyl alcohol) nanofibers by wire electrode-incorporated electrospinning. *Fibers and Polymers*, 17(8), 1217-1226.
- Huang, Z.-M., Zhang, Y.-Z., Kotaki, M., & Ramakrishna, S. (2003). A review on polymer nanofibers by electrospinning and their applications in nanocomposites. *Composites Science and Technology*, 63(15), 2223-2253.
- Inkson, B.J., 2016, *Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization*, Elsevier Ltd.
- Jasmina, J., Christiani Telambanua, A., & Novita Yusuf, R. (2014). *EKSPLORASI DAN UJI AKTIVITAS ANTIBAKTERI SENYAWA AKTIF EKSTRAK DAUN PALA (Myristica Fragrans) TERHADAP ERTUMBUHAN BAKTERI Streptococcus Mutans PENYEBAB KARIES GIGI SECARA IN VITRO EXPLORATION AND TESTING OF THE ANTIBACTERIAL ACTIVITY OF ACTIVE COMPOUNDS FROM NUTMEG LEAF EXTRACT (Myristica fragrans) ON THE GROWTH OF Streptococcus mutans THE CAUSATIVE AGENT OF DENTAL CARIES IN VITRO*.
- Jeong, J., Lee, S., & Park, Y. (2022). Consumer perception and usability study of facial sheet masks in Asia: A cross-country comparative study. *Journal of Cosmetic Dermatology*, 21(3), 678–686.
- Jeong, S., & Oh, S. G. (2022). Antiacne Effects of PVA/ZnO Composite Nanofibers Crosslinked by Citric Acid for Facial Sheet Masks. *International Journal of Polymer Science*, 2022.
- Jin, S. G. (2022). Production and application of biomaterials based on polyvinyl alcohol (PVA) as wound dressing. *Macromolecular Bioscience*, 22(1), 2100348.

- Kamoun, E. A., Kenawy, E. R. S., & Chen, X. (2017a). A review on polymeric hydrogel membranes for wound dressing applications: PVA-based hydrogel dressings. Dalam *Journal of Advanced Research* (Vol. 8, Nomor 3, hlm. 217-233). Elsevier B.V.
- Kamoun, E. A., Loutfy, S. A., Hussein, Y., & Kenawy, E. R. S. (2021). Recent advances in PVA-polysaccharide based hydrogels and electrospun nanofibers in biomedical applications: A review. In *International Journal of Biological Macromolecules* (Vol. 187, pp. 755–768). Elsevier B.V.
- Kawee-ai, A. (2025). *Advancing Gel Systems with Natural Extracts: Antioxidant, Antimicrobial Applications, and Sustainable Innovations*. *Gels*, 11(2), 125.
- Kejzlar, P., Švec, M., dan Macajová, E., 2014, The usage of backscattered electrons in scanning electron microscopy, *Manuf. Technol.*, 14, 333–336.
- Khajavi, R., & Damerchely, R. (2007). Effect of polyvinyl alcohol concentration in spinning dope on diameter, beads and HHS of produced nanofibers. *Pakistan Journal of Biological Sciences*; 10(2), 314-317.
- Kim, H., Choi, H. J., & Seo, J. Y. (2023). Biodegradable materials for facial sheet masks: Recent advancements and environmental implications. *International Journal of Cosmetic Science*, 45(1), 14–25.
- Kodavaty, J. (2022). Poly (vinyl alcohol) and hyaluronic acid hydrogels as potential biomaterial systems - A comprehensive review. In *Journal of Drug Delivery Science and Technology* (Vol. 71). Editions de Sante.
- Kodavaty, J. (2022). Trends and innovations in sheet mask formulations: A sustainability perspective. *Cosmetic Science Review*, 12(2), 45–58.
- Konaté, K., Mavoungou, J. F., Lepengué, A. N., Aworet-Samseny, R. R. R., Hilou, A., Souza, A., Dicko, M. H., & M'Batchi, B. (2012). Antibacterial activity against  $\beta$ -lactamase producing Methicillin and Ampicillin-resistant *Staphylococcus aureus*: fractional Inhibitory Concentration Index (FICI) determination. *Annals of Clinical Microbiology and Antimicrobials*, 11(1), 18.
- Kwon, M. Y., Vega, S. L., Gramlich, W. M., Kim, M., Mauck, R. L., & Burdick, J. A. (2018). *Advances: Healthcare Mater*, 7, 1701199.
- Lin, W.-C., Yu, D.-G., & Yang, M.-C. (2006). Blood compatibility of novel poly( $\gamma$ -glutamic acid)/polyvinyl alcohol hydrogels. *Colloids and Surfaces B: Biointerfaces*, 47(1), 43-49.
- Liu, X., Li, Z., & Wang, Y. (2021). Advances in sheet mask formulation: From fiber materials to skin delivery performance. *International Journal of Cosmetic Science*, 43(5), 456–467.
- Mcnesby, K., & Pesce-Rodriguez, R. (2006). *Handbook of Vibrational Spectroscopy*.
- Megelski, S., Stephens, J. S., Chase, D. B., & Rabolt, J. F. (2002). Micro- and Nanostructured Surface Morphology on Electrospun Polymer Fibers. *Macromolecules*, 35(22), 8456-8466.
- Mukherjee, P. K., Maity, N., Nema, N. K., & Sarkar, B. K. (2011). *Bioactive compounds from natural resources against skin aging*. *Phytomedicine*, 19(1), 64–73.

- Muppalla, R., Mude, N., & Veerabrahma, K. (2017). Electrospun polyvinyl alcohol-hyaluronic acid nanofibers for skin tissue engineering. *International Journal of Biological Macromolecules*, 103, 870–878.
- Najim, M. A., Khalil, B. I., & Hameed, A. A. (2022). Characterizing optimum Electrospinning conditions for graft urethanized Poly(Vinyl Alcohol)(U-PVA). *Heliyon*, 8(11).
- Nicolet, T. (2001). *Introduction to Fourier Transform Infrared Spectrometry*. Thermo Nicolet Corporation.
- Noezar, I., Praptowidodo, S., Sin P. Agustin, & Reni Dewita. (2008). Membran PVA-chitosan crosslinked untuk pemisahan campuran etanol-air secara pervaporasi Authors I Noezar. *Jurnal Teknik Kimia Indonesia*, 7(1), 724-730.
- Nurwaha, D., Han, W., & Wang, X. (2013). Investigation of a new needleless electrospinning method for the production of nanofibers. *Journal of Engineered Fibers and Fabrics*, 8(4), 155892501300800420.
- PCPC (Personal Care Products Council). (2021). *Guidelines for Evaluation of Sheet Masks in Personal Care Applications*. Washington, D.C.
- Pachua, L., Das, N., Nath, R., Sutradhar, J., & Das, M. K. (2022). *Natural polymer-based nanocarriers for advanced cosmeceutical application*. In *Nanocosmeceuticals* (Elsevier).
- Park, J.C., Ito, T., Kim, K.O., Kim, K.W., Kim, B.S., Khil, M.S., Kim, H.Y., dan Kim, I.S., 2010, Electrospun poly(vinyl alcohol) nanofibers: Effects of degree of hydrolysis and enhanced water stability, *Polym. J.*, 42, 273–276.
- Rahmati, M., Mills, D. K., Urbanska, A. M., Saeb, M. R., Venugopal, J. R., Ramakrishna, S., & Mozafari, M. (2021). Electrospinning for tissue engineering applications. *Progress in Materials Science*, 117, 100721.
- Ranjha, M.M.A.N., Irfan, S., Lorenzo, J.M., Shafique, B., Kanwal, R., Pateiro, M., Arshad, R.N., Wang, L., Nayik, G.A., Roobab, U., dan Aadil, R.M., 2021, Sonication, a potential technique for extraction of phytoconstituents: A systematic review, *Processes*, 9, 1–21.
- Rodrigues, M., Araujo, A., & Mascarenhas-Melo, F. (2022). *New-generation nanotechnology for development of cosmetics using plant extracts*. In *Nanotechnology for Cosmetics Using Plant Extracts* (Elsevier).
- Rossi, A., Rigano, L., & Formisano, C. (2009). Anti-inflammatory effect of *Calendula officinalis* extract in vivo and in vitro. *Journal of Ethnopharmacology*, 122(2), 339–346.
- SATO, H., O-Hori, M., dan Nakayama, K., 1982, Surface Roughness Measurement by Scanning Electron Microscope, *CIRP Ann. - Manuf. Technol.*, 31, 457–462.
- Saeed, A., Kishwar, F., Nazir, A., & Abid, S. (2022). *Antibacterial sodium alginate cosmetic herbal electrospun nanofiber mask*. *Journal of Innovative Sciences*, 8(2), 212–221.
- Sarney, W.L., 2004, Sample Preparation Procedure for TEM Imaging of Semiconductor Materials, *Army Res. Laboratories*.
- Sridhar, R., Lakshminarayanan, R., Madhaiyan, K., Barathi, V.A., Hsiu, K., Lim, C., dan Ramakrishna, S., 2015, Chem Soc Rev nanofibers based on natural

- materials : applications in tissue regeneration , drug delivery, *Chem. Soc. Rev.*, 44, 790–814.
- Stokroos, I., Kalicharan, D., Van Der Want, J.J.L., dan Jongebloed, W.L., 1998, A comparative study of thin coatings of Au/Pd, Pt and Cr produced by magnetron sputtering for FE-SEM, *J. Microsc.*, 189, 79–89.
- Suryani, A., Lestari, W. D., & Nugroho, A. K. (2024). *Pengembangan Sheet Mask Berbasis Bahan Alami Berbiodegradasi*. *Jurnal Kosmetika dan Bahan Alam*, 7(1), 1–10.
- Suryani, M., Paulus Ginting, F., Roslianizar, S., Fitri, W., Studi Farmasi, P., & Farmasi dan Ilmu Kesehatan, F. (2024). Formulasi Sediaan *Sheet Mask* Ekstrak Etanol Daun Pegagan (*Centella asiatica* (L.) Urb) sebagai Pelembab Kulit Wajah. *Inovasi Kesehatan Global*, 3, 104–118.
- Teixeira, M. A., Paiva, M. C., & Amorim, M. T. P. (2020). Poly(vinyl alcohol) based nanofibrous electrospun scaffolds for tissue engineering applications. *Pharmaceutics*, 12(9), 799.
- Tsuge, M., Takahashi, K., Kurimoto, R., Fulati, A., Uto, K., Kikuchi, A., & Ebara, M. (2019). Fabrication of water absorbing nanofiber meshes toward an efficient removal of excess water from kidney failure patients. *Fibers*, 7(5).
- Verno-Parry, K., 2000, Scanning electron microscopy: An introduction, *Elsevier*, 13, 40–44.
- Volynskii, A.L., Panchuk, D.A., Bol'Shakova, A. V., Yarysheva, L.M., dan Bakeev, N.F., 2011, Structure and properties of nanosized coatings deposited onto polymers, *Colloid J.*, 73, 587–604.
- Wade, R. J., & Burdick, J. A. (2014). Advances in nanofibrous scaffolds for biomedical applications: From electrospinning to self-assembly. *Nano Today*, 9(6), 722-742.
- Xie, J., & Wang, C.-H. (2010). Electrospun nanofibers for novel drug delivery systems. *Journal of Biomedical Materials Research Part A*, 93(2), 1028–1036.
- Xu, B., Liu, D., Xu, G., Zhang, X., & Bi, L. (2013). A measurement method for contact angle based on Hough Transformation. *Measurement*, 46(3), 1109-1114.
- Xu, J., (2022). Composite nanofibrous sheet masks based on PVA/HA for sustained skin hydration. *Materials Science & Engineering C*, 132, 112482.
- Xu, H., Wu, Z., Zhao, D., Liang, H., Yuan, H., & Wang, C. (2022). Preparation and characterization of electrospun nanofibers-based facial mask containing hyaluronic acid as a moisturizing component and huangshui polysaccharide as an antioxidant component. *International Journal of Biological Macromolecules*, 214, 212–219.
- Xu, Z., Chen, X., Liu, T., Zhang, Y., & Wang, L. (2023). Recent advances in biodegradable and biocompatible synthetic polymers used in skin wound healing. *Pharmaceutics*, 15(1), 78.
- Yang, M., Liu, T., Chen, X., & Zhou, Y. (2024). In-situ electrospinning of antioxidant nanofiber facial mask with *Enteromorpha prolifera* polysaccharides. *International Journal of Biological Macromolecules*, 242, 126154.

- Yilmaz, F., Celep, G., & Tetik, G. (2022). *Nanofibers in cosmetics*. In *Nanofiber Research—Reaching New Heights* (IntechOpen).
- Yousefi, I., Pakravan, M., Rahimi, H., Bahador, A., Farshadzadeh, Z., dan Haririan, I., 2017, An investigation of electrospun Henna leaves extract-loaded chitosan based nanofibrous mats for skin tissue engineering, *Mater. Sci. Eng. C*, 75, 433–444.
- Yu, D.-G., & Zhou, J. (2024). Electrospun mlti-chamber nanostructures for sustainable biobased chemical nanofibers. *Next Materials*, 2, 100119.
- Zhang, S., Yang, W., Gong, W., Lu, Y., Yu, D. G., & Liu, P. (2024). Recent Progress of electrospun nanofibers as burning dressings. *RSC Advances*, 14(20), 14374-14391.
- Zhu, M., Lin, S., Sun, Y., Feng, Q., Li, G., & Bian, L. (2016). *Biomaterials*, 77, 44-52.
- Zhu, Y., Gao, C., Liu, Y., & Shen, J. (2016). Hyaluronic acid-modified gelatin microspheres for topical delivery of hydrophilic agents. *International Journal of Pharmaceutics*, 498(1-2), 253–261.