

DAFTAR PUSTAKA

- Afrianto, W. F., Tamnge, F., & Hasanah, L. N. (2020). Review: A relation between ethnobotany and bioprospecting of edible flower Butterfly Pea (*Clitoria ternatea*) in Indonesia. *Asian Journal of Ethnobiology*, 3(2): 51-61.
- Agustin, V., & Gunawan, S. (2019). Uji fitokimia dan aktivitas antioksidan ekstrak mentimun (*Cucumis sativus*). *Tarumanagara Medical Journal*, 1(3): 1-6.
- Apriliani, F., Ayuningtyas, L. P., & Lestari, H. A. (2022). Bunga Telang (*Clitoria ternatea* L.) sebagai Indikator pH dalam Sistem Kemasan Pintar. *Agrotenika*, 5(2): 87-97.
- Asjur, A. V., Santi, E., Musdar, T. A., Saputro, S., & Rahman, R. A. (2023). Formulasi dan Uji Aktivitas Antioksidan Sediaan *Face mist* Ekstrak Etanol Kulit Apel Hijau (*Pyrus malus* L.) dengan Metode DPPH. *Jurnal Sains dan Kesehatan*, 5(3): 297-305.
- Bitwell, C., Indra, S. Sen, Luke, C., & Kakoma, M. K. (2023). A review of modern and conventional extraction techniques and their applications for extracting phytochemicals from plants. *Scientific African*, 19: 1-19.
- Cahyaningsih, E., Era Sandhi, P. K., & Santoso, P. (2019). Skrining Fitokimia dan Uji Aktivitas Antioksidan Ekstrak Etanol Bunga Telang (*Clitoria ternatea* L.) dengan Metode Spektrofotometri UV-Vis. *Ilmiah Medicamento*, 5(1): 51-57.
- Chandimali, N., Bak, S. G., Park, E. H., Lim, H. J., Won, Y. S., Kim, E. K., Park, S. I., & Lee, S. J. (2025). Free radicals and their impact on health and antioxidant defenses: a review. *Cell Death Discovery* 11(1): 1-17.
- Chen, L. H., Chen, I. C., Chen, P. Y., & Huang, P. H. (2018). Application of butterfly pea flower extract in mask development. *Scientia Pharmaceutica*, 86(4): 1-9.
- Clapham, D., Belissa, E., Inghelbrecht, S., Pensé-Lhéritier, A. M., Ruiz, F., Sheehan, L., Shine, M., Vallet, T., Walsh, J., & Tuleu, C. (2023). A Guide to Best Practice in Sensory Analysis of Pharmaceutical Formulations. *Pharmaceutics*, 15(9): 1-27.
- Fatmawati, I., Haeruddin, & Mulyana, W. O. (2023). Uji Aktivitas Antioksidan Ekstrak Etil Asetat Daun Belimbing Wuluh (*Aveerrhoa bilimbi* L.) dengan Metode DPPH. *Jurnal Kimia dan Pendidikan Kimia*, 12(1): 41-49.
- Febriani, Y., & Axyvia, Q. (2024). Formulasi dan Uji Antioksidan Sediaan Face Mist dari Ekstrak Etanol Buah Malaka (*Phyllanthus emblica* L.) sebagai Pelembab Wajah. *Forte Journal*, 4(1): 114-121.
- Fitriansyah, S. N., Wirya, S., Hermayanti, C. (2016). Formulasi dan Evaluasi Spray Gel Fraksi Etil Asetat Pucuk Daun Teh Hijau (*Camelia sinensis* (L.) Kuntze) Sebagai Antijerawat. *Pharmacy: Jurnal Farmasi Indonesia*, 13(02): 202-216.
- Gulcin, İ., & Alwasel, S. H. (2023). DPPH Radical Scavenging Assay. *Processes*, 11(8): 1-20.
- Gupta, G. K., & Kumar Gupta, G. (2010). *Clitoria ternatea* (L.): Old and new aspects. *Journal of Pharmacy Research*, 3(11): 2610-2614.
- Hajiaghaalipour, F., Sanusi, J., & Kanthimathi, M. S. (2016). Temperature and Time of Steeping Affect the Antioxidant Properties of White, Green, and Black Tea Infusions. *Journal of Food Science*, 81(1): 246-254.
- Hoang, H. T., Moon, J. Y., & Lee, Y. C. (2021). Natural antioxidants from plant extracts in skincare cosmetics: Recent applications, challenges and perspectives. *Cosmetics*, 8(4): 1-24.

- Hutahaen, T. A., & Kisno Saputri, R. (2022). Formulasi dan Uji Antioksidan Face Spray Ekstrak Buah Belimbing Wuluh (*Averrhoa bilimbi* L.) Formulation and Antioxidant Test of Face Spray of Belimbing Wuluh (*Averrhoa bilimbi* L.) Fruit Extract. *Journal Systems STF Muhammadiyah Cirebon*, 7(3): 439-448.
- Indriastuti, M., Harun, N., Rismaya, O., Yusuf, A., Kurniasih, N., & Nugraha, D. (2023). Variasi Formula Sediaan Facemist Ekstrak Etanol Daun Kelor (*Moringa oleifera* L.) dan Pengaruhnya Pada Peningkatan Kelembaban Wajah. *Medical Sains: Jurnal Ilmiah Kefarmasian*, 8(1): 215-228.
- Itam, A., Wati, M.S., Agustin, V., Sabri, N., Jumanah, R.A., & Efdi, M. (2021). Comparative Study of Phytochemical, Antioxidant, and Cytotoxic Activities and Phenolic Content of *Syzygium aqueum* (Burm. f. Alston f.) Extracts Growing in West Sumatera Indonesia. *The Scientific World Journal*, 1-9.
- Kamoda, A. P. M. D., Nindatu, M., Kusadhiani, I., Astuty, E., Rahawarin, H., & Asmin, E. (2021). Hasil Penelitian Uji Aktivitas Antioksidan Alga Cokelat *Saragassum* sp. dengan Metode 1,1-difenil-2-pikrihidrasil (DPPH). *Patimura Medical Review*, 3(1): 60-72.
- Karel, A., Kumar, H., & Chowdhary, B. (2018). *Clitoria ternatea* L. a Miraculous Plant. *International Journal of Current Microbiology and Applied Sciences*, 7(09): 672-674.
- Kim, J. J., Kim, K. S., & Yu, B. J. (2018). Optimization of antioxidant and skin-whitening compounds extraction condition from *Tenebrio molitor* larvae (Mealworm). *Molecules*, 23(9): 1-11.
- Korbag, I. & Saleh, S.M. (2017). Designing simple equations to fully understand the conversions among common concentration units: An overview. *Libyan Journal of Science & Technology*, 6(1): 14-18.
- Kuliscic, T., Radonic, A., Katalinic, V., & Milos, M. (2004). Use of different methods for testing antioxidative activity of oregano essential oil. *Food Chemistry*, 85: 633-640.
- Kurniawati, D. & Nastiti, K. (2020). Potentials of betel leaf infusion (*Piper betle* L), lime peel extract (*Citrus aurantifolia*) and bundung extract (*Actinoscirpus grossus*) as Candidiasis Therapy. *Berkala Kedokteran*, 16(2): 95-104.
- Lisyanti, F., Budi, S., & Zulfadhilah, M. (2022). Formulation Test of Preparations Face mist Combination of Pomegranate Peel Extract and Mangosteen Peel as an Antioxidants. *Journal of Advances in Medicine and Pharmaceutical Sciences (JAMAPS)*, 1(1): 15-22.
- Maharani, A. S. (2024). Aktivitas Antioksidan Ekstrak Etanolik Kelopak dan Mahkota Bunga Telang (*Clitoria Ternatea* L.) Segar dan Kering. *Skripsi*, Fakultas Biologi Universitas Gadjah Mada, Sleman
- Malik, A., Ahmad, R., & Najib, A. (2017). Pengujian Aktivitas Antioksidan Ekstrak Terpurifikasi Daun Teh Hijau dan Jati Belanda. *Jurnal Fitofarmaka Indonesia*, 4(2): 238-240.
- Mapoung, S., Semmarath, W., Arjsri, P., Umsumarng, S., Srisawad, K., Thippraphan, P., Yodkeeree, S., & Limtrakul, P. (2021). Determination of phenolic content, antioxidant activity, and tyrosinase inhibitory effects of functional cosmetic creams available on the Thailand market. *Plants*, 10(7): 1-18.

- Marpaung, A. M. (2020). Tinjauan manfaat bunga telang (*Clitoria ternatea* L.) bagi kesehatan manusia. *Journal of Functional Food and Nutraceutical*, 1(2): 63-85.
- Martins, T. E. A., Pinto, C.A.S, Oliveira, A. C., Velasco, M. V. R., Guitierrez, A. R. G., Rafael, M. F. C., Tarazona, J. P. H., & Retuerte, M.G. (2020). Contribution of Topical Antioxidants to Maintain Healthy Skin-A Review. *Scientia Pharmaceutica*, 88(27): 1-17.
- Martono, C. & Suharyani, I. (2018). Formulasi Sediaan Spray Gel Antiseptik dari Ekstrak Etanol Lidah Buaya (*Aloe vera*). *Jurnal Farmasi Muhammadiyah Kuningan*, 3(1): 29-37.
- Megawati, F., Dewi, N. L. K. A. A., Agustini, N. P. D., Suwantara, I. P. T., & Dewi, N. M. S. (2024). Survey Penerimaan Konsumen dan Uji Iritasi terhadap Sediaan Gel Masker Peel-Off Batang Pisang (*Musa paradisiaca* L.) dan Bunga Widuri (*Calotropis gigantea* L.). *Jurnal Ilmiah Medicamento*, 10(1): 1-9.
- Michalak, M. (2022). Plant-Derived Antioxidants: Significance in Skin Health and the Ageing Process. *Int. J. Mol. Sci*, 23(585): 1-29.
- Mohamed, N., Rastilantie, M., & Taha, R. (2011). Plant regeneration of *Clitoria ternatea* from leaf explants cultured in vitro WFL Publisher Science and Technology Plant regeneration of *Clitoria ternatea* from leaf explants cultured in vitro. *Agriculture & Environment*, 9(4): 268-270.
- Mukarromah, M. L., Yulia, N., & Mardhiyah, M. (2025). Differences in Antioxidant Activity of Butterfly Pea Flower Infusion (*Clitoria ternatea* L.) With The Addition of Lemon and Lime. *Indonesian Journal of Pharmaceutical Education*, 4(3): 473-486.
- Multisona, R. R., Shirodkar, S., Arnold, M., & Gramza-Michalowska, A. (2023). *Clitoria ternatea* Flower and Its Bioactive Compounds: Potential Use as Microencapsulated Ingredient for Functional Foods. *Applied Sciences (Switzerland)*, 13(4): 1-24.
- Neda, G. D., Rabeta, & Ong, M. T. (2013). Chemical composition and anti-proliferative properties of flowers of *Clitoria Ternatea*. *International Food Research Journal*, 20(3): 1229-1234.
- Patil, A., Bhide, S., Bookwala, M., Soneta, B., Shankar, V., Almotairy, A., Almutairi, M., & Narasimha Murthy, S. (2018). Stability of Organoleptic Agents in Pharmaceuticals and Cosmetics. *AAPS PharmSciTech*, 19(1): 36-47.
- Poswal, F.S., Russell, G., Mackonochie, M., MacLennan, E., Adukwu, E.C. & Rolfe, V. (2019). Herbal teas and their health benefits: A scoping review. *Plant Foods for Human Nutrition*, 74: 266- 276.
- Purwanti. L., Dasuki, U. A., & Imawan, A. R. (2019). Perbandingan Aktivitas Antioksidan dari Seduhan 3 Merk Teh Hitam (*Camellia sinensis* L.) dengan Metode Seduhan Berdasarkan SNI 01-1902-1995. *Jurnal Ilmiah Farmasi Farmasyifa*, 2(1): 19-25.
- Rabeta, M.S., & Nabil, Z. (2013). Total phenolic compounds and scavenging activity in *Clitoria ternatea* and *Vitex negundo* linn. *International Food Research Journal*, 20(1): 495-500.
- Rahmadasm, N., Wulandari, D., Dinil, A., & Ah, H. (2020). A Literature review: preparation of face mist from natural compounds. *Journal of Pharmaceutical and Sciences*, (3): 372-378.

- Reviana, R., Usman, A.N., Raya, I., Aliyah, Dirpan, A., Arsyad, A., & Fendi, F. (2021). Analysis of antioxidant activity on cocktail honey products as female pre-conception supplements. *Gaceta Sanitaria*, 35(2): 202-205.
- Sadeer, N. B., Montesano, D., Albrizio, S., Zengin, G., & Mahomoodally, M. F. (2020). The versatility of antioxidant assays in food science and safety-chemistry, applications, strengths, and limitations. *Antioxidants*, 9(8): 1–39.
- Sakka, L., & Hasma, H. (2023). *Face mist* Formulation from Yellow Pumpkin (*Cucurbita moschata*) Extract as An Antioxidant. *Indonesian Journal of Pharmaceutical Education*, 3(1): 88-95.
- Schieber, M., & Chandel, N. S. (2014). ROS function in redox signaling and oxidative stress. *Current Biology*, 24(10): 453-462.
- Setiati, O. (2024). Aktivitas Antioksidan Infusa Kelopak dan Mahkota Bunga Telang (*Clitoria ternatea* L.) Kering dengan Perlakuan Pemanasan. *Skripsi*, Fakultas Biologi Universitas Gadjah Mada, Sleman.
- Singh, R., Yu, C. C., Chen, G. W., Chen, C. H., Sinaki, N. Y., Lin, J., & Koxsel, F. (2022). Butterfly Pea Flower as a Novel Ingredient to Produce Antioxidant-Enriched Yellow Pea-Based Breakfast Cereals. *Foods*, 11(21): 1-14.
- Soedirga, L. C., Matita, I. C., & Sidharta, J. (2023). Physicochemical Characteristics of Butterfly Pea Flower Petals Steep Obtained at Different Steeping Temperature and Time. *Reaktor*, 23(1): 9–15.
- Sumartini, Y., Ikrawan, F., & Miftah, M. (2020). Analisis Bunga Telang (*Clitoria ternatea*) dengan Variasi pH Metode Liquid Chromatograph-Tandem Mass Spectrometry (LC-MS/MS). *Pasundan Food Technology Journal*, 7(2): 70-77.
- Timudom, T., Chaiyasut, C., Sivamaruthi, B. S., Tiampasook, P., & Nacapunchai, D. (2020). Anti-sebum efficacy of *Phyllanthus emblica* l. (emblica) toner on facial skin. *Sciences (Switzerland)*, 10(22): 1–16.
- Valencia, T. V., Amananti, W., & Purgiyanti. (2024). Formulasi dan Uji Sifat Fisik *Face mist* dari Ekstrak Bunga Telang (*Clitoria ternatea* L.). *Jurnal Ilmiah Pharmacy*, 11(1): 93-100.
- Xie, J., & Schaich, K. M. (2014). Re-evaluation of the 2,2-diphenyl-1-picrylhydrazyl free radical (DPPH) assay for antioxidant activity. *Journal of Agricultural and Food Chemistry*, 62(19): 4251–4260.
- Yuliani, N. N., & Dienina, D.P. (2015). Uji Aktivitas Antioksidan Infusa Daun Kelor (*Moringa oleifera*) dengan Metode 1,1-diphenyl-2-picrylhydrazyl (DPPH). *Jurnal Info Kesehatan*, 4(2): 1-23.
- Zhang, Q. W., Lin, L.G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, 13(20): 1-26.