

DAFTAR PUSTAKA

- Afify, H. A. (2011). Evaluation of change detection techniques for monitoring land-cover changes: A case study in new Burg El-Arab area. *Alexandria engineering journal*, 50(2), 187-195. <https://doi.org/10.1016/j.aej.2011.06.001>
- Ahadi, G. D., & Zain, N. N. L. E. (2023). Pemeriksaan Uji Kenormalan dengan Kolmogorov-Smirnov, Anderson-Darling dan Shapiro-Wilk. *Eigen Mathematics Journal*, 11-19.
- Aldrian, E., & Susanto, R. D. (2003). Identification of three dominant rainfall regions within Indonesia and their relationship to sea surface temperature. *International Journal of Climatology*, 23, 1435-1452. <https://doi.org/10.1002/joc.950>
- Alongi, D. M. (2008). Mangrove ecosystems: A global biogeographic perspective. In B. Wolanski (Ed.), *Ecology of mangrove and related ecosystems* (pp. 43–59). Springer. https://doi.org/10.1007/978-3-540-75220-6_4
- Amos, D., & Akib, S. (2023). A review of Coastal Protection Using Artificial and Natural Countermeasures—Mangrove Vegetation and Polymers. *Eng—Advances in Engineering*, 4(1), 941–953. <https://doi.org/10.3390/eng4010055>
- Arinasa, I. B. K. (2012). Keanekaragaman Tumbuhan Mangrove di Taman Nasional Bali Barat. *Buletin Kebun Raya*, 15(1), 10-20. <https://doi.org/10.14203/bkr.v15i1.11>
- Badan Informasi Geospasial. (2025). *Prediksi Pasang Surut untuk Lat: -8.15723990, Lon: 114.44549647 (Data yang diakses dari Direktorat Sistem Referensi Geospasial)*. SRGI BIG. Diakses dari <https://srgi.big.go.id/user/data>
- Balai Taman Nasional Bali Barat. (2013). *Data statistik Balai Taman Nasional Bali Barat*. Jembrana, Bali: Balai Taman Nasional Bali Barat.
- Baloloy, A. B., Blanco, A. C., Ana, R. R. C. S., & Nadaoka, K. (2020). Development and application of a new mangrove vegetation index (MVI) for rapid and accurate mangrove mapping. *ISPRS Journal of Photogrammetry and Remote Sensing*, 166, 95-117. <https://doi.org/10.1016/j.isprsjprs.2020.06.001>
- Bannari, A., Morin, D., Bonn, F., & Huete, A. (1995). A review of vegetation indices. *Remote sensing reviews*, 13(1-2), 95-120. <https://doi.org/10.1080/02757259509532298>

- Bao, N., Lechner, A. M., Fletcher, A., Mellor, A., Mulligan, D., & Bai, Z. (2012). Comparison of relative radiometric normalization methods using pseudo-invariant features for change detection studies in rural and urban landscapes. *Journal of Applied Remote Sensing*, 6(1), 063578–1. <https://doi.org/10.1117/1.jrs.6.063578>
- Basyuni, M., Sasmito, S. D., Analuddin, K., Ulqodry, T. Z., Saragi-Sasmito, M. F., Eddy, S., & Milantara, N. (2022). Mangrove biodiversity, conservation and roles for livelihoods in Indonesia. In *Mangroves: Biodiversity, livelihoods and conservation* (pp. 397-445). Singapore: Springer Nature Singapore. https://doi.org/10.1007/978-981-19-0519-3_16
- Baten, W. D. (1942). The Standard Error of the Standard Error of Estimate. *National Mathematics Magazine*, 16(4), 183–185. <https://doi.org/10.2307/3028267>
- Blasco, F., Gauquelin, T., Rasolofoharinoro, M., Denis, J., Aizpuru, M., & Caldairou, V. (1998). Recent advances in mangrove studies using remote sensing data. *Marine and Freshwater Research*, 49(4), 287-296. <https://doi.org/10.1071/mf97153>
- Bunt, J. S., & Williams, W. T. (1981). Vegetational relationships in the mangroves of tropical Australia. *Marine Ecology Progress Series*, 4, 349-359.
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to remote sensing*. Guilford press.
- Colwell, R. N., Wall, S. L., Beck, L. H., Degloria, S. D., Ritter, P. R., Thomas, R. W., ... & Fakhoury, E. (1984). *Remote sensing research for agricultural applications* (No. E85-10090).
- Cooley, S. W., Smith, L. C., Ryan, J. C., Pitcher, L. H., & Pavelsky, T. M. (2019). Arctic-Boreal lake dynamics revealed using CubeSat imagery. *Geophysical Research Letters*, 46(4), 2111-2120. <https://doi.org/10.1029/2018GL081584>
- Danoedoro, P. (2012). Pengantar penginderaan jauh digital. *Penerbit Andi, Yogyakarta*.
- Davidson-Arnott, R., Bauer, B., & Houser, C. (2019). *Introduction to coastal processes and geomorphology*. Cambridge university press.
- de Carvalho Jr, O., Guimaraes, R., Gomes, R., de Carvalho, A., & da Silva, N. (2006, July). Normalization of multi-temporal images using a new change detection method based

- on the spectral classifier. In 2006 *IEEE International Symposium on Geoscience and Remote Sensing* (pp. 771-774). IEEE. <https://doi.org/10.1109/IGARSS.2006.198>
- Defries, R. S., Hansen, M. C., Townshend, J. R. G., Janetos, A. C., & Loveland, T. R. (2000). A new global 1-km dataset of percentage tree cover derived from remote sensing. *Global Change Biology*, 6(2), 247–254. <https://doi.org/10.1046/j.1365-2486.2000.00296.x>
- Kehutanan, D. (2005). Pedoman inventarisasi dan identifikasi lahan kritis mangrove. *Direktorat Jenderal Rehabilitasi Lahan dan Perhutanan Sosial. Jakarta.*
- Department of Forestry of Republic of Indonesia (1997) *National strategy for mangrove management in Indonesia*. Department of Forestry of Republic of Indonesia, Jakarta.
- Direktorat Jenderal Pengendalian Daerah Aliran Sungai dan Hutan Lindung (PDASRH), Kementerian Lingkungan Hidup dan Kehutanan. (2021). *Peta Mangrove Nasional (PMN)*. <https://pdasrh.menlhk.go.id>.
- Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., & Kanninen, M. (2011). Mangroves among the most carbon-rich forests in the tropics. *Nature Geoscience*, 4(5), 293–297. <https://doi.org/10.1038/ngeo1123>
- Duke, N. C. (1992). Mangrove floristics and biogeography. *Tropical mangrove ecosystems*, 41, 63-100.
- FAO. (2007). The world's mangroves 1980–2005. *FAO forestry paper*, 153, 77.
- FAO. (2020). *Global Forest Resources Assessment 2020: Main report*. Rome.
- Gill, S. J., Biging, G. S., & Murphy, E. C. (2000). Modeling conifer tree crown radius and estimating canopy cover. *Forest Ecology and Management*, 126(3), 405–416. [https://doi.org/10.1016/s0378-1127\(99\)00113-9](https://doi.org/10.1016/s0378-1127(99)00113-9)
- Goessens, A., Satyanarayana, B., Van Der Stocken, T., Zuniga, M. Q., Mohd-Lokman, H., Sulong, I., & Dahdouh-Guebas, F. (2014). Is Matang Mangrove Forest in Malaysia Sustainably Rejuvenating after More than a Century of Conservation and Harvesting Management? *PLoS ONE*, 9(8), e105069. <https://doi.org/10.1371/journal.pone.0105069>

- Gopal, B., & Chauhan, M. (2006). Biodiversity and its conservation in the Sundarban Mangrove Ecosystem. *Aquatic Sciences*, 68(3), 338–354. <https://doi.org/10.1007/s00027-006-0868-8>
- Goswami, A., Sharma, D., Mathuku, H., Gangadharan, S. M. P., Yadav, C. S., Sahu, S. K., Pradhan, M. K., Singh, J., & Imran, H. (2022). Change detection in remote sensing image data comparing algebraic and machine learning methods. *Electronics*, 11(3), 431. <https://doi.org/10.3390/electronics11030431>
- Green, E. P., Mumby, P. J., Edwards, A. J., Clark, C. D., & Ellis, A. C. (1997). Estimating leaf area index of mangroves from satellite data. *Aquatic Botany*, 58(1), 11–19. [https://doi.org/10.1016/S0304-3770\(97\)00013-2](https://doi.org/10.1016/S0304-3770(97)00013-2)
- Hamilton, S. E., & Casey, D. (2016). Creation of a high spatio-temporal resolution global database of continuous mangrove forest cover for the 21st century (CGMFC-21). *Global Ecology and Biogeography*, 25(6), 729–738. <https://doi.org/10.1111/geb.12449>
- Hartini, S., Saputro, G. B., & Yulianto, M. (2010, October). Assessing the used of remotely sensed data for mapping mangroves Indonesia. In *Selected topic in Power Systems and remote Sensing in 6th WSEAS International Conference on Remote Sensing (Remote'10)*, Iwate Prefectural University, Japan.
- Hogarth, P. J. (2015). *The biology of mangroves and seagrasses*. <https://doi.org/10.1093/acprof:oso/9780198716549.001.0001>
- Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote sensing of environment*, 25(3), 295-309. [https://doi.org/10.1016/0034-4257\(88\)90106-x](https://doi.org/10.1016/0034-4257(88)90106-x)
- Huete, A., Didan, K., Miura, T., Rodriguez, E., Gao, X., & Ferreira, L. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment*, 83(1–2), 195–213. [https://doi.org/10.1016/s0034-4257\(02\)00096-2](https://doi.org/10.1016/s0034-4257(02)00096-2)
- Hutchings, P., & Saenger, P. (1987). Ecology of mangroves. In *University of Queensland Press eBooks*. http://epubs.scu.edu.au/esm_pubs/727/

- Ilman, M., Wibisono, I. T. C., & Suryadiputra, I. N. N. (2011). State of the art information on mangrove ecosystems in Indonesia. *Wetlands International-Indonesia Programme*, Bogor, 19.
- Jiang, Z., Huete, A. R., Didan, K., & Miura, T. (2008). Development of a two-band enhanced vegetation index without a blue band. *Remote Sensing of Environment*, 112(10), 3833–3845. <https://doi.org/10.1016/j.rse.2008.06.006>
- Jiang, Z., & Huete, A. R. (2010). Linearization of NDVI based on its relationship with vegetation fraction. *Photogrammetric Engineering and Remote Sensing*, 76(8), 965-975. <https://doi.org/10.14358/PERS.76.8.965>
- Ji, L., Zhang, L., Rover, J., Wylie, B. K., & Chen, X. (2014). Geostatistical estimation of signal-to-noise ratios for spectral vegetation indices. *ISPRS Journal of Photogrammetry and Remote Sensing*, 96, 20–27. <https://doi.org/10.1016/j.isprsjprs.2014.06.013>
- Jordan, C. F. (1969). Derivation of Leaf-Area Index from Quality of Light on the Forest Floor. *Ecology*, 50(4), 663–666. <https://doi.org/10.2307/1936256>
- Justice, C. O., & Townshend, J. R. G. (1981). Integrating ground data with remote sensing. In J. R. G. Townshend (Ed.), *Terrain analysis and remote sensing* (pp. 38–58). Allen and Unwin, Boston.
- Kamal, M., Hartono, H., Wicaksono, P., Adi, N. S., & Arjasakusuma, S. (2016). Assessment of Mangrove Forest Degradation Through Canopy Fractional Cover in Karimunjawa Island, Central Java, Indonesia. *Geoplanning Journal of Geomatics and Planning*, 3(2), 107. <https://doi.org/10.14710/geoplanning.3.2.107-116>
- Kantor Menteri Negara Lingkungan Hidup. (1993). Pengelolaan Ekosistem Hutan Mangrove. *Prosiding Lokakarya Pemantapan Strategi Pengelolaan Lingkungan Wilayah Pesisir dan Lautan dalam Pembangunan Jangka Panjang Tahap Kedua*. Kapal Kerinci, 11-13 September 1993, 47 hal.
- Kathiresan, K., & Bingham, B. (2001). Biology of mangroves and mangrove Ecosystems. In *Advances in marine biology* (pp. 81–251). [https://doi.org/10.1016/s0065-2881\(01\)40003-4](https://doi.org/10.1016/s0065-2881(01)40003-4)

- Kementerian Kehutanan Republik Indonesia. (2007). Laporan status mangrove Indonesia. Jakarta: Direktorat Jenderal Rehabilitasi Lahan dan Perhutanan Sosial.
- Korhonen, L., Korhonen, K., Rautiainen, M., & Stenberg, P. (2006). Estimation of forest canopy cover: a comparison of field measurement techniques. *Silva Fennica*, 40(4). <https://doi.org/10.14214/sf.315>
- Kuenzer, C., Bluemel, A., Gebhardt, S., Quoc, T. V., & Dech, S. (2011). Remote Sensing of Mangrove Ecosystems: A review. *Remote Sensing*, 3(5), 878–928. <https://doi.org/10.3390/rs3050878>
- Kumar, A., Stupp, P., Dahal, S., Remillard, C., Bledsoe, R., Stone, A., Cameron, C., Rastogi, G., Samal, R., & Mishra, D. R. (2017). A Multi-Sensor approach for assessing mangrove biophysical characteristics in coastal Odisha, India. *Proceedings of the National Academy of Sciences India Section a Physical Sciences*, 87(4), 679–700. <https://doi.org/10.1007/s40010-017-0441-y>
- Laulikitnont, P. (2014). *Evaluation of mangrove ecosystem restoration success in Southeast Asia* (Master's thesis, University of San Francisco). USF Scholarship Repository. <https://repository.usfca.edu/capstone/12>
- Lemajic, S., Vajsova, B., & Aastrand, P. (2018). *New sensors benchmark report on PlanetScope: Geometric benchmarking test for Common Agricultural Policy (CAP) purposes* (EUR 29319 EN). Publications Office of the European Union. <https://doi.org/10.2760/178918>
- Lemenkova, P. (2015). Analysis of Landsat NDVI time series for detecting degradation of vegetation. *HAL (Le Centre Pour La Communication Scientifique Directe)*. <https://doi.org/10.13140/rg.2.2.14469.29920>
- Liu, H. Q., & Huete, A. (1995). A feedback based modification of the NDVI to minimize canopy background and atmospheric noise. *IEEE Transactions on Geoscience and Remote Sensing*, 33(2), 457–465. <https://doi.org/10.1109/tgrs.1995.8746027>
- Marbawa, I. K. C., Astarini, I. A., & Mahardika, I. G. (2014). Analisis vegetasi mangrove untuk strategi pengelolaan ekosistem berkelanjutan di Taman Nasional Bali Barat. *Ecotrophic*, 8(1), 377980.

- Melillos, G., & Hadjimitsis, D. G. (2020). Using simple ratio (SR) vegetation index to detect deep man-made infrastructures in Cyprus. In *Detection and sensing of mines, explosive objects, and obscured targets XXV* (Proc. SPIE 11418, 114180E). SPIE. <https://doi.org/10.1117/12.2557893>
- Meneses-Tovar, C. L. (2011). NDVI as indicator of degradation. *Unasyhva*, 62(238), 39-46.
- Muhsoni, F. F. (2015). Penginderaan Jauh (Remote Sensing). *Madura: UTMPRESS*.
- Noor, Y. R., Khazali, M., & Suryadiputra, I. N. N. (2012). Panduan pengelolaan mangrove di Indonesia. *Bogor: PHKA/WI-IP*.
- Nurhaliza, A. P., Damayanti, A., & Dimyati, M. (2021). Monitoring Area and Health Changes of Mangrove Forest Using Multitemporal Landsat Imagery in Taman Hutan Raya Ngurah Rai, Bali Province. *IOP Conference Series Earth and Environmental Science*, 673(1), 012050. <https://doi.org/10.1088/1755-1315/673/1/012050>
- Nybakken, J. W. (1988). Biologi laut: suatu pendekatan ekologis (terjemahan). *PT. Gramedia. Jakarta*.
- Planet Labs. (2021). *PlanetScope product specifications*. Planet Labs, Inc.
- Pretzsch, H., Biber, P., Uhl, E., Dahlhausen, J., Rötzer, T., Caldentey, J., Koike, T., Van Con, T., Chavanne, A., Seifert, T., Du Toit, B., Farnden, C., & Pauleit, S. (2015). Crown size and growing space requirement of common tree species in urban centres, parks, and forests. *Urban Forestry & Urban Greening*, 14(3), 466–479. <https://doi.org/10.1016/j.ufug.2015.04.006>
- Qian, S. (2014). What is detection? *Detection*, 2(2), 7-9. <https://doi.org/10.4236/detection.2014.22002>
- Rachman, M. (2016). *Analisis Perubahan Sebaran dan Luasan Hutan Mangrove di Teluk Gilmanuk, Taman Nasional Bali Barat pada Tahun 2006, 2011, dan 2015 dengan Menggunakan Citra Satelit SPOT 4 dan SPOT 6* (Doctoral dissertation, Universitas Brawijaya).
- Ramarokoto, S., Raharijaona, L. J. R., Ravonjimalala, R. H., & others. (2024). Relative importance of local and regional/global drivers of mangrove degradation and

- deforestation in Madagascar. *Regional Environmental Change*, 24(84).
<https://doi.org/10.1007/s10113-024-02247-y>
- Ren, H., Zhou, G., & Zhang, F. (2018). Using negative soil adjustment factor in soil-adjusted vegetation index (SAVI) for aboveground living biomass estimation in arid grasslands. *Remote Sensing of Environment*, 209, 439–445. <https://doi.org/10.1016/j.rse.2018.02.068>
- Rich, P. M. (1990). Characterizing plant canopies with hemispherical photographs. *Remote Sensing Reviews*, 5(1), 13–29. <https://doi.org/10.1080/02757259009532119>
- Safitri, W. R. (2016). Analisis Korelasi Pearson Dalam Menentukan Hubungan Antara Kejadian Demam Berdarah Dengue dengan Kepadatan Penduduk di Kota Surabaya Pada Tahun 2012-2014: Pearson Correlation Analysis to Determine The Relationship Between City Population Density with Incident Dengue Fever of Surabaya in The Year 2012-2014. *Jurnal Ilmiah Keperawatan (Scientific Journal of Nursing)*, 2(2), 21-29.
- Samingan, M. T. (1980). Notes on the vegetation of the tidal areas of South Sumatra, Indonesia, with special reference to Karang Agung.
- Sandilyan, S., & Kathiresan, K. (2012). Mangrove conservation: a global perspective. *Biodiversity and Conservation*, 21(14), 3523–3542. <https://doi.org/10.1007/s10531-012-0388-x>
- Satu Data Indonesia Provinsi Bali. (n.d.). *Portal Satu Data Indonesia Provinsi Bali*. Diakses melalui <https://balisatudata.baliprov.go.id> pada 20 November 2024
- Schowengerdt, R. A. (2006). *Remote sensing: models and methods for image processing*. elsevier.
- Shrestha, D. P. (1994). Land degradation assessment in a GIS and evaluation of remote sensing data integration. In *Proceedings of the 15th world congress of soil science : Vol. 6b : Acapulco, Mexico, July 10-16 1994, pp. 343-344* (Vol. 6b, pp. 343-344).
- Sinabang, N. I., Waruwu, N. K. D., Pauliana, N. G., Rahayu, N. W., & Harefa, N. M. S. (2022). Analisis Pemanfaatan Keanekaragaman Mangrove oleh Masyarakat di Pesisir Pantai Mangrove Paluh Getah. *J-CoSE Journal of Community Service & Empowerment*, 1(1), 10–21. <https://doi.org/10.58536/j-cose.v1i1.7>

- Singh, V., & Qin, X. (2019). Study of rainfall variabilities in Southeast Asia using long-term gridded rainfall and its substantiation through global climate indices. *Journal of Hydrology*, 585, 124320. <https://doi.org/10.1016/j.jhydrol.2019.124320>
- Srikanth, S., Lum, S. K. Y., & Chen, Z. (2015). Mangrove root: adaptations and ecological importance. *Trees*, 30(2), 451–465. <https://doi.org/10.1007/s00468-015-1233-0>
- Supriatna, J. (2008). Melestarikan Alam Indonesia, Yayasan Obor Indonesia.
- Tran, T. V., Reef, R., & Zhu, X. (2022). A review of Spectral Indices for Mangrove Remote Sensing. *Remote Sensing*, 14(19), 4868. <https://doi.org/10.3390/rs14194868>
- Twilley, R. R., & Chen, R. (1998). A water budget and hydrology model of a basin mangrove forest in Rookery Bay, Florida. *Marine and Freshwater Research*, 49(4), 309. <https://doi.org/10.1071/mf97220>
- Untara, G. D. (2009). Buku Informasi Keanekaragaman Hayati Taman Nasional Bali Barat. Ed: Bambang Darmadja dan IPG Arya Kusdyana. Balai Taman Nasional Bali Barat. Jl. Raya Cekik-Gilimanuk, Bali, 82253.
- Vásquez-Grandón, A., Donoso, P., & Gerding, V. (2018). Forest degradation: When is a forest degraded? *Forests*, 9(11), 726. <https://doi.org/10.3390/f9110726>
- Vasquez, J., Acevedo-Barrios, R., Miranda-Castro, W., Guerrero, M., & Meneses-Ospina, L. (2023). Determining Changes in Mangrove Cover Using Remote Sensing with Landsat Images: a Review. *Water Air & Soil Pollution*, 235(1). <https://doi.org/10.1007/s11270-023-06788-6>
- Venkataraman, K., & Sivaperuman, C. (2018). Biodiversity hotspots in India. In *Springer eBooks* (pp. 1–27). https://doi.org/10.1007/978-981-10-6605-4_1
- Warpur, M. (2016). Struktur Vegetasi Hutan Mangrove dan Pemanfaatannya di Kampung Abibiaidi Distrik Supiori Selatan Kabupaten Supiori. *Jurnal Biodjati*, 1(1), 19. <https://doi.org/10.15575/biodjati.v1i1.1040>
- Weiss, M., & Baret, F. (2014). CAN-EYE user manual. France: INRA.
- Winarso, G., Purwanto, A. D., & Yuwono, D. (2014, November). New mangrove index as degradation/health indicator using Remote Sensing data: Segara Anakan and

- Alas Purwo case study. In *12th Biennial Conference of Pan Ocean Remote Sensing Conference* (pp. 309-316).
- Winarso, G., Rosid, M. S., Kamal, M., Asriningrum, W., Margules, C., & Supriatna, J. (2023). Comparison of Mangrove Index (MI) and Normalized Difference Vegetation Index (NDVI) for the detection of degraded mangroves in Alas Purwo Banyuwangi and Segara Anakan Cilacap, Indonesia. *Ecological Engineering*, 197, 107119. <https://doi.org/10.1016/j.ecoleng.2023.107119>
- Yehia, A., Elhifnawy, H., & Safy, M. (2019, February). Effect of different spatial resolutions of multi-temporal satellite images change detection application. In *2019 International Conference on Innovative Trends in Computer Engineering (ITCE)* (pp. 41-46). IEEE. <https://doi.org/10.1109/ITCE.2019.8646510>
- Yengoh, G. T., Dent, D., Olsson, L., Tengberg, A. E., & Tucker, C. J., III. (2015). *Use of the Normalized Difference Vegetation Index (NDVI) to Assess Land Degradation at Multiple Scales*. <https://doi.org/10.1007/978-3-319-24112-8>
- Zaman, M. R., Rahman, M. S., Ahmed, S., & Zuidema, P. A. (2023). What drives carbon stocks in a mangrove forest? The role of stand structure, species diversity and functional traits. *Estuarine Coastal and Shelf Science*, 295, 108556. <https://doi.org/10.1016/j.ecss.2023.108556>
- Zhang, X., & Tian, Q. (2013). A mangrove recognition index for remote sensing of mangrove forest from space. *Current Science (00113891)*, 105(8).
- Zhang, L., Li, B., Li, H., Gu, G., & Wang, X. (2024). Signal-to-noise ratio analysis based on different space remote sensing instruments. *IEEE Photonics Journal*, 16(2), Article 7800609, 1-9. <https://doi.org/10.1109/JPHOT.2023.3330391>
- Zhang, K., Thapa, B., Ross, M.S., & Gann, D. (2016). Remote sensing of seasonal changes and disturbances in mangrove forest: A case study from South Florida. *Ecosphere*, 7(6), e01366. <https://doi.org/10.1002/ecs2.1366>