

- Abdollahzadeh Sharghi, E., Davarpanah, L., 2022. Optimization of chemical coagulation– flocculation process of detergent manufacturing plant wastewater treatment for full scale applications: a case study. *Desalination Water Treat* 262, 38–53. <https://doi.org/10.5004/dwt.2022.28494>
- Afdal, Fadhilah, 2020. Optimasi Penggunaan Koagulan PC300 dan Flokulan A100 untuk Proses Pengolahan Air Limbah Tambang di WWTP01 PT. Mitrabara Adiperdana, Tbk. *Jurnal Bina Tambang* 5.
- Ahmad, A.L., Sumathi, S., Hameed, B.H., 2006. Coagulation of residue oil and suspended solid in palm oil mill effluent by chitosan, alum and PAC. *Chemical Engineering Journal* 118, 99–105. <https://doi.org/10.1016/j.cej.2006.02.001>
- Akcil, A., Koldas, S., 2006. Acid Mine Drainage (AMD): causes, treatment and case studies. *J Clean Prod.* <https://doi.org/10.1016/j.jclepro.2004.09.006>
- Amuda, O.S., Amoo, I.A., 2007. Coagulation/flocculation process and sludge conditioning in beverage industrial wastewater treatment. *J Hazard Mater* 141, 778–783. <https://doi.org/10.1016/j.jhazmat.2006.07.044>
- Anes, M., 2019. Optimasi dosis dan kecepatan pada proses koagulasi-flokulasi lindi TPA Benowo menggunakan poly aluminium chloride dan kitosan dengan Response Surface Methodology design Box-Behnken.
- APHA, 2017. *Standard Methods for the Examination of Water and Wastewater The Nineteenth and Earlier Editions.*
- Asni, N., Nsp, R., Djonaedi, E., Wahyuni, R., 2022. Penentuan dosis optimum koagulan FeCl₃ untuk pengolahan air limbah industri dengan metode jar test.
- Astari, T., Mhendra, emmy, biytmoko, danang, chairuddin, gusti, 2013. 1985-4105-1-SM. Perbaikan Kualitas Air dengan Sistem Penyaringan di Penambangan Rakyat Intan dan Emas di Kecamatan Cempaka, Kota Banjarbaru, Provinsi Kalimantan Selatan 9, 54.
- Azara, Saidi, 2021. *Buku Ajar Mikrobiologi Pangan*

Bela, M., 2019. Optimasi Kinerja Instalasi Pengolahan Air Limbah Industri Pengolahan Kayu di Kabupaten Jombang.

Berhe Gebreegziabher, T., Wang, S., Nam, H., 2019. Adsorption of H₂S, NH₃ and TMA from indoor air using porous corncob activated carbon: Isotherm and kinetics study. *J Environ Chem Eng* 7. <https://doi.org/10.1016/j.jece.2019.103234>

Bratby, John., 2016. Coagulation and flocculation in water and wastewater treatment. IWA Publishing.

Ceballos-Escalera, A., Pous, N., Chiluiza-Ramos, P., Korth, B., Harnisch, F., Bañeras, L., Balaguer, M.D., Puig, S., 2021. Electro-bioremediation of nitrate and arsenite polluted groundwater. *Water Res* 190. <https://doi.org/10.1016/j.watres.2020.116748>

Desiana, N., Ngatijo, Lagowa, M.I., 2022. Pengelolaan air limbah tambang dengan metode bioadsorpsi menggunakan karbon aktif tempurung kelapa. *Jurnal Teknologi Mineral dan Batubara* 18, 97–103. <https://doi.org/10.30556/jtmb.Vol18.No2.2022.1175>

Eckenfelder, 2000. *Industrial Water Quality*.

EITI Indonesia, 2025. *Infografis Produksi sampai Penjualan Batu Bara*. 2017.

Field, A., 2024. *Discovering statistics using IBM SPSS statistics*.

Gregory, J., Duan, J., 2001. Hydrolyzing metal salts as coagulants, dalam: *Pure and Applied Chemistry*. Walter de Gruyter GmbH, hlm. 2017–2026. <https://doi.org/10.1351/pac200173122017>

Hunter, R.J., 1981. Chapter 3 - The Calculation of Zeta Potential, dalam: HUNTER, R.J. (Ed.), *Zeta Potential in Colloid Science*. Academic Press, hlm. 59–124. <https://doi.org/https://doi.org/10.1016/B978-0-12-361961-7.50007-9>

Husaini, H., Cahyono, S.S., Suganal, S., Hidayat, K.N., 2018. PERBANDINGAN KOAGULAN HASIL PERCOBAAN DENGAN KOAGULAN KOMERSIAL MENGGUNAKAN METODE JAR TEST. *Jurnal Teknologi Mineral dan Batubara* 14, 31. <https://doi.org/10.30556/jtmb.vol14.no1.2018.387>

Imam, G., 2005. *Aplikasi analisis multivariate dengan program SPSS*. Semarang: Badan Penerbit Universitas Diponegoro.

Pada Pengolahan Air Limbah Application Of Biofilter Wwtp For Treatment Of Food Industry Waste Water (Capacity , 75 M³ / Day) 79–89.

Jiao, R., Fabris, R., Chow, C.W.K., Drikas, M., van Leeuwen, J., Wang, D., Xu, Z., 2017. Influence of coagulation mechanisms and floc formation on filterability. *J Environ Sci (China)* 57, 338–345. <https://doi.org/10.1016/j.jes.2017.01.006>

Kurniawan, S.B., Imron, M.F., Chik, C.E.N.C.E., Owodunni, A.A., Ahmad, A., Alnawajha, M.M., Rahim, N.F.M., Said, N.S.M., Abdullah, S.R.S., Kasan, N.A., Ismail, S., Othman, A.R., Hasan, H.A., 2022. What compound inside biocoagulants/bioflocculants is contributing the most to the coagulation and flocculation processes? *Science of the Total Environment*. <https://doi.org/10.1016/j.scitotenv.2021.150902>

Lee, A., Kim, K., 2020. New approach to remove heavy metals from wastewater by the coagulation of alginate-rhamnolipid solution with aluminum sulfate. *Water (Switzerland)* 12. <https://doi.org/10.3390/w12123406>

Lin, J.L., Chin, C.J.M., Huang, C., Pan, J.R., Wang, D., 2008. Coagulation behavior of Al₁₃ aggregates. *Water Res* 42, 4281–4290. <https://doi.org/10.1016/j.watres.2008.07.028>

Makmur Muzamil, 2024. Perbandingan Jenis Koagulan dan Perlakuan Operasi yang Efektif untuk Penurunan Total Suspended Solid dalam Pengolahan Runoff Pertambangan Silika-Batubara.

Malhotra Miss Sonu, 1994. Poly aluminium chloride as an alternative coagulant.

Mao Rui, L., Daud, Z., Aziz Abdul Latif, A., 2012. Treatment of Leachate by Coagulation-Flocculation using different Coagulants and Polymer: A Review.

Masduqi, A., Slamet, A., 2002. Satuan Operasi untuk pengolahan air. Jurusan Teknik Lingkungan Fakultas Teknik Sipil dan Perencanaan, Institut Teknologi Sepuluh Nopember, Surabaya.

Mecalf and Eddy, 2014. *Wastewater Engginering by Mecalf and Eddy* 2003 (5).

Koagulasi-Flokulasi dengan Koagulan FeCl_3 (Ferric Chloride) dan AOPs (Advanced Oxidation Process) dengan $\text{Fe-H}_2\text{O}_2$ (Studi Kasus: TPA Jatibarang)

Miao, L., Duan, H., Wang, Z., Lv, Y., Xiong, W., Zhu, D., Gan, L., Li, L., Liu, M., 2020.

Improving the pore-ion size compatibility between poly(ionic liquid)-derived carbons and high-voltage electrolytes for high energy-power supercapacitors. *Chemical Engineering Journal* 382. <https://doi.org/10.1016/j.cej.2019.122945>

Mufid, A., Mochammad Zainuri, S., 2016. Sintesis dan Karakterisasi Komposit Lithium

Ferro Phosphate/Grafit dengan Variasi Fraksi Berat Grafit melalui Proses Solid State.

Munir, S., Sodikin, D.I., Penelitian, P., Pengembangan, D., Mineral, T., Batubara, D.,

Sudirman, J.J., 2009. Hubungan antara Parameter Karakteristik Limbah Batubara Kalimantan Timur dan Karakteristik Pembakarannya, *Jurnal Teknologi Mineral dan Batubara*.

Nordstrom, D.K., 2011. Mine waters: Acidic to circumneutral. *Elements* 7, 393–398.

<https://doi.org/10.2113/gselements.7.6.393>

Philip Kristanto, 2002. *Ekologi Industri*. .

Prastyo, Rahayoe, A.S., 2018. Penyaringan Metode Buchner Sebagai Alternatif Pengganti

Penyaringan Sederhana Pada Percobaan Adsorpsi Dalam Pratikum Kimia Fisika.

Prihatinningtyas, Eka, 2013. Aplikasi Koagulan Alami dari Tepung Jagung dalam

Pengolahan Air Bersih Agus Jatnika Effendi.

Pui, D., Sheng, W., Bilad, M.R., Shamsuddin, N., 2022. Assessment and Optimization of

Coagulation Process in Water Treatment Plant: A Review. <https://doi.org/10.17509/xxxx.xxxx>

Purnama, H., Artisya Santoso, C., 2024. Pengaruh Kecepatan Pengadukan dan Konsentrasi

Aktivator Arang Tempurung Kelapa pada Proses Koagulasi-Adsorpsi Limbah Laundry. *Journal of Chemical Engineering* 5.

Kadityaningrum, A.D., Caroline, J., 2017. Penurunan BOD₅, COD, dan TSS pada Limbah Cair Industri Batik dengan Koagulan PAC pada Proses Koagulasi-Flokulasi. Surabaya.

Ran, F., Wu, S., Zheng, X., Zhao, M., Liu, S., Wang, L., Fan, C., 2025. Impact of flocculant compounding on dewatering of river sludge with high water content via flocculation, filter-pressing, and electro-osmotic coupled process. *J Environ Chem Eng* 13. <https://doi.org/10.1016/j.jece.2025.115390>

Renault, F., Sancey, B., Badot, P.M., Crini, G., 2009. Chitosan for coagulation/flocculation processes - An eco-friendly approach. *Eur Polym J*. <https://doi.org/10.1016/j.eurpolymj.2008.12.027>

Reno Fitriyanti, 2017. Penggunaan Aluminium Sulfat untuk Menurunkan Kekeruhan dan Warna pada Limbah Cair Stockpile Batubara dengan Metode Koagulasi dan Flokulasi.

Reynolds, T., Richards, P., 1982. unit operations and processes in environmental engineering.

RIANTI RAHARDJA, 2013. Optimasi Chemical Conditioning untuk Meningkatkan Efisiensi Dewatering Lumpur Biologis IPAL PT Rohm dan Haas Indonesia.

Sekine, M., Akizuki, S., Kishi, M., Toda, T., 2018. Stable nitrification under sulfide supply in a sequencing batch reactor with a long fill period. *Journal of Water Process Engineering* 25, 190–194. <https://doi.org/10.1016/j.jwpe.2018.05.012>

Si Sunestri Santika, 1984. metoda penelitian AIR 56, Penerbit Usaha Nasional, Surabaya, Indonesia.

Silva, J.A., 2023. Wastewater Treatment and Reuse for Sustainable Water Resources Management: A Systematic Literature Review. *Sustainability* (Switzerland). <https://doi.org/10.3390/su151410940>

Simate, G.S., Ndlovu, S., 2014. Acid mine drainage: Challenges and opportunities. *J Environ Chem Eng*. <https://doi.org/10.1016/j.jece.2014.07.021>

Sis, H., Başaran, B., 2023. Investigating acid mine drainage potential and alteration properties of Zn-Pb wastes from Görgü (Malatya, Türkiye) region. *Physicochemical Problems of Mineral Processing* 59. <https://doi.org/10.37190/PPMP/169357>

Susanto, 2008. *Optimasi Koagulasi-Flokulasi Dan Analisis Kualitas Air Pada Industri Semen*. Universitas Islam Negeri Syarif Hidayatullah.

Tchobanoglous, G., Burton, F.L., David Stensel, H., 2014. *Wastewater Engineering Treatment and Reuse (Fourth Edition)*.

Thiruvengkatachari, R., Francis, M., Cunnington, M., Su, S., 2016. Application of Integrated Forward and Reverse Osmosis for Coal Mine Wastewater Desalination. *Sep Purif Technol* 163. <https://doi.org/10.1016/j.seppur.2016.02.034>

Unknown, 2015. *Koagulasi-Flokulasi dalam Pengolahan Air Minum [WWW Document]*. 2015.

United States Department of Agriculture (USDA), 1938. *Judul dokumen*. Washington, DC: U.S. Government Printing Office.

Wahyu Ardie Nugroho. 2009. *Optimasi Penggunaan Koagulan pada Pengolahan Air Limbah Batubara*.

Wang, D., Tang, H., Gregory, J., 2002. Relative importance of charge neutralization and precipitation on coagulation of kaolin with PACI: Effect of sulfate ion. *Environ Sci Technol* 36, 1815–1820. <https://doi.org/10.1021/es001936a>

Wang, Y., 2018. *University of Alberta Application of Coagulation-Flocculation Process for Treating Oil Sands Process-Affected Water*.

Widiyanto, M.A., 2013. *Statistika Terapan Konsep & Aplikasi SPSS/LISREL dalam Penelitian Pendidikan, Psikologi & Ilmu Sosial Lainnya*. Jakarta: PT. Elex Media Komputindo.

Yang, P., Li, D., Zhang, W., Wang, N., Yang, Z., Wang, D., Ma, T., 2019. Flocculation-dewatering behavior of waste activated sludge particles under chemical conditioning with inorganic polymer flocculant: Effects of typical sludge properties. *Chemosphere* 218, 930–940. <https://doi.org/10.1016/j.chemosphere.2018.11.169>



UNIVERSITAS
GADJAH MADA

Studi Pengaruh Jenis dan Dosis Koagulan terhadap Filterability Sludge dalam Pengolahan Air Run-Off

Kegiatan Tambang Batu Bara

Asa Ratu Balqis, Johan Syafri Mahathir Ahmad, S.T., M.Eng., Ph.D.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yulianti, S., 2006. Proses Koagulasi–Flokulasi Pada Pengolahan Tersier Limbah Cair PT.

Capsugel Indonesia.