

DAFTAR PUSTAKA

- [1] G. Gs, “An Overview on Powder X-Ray Diffraction and Its Current Applications,” *J. Phys.*, vol. 4, no. 3, 2015.
- [2] R. G. Marquart, I. Katsnelson, G. W. A. Milne, S. R. Heller, G. G. Johnson, and R. Jenkins, “A search–match system for X-ray powder diffraction data,” *J. Appl. Crystallogr.*, vol. 12, no. 6, pp. 629–634, Dec. 1979, doi: 10.1107/S0021889879013522.
- [3] A. Ziletti, D. Kumar, M. Scheffler, and L. M. Ghiringhelli, “Insightful classification of crystal structures using deep learning,” *Nat. Commun.*, vol. 9, no. 1, p. 2775, Jul. 2018, doi: 10.1038/s41467-018-05169-6.
- [4] J. Schuetzke, A. Benedix, R. Mikut, and M. Reischl, “Enhancing deep-learning training for phase identification in powder X-ray diffractograms,” *IUCrJ*, vol. 8, no. 3, pp. 408–420, May 2021, doi: 10.1107/S2052252521002402.
- [5] H. Wang *et al.*, “Rapid Identification of X-ray Diffraction Patterns Based on Very Limited Data by Interpretable Convolutional Neural Networks,” *J. Chem. Inf. Model.*, vol. 60, no. 4, pp. 2004–2011, Apr. 2020, doi: 10.1021/acs.jcim.0c00020.
- [6] J.-W. Lee, W. B. Park, J. H. Lee, S. P. Singh, and K.-S. Sohn, “A deep-learning technique for phase identification in multiphase inorganic compounds using synthetic XRD powder patterns,” *Nat. Commun.*, vol. 11, no. 1, p. 86, Jan. 2020, doi: 10.1038/s41467-019-13749-3.
- [7] J. Bastida and P. Pardo-Ibañez, “Applications of X-ray Powder Diffraction Microstructural Analysis in Applied Clay Mineralogy,” *Minerals*, vol. 14, no. 6, p. 584, May 2024, doi: 10.3390/min14060584.
- [8] F. Massuyeau, T. Broux, F. Coulet, A. Demessence, A. Mesbah, and R. Gautier, “Perovskite or Not Perovskite? A Deep-Learning Approach to Automatically Identify New Hybrid Perovskites from X-ray Diffraction Patterns,” *Adv. Mater.*, vol. 34, no. 41, p. 2203879, Oct. 2022, doi: 10.1002/adma.202203879.
- [9] M. Wilhelm, F. Lotter, C. Scherdel, and J. Schmitt, “Advancing Efficiency in Mineral Construction Materials Recycling: A Comprehensive Approach Integrating Machine Learning and X-ray Diffraction Analysis,” *Buildings*, vol. 14, no. 2, p. 340, Jan. 2024, doi: 10.3390/buildings14020340.
- [10] J. Schuetzke *et al.*, “Accelerating Materials Discovery: Automated Identification of Prospects from X-Ray Diffraction Data in Fast Screening Experiments,” *Adv. Intell. Syst.*, vol. 6, no. 3, Mar. 2024, doi: 10.1002/aisy.202300501.



- [11] H. H. Murray, "Chapter 2 Structure and Composition of the Clay Minerals and their Physical and Chemical Properties," in *Developments in Clay Science*, vol. 2, Elsevier, 2006, pp. 7–31. doi: 10.1016/S1572-4352(06)02002-2.
- [12] R. K. Gond, M. K. Gupta, H. Singh, S. Mavinkere Rangappa, and S. Siengchin, "Extraction and properties of cellulose for polymer composites," in *Biodegradable Polymers, Blends and Composites*, Elsevier, 2022, pp. 59–86. doi: 10.1016/B978-0-12-823791-5.00011-9.
- [13] R. A. Serway, J. W. Jewett, and V. Peroomian, *Physics for scientists and engineers with modern physics*, Ninth edition. Boston, MA: Brooks/Cole, Cengage Learning, 2014.
- [14] R. Baskar, K. A. Lee, R. Yeo, and K.-W. Yeoh, "Cancer and Radiation Therapy: Current Advances and Future Directions," *Int. J. Med. Sci.*, vol. 9, no. 3, pp. 193–199, 2012, doi: 10.7150/ijms.3635.
- [15] A. Bassan, M. Nyberg, and Y. Luo, "Identifying isomers of C 78 by means of x-ray spectroscopy," *Phys. Rev. B*, vol. 65, no. 16, p. 165402, Mar. 2002, doi: 10.1103/PhysRevB.65.165402.
- [16] S. Harjo *et al.*, "Current Status of Engineering Materials Diffractometer at J-PARC," *Mater. Sci. Forum*, vol. 681, pp. 443–448, Mar. 2011, doi: 10.4028/www.scientific.net/MSF.681.443.
- [17] "Malvern Panalytical." Accessed: Sep. 27, 2024. [Online]. Available: <https://www.malvernpanalytical.com/en/products/product-range/aeris-range>
- [18] S. M. Sze and K. K. Ng, *Physics of Semiconductor Devices*, 1st ed. Wiley, 2006. doi: 10.1002/0470068329.
- [19] M. R. H. Siddiqui, S. F. Adil, K. Nour, M. E. Assal, and A. Al-Warthan, "Ionic liquid behavior and high thermal stability of silver chloride nanoparticles: Synthesis and characterization," *Arab. J. Chem.*, vol. 6, no. 4, pp. 435–438, Oct. 2013, doi: 10.1016/j.arabjc.2013.05.005.
- [20] A. Purwanto, "Komunikasi pribadi," Oktober 2024.
- [21] B. D. Cullity and S. R. Stock, *Elements of X-ray diffraction*, 3. ed., new Internat. ed. Harlow: Pearson Education, 2014.
- [22] A. El-Shafei, D. Hinks, and H. S. Freeman, "Molecular modeling and predicting dye properties," in *Handbook of Textile and Industrial Dyeing*, Elsevier, 2011, pp. 225–244. doi: 10.1533/9780857093974.1.225.
- [23] J. Díaz-Reyes, R. Castillo-Ojeda, M. Galván-Arellano, and O. Zaca-Moran, "Characterization of WO₃ Thin Films Grown on Silicon by HFMOD," *Adv. Condens. Matter Phys.*, vol. 2013, pp. 1–9, 2013, doi: 10.1155/2013/591787.



- [24] W. D. Callister and D. G. Rethwisch, *Materials science and engineering: an introduction*, 10th edition. Hoboken, NJ: John Wiley & Sons, Inc., 2018.
- [25] N. Waeselmann, “Structural transformations in complex perovskite-type relaxor and relaxor-based ferroelectrics at high pressures and temperatures”.
- [26] G. L. Pascut *et al.*, “Dimerization-Induced Cross-Layer Quasi-Two-Dimensionality in Metallic IrTe₂,” *Phys. Rev. Lett.*, vol. 112, no. 8, p. 086402, Feb. 2014, doi: 10.1103/PhysRevLett.112.086402.
- [27] M. Gemmi *et al.*, “3D Electron Diffraction: The Nanocrystallography Revolution,” *ACS Cent. Sci.*, vol. 5, no. 8, pp. 1315–1329, Aug. 2019, doi: 10.1021/acscentsci.9b00394.
- [28] A. J. Bourdillon, “Diffraction Line Width in Quasicrystals—Sharper than Crystals,” *J. Mod. Phys.*, vol. 07, no. 12, pp. 1558–1567, 2016, doi: 10.4236/jmp.2016.712142.
- [29] H. Öztürk and I. C. Noyan, “Expected values and variances of Bragg peak intensities measured in a nanocrystalline powder diffraction experiment,” *J. Appl. Crystallogr.*, vol. 50, no. 5, pp. 1307–1322, Oct. 2017, doi: 10.1107/S1600576717010494.
- [30] K. R. Beyerlein, R. L. Snyder, and P. Scardi, “Powder diffraction line profiles from the size and shape of nanocrystallites,” *J. Appl. Crystallogr.*, vol. 44, no. 5, pp. 945–953, Oct. 2011, doi: 10.1107/S0021889811030743.
- [31] K. R. Srinath, “Python – The Fastest Growing Programming Language,” vol. 04, no. 12.
- [32] D. Kriegner, E. Wintersberger, and J. Stangl, “*xrayutilities* : a versatile tool for reciprocal space conversion of scattering data recorded with linear and area detectors,” *J. Appl. Crystallogr.*, vol. 46, no. 4, pp. 1162–1170, Aug. 2013, doi: 10.1107/S0021889813017214.
- [33] P. Barrett, J. Hunter, J. T. Miller, J.-C. Hsu, and P. Greenfield, “matplotlib – A Portable Python Plotting Package”.
- [34] F. J. J. Joseph, S. Nonsiri, and A. Monsakul, “Keras and TensorFlow: A Hands-On Experience,” in *Advanced Deep Learning for Engineers and Scientists*, K. B. Prakash, R. Kannan, S. A. Alexander, and G. R. Kanagachidambaresan, Eds., in EAI/Springer Innovations in Communication and Computing. , Cham: Springer International Publishing, 2021, pp. 85–111. doi: 10.1007/978-3-030-66519-7_4.
- [35] L. Alzubaidi *et al.*, “Review of deep learning: concepts, CNN architectures, challenges, applications, future directions,” *J. Big Data*, vol. 8, no. 1, p. 53, Mar. 2021, doi: 10.1186/s40537-021-00444-8.



- [36] R. Yamashita, M. Nishio, R. K. G. Do, and K. Togashi, “Convolutional neural networks: an overview and application in radiology,” *Insights Imaging*, vol. 9, no. 4, pp. 611–629, Aug. 2018, doi: 10.1007/s13244-018-0639-9.
- [37] V. H. Phung and E. J. Rhee, “A High-Accuracy Model Average Ensemble of Convolutional Neural Networks for Classification of Cloud Image Patches on Small Datasets,” *Appl. Sci.*, vol. 9, no. 21, p. 4500, Oct. 2019, doi: 10.3390/app9214500.
- [38] S. Tammina, “Transfer learning using VGG-16 with Deep Convolutional Neural Network for Classifying Images,” *Int. J. Sci. Res. Publ. IJSRP*, vol. 9, no. 10, p. p9420, Oct. 2019, doi: 10.29322/IJSRP.9.10.2019.p9420.
- [39] S. Gražulis *et al.*, “Crystallography Open Database (COD): an open-access collection of crystal structures and platform for world-wide collaboration,” *Nucleic Acids Res.*, vol. 40, no. D1, pp. D420–D427, Jan. 2012, doi: 10.1093/nar/gkr900.

