

DAFTAR PUSTAKA

- Abdelghany, A. M., Meikhail, M. S., & Asker, N. (2019). Synthesis and structural-biological correlation of PVC/PVAc polymer blends. *Journal of Materials Research and Technology*, 8(5), 3908–3916.
- Acik, G., Kamaci, M., & Cansoy, C. E. (2018). Superhydrophobic EVA copolymer fibers: the impact of chemical composition on wettability and photophysical properties. *Colloid and Polymer Science*, 296, 1759–1766.
- Aflaha, R., Sari, N. L. I., Katriani, L., As' ari, A. H., Kusumaatmaja, A., Rianjanu, A., Roto, R., Wasisto, H. S., & Triyana, K. (2023). Maltodextrin-overlaid polyvinyl acetate nanofibers for highly sensitive and selective room-temperature ammonia sensors. *Microchemical Journal*, 193, 109237.
- Ahire, J. J., Robertson, D. D., van Reenen, A. J., & Dicks, L. M. T. (2017). Polyethylene oxide (PEO)-hyaluronic acid (HA) nanofibers with kanamycin inhibits the growth of *Listeria monocytogenes*. *Biomedicine & Pharmacotherapy*, 86, 143–148.
- Ahmadi Bonakdar, M., & Rodrigue, D. (2024). Electrospinning: Processes, structures, and materials. *Macromol*, 4(1), 58–103.
- Akhtar, K., Khan, S. A., Khan, S. B., & Asiri, A. M. (2018). *Scanning electron microscopy: Principle and applications in nanomaterials characterization*. Springer.
- Al-Abduljabbar, A., & Farooq, I. (2022). Electrospun polymer nanofibers: Processing, properties, and applications. *Polymers*, 15(1), 65.
- Al-Akhras, M. A., Telfah, M., Shakhathreh, M. N., Telfah, A., Mousa, M. S., Narayanaswamy, V., & Obaidat, I. M. (2023). Optical and chemical investigations of PEO thin films incorporated with curcumin nanoparticle: effect of film thickness. *Biointerface Research in Applied Chemistry*, 13(2), 143.
- Al Hosni, A. S., Pittman, J. K., & Robson, G. D. (2024). The Effect of Polycaprolactone Polymer Degradation in Compost on Seed Germination. *IOP Conference Series: Earth and Environmental Science*, 1365(1), 12003.
- Alfinaikh, R. (2017). *Preparation and Characterization of Poly(Ethylene Oxide)(MW 35K and 100K)/ Silica Nanoparticle Composites*. <https://api.semanticscholar.org/CorpusID:103540402>
- Amer, S. S., Mamdouh, W., Nasr, M., ElShaer, A., Polycarpou, E., Abdel-Aziz, R. T. A., & Sammour, O. A. (2022). Quercetin loaded cosm-nutraceutical electrospun composite nanofibers for acne alleviation: Preparation, characterization and experimental clinical appraisal. *International Journal of Pharmaceutics*, 612, 121309.
- Ao, F., Luo, X., Shen, W., Ge, X., Li, P., Zheng, Y., Wu, S., Mao, Y., & Luo, Y. (2023). Multifunctional electrospun membranes with hydrophilic and hydrophobic gradients property for wound dressing. *Colloids and Surfaces B: Biointerfaces*, 225, 113276.
- Aragón, J., Costa, C., Coelho, I., Mendoza, G., Aguiar-Ricardo, A., & Irusta, S. (2019). Electrospun asymmetric membranes for wound dressing applications. *Materials Science and Engineering: C*, 103, 109822.

- Azizi, M., Azimzadeh, M., Afzali, M., Alafzadeh, M., & Hossein, S. S. (2018). Mirhosseini. "Characterization and optimization of using calendula officinalis extract in the fabrication of polycaprolactone/gelatin electrospun nanofibers for wound dressing applications." *Materials Science*, 6(2), 34–46.
- Barhoum, A., & García-Betancourt, M. L. (2018). Physicochemical characterization of nanomaterials: Size, morphology, optical, magnetic, and electrical properties. In *Emerging applications of nanoparticles and architecture nanostructures* (pp. 279–304). Elsevier.
- Benedini, L. (2023). Periodontal drug delivery: advances and challenges. *Advanced and Modern Approaches for Drug Delivery*, 751–782.
- Bergese, P., & Colombo, I. (2014). Thermodynamics of (nano) interfaces. In *Colloidal Foundations of Nanoscience* (pp. 1–31). Elsevier.
- Bhullar, S. K., Rana, D., Lekesiz, H., Bedeloglu, A. C., Ko, J., Cho, Y., Aytac, Z., Uyar, T., Jun, M., & Ramalingam, M. (2017). Design and fabrication of auxetic PCL nanofiber membranes for biomedical applications. *Materials Science and Engineering: C*, 81, 334–340.
- Coelho, L. R. T. (2018). *Vascularization: plant decellularization and electrospinning techniques for the development of small and medium caliber blood vessels*. Universidade NOVA de Lisboa (Portugal).
- Darbasizadeh, B., Mortazavi, S. A., Kobarfard, F., Jaafari, M. R., Hashemi, A., Farhadnejad, H., & Feyzi-barnaji, B. (2021). Electrospun Doxorubicin-loaded PEO/PCL core/sheath nanofibers for chemopreventive action against breast cancer cells. *Journal of Drug Delivery Science and Technology*, 64, 102576.
- El-Naggar, M. E., Abdelgawad, A. M., Abdel-Sattar, R., Gibriel, A. A., & Hemdan, B. A. (2023). Potential antimicrobial and antibiofilm efficacy of essential oil nanoemulsion loaded polycaprolactone nanofibrous dermal patches. *European Polymer Journal*, 184, 111782.
- Fadlelmoula, A., Pinho, D., Carvalho, V. H., Catarino, S. O., & Minas, G. (2022). Fourier transform infrared (FTIR) spectroscopy to analyse human blood over the last 20 years: a review towards lab-on-a-chip devices. *Micromachines*, 13(2), 187.
- Fang, L., Hu, Y., Lin, Z., Ren, Y., Liu, X., & Gong, J. (2024). Instant mucus dressing of PEO reinforced by chitosan nanofiber scaffold for open wound healing. *International Journal of Biological Macromolecules*, 263, 130512.
- Faramarzi, B., Moggio, M., Diano, N., Portaccio, M., & Lepore, M. (2023). A brief review of FT-IR Spectroscopy studies of sphingolipids in Human cells. *Biophysica*, 3(1), 158–180.
- Ferreira, M. S. V., & Mousavi, S. H. (2018). Nanofiber technology in the ex vivo expansion of cord blood-derived hematopoietic stem cells. *Nanomedicine: Nanotechnology, Biology and Medicine*, 14(5), 1707–1718.
- Fouad, H., Khalil, K. A., Alshammari, B. A., Abdal-Hay, A., & Abd El-salam, N. M. (2022). Development of new bio-composite of PEO/silk fibroin blends loaded with piezoelectric material. *Polymers*, 14(19), 4209.
- Giechaskiel, B., & Clairotte, M. (2021). Fourier transform infrared (FTIR) spectroscopy for measurements of vehicle exhaust emissions: A review. *Applied Sciences*, 11(16), 7416.

- Guler, E., Kopuz, A., Ertas, B., Yilmaz-Goler, A. M., Yazir, Y., Kalaskar, D. M., & Cam, M. E. (2024). Anti-Alzheimer's effect of memantine/donepezil/metformin-loaded PVA/PEO composite nanofibers produced by pressurized gyration: Production, characterization, and in vitro evaluation. *Journal of Drug Delivery Science and Technology*, 97, 105795.
- Inkson, B. J. (2016). Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for materials characterization. In *Materials characterization using nondestructive evaluation (NDE) methods* (pp. 17–43). Elsevier.
- Jafari, S. M. (2017). *Nanoencapsulation of food bioactive ingredients: Principles and applications*. Academic Press.
- Jhaveri, J. H., & Murthy, Z. V. P. (2016). A comprehensive review on anti-fouling nanocomposite membranes for pressure driven membrane separation processes. *Desalination*, 379, 137–154.
- Jia, J., Lin, Z., Zhu, J., Liu, Y., Hu, Y., & Fang, K. (2024). Anti-adhesive and antibacterial chitosan/PEO nanofiber dressings with high breathability for promoting wound healing. *International Journal of Biological Macromolecules*, 261, 129668.
- Jurić, M., Donsi, F., Bandić, L. M., & Jurić, S. (2023). Natural-based electrospun nanofibers: Challenges and potential applications in agri-food sector. *Food Bioscience*, 103372.
- Kamalipooya, S., Fahimirad, S., Abtahi, H., Golmohammadi, M., Satari, M., Dadashpour, M., & Nasrabadi, D. (2024). Diabetic wound healing function of PCL/cellulose acetate nanofiber engineered with chitosan/cerium oxide nanoparticles. *International Journal of Pharmaceutics*, 653, 123880.
- Kang, Q., Takehara, H., & Ichiki, T. (2023). Characterization of the electrical conductivity and chemical properties of camphorsulfonic acid protonated polyaniline/poly (vinyl acetate) composite films. *Polymer*, 283, 126269.
- Kannan, M. (2018). Scanning electron microscopy: Principle, components and applications. *A Textbook on Fundamentals and Applications of Nanotechnology*, 81–92.
- Karamat-Iradmoussa, M., Karimi, H., Mahboubi, A., Rabbani, S., Kamalinejad, M., & Haeri, A. (2023). Bi-layered nanofibers loaded with pomegranate flowers extract as a novel wound dressing: fabrication, characterization, and in vivo healing promotion. *Industrial Crops and Products*, 202, 117042.
- Khoshbakht, S., Asghari-Sana, F., Fathi-Azarbayjani, A., & Sharifi, Y. (2020). Fabrication and characterization of tretinoin-loaded nanofiber for topical skin delivery. *Biomaterials Research*, 24(1), 8.
- Kimna, C., Bauer, M. G., Lutz, T. M., Mansi, S., Akyuz, E., Doganyigit, Z., Karakol, P., Mela, P., & Lieleg, O. (2022). Multifunctional “Janus-Type” Bilayer Films Combine Broad-Range Tissue Adhesion with Guided Drug Release. *Advanced Functional Materials*, 32(30), 2105721.
- Kuo, C.-W., Chiu, Y.-F., Wu, M.-H., Li, M.-H., Wu, C.-N., Chen, W.-S., & Huang, C.-H. (2021). Gelatin/chitosan bilayer patches loaded with cortex Phellodendron amurense/Centella asiatica extracts for anti-acne application. *Polymers*, 13(4), 579.

- Kupka, V., Dvořáková, E., Manakhov, A., Michlíček, M., Petruš, J., Vojtová, L., & Zajíčková, L. (2020). Well-blended PCL/PEO electrospun nanofibers with functional properties enhanced by plasma processing. *Polymers*, 12(6), 1403.
- Leena, M. M., Bharathi, S. K. V., Moses, J. A., & Anandharamakrishnan, C. (2020). Potential applications of nanofibers in beverage industry. In *Nanoengineering in the beverage industry* (pp. 333–368). Elsevier.
- Li, H., & Yang, W. (2016). Electrospinning technology in non-woven fabric manufacturing. In *Non-woven fabrics*. IntechOpen.
- Li, X., Wang, C., Yang, S., Liu, P., & Zhang, B. (2018). Electrospun PCL/mupirocin and chitosan/lidocaine hydrochloride multifunctional double layer nanofibrous scaffolds for wound dressing applications. *International Journal of Nanomedicine*, 5287–5299.
- Lin, C., Zhao, H., Huang, H., Ma, X., & Cao, S. (2023). PEO/cellulose composite paper based triboelectric nanogenerator and its application in human-health detection. *International Journal of Biological Macromolecules*, 228, 251–260.
- Liu, K., Wang, J., Fang, S., Wang, H., Bai, Y., Zhao, Z., Zhu, Q., Wang, C., Chen, G., & Jiang, H. (2022). Effect of polycaprolactone impregnation on the properties of calcium silicate scaffolds fabricated by 3D printing. *Materials & Design*, 220, 110856.
- Malašauskienė, J., & Milašius, R. (2010). Mathematical analysis of the diameter distribution of Electrospun nanofibres. *Fibres and Textiles in Eastern Europe*, 18(6), 45–48.
- Mandal, P. K., & Biswas, A. K. (2020). Modern techniques for rapid detection of meatborne pathogens. In *Meat Quality Analysis* (pp. 287–303). Elsevier.
- Mclauchlin, A. R., & Thomas, N. L. (2012). Biodegradable polymer nanocomposites. In *Advances in Polymer Nanocomposites* (pp. 398–430). Elsevier.
- Meruva, S., & Donovan, M. D. (2020). Polyethylene oxide (PEO) molecular weight effects on abuse-deterrent properties of matrix tablets. *AAPS PharmSciTech*, 21, 1–10.
- Narayanan, G., Shen, J., Boy, R., Gupta, B. S., & Tonelli, A. E. (2018). Aliphatic polyester nanofibers functionalized with cyclodextrins and cyclodextrin-guest inclusion complexes. *Polymers*, 10(4), 428.
- Nasrollahzadeh, M., Sajadi, M. S., Atarod, M., Sajjadi, M., & Isaabadi, Z. (2019). *An introduction to green nanotechnology*. Academic Press.
- Negi, S., & Khurana, S. (2023). Effect of addition of polyether amine and TiO₂ nanofibers on the properties of PEO based sodium ion conducting composites. *Materials Chemistry and Physics*, 305, 128012.
- Nirmala, M. J., Dhas, S. P., Saikrishna, N., Raj, U. S., Sai, P. S., & Nagarajan, R. (2022). Green nanoemulsions: Components, formulation, techniques of characterization, and applications. In *Bio-Based Nanoemulsions for Agri-Food Applications* (pp. 47–69). Elsevier.
- Novak, M., & Ormsby, B. (2023). Poly (Vinyl Acetate) Paints: A Literature Review of Material Properties, Ageing Characteristics, and Conservation Challenges. *Polymers*, 15(22), 4348.
- Pal, D. B., Srivastava, P., Mishra, A., Giri, D. D., Srivastava, K. R., Singh, P.,

- Awasthi, S., Kumari, L., & Mishra, P. K. (2017). Synthesis and characterization of bio-composite nanofiber for controlled drug release. *Journal of Environmental Chemical Engineering*, 5(6), 5843–5849.
- Panchal, S. S., & Vasava, D. V. (2020). Biodegradable polymeric materials: synthetic approach. *ACS Omega*, 5(9), 4370–4379.
- Park, J.-S. (2010). Electrospinning and its applications. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 1(4), 43002.
- Park, J., Cho, Y. J., Chegal, W., Lee, J., Jang, Y.-S., & Jin, J. (2024). A review of thin-film thickness measurements using optical methods. *International Journal of Precision Engineering and Manufacturing*, 25(8), 1725–1737.
- Qothrunnadaa, T., & Hasanah, A. N. (2021). Patches for acne treatment: an update on the formulation and stability test. *Int. J. Appl. Pharm*, 13, 21–26.
- Rahnama, S., Movaffagh, J., Shahroodi, A., Jirofti, N., Fazly Bazzaz, B. S., Beyraghdari, M., Hashemi, M., & Kalalinia, F. (2022). Development and characterization of the electrospun melittin-loaded chitosan nanofibers for treatment of acne vulgaris in animal model. *Journal of Industrial Textiles*, 52, 15280837221112410.
- Saini, B., Sinha, M. K., & Dey, A. (2022). Functionalized polymeric smart membrane for remediation of emerging environmental contaminants from industrial sources: Synthesis, characterization and potential applications. *Process Safety and Environmental Protection*, 161, 684–702.
- Sengupta, D., Lu, L., Gomes, D. R., Jayawardhana, B., Pei, Y., & Kottapalli, A. G. P. (2023). Fabric-like electrospun PVAc–graphene nanofiber webs as wearable and degradable piezocapacitive sensors. *ACS Applied Materials & Interfaces*, 15(18), 22351–22366.
- Shi, R., Geng, H., Gong, M., Ye, J., Wu, C., Hu, X., & Zhang, L. (2018). Long-acting and broad-spectrum antimicrobial electrospun poly (ϵ -caprolactone)/gelatin micro/nanofibers for wound dressing. *Journal of Colloid and Interface Science*, 509, 275–284.
- Sim, S., Kim, Y.-M., Park, Y.-J., Siddiqui, M. X., Gang, Y., Lee, J., Lee, C., & Suh, H.-J. (2020). Determination of polyvinyl acetate in chewing gum using high-performance liquid chromatography–evaporative light scattering detector and pyrolyzer–gas chromatography–mass spectrometry. *Foods*, 9(10), 1473.
- Singh, A. K., Yogeswari, C., Pramod, A., Girisun, T. C. S., Manattayil, J. K., & Nagalakshmi, R. (2023). Second harmonic generation and two photon absorption assisted power limiting mechanism of l-Phenylalanine (LPA)-polyethylene-oxide (PEO) electrospun nanofibers. *Optical Materials*, 143, 114222.
- Song, J.-W., & Fan, L.-W. (2021). Temperature dependence of the contact angle of water: A review of research progress, theoretical understanding, and implications for boiling heat transfer. *Advances in Colloid and Interface Science*, 288, 102339.
- Szyszkka, D., & Szczepański, W. (2015). Contact angle of copper-bearing shales using the sessile drop and captive bubble methods in the presence of selected frothers. *Mining Science*, 22, 193–201.
- Uhljar, L. É., & Ambrus, R. (2023). Electrospinning of potential medical devices (wound dressings, tissue engineering scaffolds, face masks) and their

- regulatory approach. *Pharmaceutics*, 15(2), 417.
- Umoren, S. A., Solomon, M. M., & Saji, V. S. (2022). *Polymeric materials in corrosion inhibition: fundamentals and applications*. Elsevier.
- Wade Jensen, P. D. (2022). *Interpreting Images from Scanning Electron Microscopy*. Deringer-Ney. <https://deringerney.com/interpreting-images-from-scanning-electron-microscopy/>
- Wang, F., Zhu, B., Feng, X., Zhang, H., Jiang, H., Huang, Y., Qian, Y., Xia, X., & Wang, Y. (2025). Preparation and characteristics of double-layer hydrogel-nanofiber FSG-(MgONRs/PCL/PVP) antibacterial membranes by electrospinning technology. *Journal of Molecular Structure*, 1334, 141903.
- Wang, Y., Khan, M. A., Chen, K., Zhang, L., & Chen, X. (2023). Electrospinning of natural biopolymers for innovative food applications: A review. *Food and Bioprocess Technology*, 16(4), 704–725.
- Weng, Q.-H., Hu, M.-H., Wang, J.-F., & Hu, J.-J. (2025). Enhancing the flexibility and hydrophilicity of PLA via polymer blends: electrospinning vs. Solvent casting. *Polymers*, 17(6), 800.
- Xu, H., Wu, Z., Zhao, D., Liang, H., Yuan, H., & Wang, C. (2022). Preparation and characterization of electrospun nanofibers-based facial mask containing hyaluronic acid as a moisturizing component and huangshui polysaccharide as an antioxidant component. *International Journal of Biological Macromolecules*, 214, 212–219.
- Yang, B., Tang, B., Wang, Z., Feng, F., Wang, G., Zhao, Z., Xue, Z., Li, J., & Chen, W. (2024). Solution blow spun bilayer chitosan/polylactic acid nanofibrous patch with antibacterial and anti-inflammatory properties for accelerating acne healing. *Carbohydrate Polymers*, 326, 121618.
- Zaroog, O. S., Borhana, A. A., & Perumal, S. S. A. (2019). *Biomaterials for Bone Replacements: Past and Present*.
- Zhang, Z., Ma, X., Wang, W., Gong, X., Zhao, Y., Mu, Q., Xue, Z., Liu, X., Zheng, H., & Xu, W. (2022). Recent advances in gel materials with special wettability: a review. *Journal of Materials Science*, 57(28), 13179–13201.
- Zhijiang, C., Yi, X., Haizheng, Y., Jia, J., & Liu, Y. (2016). Poly (hydroxybutyrate)/cellulose acetate blend nanofiber scaffolds: Preparation, characterization and cytocompatibility. *Materials Science and Engineering: C*, 58, 757–767.
- Ziabari, A. H., Ebrahimi, S., Jafari, K., Doodmani, S. M., Natouri, O., Nobakht, A., & Mouseli, S. (2024). Bilayer nanofibers loaded with Malva sylvestris extract for enhanced wound healing applications. *Journal of Drug Delivery Science and Technology*, 93, 105373.
- Zulkifli, M. Z. A., Nordin, D., Shaari, N., & Kamarudin, S. K. (2023). Overview of electrospinning for tissue engineering applications. *Polymers*, 15(11), 2418.