

DAFTAR PUSTAKA

- Abfertiawan, M. S., Hasan, F., Handajani, M., Syafila, M., Gunawan, F., Djali, F., Stanley, P. ;, Wolkersdorfer, C. ;, & Wolkersdorfer, K. (2023). High Total Suspended Solid (TSS) Removal for Coal Mining Water Using Electrocoagulation. *IMWA 2023 – “The Future,” December*, 1–5.
- Adnyano, A. . I. A., Prastowo, R., Bahy, M. N., Hikmahtiar, S., Said, A., & Ashadi, A. L. (2022). Application of Mine Dewatering Methods to Reduce Wastewater Pollution in The Environment: Implications for Andesite Mining. *International Journal of Hydrological and Environmental for Sustainability*, 1(1), 24–32. <https://doi.org/10.58524/ijhes.v1i1.68>
- AKERS, D. J., & MOSS, E. A. (1973). *Dewatering of Mine Drainage Sludge - Phase Ii* (Nomor (FEBRUARY, 1973), hal. 162). Office Of Research And Monitoring U.S. Environmental Protection Agency Washitngton, D.C.
- Beltran, F.J. (2003). *Ozone Reaction Kinetics for Water and Wastewater Systems* (1st ed.). CRC Press. <https://doi.org/10.1201/9780203509173>
- BIAN, Z., INYANG, H. I., DANIELS, J. L., OTTO, F., & STRUTHERS, S. (2010). Environmental issues from coal mining and their solutions. *Mining Science and Technology*, 20(2), 215–223. [https://doi.org/10.1016/S1674-5264\(09\)60187-3](https://doi.org/10.1016/S1674-5264(09)60187-3)
- Bratby, J. (2006). Coagulation and flocculation in water and wastewater treatment. In *Water 21* (Nomor AUG.). IWA Publishing. <https://doi.org/10.2166/9781780407500>
- Cai, M., Wang, Q., Wells, G., Dionysiou, D. D., Song, Z., Jin, M., Hu, J., Ho, S. H., Xiao, R., & Wei, Z. (2019). Improving dewaterability and filterability of waste activated sludge by electrochemical Fenton pretreatment. *Chemical Engineering Journal*, 362(January), 525–536. <https://doi.org/10.1016/j.cej.2019.01.047>
- Cao, Q., Yang, L., Qian, Y., & Zhao, Z. (2022). Spatial Distribution Characteristics of Coal Mine Drainage Water Quality in China. *Mine Water and the Environment*, 41(4), 1096–1105. <https://doi.org/10.1007/s10230-022-00899-y>
- Demir, O., & Filibeli, A. (2012). Fate of return activated sludge after ozonation: An optimization study for sludge disintegration. *Environmental Technology (United Kingdom)*, 33(16), 1869–1878. <https://doi.org/10.1080/09593330.2011.650220>
- Dianawati, Ria Indah. Wahyuningsih, Nur Endah. Nur, M. (2017). Efektivitas Ozon Dalam Menurunkan Kadar TSS dan Nilai pH Limbah Cair Rumah Sakit dr. Adhyatma, MPH Semarang. *Jurnal Kesehatan Masyarakat*, 5, 2588–2593.
- Farcas-Flamaropol, D. C., Iatan, R., Cardei, P., Durbaca, I., Surdu, E., & Sporea, N. (2025). Dewatering of Sludge Through Vibratory Sieving. *Sustainability (Switzerland)*, 17(1), 1–16. <https://doi.org/10.3390/su17010141>
- Ferrari, K. F. H., Maraschin, M., da Silva, C. de B., Schneider, A. C., & Carissimi, E. (2020). The influence of ozonation and sedimentation on water treatment plant sludge: Evaluation of clarified water and thickened sludge. *Desalination and Water Treatment*, 200, 241–251. <https://doi.org/10.5004/dwt.2020.26137>



- G. Erden and A. Filibeli. (2014). Ozone Oxidation of Biological *Sludge*: Effects on Disintegration, Anaerobic, Biodegradability, and *Filterability*. *Environmental Progress & Sustainable Energy*, 33(3), 676–680. <https://doi.org/DOI 10.1002/ep.10494>
- Ge, D., Bian, C., Yuan, H., & Zhu, N. (2020). An in-depth study on the deep-dewatering mechanism of waste activated *sludge* by ozonation pre-oxidation and chitosan re-flocculation conditioning. *Science of the Total Environment*, 714. <https://doi.org/10.1016/j.scitotenv.2020.136627>
- Ge, D., Zhang, W., Bian, C., Yuan, H., & Zhu, N. (2019). Insight into a new two-step approach of ozonation and chitosan conditioning for *sludge* deep-dewatering. *Science of the Total Environment*, 697. <https://doi.org/10.1016/j.scitotenv.2019.134032>
- Gottschalk, C., Libra, J. A., & Saupe, A. (2009). Ozonation of Water and Waste Water. In *Ozonation of Water and Waste Water*. <https://doi.org/10.1002/9783527628926>
- Gunten, U. Von. (2003). Ozonation of drinking water: Part I. Oxidation kinetics and product formation. *Water research*, 37, 1443–1467. <http://www.sciencedirect.com/science/article/pii/S0043135402004578>
- Han, Y., Zhou, M., Wan, S., Xue, F., Liang, A., Yuan, J., & Hou, H. (2016). Optimization of *sludge* dewatering process by inorganic conditioners under mild thermal treatment. *Desalination and Water Treatment*, 57(59), 28661–28669. <https://doi.org/10.1080/19443994.2016.1193771>
- Jalili, M., Abbasi, F., Dalvand, A., Fatahi Bafghi, H., & Ebrahimi, A. A. (2023). The ozonation effect on flocculation and polymer consumption reduction in the hybrid treatment of Iran Central iron ore companies' effluent: a cost–benefit study. *Applied Water Science*, 13(2), 1–11. <https://doi.org/10.1007/s13201-022-01853-7>
- Johnson, D. B., & Hallberg, K. B. (2005). Acid mine drainage remediation options: A review. *Science of the Total Environment*, 338(1-2 SPEC. ISS.), 3–14. <https://doi.org/10.1016/j.scitotenv.2004.09.002>
- Kumar, P. G., Kanmani, S., & Kumar, P. S. (2022). Treatability Studies on the Optimization of Ozone and Carbon Dosages for the Effective Removal of Contaminants from Secondary Treated Effluent. *Adsorption Science and Technology*, 2022. <https://doi.org/10.1155/2022/1998549>
- Lee, J. E., Lee, J. K., & Kim, D. S. (2010). A study of the improvement in dewatering behavior of wastewater *sludge* through the addition of fly ash. *Korean Journal of Chemical Engineering*, 27(3), 862–867. <https://doi.org/10.1007/s11814-010-0136-4>
- Li, X., Cai, J., Chen, D., & Feng, Q. (2021). Characteristics of water contamination in abandoned coal mines: a case study on Yudong River area, Kaili, Guizhou Province, China. *International Journal of Coal Science and Technology*, 8(6), 1491–1503. <https://doi.org/10.1007/s40789-021-00466-w>
- Liang, J., & Zhou, Y. (2022). Iron-based advanced oxidation processes for enhancing *sludge* dewaterability: State of the art, challenges, and *sludge* reuse. *Water Research*, 218(April). <https://doi.org/10.1016/j.watres.2022.118499>



- Liu, B. T., Liu, Y. M., & Zhao, L. M. (2014). Study on fly ash for conditioning of specific resistance of *sludge* water. *Advanced Materials Research*, 955–959(2), 3318–3322. <https://doi.org/10.4028/www.scientific.net/AMR.955-959.3318>
- Lv, Y., Xiao, K., Yang, J., Zhu, Y., Pei, K., Yu, W., Tao, S., Wang, H., Liang, S., Hou, H., Liu, B., & Hu, J. (2019). Correlation between oxidation-reduction potential values and *sludge* dewaterability during pre-oxidation. *Water Research*, 155, 96–105. <https://doi.org/10.1016/j.watres.2019.02.049>
- Madzivire, G., Gitari, W. M., Vadapalli, V. R. K., Ojumu, T. V., & Petrik, L. F. (2011). Fate of sulphate removed during the treatment of circumneutral mine water and acid mine drainage with coal fly ash: Modelling and experimental approach. *Minerals Engineering*, 24(13), 1467–1477. <https://doi.org/10.1016/j.mineng.2011.07.009>
- Makmur, M. (2024). *PERBANDINGAN JENIS KOAGULAN DAN PERLAKUAN OPERASI YANG EFEKTIF UNTUK PENURUNAN TOTAL SUSPENDED SOLID DALAM PENGOLAHAN RUNOFF PERTAMBANGAN SILICA-COAL*.
- Maulida, S. A., & Purwanti, I. F. (2023). Kajian Pengolahan Air Asam Tambang Industri Pertambangan Batu Bara dengan Constructed Wetland. *Jurnal Teknik ITS*, 12(1). <https://doi.org/10.12962/j23373539.v12i1.111230>
- Mosai, A. K., Ndlovu, G., & Tutu, H. (2024). Improving acid mine drainage treatment by combining treatment technologies: A review. *Science of the Total Environment*, 919(February). <https://doi.org/10.1016/j.scitotenv.2024.170806>
- O’Sullivan, A. D. (2005). Mine Water Hydrology, Pollution and Remediation: Book review. *Criminology & Criminal Justice*. <https://doi.org/doi:10.1016/j.ecoleng.2005.05.003>
- Pat-Espadas, A. M., Portales, R. L., Amabilis-Sosa, L. E., Gómez, G., & Vidal, G. (2018). Review of constructed wetlands for acid mine drainage treatment. *Water (Switzerland)*, 10(11), 1–25. <https://doi.org/10.3390/w10111685>
- Pondja Jr., E. A., Persson, K. M., & Matsinhe, N. P. (2014). A Survey of Experience Gained from the Treatment of Coal Mine Wastewater. *Journal of Water Resource and Protection*, 06(18), 1646–1658. <https://doi.org/10.4236/jwarp.2014.618148>
- Tong, L., Fan, R., Yang, S., & Li, C. (2021). *Perkembangan dan Status Teknologi Pengolahan Air Asam Tambang*. 315–327.
- Turovskiy, I. S., & Mathai, P. K. (2005). Wastewater Sludge Processing. In *Wastewater Sludge Processing*. John Wiley & Sons, Inc. <https://doi.org/10.1002/047179161X>
- Wulansarie, R., Chafidz, A., Hidayat, P., Rengga, W. D. P., Afrizal, F. J., Dwipawarman, A., Bismo, S., & Arifin, R. (2020). Effectiveness of ozonation process on treating tofu industrial liquid waste: Effect of pH conditions. *Materials Science Forum*, 981 MSF, 336–341. <https://doi.org/10.4028/www.scientific.net/MSF.981.336>
- Xia, J., Ji, J., Hu, Z., Rao, T., Liu, A., Ma, J., & Sun, Y. (2022). Application of Advanced Oxidation Technology in *Sludge* Conditioning and Dewatering: A Critical Review. *International Journal of Environmental Research and Public Health*, 19(15).

- Yang, Y., Yang, X., Chen, Y., Li, X., Yang, Q., Li, Y., Ma, P., Zhang, H., & Xu, S. (2024). Response surface optimization of *sludge* dewatering process: synergistic enhancement by ultrasonic, chitosan and *sludge*-based biochar. *Water Science and Technology*, 89(7), 1630–1646. <https://doi.org/10.2166/wst.2024.080>
- Yu, J., Xiao, K., Yang, J., Yu, W., Pei, K., Zhu, Y., Wang, J., Liang, S., Hu, J., Hou, H., & Liu, B. (2019). Enhanced *Sludge* Dewaterability and Pathogen Inactivation by Synergistic Effects of Zero-Valent Iron and Ozonation. *ACS Sustainable Chemistry and Engineering*, 7(1), 324–331. <https://doi.org/10.1021/acssuschemeng.8b03605>
- Zhai, L. F., Sun, M., Song, W., & Wang, G. (2012). An integrated approach to optimize the conditioning chemicals for enhanced *sludge* conditioning in a pilot-scale *sludge* dewatering process. *Bioresource Technology*, 121, 161–168. <https://doi.org/10.1016/j.biortech.2012.06.093>
- Zhang, G., Yang, J., Liu, H., & Zhang, J. (2009). *Sludge* ozonation: Disintegration, supernatant changes and mechanisms. *Bioresource Technology*, 100(3), 1505–1509. <https://doi.org/10.1016/j.biortech.2008.08.041>
- Zhang, Y., Qian, C., Wang, X., Chen, X., Chang, Z., Wang, J., & Niu, Z. (2023). Study on prevention and control mechanism of runoff water hazard in thick coal seam mining in valley terrain. *Frontiers in Earth Science*, 11(February), 1–14. <https://doi.org/10.3389/feart.2023.1140491>
- Zhen, G., Lu, X., Wang, B., Zhao, Y., Chai, X., Niu, D., & Zhao, T. (2014). Enhanced dewatering characteristics of waste activated *sludge* with Fenton pretreatment: Effectiveness and statistical optimization. *Frontiers of Environmental Science and Engineering*, 8(2), 267–276. <https://doi.org/10.1007/s11783-013-0530-3>
- Zhu, C., Zhang, P., Wang, H., & Ye, J. (2018). Conditioning of sewage *sludge* via combined ultrasonication-flocculation-skeleton building to improve *sludge* dewaterability. *Ultrasonics Sonochemistry*, 40(July 2017), 353–360. <https://doi.org/10.1016/j.ultsonch.2017.07.028>