UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbaci, F., Nait-Merzoug, A., Guellati, O., Harat, A., El Haskouri, J., Delhalle, J., Mekhalif, Z., and Guerioune, M., 2022, Bio/KOH Ratio Effect on Activated *Biochar* and Their Dye Based Wastewater Depollution, *J. Anal. Appl. Pyrolysis*, 162, 105452.

Abdu, M., Babaee, S., Worku, A., Diale, P., Msagati, T.A.M., and Nure, J.F., 2025, Synthesis and Optimization of TiO_2-*Biochar* Composite for Degradation of Basic Blue 41 Dye in Textile Wastewater using Response Surface Methodology, *Inorg. Chem. Commun.*, 174, 114078.

Abdu, M., Worku, A., Babaee, S., Diale, P., Msagati, T.A., and Nure, J.F., 2025, The Development of TiO_2-*Biochar* Composite Material for Photodegradation of Basic Blue 41 and Erichrome Black T Azo Dyes from Water, *Surfaces and Interfaces*, 62, 106156.

Anonim, 2025. *FDA to Revoke Authorization for Use of Red No. 3 in ood and iIngested Drugs*. [online] Available at: https://www.fda.gov/food/hfp-constituent-updates/fda-revoke-authorization-use-red-no-3-food-and-ingested-drugs [Accessed 15 Jun. 2025].

Apostol, L.C. and Gavrilescu, M., 2016, *Erythrosine B* in the Environment. Removal Processes, *Food Environ. Saf. J.*, 12, 253–264.

Aritonang, B., Tamrin, Basuki, and Eddiyanto, W., Grafting Copolymer Cylic Natural Rubber with Oleic Acid using Dicumyl Peroxide as Initiator, *AIP Conf. Proc*., 2267, 020013.

Aussanasuwannakul, A., Teangpook, C., Treesuwan, W., and Puntaburt, K., 2022, Effect of the Addition of Soybean Residue (Okara) on the Physicochemical, Tribological, Instrumental, and Sensory Texture Properties of Extruded Snacks, *Foods*, 11(19), 2967.

Awoh, E.T., Kiplagat, J., Kimutai, S.K., and Mecha, A.C., 2024, Sonication-assisted Activation of Empty Fruit Bunches to Produce Activated Carbon for Supercapacitor's Electrodes: Surface Chemistry and Morphology Characterization, *Heliyon*, 10, 38975.

Ayawei, N., Ebelegi, A.N., and Wankasi, D., 2017, Modelling and Interpretation of Adsorption Isotherms, *J. Chem.*, 2017, 3039817.

Azargohar, R. and Dalai, A.K., 2008, Steam and KOH Activation of *Biochar*: Experimental and Modeling Studies, *Microporous Mesoporous Mater*, 110, 413–421.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Bayu, A., Nandiyanto, D., Oktiani, R., and Ragadhita, R., 2019, How to Read and Interpret FTIR Spectroscope of Organic Material, *Indones. J. Sci. Technol.*, 4, 97–118.

Beltrame, K.K., Cazetta, A.L., de Souza, P.S.C., Spessato, L., Silva, T.L., and Almeida, V.C., 2018, Adsorption of Caffeine on Mesoporous Activated Carbon Fibers Prepared from Pineapple Plant Leaves, *Ecotoxicol. Environ. Saf.*, 147, 64–71.

Bhowmick, S., Chakraborty, S., Mondal, P., Van Renterghem, W., Van den Berghe, S., Roman-Ross, G., Chatterjee, D., and Iglesias, M., 2014, Montmorillonite-Supported Nanoscale Zero-Valent Iron for Removal of Arsenic from Aqueous Solution: Kinetics and Mechanism, *Chem. Eng. J.*, 243, 14–23.

Calvete, M.J.F., Piccirillo, G., Vinagreiro, C.S., and Pereira, M.M., 2019, Hybrid Materials for Heterogeneous Photocatalytic Degradation of Antibiotics, *Coord. Chem. Rev.*, 395, 63–85.

Cano, F.J., Reyes-Vallejo, O., Sánchez-Albores, R.M., Sebastian, P.J., Cruz-Salomón, A., Hernández-Cruz, M. del C., Montejo-López, W., González Reyes, M., Serrano Ramirez, R. del P., and Torres-Ventura, H.H., 2025, Activated *Biochar* from Pineapple Crown Biomass: A High-Efficiency Adsorbent for Organic Dye Removal, *Sustain.*, 17, 99.

Carmen Apostol, L., Ghinea, C., Alves, M., and Gavrilescu, M., 2016, Removal of *Erythrosine B* Dye from Water Effluents using Crop Waste Pumpkin Seed Hulls as Adsorbent, *Desalin. Water Treat.*, 57, 22585–22608.

Cha, J.S., Park, S.H., Jung, S.C., Ryu, C., Jeon, J.K., Shin, M.C., and Park, Y.K., 2016, Production and Utilization of *Biochar*: A review, *J. Ind. Eng. Chem.*, 40, 1–15.

Chen, C., Sun, K., Huang, C., Yang, M., Fan, M., Wang, A., Zhang, G., Li, B., Jiang, J., Xu, W., and Liu, J., 2023, Investigation on the Mechanism of Structural Reconstruction of *Biochar*s Derived from Lignin and Cellulose during Graphitization under High Temperature, *Biochar*, 5, 1–14.

Chen, W., Gong, M., Li, K., Xia, M., Chen, Z., Xiao, H., Fang, Y., Chen, Y., Yang, H., and Chen, H., 2020, Insight into KOH Activation Mechanism during Biomass Pyrolysis: Chemical Reactions between O-containing Groups and KOH, *Appl. Energy.*, 300, 117325.

Chen, X.L., Li, F., Chen, H.Y., Wang, H.J., and Li, G.G., 2020, Fe_2O_3/TiO_2 Functionalized *Biochar* as a Heterogeneous Catalyst for Dyes Degradation in Water under Fenton Processes, *J. Environ. Chem. Eng.*, 8 (4), 103905.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Cheng, G., Xu, F., Xiong, J., Tian, F., Ding, J., Stadler, F.J., and Chen, R., 2016, Enhanced Adsorption and Photocatalysis Capability of Generally Synthesized TiO_2-Carbon Materials Hybrids, *Adv. Powder Technol.*, 27, 1949–1962.

Chigozie, U.F., 2015, Removal of Orange-G, Vat Yellow, Erythrosine Dyes from Synthetic Wastewater by Electrocoagulation and Nanofiltration, *J. Adv. Chem. Eng.*, 4(3), 1-5.

Chiu, Y.H., Chang, T.F.M., Chen, C.Y., Sone, M., and Hsu, Y.J., 2019, Mechanistic Insights into Photodegradation of Organic Dyes Using Heterostructure Photocatalysts, *Catal*, 9, 430.

Ciabatti, I., Tognotti, F., and Lombardi, L., 2010, Treatment and Reuse of Dyeing Effluents by Potassium Ferrate, *Desalination*, 250, 222–228.

Cinar, Z., 2014, The Role of Non-Metal Doping in TiO_2 Photocatalysis, *J. Adv. Oxid. Technol.*, 13(3), 281-296.

Clematis, D. and Panizza, M., 2021, Electro-Fenton, Solar Photoelectro-Fenton and UVA Photoelectro-Fenton: Degradation of *Erythrosine B* Dye Solution, *Chemosphere*, 270, 129480.

Colmenares, J.C., Varma, R.S., and Lisowski, P., 2016, Sustainable Hybrid Photocatalysts: Titania Immobilized on Carbon Materials Derived from Renewable and Biodegradable Resources, *Green Chem.*, 18, 5736–5750.

Coto, M., Divitini, G., Dey, A., Krishnamurthy, S., Ullah, N., Ducati, C., and Kumar, R.V., 2017, Tuning the Properties of a Black TiO_2-Ag Visible Light Photocatalyst roduced by a Rapid One-Pot Chemical Reduction, *Mater. Today Chem.*, 4, 142–149.

Crişan, D., Drăgan, N., Crişan, M., Răileanu, M., Brăileanu, A., Anastasescu, M., Ianculescu, A., Mardare, D., Luca, D., Marinescu, V., and Moldovan, A., 2008, Crystallization Study of Sol–Gel Un-Doped and Pd-Doped TiO_2 Materials, *J. Phys. Chem. Solids*, 69, 2548–2554.

Dai, Y.D., Lin, J.H., Hung, C.H., and Yuan, C., 2024, Enhanced Removal of Sulfamethoxazole Via Adsorption and Photodegradation using *Biochar*-Modified Iodine-Doped TiO_2 Photocatalysts under Simulated Sunlight, *Process Saf. Environ. Prot.*, 190, 804–816.

Deswardani, F., Nelson, Nurhidayah, Helga Dwi, and Afrianto, M.F., 2020, Analisis Gugus Fungsi pada TiO_2/*Biochar* dengan Spektroskopi FTIR (Fourier Transform Infrared), *J. Online Phys.*, 5, 54–58.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Duwiejuah, A.B., Abubakari, A.H., Quainoo, A.K., and Amadu, Y., 2020, Review of *Biochar* Properties and Remediation of Metal Pollution of Water and Soil, *J. Heal. Pollut.*, 10(27), 200902.

Ebrahimi, M., Gholipour, S., Mostafaii, G., and Yousefian, F., 2024, Results in Engineering *Biochar*-Amended Food Waste Compost : A Review of Properties, *Results Eng.*, 24, 103118.

El-Hendawy, A.N.A., 2006, Variation in the FTIR Spectra of a Biomass under Impregnation, Carbonization and Oxidation Conditions, *J. Anal. Appl. Pyrolysis*, 75, 159–166.

El-Shafie, A.S., Abouseada, M., and El-Azazy, M., 2023, TiO_2-Functionalized *Biochar* from Pistachio utshells: Adsorptive Removal and Photocatalytic Decolorization of Methyl Orange, *Appl. Water Sci.*, 13, 1–21.

El-Zaidia, E.F.M., Darwish, A.A.A., Qashou, S.I., and Ali, H.A.M., 2025, Relevance of Linear and Nonlinear Optical Properties of *Erythrosine B* Thin Films for Photonic Application, *Thin Solid Films*, 810, 140602.

Elamin, N.Y., Modwi, A., Abd El-Fattah, W., and Rajeh, A., 2023, Synthesis and Structural of Fe_3O_4 Magnetic Nanoparticles and its Effect on the Structural Optical, and Magnetic Properties of Novel Poly (Methyl Methacrylate)/ Polyaniline Composite for Electromagnetic and Optical Applications, *Opt. Mater. (Amst).*, 135, 113323.

Fan, S., Wang, S., Zhang, W., Fan, X., Huang, Z., Zhou, N., and Xu, H., 2024, KOH Activated *Biochar* Loaded with MnAl-Layered Double Hydroxides for Superior Adsorption of Tetracycline from the Aquatic Environment, *J. Ind. Eng. Chem.*, 134, 474–483.

Fazal, T., Razzaq, A., Javed, F., Hafeez, A., Rashid, N., Amjad, U.S., Ur Rehman, M.S., Faisal, A., and Rehman, F., 2020, Integrating Adsorption and hotocatalysis: A Cost Effective Strategy for Textile Wastewater Treatment using Hybrid *Biochar*-TiO_2 Composite, *J. Hazard. Mater.*, 390, 121623.

Gale, M., Nguyen, T., Moreno, M., and Gilliard-Abdulaziz, K.L., 2021, Physiochemical Properties of *Biochar* and Activated Carbon from Biomass Residue: Influence of Process Conditions to Adsorbent Properties, *ACS Omega*, 6, 10224–10233.

Ghali, M., Benltifa, M., Brahmi, C., Elbassi, L., Dumur, F., Simonnet-Jégat, C., Bousselmi, L., and Lalevée, J., 2021, LED and Solar Photodecomposition of *Erythrosine B* and Rose Bengal using $H_3PMo_{12}O_{40}$/Polymer Photocatalyst, *Eur. Polym. J.*, 159, 110743.

Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Ghosh, A. and Mondal, A., 2017, Efficient Charge Separation in Mixed Phase Cu_7S_4-CuO Thin Film: Enhanced Photocatalytic Reduction of Aqueous Ni (II) under Visible-Light, *Thin Solid Films*, 628, 68–74.

Gogate, P.R. and Pandit, A.B., 2004, A Review of Imperative Technologies for Wastewater Treatment I: Oxidation Technologies at Ambient Conditions, *Adv. Environ. Res.*, 8, 501–551.

Haak, M.R., Indraratne, S.P., Attanayake, C.P., Goltz, D.M., and Applin, D.M., 2024, Co-Application of Wood *Biochar* and Nano-Titanium Dioxide to Immobilize Vanadium in Alkaline Soils, *Remediat. J.*, 35, 70003.

Hamidi, A., Atia, D., Rebiai, A., Reghioua, A., Zobeidi, A., Messaoudi, M., Seghir, B. Ben, Pohl, P., and Simal-Gandara, J., 2024, Investigation of Adsorption Kinetics and Isothermal Thermodynamics for Optimizing Methylene Blue Adsorption onto a Modified Clay with Cellulose using the Response Surface Approach, *Biomass Convers. Biorefinery*, 14, 22573–22587.

Haq, A. ul, Saeed, M., Khan, S.G., Ibrahim, M., Haq, A. ul, Saeed, M., Khan, S.G., and Ibrahim, M. (2021), *Photocatalytic applications of titanium dioxide (TiO_2)*. In: *Titanium Dioxide - Advances and Applications*, Saudi Arabia.

Hasanzadeh, M., Ghaedrahmat, Z., Kayedi, N., Haghighi Fard, N.J., Azari, A., and Afsharizadeh, M., 2023, Persulfate-assisted Heterogeneous Photocatalytic Degradation of Furfural from Aqueous Solutions using TiO_2–ZnO/*Biochar* Composite, *Heliyon*, 9, e21421.

Hery Astuti, D., Gilang Yuandana, Y., Jurusan Teknik Kimia, K., Teknik, F., Timur Jl Raya Rungkut Madya, J., and Anyar, G., 2018, Kajian Karakteristik *Biochar* dari Batang Tembakau, Batang Pepaya dan Jerami Padi dengan Proses Pirolisis, *J. Tek. Kim. UPN Veteran Jatim*, 12, 492314.

Hoang, T.D., Liu, Y., and Le, M.T., 2024, Synthesis and Characterization of *Biochar*s and Activated Carbons Derived from Various Biomasses, *Sustain.*, 16(13), 5495.

Hosseini, M., Ghanbari, M., Dawi, E.A., Shuhata Alubiady, M.H., Al-Ani, A.M., Alkaim, A.F., and Salavati-Niasari, M., 2024, $CaSnO_3$/g-C_3N_4 S-scheme Heterojunction Photocatalyst for the Elimination of Erythrosine and Eriochrome lack T from Water under Visible Light, *Results Eng.*, 21, 101903.

Huang, Q., Sun, Q., Tang, Z., and Zeng, X., 2023, K_2CO_3 Pretreated Okara Enhances Physicochemical, Structural, and Starch Digestion Properties in Rice Tofu, a Traditional China Snack, *Food Biosci.*, 53, 102611.

Ikubanni, P.P., Adeleke, A.A., Adedayo, A.C., Robinson, U.F., Danjuma, D.E., Agboola, O.O., Adekanye, T.A., and Ogundipe, O.L., 2024, Characterization

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

of Bio-oil and *Biochar* Produced from Co-pyrolysis of Teak Wood Sawdust and Waste Plastic Bottles Using Ablative Pyrolyzer, *Chem. Africa*, 7, 4833–4848.

Indriasari, M., Kustiyah, L., Pontjo Priosoeryanto, B., and Hadipoetro Idris, F., 2019, Determination of the Dose of *Erythrosine B* as a Preparation for Inducing the Experimental Rats to Be Spastic, *Int. J. Sci. Eng. Res.*, 14 (4), 10–17.

Irineu, M.D., de Aquino, R.V.S., Barbosa, A.A., Do Nascimento Júnior, W.J., da Silva, J.P., Pacheco, J.G.A., and da Rocha, O.R.S., 2022, Degradation of Textile Dye Mixture by Heterogeneous Photocatalysis Employing Neural Network Modeling, *Desalin. Water Treat.*, 280, 128–138.

Kajjumba, G.W., Emik, S., Öngen, A., Aydın, H.K.Ö. and S., Kajjumba, G.W., Emik, S., Öngen, A., and Aydın, H.K.Ö. and S. (2018), Modelling of Adsorption Kinetic Processes—Errors, Theory and Application, *Adv. Sorption Process Appl*, Turkey.

Kanan, S., Moyet, M.A., Arthur, R.B., and Patterson, H.H., 2020, Recent Advances on TiO_2-Based Photocatalysts Toward the Degradation of Pesticides and Major Organic Pollutants from Water Bodies, *Catal. Rev.*, 62, 1–65.

Kandy, M.M., 2020, Carbon-Based Photocatalysts for Enhanced Photocatalytic Reduction of CO_2 to Solar Fuels, *Sustain. Energy Fuels*, 4, 469–484.

Kazemi, F., Mohamadnia, Z., Kaboudin, B., and Karimi, Z., 2016, Photodegradation of Methylene Blue with a Titanium ioxide/pPolyacrylamide Photocatalyst under Sunlight, *J. Appl. Polym. Sci.*, 133, .

Kim, J.R. and Kan, E., 2016, Heterogeneous Photocatalytic Degradation of Sulfamethoxazole in Water using a *Biochar*-Supported TiO_2 Photocatalyst, *J. Environ. Manage.*, 180, 94–101.

Kizito, S., Wu, S., Kipkemoi Kirui, W., Lei, M., Lu, Q., Bah, H., and Dong, R., 2015, Evaluation of Slow Pyrolyzed Wood and Rice Husks *Biochar* for Adsorption of Ammonium itrogen from Piggery Manure Anaerobic Digestate Slurry, *Sci. Total Environ.*, 505, 102–112.

Kumari, U. and Gupta, P., 2024, Evaluation and Optimization of the Different Process Parameters of Mild Acid Pretreatment of Waste Lignocellulosic Biomass for Enhanced Energy Procreation, *Appl. Biochem. Biotechnol.*, 196, 3765–3785.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kushwaha, H.S., Madhar, N.A., Ilahi, B., Thomas, P., Halder, A., and Vaish, R., 2016, Efficient Solar Energy Conversion Using CaCu 3 Ti 4 O 12 Photoanode for Photocatalysis and Photoelectrocatalysis, *Sci. Rep.*, 6, .

Kwon, O.S., Kim, Jae Hyuk, Cho, J.K., and Kim, Jae Hong, 2015, Triplet-Triplet Annihilation Upconversion in CdS-Decorated SiO_2 Nanocapsules for Sub-Bandgap Photocatalysis, *ACS Appl. Mater. Interfaces*, 7, 318–325.

Li, D., Song, H., Meng, X., Shen, T., Sun, J., Han, W., and Wang, X., 2020, Effects of Particle Size on the Structure and Photocatalytic Performance by Alkali-Treated TiO2, *Nanomater. 2020, Vol. 10, Page 546*, 10, 546.

Li, H., Tang, S., Jia, X., Zhu, X., Cai, L., Duan, M., Wang, Shaozhuo, Jiang, H., Ji, M.H., Wang, Shoulin, and Chen, J., 2025, Combined Toxicity Evaluation of Polystyrene Nanoplastics and Nano-ZnO of Distinctive Morphology on Human Lung Epithelial Cells, *Sci. Total Environ.*, 973, 179097.

Li, X., Shen, Q., Zhang, D., Mei, X., Ran, W., Xu, Y., and Yu, G., 2013, Functional Groups Determine *Biochar* Properties (pH and EC) as Studied by Two-Dimensional 13C NMR Correlation Spectroscopy, *PLoS One*, 8 (6), 65949.

Lian, F. and Xing, B., 2017, Black Carbon (*Biochar*) In Water/Soil Environments: Molecular Structure, Sorption, Stability, and Potential Risk, *Environ. Sci. Technol.*, 51, 13517–13532.

Liang, S., An, M., Xia, S., Zhang, B., Xue, B., Xu, G., and Chen, W., 2023, Enhanced Photocatalytic Degradation of Methyl Orange by TiO_2/*Biochar* Composites Under Simulated Sunlight Irradiation, *Optical Materials*, 142, 114105.

Lisowski, P., Colmenares, J.C., Mašek, O., Łomot, D., Chernyayeva, O., and Lisovytskiy, D., 2018, Novel biomass-derived hybrid TiO_2/Carbon Material using ar-Derived Secondary Char to Improve TiO_2 Bonding to Carbon Matrix, *J. Anal. Appl. Pyrolysis*, 131, 35–41.

Liu, L., Li, Y., and Fan, S., 2019, Preparation of KOH and H3PO4 Modified *Biochar* and Its Application in Methylene Blue Removal from Aqueous Solution, *Process. 2019, Vol. 7, Page 891*, 7, 891.

Liu, X., Wan, C., Li, X., Wei, S., Zhang, L., Tian, W., Yong, K.T., Wu, Y., and Li, J., 2020, Sustainable Wood-Based Nanotechnologies for Photocatalytic Degradation of Organic Contaminants in Aquatic Environment, *Front. Environ. Sci. Eng. 2020 154*, 15, 1–22.

Liu, Y., Dai, X., Li, J., Cheng, S., Zhang, J., and Ma, Y., 2024, Recent progress in TiO_2–*Biochar*-Based Photocatalysts for Water Contaminants Treatment: Strategies to Improve hotocatalytic Performance. *RSC Advances*, 14, 478–491.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Lotfi, S., Fischer, K., Schulze, A., and Schäfer, A.I., 2022, Photocatalytic Degradation of Steroid Hormone Micropollutants by TiO_2-Coated Polyethersulfone embranes in a Continuous Flow-Through Process, *Nat. Nanotechnol. 2022 174*, 17, 417–423.

Lozano-Castelló, D., Calo, J.M., Cazorla-Amorós, D., and Linares-Solano, A., 2007, Carbon Activation with KOH as Explored by Temperature Programmed Techniques, and the Effects of Hydrogen, *Carbon N. Y.*, 45, 2529–2536.

Lü, F., Lu, X., Li, S., Zhang, H., Shao, L., and He, P., 2022, Dozens-fold Improvement of *Biochar* Redox Properties by KOH Activation, *Chem. Eng. J.*, 429, 132203.

Lu, L., Shan, R., Shi, Y., Wang, S., and Yuan, H., 2019, A novel TiO_2/*Biochar* Composite Catalysts for Photocatalytic egradation of Methyl Orange, *Chemosphere*, 222, 391–398.

da Luz Corrêa, A.P., Bastos, R.R.C., Rocha Filho, G.N. da, Zamian, J.R., and Conceição, L.R.V. da, 2020, Preparation of Sulfonated arbon-Based Catalysts from Murumuru Kernel Shell and Their erformance in the Esterification Reaction, *RSC Adv.*, 10, 20245–20256.

Ma, L.L., Liu, W.J., Hu, X., Lam, P.K.S., Zeng, J.R., and Yu, H.Q., 2020, Ionothermal Carbonization of Biomass to Construct sp^2/sp^3 Carbon Interface in N-Doped *Biochar* as Efficient Oxygen Reduction Electrocatalysts, *Chem. Eng. J.*, 400, 125969.

Machrouhi, A., Khiar, H., Elhalil, A., Sadiq, M., Abdennouri, M., and Barka, N., 2023, Synthesis, Characterization, and Photocatalytic Degradation of Anionic Dyes using a Novel ZnO/Activated Carbon Composite, *Watershed Ecol. Environ.*, 5, 80–87.

Mardiani Lubis, D., Sintawardani, N., Hamidah, U., Indriani ASTUTI, D., and Dwiartama, A., 2021, Sustainability Assessment of Small-Scale Tofu Industry Based on Water Resource: Case Study of Giriharja Hamlet, Indonesia, *Sanit. Value Chain*, 5, 55–070.

Matos, B., Martins, M., Samamed, A.C., Sousa, D., Ferreira, I., and Diniz, M.S., 2019, Toxicity Evaluation of Quantum Dots (ZnS and CdS) Singly and Combined in Zebrafish (Danio rerio), *Int. J. Environ. Res. Public Heal. 2020, Vol. 17, Page 232*, 17, 232.

Miao, J., Yang, H. Bin, Khoo, S.Y., and Liu, B., 2013, Electrochemical Fabrication of ZnO–CdSe Core–Shell Nanorod Arrays for Efficient Photoelectrochemical Water Splitting, *Nanoscale*, 5, 11118–11124.

UNIVERSITAS GADJAH MADA
Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis untuk Degradasi Erythrosine B
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mierzwa-Hersztek, M., Gondek, K., Nawrocka, A., Pińkowska, H., Bajda, T., Stanek-Tarkowska, J., and Szostek, M., 2019, FT-IR Analysis and the Content of Phenolic Compounds in Exogenous Organic Matter Produced from Plant biomass, *J. Elem.*, 24, 879–896.

Mihajlović, M., Petrović, J., Kragović, M., Stojanović, M., Milojković, J., Lopičić, Z., and Koprivica, M., 2017, Effect of KOH Activation on Hydrochars Surface: Ft-Ir Analysis, *RAD Assoc. J.*, 2, 65–67.

Milanković, V., Tasić, T., Brković, S., Potkonjak, N., Unterweger, C., Pašti, I., and Lazarević-Pašti, T., 2024, The Adsorption of Chlorpyrifos and Malathion under Environmentally Relevant Conditions using Biowaste Carbon Materials, *J. Hazard. Mater.*, 480, 135940.

Mondal, N.K. and Kar, S., 2018, Potentiality of Banana Peel for Removal of Congo Red Dye from Aqueous Solution: Isotherm, Kinetics and Thermodynamics studies, *Appl. Water Sci.*, 8, 1–12.

Montes, V. and Hill, J.M., 2018, Activated Carbon Production: Recycling KOH to Minimize Waste, *Mater. Lett.*, 220, 238–240.

Mpountoukas, P., Pantazaki, A., Kostareli, E., Christodoulou, P., Kareli, D., Poliliou, S., Mourelatos, C., Lambropoulou, V., and Lialiaris, T., 2010, Cytogenetic evaluation and DNA Interaction Studies of the Food Colorants Amaranth, Erythrosine and Tartrazine, *Food Chem. Toxicol.*, 48, 2934–2944.

Muruganandham, M. and Swaminathan, M., 2006, Photocatalytic Decolourisation and Degradation of Reactive Orange 4 by TiO_2-UV process, *Dye. Pigment.*, 68, 133–142.

Okamura, M., Takagaki, A., Toda, M., Kondo, J.N., Domen, K., Tatsumi, T., Hara, M., and Hayashi, S., 2006, Acid-Catalyzed Reactions on Flexible Polycyclic Aromatic Carbon in Amorphous Carbon, *Chem. Mater.*, 18(13), 3039–3045.

Oumam, M, Abourriche, A, Mansouri, S, Mouiya, M, Benhammou, A, Abouliatim, Y, Hafiane, Ye, Hannache, H, Birot, M., Pailler, R., Oumam, Mina, Abourriche, Abdelkrim, Mansouri, Said, Mouiya, Mossaab, Benhammou, Abdelaziz, Abouliatim, Younes, El Hafiane, Youssef, Hannache, Hassan, and Naslain, R., 2020, Comparison of Chemical and Physical Activation Processes at Obtaining Adsorbents from Moroccan Oil Shale, *Oil Shale*, 37(2), 139–157.

Padikkaparambil, S., Narayanan, B., Yaakob, Z., Viswanathan, S., and Tasirin, S.M., 2013, Au/TiO_2 Reusable Photocatalysts for Dye Degradation, *Int. J. Photoenergy*, 2013, 752605.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Perussello, C.A., do Amarante, Á.C.C., and Mariani, V.C., 2009, Convective Drying Kinetics and Darkening of Okara, *Dry. Technol.*, 27, 1132–1141.

Pinij, P., Tippayawong, N., Chimupala, Y., and Chaiklangmuang, S., 2021, Performances of Functional Groups and KOH-Transformation in Corn Stover Waste through Catalytic Pyrolysis, *J. Anal. Appl. Pyrolysis*, 157, 105234.

Pourreza, N., Parham, H., and Pourbati, M.A., 2016, Magnetic Iron Oxide Nanoparticles Modified by Methyl Trioctyl Ammonium Chloride as an Adsorbent for the Removal of Erythrosine from Aqueous Solutions, *Desalin. Water Treat.*, 57, 17454–17462.

Praveen, P., Viruthagiri, G., Mugundan, S., and Shanmugam, N., 2014, Structural, Optical and Morphological analyses of Pristine Titanium Di-oxide Nanoparticles - Synthesized via Sol-Gel Route, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 117, 622–629.

Qu, J., Wang, Y., Tian, X., Jiang, Z., Deng, F., Tao, Y., Jiang, Q., Wang, L., and Zhang, Y., 2021, KOH-Activated Porous *Biochar* with High Specific Surface Area for Adsorptive Removal of Chromium (VI) and Naphthalene from Water: Affecting Factors, Mechanisms and Reusability Exploration, *J. Hazard. Mater.*, 401, 123292.

Reza, K.M., Kurny, A., and Gulshan, F., 2015, Parameters Affecting the Photocatalytic Degradation of Dyes using TiO_2: a Review, *Appl. Water Sci. 2015 74*, 7, 1569–1578.

Rismanchian, M., Golbabaei, F., Mortazavi, Y., Pourtaghi, G., Rahimi Foroushani, A., and Nassiri, P., 2012, A Comparative Evaluation of TiO_2 Suspension Coating Techniques: A Novel Technique to Achieve Optimal Thickness and Uniformity of Photocatalytic Film, *Int. J. Photoenergy*, 2012, 634802.

Saien, J. and Khezrianjoo, S., 2008, Degradation of the Fungicide Carbendazim in Aqueous Solutions with UV/TiO_2 Process: Optimization, Kinetics and Toxicity Studies, *J. Hazard. Mater.*, 157, 269–276.

Sajjadi, B., Zubatiuk, T., Leszczynska, D., Leszczynski, J., and Chen, W.Y., 2018, Chemical Activation of *Biochar* for Energy and Environmental Applications: a Comprehensive Review, *Rev. Chem. Eng.*, 35, 777–815.

Salvi, N.A., 2018, Decolorization of *Erythrosine B* by Rhizopus Arrhizus Biomass, *Appl. Water Sci.*, 8, 1–11.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Saravanan, R., Aviles, J., Gracia, F., Mosquera, E., and Gupta, V.K., 2018, Crystallinity and Lowering Band Gap Induced Visible Light Photocatalytic Activity of TiO_2/CS (Chitosan) Nanocomposites, *Int. J. Biol. Macromol.*, 109, 1239–1245.

Selvi, K.T. and Sagadevan, S., 2022, Recent Developments in Optoelectronic and Photonic Applications of Metal Oxides, *Met. Oxides Optoelectron. Opt. Med. Appl.*, 33–57.

Shang, H., Hu, W., Li, Y., Zhang, Q., Feng, Y., Xu, Y., and Yu, Y., 2023, *Biochar*-Supported Magnesium Oxide as High-Efficient Lead Adsorbent with Economical Use of Magnesium Precursor, *Environ. Res.*, 229, 115863.

Shiny Raj, R. and Anoop Krishnan, K., 2023, A Comprehensive Review on the Impact of Emerging Organophosphorous Pesticides and Their Remedial Measures: Special Focus on Acephate, *Environ. Nanotechnology, Monit. Manag.*, 20, 100813.

Si, Y., Shi, S., and Hu, J., 2023, Applications of lectrospinning in Human Health: From Detection, Protection, Regulation to Reconstruction, *Nano Today*, 48, 101723.

Sisodiya, A.S., Tak, P., Ameta, R., and Ameta, K.L., 2015, Photocatalytic Degradation of Erythrosine using Nanoparticles of N, S-Codoped Titanium Dioxide, *Sci. Revs. Chem. Commun*, 5, 43–50.

Soltani, A., Faramarzi, M., and Parsa, S.A.M., 2021, A Review on Adsorbent Parameters for Removal of Dye Products from Industrial Wastewater, *Water Qual. Res. J.*, 56, 181–193.

Song, S., Liu, Z., Liu, G., Cui, X., and Sun, J., 2023, Application of *Biochar* Cement-Based Materials for Carbon Sequestration, *Constr. Build. Mater.*, 405, 133373.

Srivatsav, P., Bhargav, B.S., Shanmugasundaram, V., Arun, J., Gopinath, K.P., and Bhatnagar, A., 2020, *Biochar* as an Eco-Friendly and Economical Adsorbent for the Removal of Colorants (Dyes) from Aqueous Environment: A Review, *Water*, 17(9), 1325.

Sukarta, I.N., Ayuni, N.S.P., Sastrawidana, I.D.K., Sudiana, I.K., and Eka, P.S., 2019, Degradasi Zat Warna Rhemazol Blue Secara Fotokatalitik Menggunakan Komposit TiO_2-Batu Apung Sebagai Fotokatalis, *Wahana Mat. dan Sains*, 13, 1–13.

Sulaiman, S.N.A., Zaky Noh, M., Nadia Adnan, N., Bidin, N., and Ab Razak, S.N., 2018, Effects of Photocatalytic Activity of Metal and Non-metal Doped TiO_2

Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

for Hydrogen Production Enhancement - A Review, *J. Phys. Conf. Ser.*, 1027.

Suratman, A., Astuti, D.N., Kusumastuti, P.P., and Sudiono, S., 2024, Okara *Biochar* Immobilized Calcium-Alginate Beads as Eosin Yellow Dye Adsorbent, *Results Chem.*, 7, 101268.

Suratman, A., Astuti, D.N., Kusumastuti, P.P., Sudiono, S., Wijaya, H.W., and Wibowo, A.H., 2024, Comprehensive Study of Thermochemical Conversion of Biomass Okara into *Biochar*, *J. Anal. Appl. Pyrolysis*, 181, 106594.

Tan, S.N., Yuen, M.L., and Ramli, R.A., 2025, Photocatalysis of Dyes: Operational Parameters, Mechanisms, and Degradation Pathway, *Green Anal. Chem.*, 12, 100230.

Tang, Z., Kong, Y., Zhao, S., Jia, H., Vione, D., Kang, Y., and Gao, P., 2021, Enhancement of Cr(VI) Decontamination by Irradiated Sludge *Biochar* in Neutral Conditions: Evidence of a Possible Role of Persistent Free Radicals, *Sep. Purif. Technol.*, 277, 119414.

Tomczyk, A., Sokołowska, Z., and Boguta, P., 2020, *Biochar* Physicochemical Properties: Pyrolysis Temperature and Feedstock Kind Effects, *Rev. Environ. Sci. Biotechnol.*, 19, 191–215.

Trandafilović, L. V., Jovanović, D.J., Zhang, X., Ptasińska, S., and Dramićanin, M.D., 2017, Enhanced Photocatalytic Degradation of Methylene Blue and Methyl Orange by ZnO:Eu Nanoparticles, *Appl. Catal. B Environ.*, 203, 740–752.

Triki, M., Tanazefti, H., and Kochkar, H., 2017, Design of β-cyclodextrin Modified TiO_2 Nanotubes for the Adsorption of Cu(II): Isotherms and Kinetics Study, *J. Colloid Interface Sci.*, 493, 77–84.

Trivedi, Y., Sharma, M., Mishra, R.K., Sharma, A., Joshi, J., Gupta, A.B., Achintya, B., Shah, K., and Vuppaladadiyamd, A.K., 2025, *Biochar* Potential for Pollutant Removal during Wastewater Treatment: A Comprehensive Review of Separation Mechanisms, Technological Integration, and Process Analysis, *Desalination*, 600, 118509.

Vong, W.C. and Liu, S.Q., 2016, Biovalorisation of Okara (soybean residue) for Food and Nutrition, *Trends Food Sci. Technol.*, 52, 139–147.

Wang, J. and Guo, X., 2020, Adsorption Kinetic Models: Physical Meanings, Applications, and Solving Methods, *J. Hazard. Mater.*, 390, 122156.

Wang, J., Li, Z., Li, Y., Wang, Z., Liu, X., Liu, Z., and Ma, J., 2024, Evolution and Correlation of the Physiochemical Properties of Bamboo Char under

Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Successive Pyrolysis Process, *Biochar*, 6, 1–19.

Wang, W., Zhang, J., Chen, T., Sun, J., Ma, X., Wang, Y., Wang, J., and Xie, Z., 2020, Preparation of TiO2-modified *Biochar* and its Characteristics of Photo-catalysis Degradation for Enrofloxacin, *Sci. Rep.*, 10, 1–12.

Weber, K. and Quicker, P., 2018, Properties of *Biochar*, *Fuel*, 217, 240–261.

Wu, F.C., Tseng, R.L., and Juang, R.S., 2005, Comparisons of Porous and Adsorption Properties of Carbons Activated by Steam and KOH, *J. Colloid Interface Sci.*, 283, 49–56.

Xing, B., Shi, C., Zhang, C., Yi, G., Chen, L., Guo, H., Huang, G., and Cao, J., 2016, Preparation of TiO2/Activated Carbon Composites for Photocatalytic Degradation of RhB under UV Light Irradiation, *J. Nanomater.*, 2016, 8393648.

Young, J.L., Steiner, M.A., Döscher, H., France, R.M., Turner, J.A., and Deutsch, T.G., 2017, Direct Solar-to-Hydrogen Conversion via Inverted Metamorphic multi-Junction Semiconductor Architectures, *Nat. Energy 2017 24*, 2, 1–8.

Yu, K.L., Lee, X.J., Ong, H.C., Chen, W.H., Chang, J.S., Lin, C.S., Show, P.L., and Ling, T.C., 2020, Adsorptive Removal of Cationic Methylene Blue and Anionic Congo Red Dyes using Wet-Torrefied Microalgal *Biochar*: Equilibrium, Kinetic and Mechanism Modeling., *Environ. Pollut.*, 272.

Yu, S., Yun, H.J., Kim, Y.H., and Yi, J., 2014, Carbon-doped TiO_2 Nanoparticles Wrapped with Nanographene as a High Performance Photocatalyst for Phenol Degradation under Visible Light Irradiation, *Appl. Catal. B Environ.*, 144, 893–899.

Yulis Setyawan, H., Mayang Sabrina Sunyoto, N., Sugiarto, Y., Sue stining Dyah Dewanti, B., Tri Widayanti, V., Hakim, L., Kurniawan, S., bryna Auliya Nugroho, G., Ulandari, D., Aditya Hanindipto, F., ira Arini Sundari, S., Akbar Pamungkas, I., Putra Agus Pratama, A., and An, Z.W., 2024, Characterisation of *Biochar* from Various Carbon Sources, *IO Web Conf.*, 90, 06003.

Zhang, Y., Xu, X., Cao, L., Sik, Y., and Cao, X., 2018, Chemosphere Characterization and Quanti fi Cation of Electron Donating Capacity and its Structure Dependence in *Biochar* Derived from Three Waste Biomasses, *Chemosphere*, 211, 1073–1081.

Zhang, Y., Xu, X., Zhang, P., Ling Zhao, Qiu, H., and Cao, X., 2019, Pyrolysis-Temperature Depended Quinone and Carbonyl Groups as the Electron Accepting Sites in Barley Grass Derived *Biochar*, *Chemosphere*, 232, 273–280.

UNIVERSITAS
GADJAH MADA
**Sintesis dan Aplikasi Komposit TiO2-Biochar Okara (Ampas Tahu) Teraktivasi KOH sebagai Fotokatalis
untuk Degradasi Erythrosine B**
Nabila Anggivia Putri, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si. ; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, Z., Zhang, M., Zhao, X., and Cao, J., 2024, High-Efficient Removal and Adsorption Mechanism of Organic Dyes in Wastewater by KOH-Activated *Biochar* from Phenol-Formaldehyde Resin Modified Wood, *Sep. Purif. Technol.*, 330, 125542.

Zhu, H., An, Q., Syafika Mohd Nasir, A., Babin, A., Lucero Saucedo, S., Vallenas, A., Li, L., Baldwin, S.A., Lau, A., and Bi, X., 2023, Emerging Applications of *Biochar*: A Review on Techno-Environmental-Economic Aspects, *Bioresour. Technol.*, 388, .

Zhu, J., Song, X., Tan, W.K., Wen, Y., Gao, Z., Ong, C.N., Loh, C.S., Swarup, S., and Li, J., 2020, Chemical Modification of Biomass Okara Using Poly(Acrylic Acid) through Free Radical Graft Polymerization, *J. Agric. Food Chem.*, 68, 13241–13246.

Zhu, S., Ukwatta, R.H., Cai, X., Zheng, Y., Xue, F., Li, C., and Wang, L., 2023, The Physiochemical and Photodynamic Inactivation Properties of Corn Starch/*Erythrosine B* Composite Film and its Application on Pork Preservation, *Int. J. Biol. Macromol.*, 225, 112–122.

Zubair, M., Kim, H., Razzaq, A., Grimes, C.A., and In, S. Il, 2018, Solar Spectrum Photocatalytic Conversion of CO_2 to CH_4 utilizing TiO_2 Nanotube Arrays Embedded with Graphene uantum Dots, *J. CO_2 Util.*, 26, 70–79.