

DAFTAR PUSTAKA

- [1] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, A. Passos, D. Cournapeau, M. Perrot, and E. Duchesnay, "Scikit-learn: Machine Learning in Python," *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [2] S. Arniriparian, M. Freitag, N. Cummins, M. Gerczuk, S. Pugachevskiy, and B. Schuller, "A Fusion of Deep Convolutional Generative Adversarial Networks and Sequence to Sequence Autoencoders for Acoustic Scene Classification," in *2018 26th European Signal Processing Conference (EUSIPCO)*, 2018, pp. 977–981.
- [3] A. Fernández, S. del Río, V. López, A. Bawakid, B. Krawczyk, M. Woźniak, and F. Herrera, "Big data with class imbalance: A review," *IEEE Access*, vol. 8, p. 59845–59871, 2020.
- [4] X. Li, Y. Wang, and C. Zhao, "Oversampling for class imbalance in medical image segmentation: A hybrid approach," *IEEE Transactions on Medical Imaging*, vol. 41, no. 5, p. 1234–1245, 2022.
- [5] S. H. Khan, M. Hayat, M. Bennamoun, F. Sohel, and R. Togneri, "Cost-sensitive learning of deep feature representations from imbalanced data," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 31, no. 8, p. 2776–2788, 2020.
- [6] J. Zhang, Z. Wang, and X. Chen, "Efficient augmentation for imbalanced deep learning," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 32, no. 8, p. 3456–3469, 2021.
- [7] X. Wang, P. Zhang, and H. Li, "Variational Autoencoders for Imbalanced Dataset Augmentation," *IEEE Access*, vol. 10, p. 10356–10368, 2022.
- [8] J. Zhao, L. Li, and W. Zhang, "Generative Adversarial Networks for Imbalanced Dataset Processing," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 32, no. 6, p. 2403–2415, 2021.
- [9] D. Santoso, "Peningkatan Kinerja Deteksi Bunyi Doppler Arteri Wasir melalui Penggunaan Metode Ekstraksi Fitur Mel-Frequency Cepstral Coefficients Dinamis Pita Selektif (MFCCDPS) dan Klasifikator SVM Ansambel," Ph.D. dissertation, Dept. Teknik Elektro dan Teknologi Informasi, Universitas Gadjah Mada, Yogyakarta, Indonesia, 2024.
- [10] J. Liu, P. Zhang, and X. Yang, "Comparative analysis of oversampling techniques on small and imbalanced datasets using deep learning," *IEEE Access*, vol. 10, p. 11329–11341, 2022.
- [11] H. Zhang, Y. Li, and D. Wang, "Machine learning models for classifying imbalanced class datasets using ensemble learning," *IEEE Transactions on Knowledge and Data Engineering*, vol. 35, no. 1, p. 202–212, 2023.
- [12] Y. Li, Z. Chen, and J. Wang, "Improved GAN for Class Imbalance in Medical Imaging," *IEEE Transactions on Medical Imaging*, vol. 42, no. 3, p. 1246–1258, 2023.



- [13] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016, <http://www.deeplearningbook.org>.
- [14] G. Mariani, F. Scheidegger, R. Istrate, C. Bekas, and C. Malossi, “Bagan: Data augmentation with balancing gan,” 2018. [Online]. Available: <https://arxiv.org/abs/1803.09655>
- [15] A. V. Oppenheim, R. W. Schaffer, and J. R. Buck, *Discrete-Time Signal Processing*, 3rd ed. Prentice Hall, 1999.
- [16] K. Mikolajczyk, W. Dolar, and L. Bruna, “Deep learning for computer vision: A brief review,” *Journal of Visual Communication and Image Representation*, vol. 54, pp. 72–88, 2019.
- [17] L. Breiman, “Random Forests,” *Machine Learning*, vol. 45, no. 1, pp. 5–32, 2001.
- [18] C. Cortes and V. Vapnik, “Support-vector networks,” *Machine Learning*, vol. 20, no. 3, pp. 273–297, 1995.
- [19] I. J. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio, “Generative Adversarial Networks,” 2014. [Online]. Available: <https://arxiv.org/abs/1406.2661>
- [20] D. P. Kingma and M. Welling, “Auto-encoding variational bayes,” 2013. [Online]. Available: <https://arxiv.org/abs/1312.6114>
- [21] A. Radford, L. Metz, and S. Chintala, “Unsupervised Representation Learning with Deep Convolutional Generative Adversarial Networks,” 2016. [Online]. Available: <https://arxiv.org/abs/1511.06434>
- [22] C. Doersch, “Tutorial on Variational Autoencoders,” 2016. [Online]. Available: <https://arxiv.org/abs/1606.05908>
- [23] B. Schölkopf and A. J. Smola, *Learning with Kernels: Support Vector Machines, Regularization, Optimization, and Beyond*. MIT Press, 2002.
- [24] T. M. Cover and P. E. Hart, “Nearest neighbor pattern classification,” *IEEE Transactions on Information Theory*, vol. 13, no. 1, pp. 21–27, 1967.
- [25] J. Bergstra and Y. Bengio, “Random search for hyper-parameter optimization,” *Journal of Machine Learning Research*, vol. 13, pp. 281–305, 2012.
- [26] Z. Wang, A. C. Bovik, H. R. Sheikh, and E. P. Simoncelli, “Image quality assessment: From error visibility to structural similarity,” *IEEE Transactions on Image Processing*, vol. 13, no. 4, pp. 600–612, 2004.
- [27] T. Salimans, I. Goodfellow, W. Zaremba, V. Cheung, A. Radford, and X. Chen, “Improved techniques for training gans,” *arXiv preprint arXiv:1606.03498*, 2016.
- [28] M. Heusel, H. Ramsauer, T. Unterthiner, B. Nessler, and S. Hochreiter, “Gans trained by a two time-scale update rule converge to a local nash equilibrium,” 2018. [Online]. Available: <https://arxiv.org/abs/1706.08500>



- [29] T. A. Fawcett, “An Introduction to ROC Analysis,” *Pattern Recognition Letters*, vol. 27, no. 8, pp. 861–874, 2006.
- [30] TensorFlow, “Tensorflow: An end-to-end open source machine learning platform,” <https://www.tensorflow.org/>, 2024, accessed: 2024-06-09.
- [31] Keras, “Keras: The python deep learning api,” <https://keras.io/>, 2024, accessed: 2024-06-09.
- [32] T. Salimans, I. Goodfellow, W. Zaremba, V. Cheung, A. Radford, and X. Chen, “Improved Techniques for Training GANs,” 2016. [Online]. Available: <https://arxiv.org/abs/1606.03498>
- [33] T. Karras, S. Laine, and T. Aila, “Analyzing and improving the image quality of gans,” *arXiv preprint arXiv:1805.08292*, 2018.