

DAFTAR PUSTAKA

- Alhakmani, F., Kumar, S., & Khan, S. A. 2015. Solvent polarity and extraction yield of antioxidant compounds from medicinal plants: A comparative analysis. *Journal of Applied Pharmaceutical Science*, 12(1): 1–8.
- Ahmed, D., Khan, M. M., Saeed, R., & Arshad, M. 2019. Phenolic profile and antioxidant potential of medicinal plants used in folk medicine. *Evidence-Based Complementary and Alternative Medicine*, 2019.
- Alhakmani, F., Kumar, S., & Khan, S. A. 2022. Solvent polarity and extraction yield of antioxidant compounds from medicinal plants: A comparative analysis. *Journal of Applied Pharmaceutical Science*.
- Badria, F. and Aboelmaaty, W. 2019. Plant Histochemistry: A Versatile and Indispensable Tool in Localization of Gene Expression, Enzymes, Cytokines, Secondary Metabolites and Detection of Plants Infection and Pollution. *Acta Scientific Pharmaceutical Sciences*, 3(7): 88–100.
- Bakti, A.A., Triyasmono, L. and Rizki, M.I. 2017. Penentuan Kadar Flavonoid Total dan Uji Antioksidan Ekstrak Etanol Daun Kasturi (*Mangifera casturi* Kosterm.) dengan Metode DPPH. *Jurnal Pharmascience*, 4(1). *Cendekia Journal of Pharmacy*, 5(1): 28–43.
- Chen, B., Wang, X., Zhang, Y., Huang, K., Liu, H. 2020. Improved solubility, dissolution rate, and oral bioavailability of main biflavonoids from *Selaginella doederleinii* extract by amorphous solid dispersion. *Drug Deliv*, 27(1):309-322.
- Do, Q. D. Angkawijaya, A. E., Ju, Y. H. 2014. Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3): 296– 302.
- Fadda, A., Serra, M., Molinu, M. G., Azara, E., Barberis, A., & Sanna, D. 2014. Reaction time and DPPH concentration influence antioxidant activity and kinetic parameters of bioactive molecules and plant extracts in the reaction with the DPPH radical. *Journal of Food Composition and Analysis*, 35(2):112-119.
- Fajar, R.I., Wrasianti, L.P. and Suhendra, L. 2018. KANDUNGAN SENYAWA FLAVONOID DAN AKTIVITAS ANTIOKSIDAN EKSTRAK TEH HIJAU

- PADA PERLAKUAN SUHU AWAL DAN LAMA PENYEDUHAN. *Jurnal Rekayasa dan manajemen Agroindustri*, 6(3): 96.
- Ghasemzadeh, A., & Jaafar, H. Z. E. 2011. Effect of shading on flavonoid biosynthesis and antioxidant properties of ginger (*Zingiber officinale* Roscoe) varieties. *Molecules*, 16(5), 3885–3897.
- Gulcin, İ. and Alwasel, S.H. 2023. DPPH Radical Scavenging Assay. *Processes*, 11(8): 2248.
- Hadini, A., Azdimousa, A., Khoulati, A., Bekkaye, K. 2022. Valorization of Moroccan *Pistacia lentiscus* L. Leaves: Phytochemical and In Vitro Antioxidant Activity Evaluation Compared to Different Altitudes. *The Scientific World Journal*, pp. 1–10.
- Hidayati., Karlina, I., Ningsih, D. 2023. Bioactive Compounds and Antioxidant Activity of Tropical Red Algae *Gracilaria* sp. from Bintan Island, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1148(1): 012004.
- Inggrid, H.M., & Santoso, H. 2014. EKSTRAKSI ANTIOKSIDAN DAN *Jurnal Penelitian Hasil Hutan*, 29(4): 322–330.
- Kang, F. Zhang, S., Chen, D., Tan, J. (2021). Biflavonoids from *Selaginella doederleinii* as Potential Antitumor Agents for Intervention of Non-Small Cell Lung Cancer. *Molecules*, 26:17.
- Kiziltas, H. 2022. Determination of LC-HRMS profiling, antioxidant activity, cytotoxic effect and enzyme inhibitory properties of *Satureja avromanica* using in vitro and in silico methods. *Process Biochemistry*, 116: 157–172.
- Lattanzio, V., Kroon, P. A., Linsalata, V., & Cardinali, A. 2016. Role of plant phenolics in the resistance mechanisms to biotic stress and their relevance in human health. In *Plant phenolics and human health: Biochemistry, nutrition and pharmacology* (pp. 579–620). Wiley-Blackwell.
- Lestari, S., Septiyani, B. N., Proklamasiningsih, E., & Hernayanti, H. 2024. Kandungan Flavonoid dan Aktivitas Antioksidan Kitolod (*Hippobroma longiflora* L.) pada Ketinggian Tempat Tumbuh Berbeda. *LenteraBio: Berkala Ilmiah Biologi*, 13(2): 212-218.
- Li, W., Tang, G.-H. and Yin, S. 2021. Selaginellins from the genus *Selaginella* : isolation, structure, biological activity, and synthesis. *Natural Product Reports*, 38(4): 822–

842.

- Li, Y., Kong, D., Fu, Y., Sussman, M.R., & Wu, H. 2020. The effect of developmental and environmental factors on secondary metabolites in medicinal plants. *Plant physiology and biochemistry*, 148: 80-89 .
- Maghfiroh, L., Rahayu, T. and Hayati, A. 2018. Profil Histokimia dan Analisis In Silico Senyawa Metabolit Sekunder pada Daun Zaitun (*Olea europaea* L.). *Jurnal Sains Alami, (Known Nature)*, 1(1).
- Martel, C. Rojas, N., Marín, M. 2014. *Caesalpinia spinosa* (Caesalpinaceae) leaves: anatomy, histochemistry, and secondary metabolites. *Brazilian Journal of Botany*, 37(2): 167–174.
- Martínez, S., Fuentes, C., & Carballo, J. 2022. Antioxidant activity, total phenolic content and total flavonoid content in sweet chestnut (*Castanea sativa* Mill.) cultivars grown in Northwest Spain under different environmental conditions. *Foods*, 11(21): 3519.
- Marxen, K., Vanselow, K. H., Lippemeier, S., Hintze, R., Ruser, A., & Hansen, U. P. 2014. Determination of DPPH radical oxidation caused by methanolic extracts of some microalgal species by linear regression analysis of spectrophotometric measurements. *Sensors*, 7(10): 2080–2095.
- Marxen, K., Vanselow, K. H., Lippemeier, S., Hintze, R., Ruser, A., & Hansen, U. P. 2014. Determination of DPPH radical oxidation caused by methanolic extracts of some microalgal species by linear regression analysis of spectrophotometric measurements. *Sensors*, 7(10): 2080–2095. MERAH *Hylocereus polyrhizus*) DENGAN SPEKTROFOTOMETRI.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, 26(2): 211–219.
- Molyneux, P. 2020. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, 26(2): 211–219.
- Muflihah, Y. M., Gollavelli, G., Ling, Y. C. 2014. Correlation Study of Antioxidant Activity with Phenolic and Flavonoid Compounds in 12 Indonesian Indigenous Herbs. *Antioxidants (Basel)*. 10(10): 153

- Mukaka, M. M. 2012. A guide to appropriate use of correlation coefficient in medical research. *Malawi Medical Journal*, 24(3): 69–71.
- Murwani, R., Wulandari, M. A., Hapsari, L. R., & Setyowati, A. 2021. Korelasi kandungan flavonoid dengan aktivitas antioksidan ekstrak tanaman herbal Indonesia. *Jurnal Fitofarmaka Indonesia*, 8(2): 123–130.
- Naczka, M., & Shahidi, F. 2015. Extraction and analysis of phenolics in food. *Journal of Chromatography A*, 1054(1–2): 95–111
- Nasution, J. and Riyanto, R. 2021. The existence of Genus *Selaginella* in Gunung Sibuatan Area, The Nagalingga's Village of Karo District, North of Sumatera|| Keberadaan *Selaginella* di Kawasan Gunung Sibuatan Desa Nagalingga Kecamatan Merek kabupaten Karo Sumatera Utara. *Jurnal Pembelajaran dan Biologi Nukleus*, 7(2): 264–271.
- Nugroho, L. H. 2017. Struktur dan Produk Jaringan Sekretori Tumbuhan Yogyakarta: UGM Press.
- Oktaviani, R., Wulandari, A., & Hidayat, M. 2021. Antioxidant activity and total flavonoid content of selected medicinal plants. *Jurnal Kimia Indonesia*, 16(2): 89–96.
- Panche, A. N., Diwan, A. D., & Chandra, S. R. 2016. Flavonoids: An overview. *Journal of Nutritional Science*, 5, e47. <https://doi.org/10.1017/jns.2016.41>
- Pandey, K. B., & Rizvi, S. I. 2009. Plant polyphenols as dietary antioxidants in human health and disease. *Oxidative Medicine and Cellular Longevity*, 2(5): 270–278.
- Pasaribu, G. and Setyawati, T. 2011. AKTIVITAS ANTIOKSIDAN DAN TOKSISITAS EKSTRAK KULIT KAYU RARU (*COTYLELOBIUM* SP.). SENYAWA AKTIF DARI BUAH KIWI (*Actinidia deliciosa*). *Research Report - Engineering Science*, 2.
- Peng, X., Xu, J., Zhang, W., Zhao, X., & Wang, Z. 2014. Extraction and purification of flavonoid glycosides from plant materials. *Journal of Chromatography B*, 967: 35–45.
- Pisoschi, A. M., & Pop, A. 2015. The role of antioxidants in the chemistry of oxidative stress: A review. *European Journal of Medicinal Chemistry*, 97: 55–74.
- Pujiastuti, E. and El'Zeba, D. 2021. PERBANDINGAN KADAR FLAVONOID TOTAL EKSTRAK ETANOL 70% DAN 96% KULIT BUAH NAGA
- Santos, N. F., Salas, R., Villanueva, C., & Hernández, B. 2019. Antioxidant compounds and their antioxidant mechanism. *Antioxidants*, 10: 1-29.

- Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K. M., & Yoga Latha, L. 2011. Extraction, isolation and characterization of bioactive compounds from plants' extracts. *African Journal of Traditional, Complementary and Alternative Medicines*, 8(1): 1–10.
- Setyawan, A.D. 2011. Review: Recent status of Selaginella (Selaginellaceae) research in Nusantara. *Biodiversitas Journal of Biological Diversity*, 12(2):113-123.
- Shahidi, F., & Ambigaipalan, P. 2015. Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects – A review. *Journal of Functional Foods*, 18: 820–897.
- Shalimov, A. P., Zhu, Y. M., Zhang, M. H., & Zhang, X. C. 2019. *Selaginella dianzhongensis* (Selaginellaceae), a new spikemoss from China. *PhytoKeys*, 118, 75–87
- Sharma, A., Shahzad, B., Rehman, A., Bhardwaj, R., Landi, M., & Zheng, B. 2019. Response of phenylpropanoid pathway and the role of polyphenols in plants under abiotic stress. *Molecules*, 24(13): 2452.
- Singh, A., Singh, N. B., Hussain, I., & Singh, H. 2017. Effect of biologically synthesized copper oxide nanoparticles on metabolism and antioxidant activity to the crop plants *Solanum lycopersicum* and *Brassica oleracea* var. botrytis. *Journal of biotechnology*, 262, 11-27.
- Suleria, H. A. R., Barrow, C. J., & Dunshea, F. R. 2020. Flavonoids: Chemistry and antioxidant properties. *Molecules*, 25(11): 2678.
- Tit, D.M. and Bungau, S.G. (2023) 'Antioxidant Activity of Essential Oils', *Antioxidants*, 12(2), p. 383.
- Treml, J., & Šmejkal, K. 2016. Flavonoids as potent scavengers of hydroxyl radicals. *Comprehensive Reviews in Food Science and Food Safety*, 15(4): 720–738.
- Treutter, D. 2018. Managing phenol contents in crop plants by phytochemical farming and breeding—Visions and constraints. *International Journal of Molecular Sciences*, 19(3): 767.
- Ulfa, S. W., Nabila, A. P., Tambunan, N. S., Siregar, R., & Sinaga, S. A. 2023. Identifikasi Tumbuhan Paku (Pterydophyta) Yang Dimanfaatkan Sebagai Tumbuhan Obat Di Daerah Sumatera Utara. *Innovative: Journal Of Social Science Research*, 3(3): 2290–2304.

- Uma, E., & Muthukumar, T. 2014. Comparative root morphological anatomy of Zingiberaceae. *Systematics and Biodiversity*, 12(2): 195-209.
- Verma, S. 2016. Chemical constituents and pharmacological action of *Ocimum sanctum* (Indian holy basil–Tulsi). *The Journal of Phytopharmacology*, 5(5): 205–207.
- Vuong, Q. V., Chuen, T. L. K., Goldsmith, C. D., Bowyer, M. C., & Scarlett, C. J. 2020. Maximizing the extraction of phenolic compounds from macadamia skin waste by the application of infrared technology. *Antioxidants*, 9(9): 815.
- Wijayanto, A. 2014. KEANEKARAGAMAN DAN PENYEBARAN Selaginellasp. DI INDONESIA DARI TAHUN 1998-2014> *el-Hayah*, 5(1): 31.
- Winahyu, W. M. S., Rachmawati, H., & Rohman, A. 2019. Penetapan kadar flavonoid total dan kuersetin dalam ekstrak etanol daun jati (*Tectona grandis* L.f) secara spektrofotometri UV-Vis. *Jurnal Ilmu Kefarmasian Indonesia*, 17(2): 177–182.
- Winahyu, W. M. S., Rachmawati, H., & Rohman, A. 2019. Penetapan kadar flavonoid total dan kuersetin dalam ekstrak etanol daun jati (*Tectona grandis* L.f) secara spektrofotometri UV-Vis. *Jurnal Ilmu Kefarmasian Indonesia*, 17(2): 177–182.
- Xie, J. and Schaich, K.M. 2014. Re-evaluation of the 2,2-Diphenyl-1-picrylhydrazyl Free Radical (DPPH) Assay for Antioxidant Activity. *Journal of Agricultural and Food Chemistry*, 62(19): 4251–4260.
- Yu, S. Yan, H., Zhang, L. 2017. A Review on the Phytochemistry, Pharmacology, and Pharmacokinetics of Amentoflavone, a Naturally-Occurring Biflavonoid. *Molecules*, 22(2): 299.
- Zhou, Y., Zheng, J., Li, Y., Xu, D. P., Li, S., & Li, H. B. 2016. Natural polyphenols for prevention and treatment of cancer. *Nutrients*, 8(8): 515.