

DAFTAR PUSTAKA

- Antil, S., Sharma, N., & Pundir, A. (2023). DNA barcoding, an effective tool for species identification: A review. *Molecular Biology Reports*, 50(1), 761–775. <https://doi.org/10.1007/s11033-022-08015-7>
- Arrahma, K. S. (2023). *DNA barcoding ulat sutra Eri Samia ricini (Boisduval, 1854) di Yogyakarta berdasarkan gen mitokondria 16S* [Skripsi, Universitas Gadjah Mada]. UGM ETD Repository. <https://etd.repository.ugm.ac.id/penelitian/detail/249259>
- Ballard, J. W. O., & Rand, D. M. (2005). The population biology of mitochondrial DNA and its phylogenetic implications. *Annual Review of Ecology, Evolution, and Systematics*, 36, 621–642. <https://doi.org/10.1146/annurev.ecolsys.36.091704.175513>
- Barid, S. S. A. Q., Prihatin, J., & Savira, N. I. I. (2021). *Budidaya ulat sutra Eri (Samia cynthia ricini)*. Inti Karya Aksara.
- Birari, V. V., Siddhapara, M. R., & Desai, A. V. (2019). Rearing performance of eri silkworm, *Samia ricini* (Donovan) on different host plants. *Journal of Farm Sciences*, 32(4), 443–446.
- Brahma, B., Das, R., & Goswami, D. (2015). Studies on the biology of eri silkworm, *Samia ricini*. *Journal of Entomology and Zoology Studies*, 3(2), 192–196.
- Brahma, D. U. L. U. R. (2015). Effect of rearing seasons on the economic parameters of crossbreed silkworm between *Samia ricini* and *Samia canningi*. *International Journal of Pharma and Bio Sciences*, 6, 875–881.
- Chen, C. W., Huang, Y. M., Kui, L. Y., Nguyen, Q. D. N., Uu, H. T., Callado, J. R., Ferraardan, D. R., & Chiou, W. L. (2012). trnL-F is powerful marker for DNA application of field vittarioid gametophyte (Pteridaceae). *Annals of Botany*, 111(4), 663–673.
- Clary, D. O., & Wolstenholme, D. R. (1985). The ribosomal RNA genes of *Drosophila* mitochondrial DNA. *Journal of Molecular Evolution*, 22(3), 252–271. <https://doi.org/10.1007/BF00160272>

- Claverie, J.-M., & Notredame, C. (2007). *Bioinformatics for dummies*. Wiley Publishing.
- Coissac, E., Riaz, T., & Puillandre, N. (2016). Bioinformatic challenges for DNA metabarcoding of plants and animals. *Molecular Ecology*, 25(4), 745–756. <https://doi.org/10.1111/mec.13442>
- Debraj, Y., Sarmah, M. C., Dutta, R. N., Singh, L. S., Das, P. K., & Benchamin, K. V. (2001). Field trial of elite crosses of Eri silkworm, *Philosamia ricini* Hutt. *Indian Silk*, 40, 15–16.
- Deori, G., & Khanikor, D. P. (2015). Rearing performance of eri silkworm (*Samia ricini* Boisd.) on *Ailanthus excelsa* and *Ailanthus grandis*. *Journal of Experimental Zoology India*, 18(2), 839–841.
- Deori, M., & Khanikor, B. (2015). Pupal biology of eri silkworm, *Samia ricini*. *Journal of Biology and Earth Sciences*, 5(2), B142–B149.
- Dewi, C. L. H. (2012). *Analisis biomolekuler gen internal transcribed spacer (ITS) dalam studi filogenetik Zingiber loerzingii Valetton (Zingiberaceae)* [Skripsi, Institut Pertanian Bogor].
- Dharmayanti, N. I. P. (2011). *Filogenetika molekuler: Metode taksonomi organisme berdasarkan sejarah evolusi*. Jakarta: Pusat Penelitian Bioteknologi, LIPI.
- Esposti, M. D., Crimi, M., Ghelli, A., & Lenaz, G. (1993). Mitochondrial cytochrome b: Evolution and structure of the protein. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, 1143(3), 243–271. [https://doi.org/10.1016/0005-2728\(93\)90197-N](https://doi.org/10.1016/0005-2728(93)90197-N)
- Esposti, M., et al. (1993). The evolution of cytochrome b proteins and the membrane-bound complexes. *Journal of Molecular Evolution*, 37(4), 323–329.
- Estabrook, G. F. (1984). Phylogenetic systematics and evolution. *Annual Review of Ecology and Systematics*, 15, 45–68.
- Farias, I. P., Orti, G., Sampaio, I., Schneider, H., & Meyer, A. (2001). The cytochrome b gene as a phylogenetic marker: The limits of resolution for analyzing relationships among cichlid fishes. *Journal of Molecular Evolution*, 53(2), 89–103. <https://doi.org/10.1007/s002390010197>

- Felsenstein, J. (1985). Confidence intervals on phylogenies: An approach using the bootstrap. *Evolution*, 39(4), 783–791.
- Feyereisen, R., & Jindra, M. (2012). Juvenile hormone signaling in insects: A tale of two receptors. *Current Opinion in Insect Science*.
- Feyereisen, R., & Jindra, M. (2012). The silkworm coming of age—Early. *PLoS Genetics*, 8(3), e1002493.
- Galtier, N., Nabholz, B., Glémin, S., & Hurst, G. D. D. (2009). Mitochondrial DNA as a marker of molecular diversity: A reappraisal. *Molecular Ecology*, 18(22), 4541–4550. <https://doi.org/10.1111/j.1365-294X.2009.04380.x>
- Global Biodiversity Information Facility. (2025). *Samia ricini* Anderson, 1788. GBIF Backbone Taxonomy. Retrieved May 14, 2025, from <https://www.gbif.org/species/5124728>
- Hall, B. G. (2018). *Phylogenetic tree made easy: A how-to manual*. Oxford University Press.
- Harrison, R. G. (1989). Animal mitochondrial DNA as a genetic marker in population and evolutionary biology. *Trends in Ecology & Evolution*, 4(1), 6–11. [https://doi.org/10.1016/0169-5347\(89\)90006-2](https://doi.org/10.1016/0169-5347(89)90006-2)
- Hartatik, T., et al. (2019). Identification of species using Cytochrome b gene sequences. *Biodiversitas*, 20(5), 1338–1344.
- Hebert, P. D. N., & Gregory, T. R. (2003). The promise of DNA barcoding for taxonomy. *Systematic Biology*, 52(5), 696–699.
- Hebert, P. D. N., & Gregory, T. R. (2005). The promise of DNA barcoding for taxonomy. *Systematic Biology*, 54(5), 852–859. <https://doi.org/10.1080/10635150500354886>
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270(1512), 313–321.
- Hidayat, T., & Pancoro, A. (2008). Kajian filogenetika molekuler dan peranannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik anggrek. *Jurnal AgroBiogen*, 4, 35–40.
- Hillis, D. M., Moritz, C., & Mable, B. K. (1996). *Molecular systematics* (2nd ed.). Sinauer Associates.

- Hollingsworth, P. M., et al. (2009). A DNA barcode for land plants. *Proceedings of the National Academy of Sciences*, 106(31), 12794–12797. <https://doi.org/10.1073/pnas.0905845106>
- Horiike, T. (2016). *Phylogenetic tree construction*. Springer.
- Irwin, D. M., Kocher, T. D., & Wilson, A. C. (1991). Evolution of the cytochrome b gene of mammals. *Journal of Molecular Evolution*, 32(2), 128–144. <https://doi.org/10.1007/BF02515385>
- Jarulis, J., Muslim, C., Kamilah, S. N., Utama, A. F., Permana, D., Sari, M. M., Prayitno, A. H., & Jannah, I. M. (2021). DNA barcode of Enggano hill myna, *Gracula religiosa enganensis* (Aves: Sturnidae) based on mitochondrial DNA cytochrome oxidase subunit I. *Biodiversitas*, 22(3), 1635–1643.
- Kemena, C., & Notredame, C. (2009). Upcoming challenges for multiple sequence alignment methods in the high-throughput era. *Bioinformatics*, 25(19), 2455–2465.
- Kimura, M. (1980). A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16(2), 111–120. <https://doi.org/10.1007/BF01731581>
- Kocher, T. D., Thomas, W. K., Meyer, A., Edwards, S. V., Pääbo, S., Villablanca, F. X., & Wilson, A. C. (1989). Dynamics of mitochondrial DNA evolution in animals: Amplification and sequencing with conserved primers. *Proceedings of the National Academy of Sciences of the United States of America*, 86(16), 6196–6200.
- Kress, W. J., & Erickson, D. L. (2008). DNA barcodes: Genes, genomics, and bioinformatics. *Proceedings of the National Academy of Sciences*, 105(8), 2761–2762.
- Kress, W. J., Wurdack, K. J., Zimmer, E. A., Weigt, L. A., & Janzen, D. H. (2005). Use of DNA barcodes to identify flowering plants. *Proceedings of the National Academy of Sciences*, 102(23), 8369–8374. <https://doi.org/10.1073/pnas.0503123102>

- Kumar, S., & Gadagkar, S. R. (2000). Efficiency of the neighbor-joining method in reconstructing deep and shallow evolutionary relationships in large phylogenies. *Journal of Molecular Evolution*, *51*, 544–553.
- Kumar, S., Kahlon, T., & Chaudhary, S. (2011). A rapid screening for adulterants in olive oil using DNA barcodes. *Food Chemistry*, *127*, 1335–1341.
- Lalitha, N., Singha, B. B., Das, B., & Choudhury, B. (2020). Impact of climate change in prospects of eri silkworm seed production in Assam: A review. *Innovative Farming*, *5*(1), 10–14.
- Li, W. H., et al. (1999). *Molecular evolution*. Sinauer Associates.
- Liu, H. W., Wang, L. L., Tang, X., Dong, Z. M., Guo, P. C., & Zhao, D. C. (2018). Proteomics analysis of *Bombyx mori* molting fluid: Insights into the molting process. *Journal of Proteomics*, *173*, 115–125.
- Liu, Y., et al. (2018). Molecular basis of molting and metamorphosis. *Developmental Biology*.
- Lu, Y., Li, G., Li, X., & Zhang, L. (2022). Molecular evidence confirms species distinction between *Samia ricini* and *Samia cynthia* (Lepidoptera: Saturniidae). *European Journal of Entomology*, *119*, 309–316. <https://doi.org/10.14411/eje.2022.035>
- Mount, D. W. (2001). *Bioinformatics: Sequence and genome analysis*. Cold Spring Harbor Laboratory Press.
- Nei, M. (1987). *Molecular evolutionary genetics*. New York: Columbia University Press.
- Nei, M., & Kumar, S. (2000). *Molecular evolution and phylogenetics*. Oxford University Press.
- Nelson, D. L., & Cox, M. M. (2017). *Lehninger principles of biochemistry* (7th ed.). W. H. Freeman and Company.
- Othman, A. S., et al. (2017). Application of mitochondrial cytochrome b gene in phylogenetic studies. *Journal of Genetic Engineering and Biotechnology*, *15*(2), 411–417.
- Rahmatullaili, M., et al. (2019). Phylogenetic relationship of freshwater fish using cytochrome b gene. *Biodiversitas*, *20*(2), 423–429.

- Ratnasingham, S., & Hebert, P. D. N. (2007). BOLD: The Barcode of Life Data System (www.barcodinglife.org). *Molecular Ecology Notes*, 7(3), 355–364. <https://doi.org/10.1111/j.1471-8286.2006.01678.x>
- Ray, P. P., Barala, B., & Dash, P. (2024). *Cytochrome b gene as a potential DNA barcoding marker in ecoraces of tropical Tasar silkworm Antheraea mylitta Drury*. *Gene Reports*, 35, 101922.
- Reddy, D. N. R., Kotikal, Y. K., & Vijayendra, M. (1989). Development and silk yield of eri silkworm, *Samia cynthia ricini* (Lepidoptera: Saturniidae) as influenced by the food plants. *Mysore Journal of Agricultural Sciences*, 23, 506–508.
- Saitou, N., & Nei, M. (1987). The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution*, 4(4), 406–425.
- Satou, N., & Imanishi, T. (1989). Molecular phylogeny and sequence evolution. *Japanese Journal of Genetics*, 64(1), 71–89.
- Schmidt, H. A. (2003). Phylogenetic methods and evolutionary theory. *Annual Review of Ecology, Evolution, and Systematics*, 34, 375–404.
- Subramanian, C., et al. (2013). Host plants of eri silkworm, *Samia ricini*. *Indian Journal of Sericulture*.
- Subramanian, K. S., & S. M. H. Q. (2013). Rearing technology of eri silkworm (*Samia cynthia ricini*) under varied seasonal and host plant conditions in Tamil Nadu. *International Journal of Life Science Biotechnology and Pharma Research*, 2(2), 131–141. <http://www.ijlbpr.com/currentissue.php>
- Tajima, F. (1983). Evolutionary relationship of DNA sequences in finite populations. *Genetics*, 105(2), 437–460.
- Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M., & Kumar, S. (2011). MEGA5: Molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony methods. *Molecular Biology and Evolution*, 28, 2731–2739.
- Verma, A., & Singh, L. (2003). Novel universal primers establish identity of an enormous number of animal species for forensic application. *Molecular Ecology Notes*, 3(1), 28–31.

- Voet, D., & Voet, J. G. (2011). *Biochemistry* (4th ed.). John Wiley & Sons.
- Wang, S. M. (1989). *Silkworm egg production* (3rd ed.). Food and Agriculture Organization of the United Nations.
- Xiong, B. (2006). DNA barcoding and molecular identification of species. *Journal of Genetics and Genomics*, 33(6), 546–556.
- Xiong, J. (2006). *Essential bioinformatics*. Cambridge University Press.
- Zardoya, R., & Meyer, A. (1996). Phylogenetic performance of mitochondrial protein-coding genes in resolving relationships among vertebrates. *Molecular Biology and Evolution*, 13(7), 933–942.
- Zhang, A. B., Gao, J. Y., Yang, Z. L., Krell, F. T., Wei, S. J., Freitas, A. V. L., & Zhou, X. (2011). Efficiency of DNA barcodes for species delimitation: A case in *Ceratitis* (Diptera: Tephritidae). *Insect Science*, 18(6), 745–753. <https://doi.org/10.1111/j.1759-6831.2011.00124.x>
- Zuckermandl, E., & Pauling, L. (1965). Evolutionary divergence and convergence in proteins. In V. Bryson & H. J. Vogel (Eds.), *Evolving Genes and Proteins* (pp. 97–166). Academic Press.