

## DAFTAR PUSTAKA

- Abdullah, B.J., 2022, Size Effect of Band Gap in Semiconductor Nanocrystals and Nanostructures from Density Functional Theory within HSE06, *Mater. Sci. Semicond. Process.*, (137), 1–10.
- Amini, S., Mohammadi, M.R., and Li, Y., 2025, Enhancing Photovoltaic Performance of Dye-Sensitized Solar Cells through TiO<sub>2</sub>/g-C<sub>3</sub>N<sub>4</sub> Nanocomposite Photoanodes for Improved Charge Carrier Management, *Electrochim. Acta.*, 509, 1–11.
- Anitha, A.E., and Dotter, M., 2023, A Review on Liquid Electrolyte Stability Issues for Commercialization of Dye-Sensitized Solar Cells (DSSC), *Energies*, 13(16), 1–16.
- Anitha, B., and Khadar, M.A., 2020, Anatase-Rutile Phase Transformation and Photocatalysis in Peroxide Gel Route Prepared TiO<sub>2</sub> Nanocrystals: Role of Defect States, *Solid State Sci.*, (108), 1–12.
- Benabid, F.Z., Kridi, S., Zouai, F., Khan, M.E., Ali, W., Ali, S.K., Bashiri, A.H., and Zakri, W., 2024, Improved Properties of PVDF/TiO<sub>2</sub> Nanocomposites Through Eco-Friendly TiO<sub>2</sub> Treatment with Stearic Acid for Optimal Functional Additive Dispersion, *Ceram. Int.*, 1–7.
- Bi, X., Du, G., Sun, D., Zhang, M., Yu, Y., Su, Q., Ding, S., and Xu, B., 2020, Room-Temperature Synthesis of Yellow TiO<sub>2</sub> Nanoparticles with Enhanced Photocatalytic Properties, *Appl. Surf. Sci.*, (511), 1–6.
- Buzdar, Z. A., Ali, H., Munir, M., Shad, N. A., Rakha, A., and Munawar, A., 2025, Advancing Forensic Investigations based on TiO<sub>2</sub>/Bi<sub>2</sub>O<sub>3</sub> Electrochemical Sensor for Precise Potassium Estimation in Vitreous Humor, *Heliyon*, 2(11), 1–12.
- Cai, J., Peng, Y., Hu, P., Zhou, Y., Yao, Q., Lyu, H., and Gao, Y., 2025, H<sub>2</sub>O<sub>2</sub>-Assisted Room Temperature Preparation of Crystalline TiO<sub>2</sub> and Ti<sub>3</sub>C<sub>2</sub>Tx-derived C-doped Amorphous TiO<sub>x</sub> Homojunction for Photocatalytic Degradation of Tetracycline, *Appl. Surf. Sci.*, 680, 1–10.
- Chandrika, R.P., Gunathilaka, S.M.S., Liyanage, J.P., Wijayarathne, K., Kumara, G. R.A., Karunathilaka, N.G.A., DeSilva, L.A., and Bandara, T.M.W.J., 2024, Effect of Titanium Dioxide Nanofillers on the Properties of Gel-Polymer Electrolytes and Power Conversion Efficiency of Dye-Sensitized Solar Cells, *J. Solid State Electrochem.*, 1–20.
- Chawarambwa, F.L., Putri, T.E., Attri, P., Kamataki, K., Itagaki, N., Koga, K., and Shiratani, M., 2021, Effects of Concentrated Light on the Performance and Stability of a Quasi-Solid Electrolyte in Dye-Sensitized Solar Cells, *Chem. Phys. Lett.*, (781), 1–8.
- Conradie, J., 2024, Effective Dyes for DSSCs—Important Experimental and Calculated Parameters, *Energy Nexus*, (13), 1–15.
- Deng, L., You, L., Wang, M., Zhang, Z., Li, J., Liao, X., Xie, G., Ke, X., and Xiao, R., 2025, Study on the Electrochemical Performance of a High Ionic Conductivity Composite Gel Polymer Electrolyte for Lithium-ion Batteries, *Chem. Eng. J.*, (507), 1–13.

- Dissanayake, M.A.K.L., Rupasinghe, W.N.S., Seneviratne, V.A., Thotawatthage, C.A., and Senadeera, G.K.R., 2024, Efficiency Enhancement due to the Combined Mixed Cation Effect and TiO Nanofiller Effect in PEO and Ionic Liquid-based Dye-sensitized Solar Cells, *J. Solid State Electrochem.*, 8(28), 1–11.
- Elgrishi, N., Rountree, K. J., McCarthy, B.D., Rountree, E.S., Eisenhart, T.T., and Dempsey, J. L., 2018, A Practical Beginner's Guide to Cyclic Voltammetry, *J. Chem. Educ.*, 2(95), 197–206.
- El-Newehy, M.H., Aldabahi, A., Thamer, B.M., and Abdulhameed, M.M., 2024, Photocatalytic Degradation of Methylene Blue Using Chitosan/NiO Manocomposite: A Comprehensive Exploration, *Opt. Mater.*, (152), 1–9.
- Fang, Q., and Lafdi, K., 2021, Effect of Nanofiller Morphology on the Electrical Conductivity of Polymer Nanocomposites, *Nano Express*, 1(2), 1–13.
- Farhana, N.K., Omar, F.S., Mohamad Saidi, N., Ling, G.Z., Bashir, S., Subramaniam, R., Kasi, R., Iqbal, J., Wageh, S., Algarni, H., and Al-Sehemi, A. G., 2022, Modification of DSSC Based on Polymer Composite Gel Electrolyte with Copper Oxide Nanochain by Shape Effect, *Polymers*, 16(14), 1–21.
- Farhana, N.K., Goh, Z.L., Syahmi, M., Ramesh, K., and Ramesh, S., 2023, Dye-Sensitized Solar Cells Based on Nanocomposite Gel Polymer Electrolytes Incorporating Modified-CuO Nanorod Prepared by Varying Sonication Durations, *Ionics*, 5(29), 1–11.
- Fidalgo, A., Letichevsky, S., and Santos, B.F., 2021, Assessment of TiO<sub>2</sub> Band Gap from Structural Parameters Using Artificial Neural Networks, *J. Photochem. Photobiol. Chem.*, (405), 1–14.
- Gao, Z., Cui, Z., Zhu, S., Liang, Y., Li, Z., and Yang, X., 2014, Fabrication, Characterization, and Photocatalytic Properties of Anatase TiO<sub>2</sub> Nanoplates with Exposed {001} Facets, *J. Nanopart. Res.*, 1(16), 1–9.
- Gerdroodbar, A. E., Alihemmati, H., Safavi-Mirmahaleh, S. A., Golshan, M., Damircheli, R., Eliseeva, S. N., and Salami-Kalajahi, M., 2023, A Review on Ion Transport Pathways and Coordination Chemistry between Ions and Electrolytes in Energy Storage Devices, *J. of Energy Storage*, (74), 1–19.
- Haghighi, H.F., Mercurio, M., Cerra, S., Salamone, T.A., Bianymotlagh, R., Palocci, C., Romano Spica, V., and Fratoddi, I., 2023, Surface Modification of TiO<sub>2</sub> Nanoparticles with Organic Molecules and Their Biological Applications, *J. Mater. Chem. B*, 11(11), 1–33.
- Hatmanto, A.D., 2015, Elektrolit Semipadat Berbasis Kitosan sebagai Elektrolit Redoks dalam Sel Surya Tersensitisasi Zat Warna, *Thesis*, Universitas Gadjah Mada.
- Hidayat, A., 2023, Introduction of TiO<sub>2</sub> Nanodecahedrons (TN(10)<sup>†,‡</sup>) as the Design for QS-DSSC Based on KI-I<sub>2</sub>/CHitosan/PAni-Chitosan/TN(10)<sup>†,‡</sup> by the p-n Junction Theory, *Undergraduate Thesis*, Faculty of Mathematic and Natural Sciences, Universitas Gadjah Mada.
- Hidayat, A., Solikah, S., Shafa, A.V.A., and Hatmanto, A.D., 2024, Hypothetical Introduction of TiO<sub>2</sub> Nanodecahedrons (TN(10)<sup>†,‡</sup>) as the Design for Quasi Solid Dye Sensitized Solar Cells Based on KI-I<sub>2</sub>/Chitosan/PAni-

- Chitosan/TN(10)<sup>†,‡</sup> by the p-n Junction Theory, *Electrochim. Acta*, (477), 1–18.
- Hua, X., Liu, Z., Bruce, P. G., and Grey, C. P., 2015, The Morphology of TiO<sub>2</sub> (B) Nanoparticles, *J. Am. Chem. Soc.*, 42(137), 1–12.
- Huang, C.W., Wu, M.C., Nguyen, V.H., and Nguyen, B.S., 2019, Preparation and Characterization of Nanocrystalline TiO<sub>2</sub> on Microsericite for High-Efficiency Photo-Energy Conversion of Methanol to Hydrogen, *Crystals*, 8(9), 1–13.
- Kathirvel, S., Su, C., Shiao, Y.J., Lin, Y.F., Chen, B.R., and Li, W.R., 2016, Solvothermal Synthesis of TiO<sub>2</sub> Nanorods to Enhance Photovoltaic Performance of Dye-Sensitized Solar Cells, *Solar Energy*, (132), 1–11.
- Kim, Y.E., Chae, Y., Moon, J., Lee, J.Y., Baek, U.C., and Park, J.T., 2021, Tailored ZnO Nanostructure Based Quasi-Solid-State Electrolyte and Mesoporous Carbon Electrocatalyst for Solar Energy Conversion, *ECS J. Solid State Sci. Technol.*, 8(10), 1–8.
- Kumari, P., and Hashmi, S.A., 2025, Highly Flexible and Electrochemically Stable Mg-ion Conducting Gel Polymer Electrolyte based on PVdF-HFP/PMMA Blend for Application in Magnesium Batteries, *J. Energy Storage.*, (111), 1–12.
- Lam, S.M., Kee, M.W., and Sin, J.C., 2018, Influence of PVP Surfactant on the Morphology and Properties of ZnO Micro/Nanoflowers for Dye Mixtures and Textile Wastewater Degradation, *Mater. Chem. Phys.*, (212), 35–43.
- Liang, W., Zhao, K., Ouyang, L., Zhu, M., and Liu, J., 2025, A Review of Functional Group Selection and Design Strategies for Gel Polymer Electrolytes for Metal Batteries, *Mater. Sci. Eng. R: Rep.*, (164), 1–29.
- Liao, J., Shi, L., Yuan, S., Zhao, Y., and Fang, J., 2009, Solvothermal synthesis of TiO<sub>2</sub> nanocrystal colloids from peroxotitanate Complex Solution and Their Photocatalytic Activities, *J. Phys. Chem. C*, 43(113), 1–6.
- Lim, S.M., Moon, J., Choi, G.H., Baek, U.C., Lim, J.M., Park, J.T., and Kim, J.H., 2019, Surface Carbon Shell-Functionalized ZrO<sub>2</sub> as Nanofiller in Polymer Gel Electrolyte-Based Dye-sensitized Solar Cell, *Nanomaterials*, 10(9), 1–11.
- Liu, Z., Zein El Abedin, S., and Endres, F., 2014, Electrodeposition and Stripping of Zinc from an Ionic Liquid Polymer Gel Electrolyte for Rechargeable Zinc-based Batteries, *J. Solid State Electrochem.*, 10(18), 1–9.
- Lopes, A., Araújo, F.P., Damasceno, D., Honório, L.M.C., Morais, A.I.S., Almeida, L C., Garcia, R.P., Silva-Filho, E.C., Furtini, M.B., and Osajima, J.A., 2023, TiO<sub>2</sub>/Arabic Gum for Degradation of Pollutants in Water, *Sustainability*, 22(15), 1–17.
- Masud, and Kim, H.K., 2023, Advanced Polymeric Matrices for Gel Electrolytes in Quasi-Solid-State Dye-Sensitized Solar Cells: Recent Progress and Future Perspective, *Mater. Today Energy*, (38), 1–24.
- Masud, N., and Kim, H.K., 2023, Redox Shuttle-Based Electrolytes for Dye-Sensitized Solar Cells: Comprehensive Guidance, Recent Progress, and Future Perspective, *ACS Omega*, 7(8), 1–25.
- Matheus, A.P.C., Larsson, L.F., Tractz, G.T., and Rodrigues, P.R.P., 2025, The TiO<sub>2</sub>/Electrolyte Interface in DSSCs: An Electrochemical Study of the Insertion of BTAH, BZM, and Indole, *Opt. Mater.*, (159), 1–6.

- Mekuye, B., and Abera, B., 2023, Nanomaterials: An Overview of Synthesis, Classification, Characterization, and Applications, *Nano Select.*, 8(4), 486–501.
- de Mendonça, V.R., Lopes, O.F., Avansi, W., Arenal, R., and Ribeiro, C., 2019, Insights into Formation of Anatase TiO<sub>2</sub> Nanoparticles from Peroxo Titanium Complex Degradation under Microwave-ssisted Hydrothermal Treatment, *Ceram. Int.*, 17(45), 1–9.
- Mishra, S., Pandey, B.K., Jaiswal, R.L., Gupta, J., and Sachin, 2024, Unified Model for the Studies of Band Gap of Nanosolids with Their Varying Shape and Size, *Chem. Phys. Lett.*, (841), 1–7.
- Muthukumar, S., and Gopalakrishnan, R., 2012, Structural, FTIR and Photoluminescence Studies of Cu Doped ZnO Nanopowders by Co-Precipitation Method, *Opt. Mater.*, 11(34), 19461–8.
- Nag, M., Ghosh, S., Rana, R.K., and Manorama, S.V., 2010, Controlling Phase, Crystallinity, and Morphology of Titania Nanoparticles with Peroxotitanium Complex: Experimental and Theoretical Insights, *J. Phys. Chem. Lett.*, 19(1), 1–5.
- Novra Gabriela, R., Heryanto, H., and Tahir, D., 2025, Nanocomposite TiO<sub>2</sub>/ZnO/Chitosan by Method Sol-Gel for Self-Cleaning Application, *Int. J. Biol. Macromol.*, (298), 1–8.
- Popov, I., Zhu, Z., Young-Gonzales, A.R., Sacci, R.L., Mamontov, E., Gainaru, C., Paddison, S.J., and Sokolov, A.P., 2023, Search for a Grotthuss Mechanism Through the Observation of Proton Transfer, *Commun. Chem.*, 1(6), 1–10.
- Prasanna, J.L., Goel, E., Kumar, A., and Kumar, A., 2022, Review of Nanomaterials Impact on Improving the Performance of Dye-Sensitized and Perovskite Solar Cells, *Opt. Quantum Electron.*, 11(54), 1–39.
- Pullanjiot, N., and Swaminathan, S., 2019, Enhanced Electrochemical Properties of Metal Oxide Interspersed Polymer Gel Electrolyte for QSDSSC Application, *Solar Energy*, (186), 37–45.
- Qamar, S., and Erten Ela, S., 2024, Dye-Sensitized Solar Cells (DSSC): Principles, Materials and Working Mechanism, *Curr. Opin. Colloid. Interface. Sci.*, (74), 1–19.
- Que, Y.P., Weng, J., Hu, L.H., Wu, J.H., and Dai, S.Y., 2016, High Open Voltage and Superior Light-Harvesting Dye-Sensitized Solar Cells Fabricated by Flower-like Hierarchical TiO<sub>2</sub> Composed with Highly Crystalline Nanosheets, *J. Power Sources*, 307, 1–8.
- Rahim, A.A., Shamsuri, N.A., Adam, A.A., Aziz, M.F., Hamsan, M.H., Rusdi, H., Siong, S.O.J., Noor, I.M., Kadir, M.F.Z., and Shukur, M.F., 2024, Characterization of Nanocomposite Polyvinyl Alcohol/Cellulose Acetate Blend Gel Polymer Electrolytes for Supercapacitor Application, *J. Energy Storage*, (97), 1–12.
- Reghunath, S., Pinheiro, D., and KR, S.D., 2021, A Review of Hierarchical Nanostructures of TiO<sub>2</sub>: Advances and Applications, *Appl. Surf. Sci. Adv.*, (3), 1–4.
- Ribeiro, M.X., Araujo, F.P., da Silva-Filho, E.C., Almeida, L.C., da Silva, D.A., Peña Garcia, R.R., Cecilia, J.A., Furtini, M.B., Osajima, J.A., and Orta

- Cuevas, M.D.M., 2024, Insight into the TiO<sub>2</sub> Nanostructures Stabilized with Cashew Tree Gum to Remove Emerging Contaminants as a Green Technology, *Nano-Struct. Nano-Objects*, (40), 1–8.
- Rosli, M.M., Anizaim, A.H., Nizar, S.N.A.M., Razak, I.A., and Arshad, S., 2024, Designing Ferrocenyl Thiophene Chalcones as Light Harvester Candidates for Dye-Sensitized Solar Cells, *J. Organomet. Chem.*, (1022), 1–12.
- Sadek, O., Touhtouh, S., Rkhis, M., Anoua, R., El Jouad, M., Belhora, F., and Hajjaji, A., 2022, Synthesis by Sol-Gel Method and Characterization of Nano-TiO<sub>2</sub> Powders, *Mater. Today Proc.*, (66), 1–3.
- Safavi-Mirmahalleh, S.A., Dadkhah-Janqor, A., and Salami-Kalajahi, M., 2024, Chitosan-based Gel Polymer Electrolytes for High Performance Li-ion Battery, *Int. J. Biol. Macromol.*, 5(282), 1–14.
- Sarangika, H.N.M., Shashintha, H.T.G., Dissanayake, M.A.K.L., and Senadeera, G.K.R., 2024, Effect of TiO<sub>2</sub> Nano Fillers on Ionic Conductivity Enhancement in Mg(BH<sub>4</sub>)<sub>2</sub>:Polyethylene Oxide (PEO) Polymer Gel Electrolyte, *J. Solid State Electrochem.*, 7(28), 1–12.
- Sarmah, H., Bora, U., Bora, D., Sonowal, K., Saikia, L., and Deka, M., 2025, Enhanced Ionic Conductivity and Electrochemical Performance of Environmental Friendly Guar Gum-based Bio Polymer Gel Electrolytes Doped with Al<sub>2</sub>O<sub>3</sub> Nanofibers for Li-ion Batteries, *Int. J. Biol. Macromol.*, (287), 1–15.
- Seidalilir, Z., Malekfar, R., Wu, H.P., Shiu, J. W., and Diau, E. W. G., 2015, High-Performance and Stable Gel-State Dye-Sensitized Solar Cells Using Anodic TiO<sub>2</sub> Nanotube Arrays and Polymer-Based Gel Electrolytes, *ACS Appl. Mater. and Interfaces*, 23(7), 1–9.
- Sharma, K., Sharma, V., and Sharma, S.S., 2018, Dye-Sensitized Solar Cells: Fundamentals and Current Status, *Nanoscale Res. Lett.*, 381(13), 1–46.
- Singh, J., and Soni, R.K., 2020, Fabrication of Hydroxyl Group-Enriched Mixed-Phase TiO<sub>2</sub> Nanoflowers Consisting of Nanoflakes for Efficient Photocatalytic Activity, *J. Mater. Sci. Mater. Electron.*, 15(31), 1–16.
- Solikah, S., Hidayat, A., Suyanta, and Hatmanto, A.D., 2024, Crystalline Phase Dependence of the Electrochemical Properties of Chitosan/Polyaniline/TiO<sub>2</sub>-KI/I<sub>2</sub> Quasi Solid Polymer Electrolyte, *Mater. Sci. Eng. B*, (307), 1–12.
- Vallejo, W., Lerma, M., and Díaz-Urbe, C., 2025, Dye Sensitized Solar Cells: Meta-Analysis of Effect Sensitizer-Type on Photovoltaic Efficiency, *Heliyon*, 1(11), 1–19.
- Venkatesan, S., and Lee, Y.L., 2017, Nanofillers in the Electrolytes of Dye-sensitized Solar Cells – A Short Review, *Coord. Chem. Rev.*, (353), 1–55.
- Venkatesan, S., Darlim, E.S., Liu, I.P., and Lee, Y.L., 2018, Performance Enhancement Effects of Dispersed Graphene Oxide Sponge Nanofillers on the Liquid Electrolytes of Dye-sensitized Solar Cells, *Carbon*, (132), 1–7.
- Wang, Y., Fan, F., Agapov, A.L., Saito, T., Yang, J., Yu, X., Hong, K., Mays, J., and Sokolov, A.P., 2014, Examination of the Fundamental Relation between Ionic Transport and Segmental Relaxation in Polymer Electrolytes, *Polymer*, 16(55), 1–10.

- Wang, Z., Lv, K., Wang, G., Deng, K., and Tang, D., 2010, Study on the Shape Control and Photocatalytic Activity of High-Energy Anatase Titania, *Appl. Catal. B: Environ.*, 1-2(100), 1–8.
- Xie, S., Han, X., Kuang, Q., Fu, J., Zhang, L., Xie, Z., and Zheng, L., 2011, Solid State Precursor Strategy for Synthesizing Hollow TiO<sub>2</sub> Boxes with a High Percentage of Reactive {001} Facets Exposed, *Chem Comm.*, 23(47), 1–3.
- Yaemsunthorn, K., Tatarchuk, T., Danyliuk, N., Shyichuk, A., and Macyk, W., 2023, Yellow TiO<sub>2</sub> from Titanium Peroxo Complexes: Verification of the Visible Light Activity and a Rational Enhancement of Its Photocatalytic Efficiency, *J. Environ. Chem. Eng.*, 6(11), 1–12.
- Yahya, W.Z.N., Meng, W.T., Khatani, M., Samsudin, A.E., and Mohamed, N.M., 2017, Bio-based Chitosan/PVdF-HFP Polymer-Blend for Quasi-Solid State Electrolyte Dye-Sensitized Solar Cells, *E-Polymers*, 5(17), 1–7.
- Yang, H., Liu, Y., Kong, L., Kang, L., and Ran, F., 2019, Biopolymer-based Carboxylated Chitosan Hydrogel Film Crosslinked by HCl as Gel Polymer Electrolyte for All-solid-state Supercapacitors, *J. Power Sources.*, (426), 47–54.
- Yu, S., Schmidt, R.D., Garcia-Mendez, R., Herbert, E., Dudney, N.J., Wolfenstine, J.B., Sakamoto, J., and Siegel, D.J., 2016, Elastic Properties of the Solid Electrolyte Li<sub>7</sub>La<sub>3</sub>Zr<sub>2</sub>O<sub>12</sub> (LLZO), *Chemistry of Materials*, 1(28), 197–206.
- Zhang, H., Wang, Y., Liu, P., Han, Y., Yao, X., Zou, J., Cheng, H., and Zhao, H., 2011, Anatase TiO<sub>2</sub> Crystal Facet Growth: Mechanistic Role of Hydrofluoric Acid and Photoelectrocatalytic Activity, *ACS Appl. Mater. and Interfaces*, 7(3), 1–7.
- Zhao, X.G., Jin, E.M., Park, J.Y., and Gu, H.B., 2014, Hybrid Polymer Electrolyte Composite with SiO<sub>2</sub> Nanofiber Filler for Solid-State Dye-Sensitized Solar Cells, *Compos. Sci. Technol.*, (103), 1–6.
- Zhu, J., Liu, Z., Yang, F., Long, D., Jian, Y., and Pu, S., 2022, The Preparation of {001}TiO<sub>2</sub>/TiOF<sub>2</sub> via a One-Step Hydrothermal Method and Its Degradation Mechanism of Ammonia Nitrogen, *Materials*, 15(18), 1–16.
- Zuo, Z., Fu, Y., and Manthiram, A., 2012, Novel Blend Membranes Based on Acid-Base Interactions for Fuel Cells, *Polymers*, 4(4), 1–18.