

## DAFTAR PUSTAKA

- Adomako, J., Larbi-Koranteng, S., Bukari, T. A., & Danso, Y. 2024. Pathogenic variability among *Curvularia* species causing brown leaf spot disease of rice. *Journal of Plant Pathology* 107(1): 243–249. <https://doi.org/10.1007/s42161-024-01803-z>.
- Ahmadpour, A. 2014. Morphological and phylogenetic investigation of *Bipolaris oryzae* and some species of *Bipolaris* obtained from rice and grass weeds. *Iranian Journal of Plant Pathology* 50(2): 123-135.
- Al Noman, Md. A., & Shamsi, S. 2021. An improved and effective protocol for monoconidial isolation of *Pyricularia oryzae*. *Journal of Plant Pathology* 103(1): 317–320. <https://doi.org/10.1007/s42161-020-00732-x>.
- Ariska, M. F. & Qurniawan, B. 2021. Perkembangan impor beras di Indonesia. *Journal of Agriculture and Animal Science* 1(1): 27–34. <https://doi.org/10.47637/agrimals.v1i1.342>.
- Badan Pusat Statistik [BPS]. 2024. Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi, 2024. <https://www.bps.go.id/id/statistics-table/2/MTQ5OCMy/luas-panen--produksi--dan-produktivitas-padi-menurut-provinsi.html>. Diakses 16 Oktober 2024.
- Busi, S., Peddikotla, P., Suryanarayana, M., Upadyayula, & Yenamandra, V. 2009. Secondary metabolites of *Culvularia oryzae* MTCC 2605. *Rec Nat prod* 3(4): 204-208.
- Bussaban, B., Lumyong, S., Lumyong, P., Seelanan, T., Park, D. C., McKenzie, E. H. C. & Hyde, K. D. 2005. Molecular and morphological characterization of *Pyricularia* and allied genera. *Mycologia* 97(5): 1002–1011. <https://doi.org/10.3852/mycologia.97.5.1002>.
- CABI. 2020. CABI compendium: *Bipolaris victoriae* (Victoria blight of oats) . <https://www.cabidigitallibrary.org/doi/full/10.1079/cabicompendium.14698>. Diakses 30 Mei 2025.
- CABI. 2021. CABI compendium: *Curvularia* (black kernel). <https://www.cabidigitallibrary.org/doi/abs/10.1079/cabicompendium.17046>. Diakses 8 Maret 2025.
- CABI. 2021. CABI compendium: *Magnaporthe oryzae*. <https://www.cabidigitallibrary.org/doi/10.1079/cabicompendium.46103>. Diakses tanggal 23 November 2024.
- CABI. 2021. CABI compendium: *Oryza sativa* (rice). <https://www.cabidigitallibrary.org/doi/full/10.1079/cabicompendium.37964>. Diakses 15 November 2024.
- Cameron, R. R., Febrianni, A. & Yusticia, S. R. 2024. Insidensi dan keparahan penyakit bercak daun disebabkan oleh *Curvularia* sp. pada pembibitan kelapa sawit di Kabupaten Banyuasin Sumatera Selatan. *Jurnal Agro Industri Perkebunan* 12(1): 1–10. <https://doi.org/10.25181/jaip.v12i1.3303>.
- Choudhury, S. D. 2021. The bengal famine of 1943: Misfortune or Imperial Schema. *Cognizance Journal of Multidisciplinary Studies* 1(5): 15–21. <https://doi.org/10.47760/cognizance.2021.v01i05.002>.

- Couch, B. C. & Kohn, L. M. 2002. A multilocus gene genealogy concordant with host preference indicates segregation of a new species, *Magnaporthe oryzae*, from *M. grisea*. *Mycologia* 94(4): 683-693. <https://doi.org/10.1080/15572536.2003.11833196>.
- Dewi, I.M., Cholil, A. & Muhibuddin, A. 2013. Hubungan karakteristik jaringan daun dengan tingkat serangan penyakit blas daun (*Pyricularia oryzae* Cav.) pada beberapa genotipe padi (*Oryza sativa* L.). *Jurnal HPT* 1(2): 10-18.
- Felix, M. Y. 2017. New species and records of *Bipolaris* and *Curvularia* from Thailand. *Mycosphere* 8(9): 1556–1574. <https://doi.org/10.5943/mycosphere/8/9/11>.
- Gallet, R., Fontaine, C., Bonnot, F., Milazzo, J., Tertois, C., Adreit, H., Ravigné, V., Fournier, E. & Tharreau, D. 2016. Evolution of compatibility range in the rice–*Magnaporthe oryzae* system: An uneven distribution of R genes between rice subspecies. *Phytopathology* 106(4): 348–354. <https://doi.org/10.1094/PHYTO-07-15-0169-R>.
- Grover, M., Behl, T., Virmani, T., Bhatia, S., Al-Harrasi, A. & Aleya, L. 2021. *Chrysopogon zizanioides*—a review on its pharmacognosy, chemical composition and pharmacological activities. *Environmental Science and Pollution Research* 28(33): 44667–44692. <https://doi.org/10.1007/s11356-021-15145-1>.
- Gupta, D. R., Surovy, M. Z., Mahmud, N. U., Chakraborty, M., Paul, S. K., Hossain, Md. S., Bhattacharjee, P., Mehebut, Md. S., Rani, K., Yeasmin, R., Rahman, M. & Islam, M. T. 2020. Suitable methods for isolation, culture, storage and identification of wheat blast fungus *Magnaporthe oryzae* Triticum pathotype. *Phytopathology Research* 2(1): 30. <https://doi.org/10.1186/s42483-020-00070-x>.
- Hamidson, H., Effendy, E., Dewi, W. N. & Ayundra, S. D. 2020. Examination of multiple rice varieties (*Oryza sativa* L.) to the development of leaf blight disease caused by *Curvularia oryzae*. *Journal of Suboptimal Lands* 9(2): 109–116. <https://doi.org/10.33230/JLSO.9.2.2020.419>.
- Harmon, P. F., Dunkle, L. D. & Latin, R. 2003. A rapid PCR-based method for the detection of *Magnaporthe oryzae* from infected perennial ryegrass. *Plant Disease* 87(9): 1072–1076. <https://doi.org/10.1094/PDIS.2003.87.9.1072>.
- Hasan, M. M., Akter, M., Saha, S., Malek, Md. A., Islam, N. & Alam, Md. A. 2024. Morpho-molecular characterization revealed distinct diversity among rice blast (*Pyricularia oryzae*) isolates. *Indian Phytopathology* 77(2): 491–499. <https://doi.org/10.1007/s42360-024-00749-7>.
- Honger, J. O., Lomotey, T., Kugblenu-Darrah, Y., Bedu, I. & Amankwa, N. Y. 2023. Characterisation and in-vitro Control of *Curvularia lunata*, the causal agent of brown leaf spot disease of rice in Ghana. *Agricultural and Food Science Journal of Ghana* 15(1): 1526–1542. <https://doi.org/10.4314/afsjg.v15i1.3>.
- Ivayani, Widiastuti, A., Suryanti, Suharjo, R. & Priyatmojo, A. 2022. Fungi associated with rice sheath rot in Lampung, Indonesia. *Archives of Phytopathology and Plant Protection* 55(18): 2075–2097. <https://doi.org/10.1080/03235408.2022.2139764>.
- Jia, Y. 2009. A user-friendly method to isolate and single spore the fungi *Magnaporthe oryzae* and *Magnaporthe grisea* obtained from diseased field samples. Online plant health progress. <https://doi.org/10.1094/PHP-2009-1215-01-BR>.

- Junaidi, J. & Harminto, H. 2018. Usaha peningkatan produksi padi (*Oryza sativa* L) dengan penambahan N pada perlakuan dosis pupuk kandang. *Jurnal Agroteknologi dan Agribisnis* 2(1). <https://doi.org/10.30737/agrinika.v2i1.400>.
- Kadeawi, S., Nasution, A., Hairmansis, A., Telebanco-Yanoria, M. J., Obara, M., Hayashi, N. & Fukuta, Y. 2021. Pathogenicity of isolates of the rice blast pathogen (*Pyricularia oryzae*) from Indonesia. *Plant Disease* 105(3): 675–683. <https://doi.org/10.1094/PDIS-05-20-0949-RE>.
- Kato, H., Yamamoto, M., Yamaguchi-ozaki, T., Kadouchi, H., Iwamoto, Y., Nakayashiki, H., Tosa, Y., Mayama, S. & Mori, N. 2000. Pathogenicity, mating ability and DNA restriction fragment length polymorphisms of *Pyricularia* populations isolated from Gramineae, Bambusideae and Zingiberaceae Plants. *Journal of General Plant Pathology* 66(1): 30–47. <https://doi.org/10.1007/PL00012919>.
- Koranteng, L. S., Adomako, J. & Bukari, T. 2024. *Curvularia* species complex associated with brown leaf spot of rice. *Research Square* 1: 1-17. <https://doi.org/10.21203/rs.3.rs-5193189/v1>.
- Kusai, N. A., Mior Zakuan Azmi, M., Zulkifly, S., Yusof, M. T. & Mohd Zainudin, N. A. I. 2016. Morphological and molecular characterization of *Curvularia* and related species associated with leaf spot disease of rice in Peninsular Malaysia. *Rendiconti Lincei* 27(2): 205–214. <https://doi.org/10.1007/s12210-015-0458-6>.
- Kusumawati, E. D & Istiqomah, I. 2020. Potensi agensia hayati dalam menekan laju serangan penyakit blas (*Pyricularia oryzae*) pada tanaman padi. *Jurnal Ilmiah Ilmu-Ilmu Pertanian* 14(2): 1–13. <https://doi.org/10.35457/viabel.v14i2.1235>.
- Leandro, D.J., Rodrigues, F. A., Mielli, M.V. & Ma, J. F. 2014. Rice grain resistance to broen spot and yield are increased by silicon. *Trop Plant Pathol* 39: 56-63. <https://doi.org/10.1590/S1982-56762014005000003>.
- Lemoine, F. & Gascuel, O. 2024. The bayesian phylogenetic bootstrap and its application to short trees and branches. *Molecular Biology and Evolution* 41(11). <https://doi.org/10.1093/molbev/msae238>.
- Livitha, R. & Christopher, D. J. 2023. Morphological and molecular characterization of *Bipolaris oryzae* causing brown leaf spot of rice in Cauvery delta region of Tamil Nadu. *The Pharma Innovation Journal* 12(10): 1011-1016.
- Manzanilla, D. O., Janiya, J. D. & Johnson, D. E. 2014. Establishing community-based seed systems: a training manual. IRRI, Phillipines.
- Masahiko, T., Fumiuyuki, K., Keisuke, S., Shuichi, O. & Michio, S. 2018. Germination and appressorium formation of *Pyricularia oryzae* Cavara can be inhibited by reduced concentration of blasin flowable with carbon dioxide microbubbles. *Journal of Integrative Agriculture* 17(9): 2024-2030. [http://dx.doi.org/10.1016/S2095-3119\(18\)61962-8](http://dx.doi.org/10.1016/S2095-3119(18)61962-8).
- Monareh, J. & Ogie, T. 2020. Pengendalian penyakit menggunakan biopestisida pada tanaman padi (*Oryza sativa* L). *Jurnal Agroekoteknologi Terapan* 1: 18-20. <https://doi.org/10.35791/jat.v1i1.33978>.
- Motlagh, M. R. S. & B. Kaviani. 2008. Characterization of new *Bipolaris* Spp.: The causal agent of rice brown spot disease in the North of Iran. *International Journal of Agriculture and Biology* 10: 638–642.

- Neupane, N. & Bhusal, K. 2021. A review of blast disease of rice in Nepal. *Journal Plant Pathol Microbiol* 11(528): 10-35248. <http://dx.doi.org/10.35248/2157-7471.20.12.528>.
- Ou S. H. 1985. Rice disease, second edition. Commonwealth Agricultural Bureau International Mycological Institute, United Kingdom.
- Pardani, C., Herliani, R. & Sujaya, D. H. 2018. Analisis usahatani padi sawah (Suatu kasus di Desa Karyamukti Kecamatan Banjarsari Kabupaten Ciamis). *Jurnal Ilmiah Mahasiswa Agroinfo Galuh* 4(1): 683-687. <https://dx.doi.org/10.25157/jimag.v4i1.1618>.
- Priwiratama, H. & Widiyatmoko, B. 2022. Potensi teknologi iradiasi energi foton untuk pengendalian penyakit bercak daun *Curvularia* sp. pada tanaman kelapa sawit. *WARTA Pusat Penelitian Kelapa Sawit* 27(3): 134-145. <https://doi.org/10.22302/iopri.war.warta.v27i3.91>.
- Priwiratama, H., Wiyono, S., Hidayat, S. H., Wening, S. & Tondok, E. T. 2024. Identification and characterization of *Curvularia*, the causal agent of leaf spot disease of oil palm seedlings in Indonesia. *Journal of the Saudi Society of Agricultural Sciences*. <https://doi.org/10.1016/j.jssas.2024.10.003>.
- Rajput, L. S., Sharma, T., Madhusudhan, P. & Sinha, P. 2017. Effect of temperature on growth and sporulation of rice leaf blast pathogen *Magnaporthe oryzae*. *International Journal of Current Microbiology and Applied Sciences* 6(3): 394-401. <https://doi.org/10.20546/ijemas.2017.603.045>.
- Santoso, S., Nasution, A. & Yunani, N. 2020. Keragaman dan sumber gen ketahanan varietas padi lokal terhadap patogen *Pyricularia grisea* penyebab penyakit blas. *Jurnal Ilmu-Ilmu Pertanian Indonesia* 22(2): 119-128. <https://doi.org/10.31186/jipi.22.2.119-128>.
- Sanuriza, I. Il, Suprpta, D. N., Kawuri, R., Suriani, N. L., Sudantha, I. M., Jayadi, I. & Ihwan, K. 2024. First report of *Pyricularia oryzae* the cause of blast disease in upland rice, in Lombok, West Nusa Tenggara. *Biodiversitas Journal of Biological Diversity* 25(2): 683-689. <https://doi.org/10.13057/biodiv/d250227>.
- Sari, M. P., Wahyuno, D., Hardiyanti, S. & Miftakhurohmah. 2023. First report of *Curvularia akaiiensis* as a causal agent of leaf spot disease on Vetiver. *Australasian Plant Disease Notes* 18(1): 30. <https://doi.org/10.1007/s13314-023-00516-z>.
- Savary, S., Willocquet, L., Pethybridge, S. J., Esker, P., McRoberts, N. & Nelson, A. 2019. The global burden of pathogens and pests on major food crops. *Nature Ecology & Evolution* 3(3): 430-439. <https://doi.org/10.1038/s41559-018-0793-y>.
- Semangun, H. 2006. Ilmu Penyakit Tumbuhan. Gadjah Mada University Press. Yogyakarta.
- Shahriar, S. A., Imtiaz, A. A., Hossain, M. B., Husna, A., Eaty, M. & Khatun, N. 2020. Rice blast disease. *Annual Research & Review in Biology* 3(1): 50-64. <http://dx.doi.org/10.9734/ijpr/2020/v4i330114>.
- Sidik, E. A. 2021. Identifikasi cendawan terbawa benih padi menggunakan blotter test dan preparasi metode selotip. *Ilmu Pertanian Tropika Dan Subtropika* 6(2): 60-67. <http://dx.doi.org/10.31002/vigor.v6i2.4482>.

- Shivakumar, & Patil, M. B. 2023. Morphological variability of the *Curvularia lunata* associated with grain discoloration of rice. *International Journal of Plant & Soil Science* 35(21): 921–928. <https://doi.org/10.9734/ijpss/2023/v35i214062>.
- Suzuki, S., Taketani, H., Kusumoto, K.-I. & Kashiwagi, Y. 2006. High-throughput genotyping of filamentous fungus *Aspergillus oryzae* based on colony direct polymerase chain reaction. *Journal of Bioscience and Bioengineering* 102(6): 572–574. <https://doi.org/10.1263/jbb.102.572>.
- TeBeest, D.O., Guerber, C. & Ditmore, M. 2007. Rice Blast. *Plant Health Instructor* 10: 109-113. <https://doi.org/10.1094/PHI-I-2007-0313-07>.
- Terensan, S., Fernando, H. N. S., Silva, J. N., Perera, S. A. C. N., Kottarachchi, N. S. & Weerasena, O. V. D. S. J. 2022. Morphological and molecular analysis of fungal species associated with blast and brown spot diseases of *Oryza sativa*. *Plant Disease* 106(6): 1617–1625. <https://doi.org/10.1094/PDIS-04-21-0864-RE>.
- Thuy, T. T. T., Lübeck, M., Smedegaard-Petersen, V., de Neergaard, E. & Jørgensen, H. J. L. 2023. Infection biology of *Bipolaris oryzae* in rice and defence responses in compatible and less compatible interactions. *Agronomy* 13(1): 231. <https://doi.org/10.3390/agronomy13010231>.
- Valarmathi, P. & Ladhakshmi, D. 2018. Morphological characterization of *Bipolaris oryzae* causing brown spot disease of rice. *International Journal of Current Microbiology and Applied Sciences* 7(2): 161–170. <https://doi.org/10.20546/ijcmas.2018.702.021>.
- Vuuren, V. N., Yilmaz, N., Wingfield, M. J. & Visagie, C. M. 2024. Five novel *Curvularia* species (Pleosporaceae, Pleosporales) isolated from fairy circles in the Namib desert. *Mycological Progress* 23(1): 39. <https://doi.org/10.1007/s11557-024-01977-x>.
- Wenda, A. 2021. Identifikasi penyakit tanaman padi berdasarkan teknik pengolahan citra menggunakan rule based expert system. Cahaya Firdaus, Pekanbaru.
- White, & Bruns, Tom & Lee, Steven & Taylor, John. (1990). White, T. J., T. D. Bruns, S. B. Lee, and J. W. Taylor. Amplification and direct sequencing of fungal ribosomal RNA Genes for phylogenetics. <http://dx.doi.org/10.1016/B978-0-12-372180-8.50042-1>
- Wicaksono, D. 2016. Keragaman *Pyricularia oryzae* penyebab penyakit blas pada padi di berbagai daerah produksi beras di Pulau Jawa. Tesis. Fakultas Pertanian, Universitas Gadjah Mada.
- Wicaksono, D., Wibowo, A. & Widiastuti, A. 2017. Metode isolasi *Pyricularia Oryzae* penyebab penyakit blas padi. *Jurnal Hama Dan Penyakit Tumbuhan Tropika* 17(1): 62. <https://doi.org/10.23960/j.hptt.11762-69>.
- Yuliani, D., Santoso, S. & Anggara, A. W. 2022. Monitoring penyakit blas padi di agroekosistem rawa kalimantan tengah. *Jurnal Agros Wagati* 10(2): 103-111.
- Yuvarani, R., Brindhadevi, S., Thiruvudainambi, S., Theradimani, M., Vanniarajan, C. & Renuka, R. 2021. Morphological and molecular characterization of *Curvularia* species associated with grain discoloration of rice in Tamil Nadu. *The Pharma Innovation Journal* 10(10): 1791-1796.
- Zhang, H. F., & Islam, T. 2022. Integrated pest management programme for cereal blast fungus *Magnaporthe oryzae*. *Journal of Integrative Agriculture* 21(12): 3420-3433. <https://doi.org/10.1016/j.jia.2022.08.056>.

Zulfahmi, Z. 2013. Penanda DNA Untuk Analisis Genetik Tanaman. *Jurnal Agroteknologi* 3(2): 41-52.