

DAFTAR PUSTAKA

- Abdelwahed, H.S. dan Martinez, F.E., 2022. ICU Length of Stay and Factors Associated with Longer Stay of Major Trauma Patients with Multiple Rib Fractures: A Retrospective Observational Study. *Critical Care Research and Practice*, 2022: 1–6.
- Agorogianni, D., Michalopoulos, E., Prantzou, A., Liaskou, C., Stamou, A., Kapadochos, T., dkk., 2021. Clinical indicators as prognostic factors of multi-trauma patients in the Intensive Care Unit. *Health & Research Journal*, 7: 206.
- Agrawal, N., Iyer, S.S., Patil, V., Kulkarni, S., Shah, J.N., dan Jedge, P., 2023. Comparison of admission GCS score to admission GCS-P and FOUR scores for prediction of outcomes among patients with traumatic brain injury in the intensive care unit in India. *Acute and Critical Care*, 38: 226–233.
- Atkinson, A.J., 2018. Augmented renal clearance. *Translational and Clinical Pharmacology*, 26: 111.
- Baptista, J.P., Martins, P.J., Marques, M., dan Pimentel, J.M., 2020. Prevalence and Risk Factors for Augmented Renal Clearance in a Population of Critically Ill Patients. *Journal of Intensive Care Medicine*, 35: 1044–1052.
- Baptista, L., Moura, I., Silva, C.M., dan Baptista, J.P., 2023. What is New in Augmented Renal Clearance in Septic Patients? *Current Infectious Disease Reports*, 25: 255–272.
- Barletta, J.F., Mangram, A.J., Byrne, M., Sucher, J.F., Hollingworth, A.K., Ali-Osman, F.R., dkk., 2017. Identifying augmented renal clearance in trauma patients: Validation of the Augmented Renal Clearance in Trauma Intensive Care scoring system. *Journal of Trauma and Acute Care Surgery*, 82: 665–671.
- Basolo, A., Salvetti, G., Giannese, D., Genzano, S.B., Ceccarini, G., Giannini, R., dkk., 2023. Obesity, Hyperfiltration, and Early Kidney Damage: A New Formula for the Estimation of Creatinine Clearance. *The Journal of Clinical Endocrinology & Metabolism*, 108: 3280–3286.
- Bayissa, B.B. dan Alemu, S., 2021. Pattern of trauma admission and outcome among patients presented to Jimma University Specialized Hospital, south-western Ethiopia. *Trauma Surgery & Acute Care Open*, 6: e000609.
- Beunders, R., van de Wijgert, I.H., van den Berg, M., van der Hoeven, J.G., Abdo, W.F., dan Pickkers, P., 2021. Late augmented renal clearance in patients with COVID-19 in the intensive care unit. A prospective observational study. *Journal of Critical Care*, 64: 7–9.

- Bilbao-Meseguer, I., Rodríguez-Gascón, A., Barrasa, H., Isla, A., dan Solinís, M.Á., 2018. Augmented Renal Clearance in Critically Ill Patients: A Systematic Review. *Clinical Pharmacokinetics*, 57: 1107–1121.
- Bin Kunji Mohamad, M.I., Jamaluddin, S.F., Ahmad, N., Bahar, A., Khalid, Z.M., Binti Mohd Zaki, N.A., dkk., 2025. Trauma outcomes differences in females: a prospective analysis of 76 000 trauma patients in the Asia-Pacific region and the contributing factors. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 33: 34.
- Bing, E., Archambault, K., Sananikone, A., Nguyen, K.-D., Fang, Y.T., Jabamikos, C., dkk., 2022. Risk factors associated with augmented renal clearance in a mixed intensive care unit population: a retrospective study. *International Journal of Clinical Pharmacy*, 44: 1277–1286.
- Blot, S.I., Pea, F., dan Lipman, J., 2014. The effect of pathophysiology on pharmacokinetics in the critically ill patient — Concepts appraised by the example of antimicrobial agents. *Advanced Drug Delivery Reviews*, 77: 3–11.
- Brandi, S., Troster, E.J., dan Cunha, M.L.D.R., 2020. Length of stay in pediatric intensive care unit: prediction model. *Einstein (São Paulo)*, 18: eAO5476.
- Braun, B.J., Holstein, J., Fritz, T., Veith, N.T., Herath, S., Mörsdorf, P., dkk., 2016. Polytrauma in the elderly: a review. *EFORT Open Reviews*, 1: 146–151.
- Brown, M., Jackson, M., dan Cairns, T., 2023. Care of the critically ill patient. *Surgery (Oxford)*, 41: 790–797.
- Burger, R., Guidi, M., Calpini, V., Lamoth, F., Decosterd, L., Robatel, C., dkk., 2018. Effect of renal clearance and continuous renal replacement therapy on appropriateness of recommended meropenem dosing regimens in critically ill patients with susceptible life-threatening infections. *Journal of Antimicrobial Chemotherapy*, 73: 3413–3422.
- Campassi, M.L., Gonzalez, M.C., Masevicius, F.D., Vazquez, A.R., Moseinco, M., Navarro, N.C., dkk., 2014. Augmented renal clearance in critically ill patients: incidence, associated factors and effects on vancomycin treatment. *Revista Brasileira de Terapia Intensiva*, 26: 13–20.
- Campassi, M.L., Repetto, F.G., Banegas Litardo, D.M., Castor, R., Gómez, G., Tiseyra, B., dkk., 2022. Incidence and determinants of augmented renal clearance in traumatic brain injury: A prospective observational study. *Journal of Critical Care*, 70: 154065.
- Chalya, P.L., Gilyoma, J.M., Dass, R.M., Mchembe, M.D., Matasha, M., Mabula, J.B., dkk., 2011. Trauma admissions to the Intensive care unit at a reference

hospital in Northwestern Tanzania. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 19: 61.

- Chandrashekar, M., Shivaraj, B.M., dan Krishna, V.P., 2015. A study on prognostic value of serum cortisol in determining the outcome in the critically ill patients. *Journal of Evolution of Medical and Dental Sciences*, 4: 10130–10136.
- Charco Roca, L.M., Ortega Cerrato, A., dan Tortajada Soler, J.J., 2023. Glomerular hyperfiltration in patients with severe trauma. *Nefrología (English Edition)*, 43: 714–720.
- Chen, I.H. dan Nicolau, D.P., 2020. Augmented Renal Clearance and How to Augment Antibiotic Dosing. *Antibiotics*, 9: 393.
- Claus, B.O.M., Hoste, E.A., Colpaert, K., Robays, H., Decruyenaere, J., dan De Waele, J.J., 2013. Augmented renal clearance is a common finding with worse clinical outcome in critically ill patients receiving antimicrobial therapy. *Journal of Critical Care*, 28: 695–700.
- Coccolini, F., Rausa, E., Montori, G., Fugazzola, P., Ceresoli, M., Sartelli, M., dkk., 2017. Risk Factors for Infections in Trauma Patients. *Current Trauma Reports*, 3: 285–291.
- Cook, A.M., Li, D., Nestor, M.A., dan Bastin, M.L.T., 2022. Prevalence and prediction of augmented renal clearance in the neurocritical care population. *Journal of Neurocritical Care*, 15: 96–103.
- Cromwell, P.M., Reynolds, I.S., Heneghan, H.M., dan Glasgow, S.M., 2023. Obesity and outcomes in trauma - a systematic review and meta-analysis. *Injury*, 54: 469–480.
- Cucci, M.D., Gerlach, A.T., Mangira, C., Murphy, C.V., Roberts, J.A., Udy, A.A., dkk., 2023. Performance of different body weights in the COCKCROFT-GAULT equation in critically ill patients with and without augmented renal clearance: A multicenter cohort. *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy*, 43: 1131–1138.
- Dickerson, R.N., Crawford, C.N., Tsiu, M.K., Bujanowski, C.E., Van Matre, E.T., Swanson, J.M., dkk., 2021. Augmented Renal Clearance Following Traumatic Injury in Critically Ill Patients Requiring Nutrition Therapy. *Nutrients*, 13: 1681.
- Egea, A., Dupuis, C., De Montmollin, E., Wicky, P.-H., Patrier, J., Jaquet, P., dkk., 2022. Augmented renal clearance in the ICU: estimation, incidence, risk factors and consequences—a retrospective observational study. *Annals of Intensive Care*, 12: 88.

- Embu, H.Y., Nuhu, S.I., Isamade, E.S., Kokong, D.D., Ozoilo, K.N., dan Agbo, D.O., 2016. Characteristics and Outcome of Trauma Patients in a Mixed ICU: A Retrospective Review. *OALib*, 03: 1–7.
- Fokin, A.A., Wycech Knight, J., Gallagher, P.K., Xie, J.F., Brinton, K.C., Tharp, M.E., dkk., 2025. Characteristics and outcomes of trauma patients with unplanned intensive care unit admissions: Bounce backs and upgrades comparison. *World Journal of Critical Care Medicine*, 14: 101957.
- Gerchman, F., Tong, J., Utzschneider, K.M., Zraika, S., Udayasankar, J., McNeely, M.J., dkk., 2009. Body Mass Index Is Associated with Increased Creatinine Clearance by a Mechanism Independent of Body Fat Distribution. *The Journal of Clinical Endocrinology & Metabolism*, 94: 3781–3788.
- Glynn, R., Edwards, F., Wullschleger, M., Gardiner, B., dan Laupland, K.B., 2025. Major trauma and comorbidity: a scoping review. *European Journal of Trauma and Emergency Surgery*, 51: 133.
- Haagsma, J.A., Charalampous, P., Ariani, F., Gallay, A., Moesgaard Iburg, K., Nena, E., dkk., 2022. The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. *Archives of Public Health*, 80: 142.
- Han, J., Yoon, S.Y., Seok, J., Lee, J.Y., Lee, J.S., Ye, J.B., dkk., 2023. Clinical characteristics and mortality risk factors among trauma patients by age groups at a single center in Korea over 7 years: a retrospective study. *Journal of Trauma and Injury*, 36: 329–336.
- Hasjim, B.J., Grigorian, A., Stopenski, S., Swentek, L., Sun, B., Livingston, J.K., dkk., 2022. Moderate to severe leukocytosis with vasopressor use is associated with increased mortality in trauma patients. *Journal of the Intensive Care Society*, 23: 117–123.
- Hefny, F., Stuart, A., Kung, J.Y., dan Mahmoud, S.H., 2022. Prevalence and Risk Factors of Augmented Renal Clearance: A Systematic Review and Meta-Analysis. *Pharmaceutics*, 14: 445.
- Hobbs, A.L.V., Shea, K.M., Roberts, K.M., dan Daley, M.J., 2015. Implications of Augmented Renal Clearance on Drug Dosing in Critically Ill Patients: A Focus on Antibiotics 35: 1063–1075.
- Hosein, S., A. Udy, A., dan Lipman, J., 2011. Physiological Changes in the Critically Ill Patient with Sepsis. *Current Pharmaceutical Biotechnology*, 12: 1991–1995.
- Huang, C.-Y., Güiza, F., De Vlieger, G., dan Meyfroidt, G., 2022. Daily fluctuations in kidney function in critically ill adults. *Critical Care*, 26: 347.

- Hunter, A., Johnson, L., dan Coustasse, A., 2014. Reduction of Intensive Care Unit Length of Stay: The Case of Early Mobilization. *The Health Care Manager*, 33: 128–135.
- Ibrahim, B.S.E.D., Mahran, M.M., dan Shaaban, M.S., 2024. Correlation of White Blood Cell Count as a Predictive Factor of Severity in Early Blunt Abdominal Trauma. *Al-Azhar International Medical Journal*, 5: 194–198.
- Iranmanesh, N., Hosseini, M., Tajaddini, A., Shayan, L., Fazeli, P., Akerdi, A.T., dkk., 2024. Improving trauma patient management: Predisposing factors for trauma-induced physiological disorders and the importance of damage control surgery. *Current Problems in Surgery*, 61: 101473.
- Ishaku, C.M., Jawa, B.K., Maduagwu, S.M., Hassan, A.B., Lawan, A., Rufa'i, A.A., dkk., 2021. Pattern and Outcome of Traumatic Spinal Cord Injury Managed at University of Maiduguri Teaching Hospital, Nigeria: A Retrospective Study. *Nigerian Postgraduate Medical Journal*, 28: 139–144.
- Jacobs, A., Taccone, F.S., Roberts, J.A., Jacobs, F., Cotton, F., Wolff, F., dkk., 2018. β -Lactam Dosage Regimens in Septic Patients with Augmented Renal Clearance. *Antimicrobial Agents and Chemotherapy*, 62: e02534-17.
- Johnston, B.W., Perry, D., Habgood, M., Joshi, M., dan Krige, A., 2021. Augmented renal clearance: a retrospective, cohort study of urinary creatinine clearance in critically ill patients in the United Kingdom. *Journal of International Medical Research*, 49: 030006052110155.
- Kanna, G., Patodia, S., Annigeri, R.A., Ramakrishnan, N., dan Venkataraman, R., 2023. Prevalence of Augmented Renal Clearance (ARC), Utility of Augmented Renal Clearance Scoring System (ARC score) and Augmented Renal Clearance in Trauma Intensive Care Scoring System (ARCTIC score) in Predicting ARC in the Intensive Care Unit: Proactive Study. *Indian Journal of Critical Care Medicine : Peer-reviewed, Official Publication of Indian Society of Critical Care Medicine*, 27: 433–443.
- Kawano, Y., Maruyama, J., Hokama, R., Koie, M., Nagashima, R., Hoshino, K., dkk., 2018. Outcomes in patients with infections and augmented renal clearance: A multicenter retrospective study. *PLOS ONE*, 13: e0208742.
- Kayambankadzanja, R.K., Schell, C.O., Gerdin Wörnberg, M., Tamras, T., Mollazadegan, H., Holmberg, M., dkk., 2022. Towards definitions of critical illness and critical care using concept analysis. *BMJ Open*, 12: e060972.
- Khan, I.A., Ullah, M.K., Mahmood, S., Butt, A.S., Sarwar, N., dan Afsar, B., 2021. Predictive accuracy of APACHE II score in predicting mortality in poly Trauma patients. *The Professional Medical Journal*, 28: 1752–1757.

- Kim, J.H., Jeong, H., Choo, Y.-H., Kim, M., Ha, E.J., Oh, J., dkk., 2023. Optimizing Mannitol Use in Managing Increased Intracranial Pressure: A Comprehensive Review of Recent Research and Clinical Experiences. *Korean Journal of Neurotrauma*, 19: 162.
- Kozar, R.A., Arbabi, S., Stein, D.M., Shackford, S.R., Barraco, R.D., Biffi, W.L., dkk., 2015. Injury in the aged: Geriatric trauma care at the crossroads. *Journal of Trauma and Acute Care Surgery*, 78: 1197–1209.
- Larsson, E., Lindström, A.-C., Eriksson, M., dan Oldner, A., 2019. Impact of gender on post- traumatic intensive care and outcomes. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 27: 115.
- Lee, M.A., Choi, K.K., Yu, B., Park, J.J., Park, Y., Gwak, J., dkk., 2017. Acute Physiology and Chronic Health Evaluation II Score and Sequential Organ Failure Assessment Score as Predictors for Severe Trauma Patients in the Intensive Care Unit. *The Korean Journal of Critical Care Medicine*, 32: 340–346.
- Leitgeb, J., Mauritz, W., Brazinova, A., Majdan, M., Janciak, I., Wilbacher, I., dkk., 2013. Glasgow Coma Scale score at intensive care unit discharge predicts the 1-year outcome of patients with severe traumatic brain injury. *European Journal of Trauma and Emergency Surgery*, 39: 285–292.
- Lemeshow, S. (Editor), 1990. *Adequacy of Sample Size in Health Studies*. John Wiley & Sons Ltd., England.
- Lentsck, M.H., Oliveira, R.R.D., Corona, L.P., dan Mathias, T.A.D.F., 2020. Risk factors for death of trauma patients admitted to an Intensive Care Unit. *Revista Latino-Americana de Enfermagem*, 28: e3236.
- Litton, E., McCann, M., dan Van Haren, F., 2018. Predicting Intensive Care Unit Length of Stay After Cardiac Surgery. *Journal of Cardiothoracic and Vascular Anesthesia*, 32: 2683–2684.
- Luo, Y., Wang, Y., Ma, Y., Wang, P., Zhong, J., dan Chu, Y., 2021. Augmented Renal Clearance: What Have We Known and What Will We Do? *Frontiers in Pharmacology*, 12: 723731.
- Mahmoud, S. dan Shen, C., 2017. Augmented Renal Clearance in Critical Illness: An Important Consideration in Drug Dosing. *Pharmaceutics*, 9: 36.
- Messelu, M.A., Tilahun, A.D., Beko, Z.W., Endris, H., Belayneh, A.G., dan Tesema, G.A., 2023. Incidence and predictors of mortality among adult trauma patients admitted to the intensive care units of comprehensive specialized hospitals in Northwest Ethiopia. *European Journal of Medical Research*, 28: 113.

- Mikami, R., Hayakawa, M., Imai, S., Sugawara, M., dan Takekuma, Y., 2023. Onset timing and duration of augmented renal clearance in a mixed intensive care unit. *Journal of Intensive Care*, 11: 13.
- Minville, V., Asehnoune, K., Ruiz, S., Breden, A., Georges, B., Seguin, T., dkk., 2011. Increased creatinine clearance in polytrauma patients with normal serum creatinine: a retrospective observational study. *Critical Care*, 15: R49.
- Mondello, S., Cantrell, A., Italiano, D., Fodale, V., Mondello, P., dan Ang, D., 2014. Complications of Trauma Patients Admitted to the ICU in Level I Academic Trauma Centers in the United States. *BioMed Research International*, 2014: 1–7.
- Morales Castro, D., Dresser, L., Granton, J., dan Fan, E., 2023. Pharmacokinetic Alterations Associated with Critical Illness. *Clinical Pharmacokinetics*, 62: 209–220.
- Mousa, D.H.I., 2013. Leukocytosis as Prognostic Factor for Severe Multiple Injuries. *Thi-qar Medical journal*, 7: 50–57.
- Mulder, M.B., Eidelson, S.A., Sussman, M.S., Schulman, C.I., Lineen, E.B., Iyenger, R.S., dkk., 2019. Risk Factors and Clinical Outcomes Associated With Augmented Renal Clearance in Trauma Patients. *Journal of Surgical Research*, 244: 477–483.
- Oyediran, O.O., Ayandiran, E.O., Olanrewaju, T.D., Ojo, I.O., Ogunlade, A.A., dan Fajemilehin, B.R., 2022. Prevalence and outcome of care among patients with spinal cord injury in a Nigerian Tertiary Health Institution. *Interdisciplinary Neurosurgery*, 27: 101446.
- Ozmen, O., Aksoy, M., Department of Anesthesiology and Reanimation, Ataturk University School of Medicine, Erzurum, Turkey, Ince, I., Dogan, N., dan Kursad, H., 2020. Comparing the Clinical Features and Trauma Scores of Trauma Patients Aged Under 65 Years with Those of Patients Aged over 65 Years in the Intensive Care Unit: A Retrospective Study for Last Ten Years. *The Eurasian Journal of Medicine*, 52: 1–5.
- Painter, J.R., 2013. Critical care in the surgical global period. *Chest*, 143: 851–855.
- Pape, H.-C., Moore, E.E., McKinley, T., dan Sauaia, A., 2022. Pathophysiology in patients with polytrauma. *Injury*, 53: 2400–2412.
- Peres, I.T., Hamacher, S., Oliveira, F.L.C., Bozza, F.A., dan Salluh, J.I.F., 2021. Prediction of intensive care units length of stay: a concise review. *Revista Brasileira de Terapia Intensiva*, 33: 183–187.

- Peres, I.T., Hamacher, S., Oliveira, F.L.C., Thomé, A.M.T., dan Bozza, F.A., 2020. What factors predict length of stay in the intensive care unit? Systematic review and meta-analysis. *Journal of Critical Care*, 60: 183–194.
- Pillai, J., Yazicioglu, C., Moeng, S., Rangaka, T., Monareng, T., Jayakrishnan, R., dkk., 2015. Prevalence and patterns of infection in critically ill trauma patients admitted to the trauma ICU, South Africa. *The Journal of Infection in Developing Countries*, 9: 736–742.
- Pogorzelski, G.F., Silva, T.A., Piazza, T., Lacerda, T.M., Spencer Netto, F.A., Jorge, A.C., dkk., 2018. Epidemiology, prognostic factors, and outcome of trauma patients admitted in a Brazilian intensive care unit. *Open Access Emergency Medicine*, Volume 10: 81–88.
- Radhakrishnan, Y., Patel, J.S., Syed, A., Vazquez, K.D., Mullen, C., dan Cucci, M.D., 2024. Incidence and clinical outcomes of critically ill patients with augmented renal clearance: A retrospective cohort. *Nephron*, 1–19.
- Ramakrishnan, N., Venkataraman, R., Patodia, S., Annigeri, R.A., dan Kanna, G., 2023. Prevalence of Augmented Renal Clearance (ARC), Utility of Augmented Renal Clearance Scoring System (ARC score) and Augmented Renal Clearance in Trauma Intensive Care Scoring System (ARCTIC score) in Predicting ARC in the Intensive Care Unit: Proactive Study. *Indian Journal of Critical Care Medicine*, 27: 433–443.
- Rau, C.-S., Kuo, S.C.-H., Tsai, C.-H., Chou, S.-E., Su, W.-T., Hsu, S.-Y., dkk., 2023. Elevation of White Blood Cell Subtypes in Adult Trauma Patients with Stress-Induced Hyperglycemia. *Diagnostics*, 13: 3451.
- Rhoney, D.H., Brooks, A.B., dan Nelson, N.R., 2022. Augmented Renal Clearance: An Under-Recognized Phenomenon Associated With COVID-19. *Critical Care Explorations*, 4: e0617.
- Rico-Fontalvo, J., Correa-Guerrero, J., Martínez-Ávila, M.C., Daza-Arnedo, R., Rodriguez-Yanez, T., Almanza-Hurtado, A., dkk., 2023. Critically Ill Patients with Renal Hyperfiltration: Optimizing Antibiotic Dose. *International Journal of Nephrology*, 2023: 1–11.
- Riley, L.K. dan Rupert, J., 2015. Evaluation of Patients with Leukocytosis. *American Family Physician*, 92: 1004–1011.
- Roberts, J.A., Pea, F., dan Lipman, J., 2013. The Clinical Relevance of Plasma Protein Binding Changes. *Clinical Pharmacokinetics*, 52: 1–8.
- Schwandt, A., Denking, M., Fasching, P., Pfeifer, M., Wagner, C., Weiland, J., dkk., 2017. Comparison of MDRD, CKD-EPI, and Cockcroft-Gault equation in relation to measured glomerular filtration rate among a large

cohort with diabetes. *Journal of Diabetes and its Complications*, 31: 1376–1383.

Seller-Pérez, G., Herrera-Gutiérrez, M.E., Maynar-Moliner, J., Sánchez-Izquierdo-Riera, J.A., Marinho, A., dan Do Pico, J.L., 2013. Estimating Kidney Function in the Critically Ill Patients. *Critical Care Research and Practice*, 2013: 1–6.

Setiawan, E., Widyati, Marpaung, F.R., Sukandar, E., Susaniwati, Lukas, D.L., dkk., 2019. Narrative Study on Pharmacokinetics of Antibiotics among Critically Ill Patients: the Implication on the Pharmacokinetics-Pharmacodynamics Target Attainment. *Pharmaceutical Sciences and Research*, 6: 1–12.

Shi, A.-X., Qu, Q., Zhuang, H.-H., Teng, X.-Q., Xu, W.-X., Liu, Y.-P., dkk., 2023. Individualized antibiotic dosage regimens for patients with augmented renal clearance. *Frontiers in Pharmacology*, 14: 1137975.

Silva, C.M., Baptista, J.P., Santos, I., dan Martins, P., 2022. Recommended Antibiotic Dosage Regimens in Critically Ill Patients with Augmented Renal Clearance: A Systematic Review. *International Journal of Antimicrobial Agents*, 59: 106569.

Sime, F.B., Udy, A.A., dan Roberts, J.A., 2015. Augmented renal clearance in critically ill patients: etiology, definition and implications for beta-lactam dose optimization. *Current Opinion in Pharmacology*, 24: 1–6.

Sistanizad, M., Hassanpour, R., dan Pourheidari, E., 2022. Are Antibiotics Appropriately Dosed in Critically Ill Patients with Augmented Renal Clearance? A Narrative Review. *International Journal of Clinical Practice*, 2022: 1–17.

Smeets, T.J.L., Boly, C.A., Papadopoulos, J., Endeman, H., dan Hunfeld, N.G.M., 2024. What every intensivist should know about augmented renal clearance (ARC). *Journal of Critical Care*, 84: 154541.

Sperry, J.L., Nathens, A.B., Frankel, H.L., Vanek, S.L., Moore, E.E., Maier, R.V., dkk., 2008. Characterization of the gender dimorphism after injury and hemorrhagic shock: Are hormonal differences responsible?*. *Critical Care Medicine*, 36: 1838–1845.

Sungono, V., Hariyanto, H., Soesilo, T.E.B., Adisasmita, A.C., Syarif, S., Lukito, A.A., dkk., 2022. Cohort study of the APACHE II score and mortality for different types of intensive care unit patients. *Postgraduate Medical Journal*, 98: 914–918.

- Talla, A., Alshammry, N., Alzahrani, M., Alshammari, Aqeel, Almarshadi, J., dan Alshammari, Alhanouf, 2024. Influence of comorbidities on outcomes of head trauma patient: a systematic review. *International Journal of Medicine in Developing Countries*, 2143–2149.
- Tesfamariam, N.S., Aboelezz, A., dan Mahmoud, S.H., 2024. The Impact of Augmented Renal Clearance on Vancomycin Pharmacokinetics and Pharmacodynamics in Critically Ill Patients. *Journal of Clinical Medicine*, 13: 2317.
- Thongprayoon, C., Cheungpasitporn, W., dan Kashani, K., 2016. Serum creatinine level, a surrogate of muscle mass, predicts mortality in critically ill patients. *Journal of Thoracic Disease*, 8: E305–E311.
- Tian, Y., Yao, Y., Zhou, J., Diao, X., Chen, H., Cai, K., dkk., 2022. Dynamic APACHE II Score to Predict the Outcome of Intensive Care Unit Patients. *Frontiers in Medicine*, 8: 744907.
- Tian-Yang Yu, A., Gnaedinger, A., Grisel, B., Castillo-Angeles, M., Fernandez-Moure, J., Agarwal, S., dkk., 2024. A Multifactorial Analysis of Trauma Outcomes: Comorbidities, Race, and Socioeconomic Status. *Journal of Surgical Research*, 304: 41–51.
- Tröger, U., Drust, A., Martens-Lobenhoffer, J., Tanev, I., Braun-Dullaesus, R.C., dan Bode-Böger, S.M., 2012. Decreased meropenem levels in Intensive Care Unit patients with augmented renal clearance: benefit of therapeutic drug monitoring. *International Journal of Antimicrobial Agents*, 40: 370–372.
- Udy, A.A., Baptista, J.P., Lim, N.L., Joynt, G.M., Jarrett, P., Wockner, L., dkk., 2014. Augmented Renal Clearance in the ICU: Results of a Multicenter Observational Study of Renal Function in Critically Ill Patients With Normal Plasma Creatinine Concentrations*. *Critical Care Medicine*, 42: 520–527.
- Udy, A.A., Roberts, J.A., Shorr, A.F., Boots, R.J., dan Lipman, J., 2013. Augmented renal clearance in septic and traumatized patients with normal plasma creatinine concentrations: identifying at-risk patients. *Critical Care*, 17: R35.
- Vincent, J.-L., Sakr, Y., Singer, M., Martin-Loeches, I., Machado, F.R., Marshall, J.C., dkk., 2020. Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. *JAMA*, 323: 1478.
- Wakai, A., McCabe, A., Roberts, I., dan Schierhout, G., 2013. Mannitol for acute traumatic brain injury. *Cochrane Database of Systematic Reviews*, 2013: CD001049.

Yousefifard, M., Shhsavarinia, K., Faridaalee, G., Dinpanah, H., Ahmadi, S., dan Safari, S., 2020. Comparison of Glasgow Coma Scale with Physiologic Scoring Scales in Prediction of In-Hospital Outcome of Trauma Patients; a Diagnostic Accuracy Study. *Advanced Journal of Emergency Medicine*, 4: e89.