

DAFTAR PUSTAKA

- Aboul-Gheit, A. K., Mahmoud, S. A., & Moustafa, Y. M. (2008). Nanostructured ti-fe thin layered photocatalyst via sol-gel technique. *ASME 2008 2nd Multifunctional Nanocomposites and Nanomaterials*, 47–58. <https://doi.org/10.1115/mn2008-47033>
- Al-Amin, M., Dey, S. C., Rashid, T. U., & Shamsuddin, S. (2016, March 27). *Solar assisted photocatalytic degradation of reactive azo dyes in presence of anatase titanium dioxide*. Unknown. https://www.researchgate.net/publication/299441386_Solar_Assisted_Phocatalytic_Degradation_of_Reactive_Azo_Dyes_in_Presence_of_Anatase_Titanium_Dioxide
- Ambrus, Z., Balázs, N., Alapi, T., Wittmann, G., Sipos, P., Dombi, A., & Mogyorósi, K. (2008). Synthesis, structure and photocatalytic properties of Fe(III)-doped TiO₂ prepared from TiCl₃. *Applied Catalysis B: Environmental*, 81(1–2), 27–37. <https://doi.org/10.1016/j.apcatb.2007.11.041>
- Chen, M., He, M., Liu, M., Dong, F., Wei, H., & Nie, X. (2019a). Synergistic effects of electron shuttle AQS and *Alcaligenes faecalis* on photocatalytic removal of U(VI). *Journal of Radioanalytical and Nuclear Chemistry*, 322(2), 731–742. <https://doi.org/10.1007/s10967-019-06753-w>
- Chen, M., He, M., Liu, M., Dong, F., Wei, H., & Nie, X. (2019b). Synergistic effects of electron shuttle AQS and *Alcaligenes faecalis* on photocatalytic removal of U(VI). *Journal of Radioanalytical and Nuclear Chemistry*, 322(2), 731–742. <https://doi.org/10.1007/s10967-019-06753-w>
- Chou, H.L., Hwang, B.J. and Sun, C.L., 2013. *New and Future Developments in Catalysis: Chapter 9. Catalysis in Fuel Cells and Hydrogen Production*. Elsevier Inc. Chapters.
- Chougala, L., Yatnatti, M. S., Linganagoudar, R. K., & Kadadevarmath, J. S. (2017, January 1). *A Simple Approach on Synthesis of TiO₂ Nanoparticles and its Application in dye Sensitized Solar Cells*. Sumy State University. [https://www.researchgate.net/publication/318733034_A_Simple_Approac_h_on_Synthesis_of_TiO₂_Nanoparticles_and_its_Application_in_dye_Sen_sitized_Solar_Cells](https://www.researchgate.net/publication/318733034_A_Simple_Approac_h_on_Synthesis_of_TiO2_Nanoparticles_and_its_Application_in_dye_Sen_sitized_Solar_Cells)
- Comarmond, M. J. (2011, May 27). *Uranium sorption on various forms of titanium dioxide – influence of surface area, surface charge, and impurities*. ACS Publications. <https://pubs.acs.org/doi/10.1021/es201046x>
- Dong, W., Gao, H., Siya lin, Dong, Z., Zheng, Z., Wu, Y., Zhu, X., Cheng, Z., Liu, Y., Wang, Y., Xiaohong cao, Wang, Y., Zhang, Z., & Liu, Y. (2022). Photocatalytic applications of heterostructure Ag₂S/TiO₂ nanotube arrays for U(VI) reduction and phenol degradation. *Journal of Solid State Chemistry*, 310, 123010. <https://doi.org/10.1016/j.jssc.2022.123010>
- Etacheri, V., Di Valentin, C., Schneider, J., Bahnemann, D., & Pillai, S. C. (2015). Visible-light activation of TiO₂ photocatalysts: Advances in theory and experiments. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 25, 1–29.

- <https://doi.org/10.1016/j.jphotochemrev.2015.08.003>
- García-Rosales, G., Drot, R., Mercier-Bion, F., Lagarde, G., & Simoni, E. (2009). Interaction between U(VI) and SrTiO₃ surfaces versus temperature. *Journal of Colloid and Interface Science*, 333(1), 104–113. <https://doi.org/10.1016/j.jcis.2009.01.049>
- Giang, H. N., Tran, C. C., Huynh, T. N. A., & Doan, P. T. M. (2023). Spent coffee grounds utilization for green ultraviolet filter and nanocomposite fabrication. *Express Polymer Letters*, 17(9), 900–912. <https://doi.org/10.3144/expresspolymlett.2023.67>
- Gordeeva, A., Thersleff, T., Hsu, Y.-J., Liebske, C., Ulmer, P., Andersson, O., & Häussermann, U. (2023a). Electronic structure characterization of TiO₂-II with the α-PbO₂ structure by electron-energy-loss-spectroscopy and comparison with anatase, brookite, and rutile. *Journal of Solid State Chemistry*, 322, 123952. <https://doi.org/10.1016/j.jssc.2023.123952>
- Gordeeva, A., Thersleff, T., Hsu, Y.-J., Liebske, C., Ulmer, P., Andersson, O., & Häussermann, U. (2023b). Electronic structure characterization of TiO₂-II with the α-PbO₂ structure by electron-energy-loss-spectroscopy and comparison with anatase, brookite, and rutile. *Journal of Solid State Chemistry*, 322, 123952. <https://doi.org/10.1016/j.jssc.2023.123952>
- Heidarinejad, F., Kamani, H., & Khtibi, A. (2023). Magnetic Fe-doped TiO₂@-Fe₃O₄ for metronidazole degradation in aqueous solutions: Characteristics and efficacy assessment. *Heliyon*, 9(11), e21414. <https://doi.org/10.1016/j.heliyon.2023.e21414>
- Huang, W.-H., Lin, C.-J., Huang, T.-H., Chang, C.-Y., Haw, S.-C., Sheu, H.-S., Chen, S.-Y., Dong, C.-L., Kumar, K., Hwang, B. J., Su, W.-N., & Chen, C.-L. (2023). Mechanistic study for enhanced photocatalytic degradation of acetaminophen by Fe(III) doped TiO₂ hollow microspheres. *Applied Surface Science*, 611, 155634. <https://doi.org/10.1016/j.apsusc.2022.155634>
- IUPAC Compendium of Chemical Terminology, 3rd ed. International Union of Pure and Applied Chemistry; 2006. Online version 3.0.1, 2019.
- Jiang, D., Otitoju, T. A., Ouyang, Y., Shoparwe, N. F., Wang, S., Zhang, A., & Li, S. (2021). A review on metal ions modified TiO₂ for photocatalytic degradation of organic pollutants. *Catalysts*, 11(9), 1039. <https://doi.org/10.3390/catal11091039>
- Jiang, X. H., Xing, Q. J., Luo, X. B., Li, F., Zou, J. P., Liu, S. S., ... & Wang, X. K. (2018). Simultaneous photoreduction of Uranium (VI) and photooxidation of Arsenic (III) in aqueous solution over g-C₃N₄/TiO₂ heterostructured catalysts under simulated sunlight irradiation. *Applied Catalysis B: Environmental*, 228, 29-38.
- Jiang, Z., Gao, M., Ding, W., Huang, C., Hu, C., Shi, B., & Tsang, D. C. W. (2021). Selective degradation and oxidation of hemicellulose in corncob to oligosaccharides: From biomass into masking agent for sustainable leather tanning. *Journal of Hazardous Materials*, 413, 125425. <https://doi.org/10.1016/j.jhazmat.2021.125425>
- Khan, M. H., Warwick, P., & Evans, N. (2006). Spectrophotometric determination

- of uranium with arsenazo-III in perchloric acid. *Chemosphere*, 63(7), 1165–1169. <https://doi.org/10.1016/j.chemosphere.2005.09.060>
- Lee, J., Buyukcakir, O., Kwon, T. W., & Coskun, A. 2018. Energy band-gap engineering of conjugated microporous polymers via acidity-dependent in situ cyclization. *Journal of the American Chemical Society*, 140(35), 10937–10940.
- Lee, J.-M., Jeon, S.-H., Kim, K.-S., Han, J., & Hur, D. H. (2020). Effects of pH control agents on magnetite deposition on steam generator tubes. *Annals of Nuclear Energy*, 143, 107486. <https://doi.org/10.1016/j.anucene.2020.107486>
- Li, H., Zhai, F., Gui, D., Wang, X., Wu, C., Zhang, D., Dai, X., Deng, H., Su, X., Diwu, J., Lin, Z., Chai, Z., Wang, S., 2019. Powerful uranium extraction strategy with combined ligand complexation and photocatalytic reduction by postsynthetically modified photoactive metal-organic frameworks. *Appl. Catal. B* 254, 47–54.
- Li, X., Liu, J., Feng, J., Wei, T., Zhou, Z., Ma, J., Ren, Y., & Shen, Y. (2023). High-ratio {100} plane-exposed ZnO nanosheets with dual-active centers for simultaneous photocatalytic Cr(VI) reduction and Cr(III) adsorption from water. *Journal of Hazardous Materials*, 445, 130400. <https://doi.org/10.1016/j.jhazmat.2022.130400>
- Li, Z. J., Huang, Z. W., Guo, W. L., Wang, L., Zheng, L. R., Chai, Z. F., & Shi, W. Q. (2017). Enhanced photocatalytic removal of uranium (VI) from aqueous solution by magnetic TiO₂/-Fe₃O₄ and its graphene composite. *Environmental science & technology*, 51(10), 5666-5674.
- Ma, J., Zhang, M., Zhang, H., Wang, Y., Li, F., Hu, N., Dai, Z., Ding, Y. and Ding, D., 2022. Efficient removal of U (VI) in acidic environment with spent coffee grounds derived hydrogel. *Journal of Hazardous Materials*, 426, p.127786.
- Ma, M., Luo, Q., Han, R., & Liu, C. (2024, May 6). *A phosphorylated dendrimer-supported biomass-derived magnetic nanoparticle adsorbent for efficient uranium...* MDPI. https://www.researchgate.net/publication/380387889_A_Phosphorylated_Dendrimer-Supported_Biomass-Derived_Magnetic_Nanoparticle_Adsorbent_for_Efficient_Uranium_Removal
- Manos, M.J. and Kanatzidis, M.G., 2012. Layered metal sulfides capture uranium from seawater. *Journal of the American Chemical Society*, 134(39), pp.16441-16446.
- Morss, L.R., Edelstein, N.M., Fuger, J., 2010. *The Chemistry of the Actinide and Transactinide Elements, fourth ed.* Springer, Dordrecht, The Netherlands.
- Nair, S., Karimzadeh, L., & Merkel, B. J. (2014). Sorption of uranyl and arsenate on SiO₂, Al₂O₃, TiO₂ and FeOOH. *Environmental Earth Sciences*, 72(9), 3507–3512. <https://doi.org/10.1007/s12665-014-3258-x>
- Nesic, J., Manojlovic, D., D., Jovic, M., Dojcinovic, B., P., Vulic, P., J., Krstic, J., & Roglic, G., M. (2014). Fenton-like oxidation of azo dye using mesoporous Fe/TiO₂ prepared by microwave-assisted hydrothermal

- process. *Journal of the Serbian Chemical Society*, 79(8), 977–991. <https://doi.org/10.2298/jsc131001143n>
- Pawar, T. J., Contreras López, D., Olivares Romero, J. L., & Vallejo Montesinos, J. (2023). Surface modification of titanium dioxide. *Journal of Materials Science*, 58(16), 6887–6930. <https://doi.org/10.1007/s10853-023-08439-x>
- Philippova, O., Barabanova, A., Molchanov, V. and Khokhlov, A., 2011. Magnetic polymer beads: Recent trends and developments in synthetic design and applications. *European polymer journal*, 47(4), pp.542-559.
- Pradipta, A. R., Enriyani, R., Rahmatia, L., & Utami, A. (2021). Sintesis Nanokomposit -Fe₃O₄/TiO₂ Sebagai Fotokatalis yang Dapat Diambil Kembali Dalam Fotoreduksi Limbah Ion Perak(I). *WARTA AKAB*, 44(2). <https://doi.org/10.55075/wa.v45i1.6>
- Safari, G. H., Hoseini, M., Seyedsalehi, M., Kamani, H., Jaafari, J., & Mahvi, A. H. (2014). Photocatalytic degradation of tetracycline using nanosized titanium dioxide in aqueous solution. *International Journal of Environmental Science and Technology*, 12(2), 603–616. <https://doi.org/10.1007/s13762-014-0706-9>
- Thangaraj, V., Dewalque, J., Maho, A., Spronck, G., Malherbe, C., Aqil, A., Cloots, R., Colson, P., Jérôme, C., & Debuigne, A. (2020). Carbon-coated porous TiO₂ layers templated by core-shell polymer particles: Film processing and charge transfer resistance assessment. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 606, 125390. <https://doi.org/10.1016/j.colsurfa.2020.125390>
- Tian, Q., Wang, C., Chen, C., Li, X., Weng, S., Zheng, Y., Liu, P., & Zhuang, J. (2019). Synergetic effects of the interfacial dyadic structure on the interfacial charge transfer between surface-complex and TiO₂. *Applied Surface Science*, 496, 143711. <https://doi.org/10.1016/j.apsusc.2019.143711>
- Wang, H., Guo, H., Zhang, N., Chen, Z., Hu, B. and Wang, X., 2019. Enhanced photoreduction of U (VI) on C₃N₄ by Cr (VI) and bisphenol A: ESR, XPS, and EXAFS investigation. *Environmental science & technology*, 53(11), pp.6454-6461.
- Wang, Q., & Yang, G. (2022). Unraveling the photocatalytic mechanisms for U(VI) reduction by TiO₂. *Molecular Catalysis*, 533, 112770. <https://doi.org/10.1016/j.mcat.2022.112770>
- Wei-Lung Chou. (2012). Investigation of indium ions removal from aqueous solutions using spent coffee grounds. *International Journal of Physical Sciences*, 7(16). <https://doi.org/10.5897/ijps12.192>
- Won, H.-J., Lee, W.-S., Jung, C.-H., Park, S.-Y., Choi, W.-K., & Moon, J.-K. (2014). A feasibility study on the decontamination of type 304 stainless steel by N₂H₄ base solution. *Asian Journal of Chemistry*, 26(5), 1327–1330. <https://doi.org/10.14233/ajchem.2014.17221>
- Zhang, L., Liu, T., Liu, T., Hussain, S., Li, Q., & Yang, J. (2023). Improving photocatalytic performance of defective titania for carbon dioxide photoreduction by Cu cocatalyst with SCN⁻ ion modification. *Chemical Engineering Journal*, 463, 142358.

<https://doi.org/10.1016/j.cej.2023.142358>