

DAFTAR PUSTAKA

- Abu-Serie, M. M., Hassan, M., Elnouby, M., & Fawal, G. F. E. (2018). Hydroxyethyl Cellulose Hidrogel for Wound Dressing: Fabrication, Characterization and In Vitro Evaluation. *International Journal of Biological Macromolecules*, 111, 649–659. <https://doi.org/10.1016/j.ijbiomac.2018.01.040>
- Affandy, F., Wirasisya, D. G., & Hanifa, N. I. (2021). Skrining Fitokimia Pada Tanaman Penyembuh Luka Di Lombok Timur. *Sasambo Journal of Pharmacy*, 2(1), 1–6. <https://doi.org/10.29303/sjp.v2i1.84>
- Ahmed, E. M. (2015). Hidrogel: Preparation, Characterization, And Applications: A Review. *Journal of Advanced Research*, 6(2), 105–121. <https://doi.org/10.1016/j.jare.2013.07.006>
- Al Mutairi, K. B., & Hendrie, D. (2018). Global Incidence and Prevalence of Pressure Injuries in Public Hospitals: A Systematic Review. *Wound Medicine*, 22(22), 23–31. <https://doi.org/10.1016/j.wndm.2018.05.004>
- Altan, E., Turker, N., Hindy, O. A., Dirican, Z., Ozakpinar, O. B., Demir, A. U., Kalaskar, D., Thakur, S., & Gunduz, O. (2022). Investigation Of 3D-Printed Chitosan-Xanthan Gum Patches. *International Journal of Biological Macromolecules*, 213, 259–267. <https://doi.org/10.1016/j.ijbiomac.2022.05.158>
- Alven, S., & Aderibigbe, B. A. (2020). Chitosan and Cellulose-Based Hidrogels for Wound Management. *International Journal of Molecular Sciences*, 21(24), 9656. <https://doi.org/10.3390/ijms21249656>
- Alves, A., Miguel, S. P., Araujo, A. R. T. S., de Jesús Valle, M. J., Sánchez Navarro, A., Correia, I. J., Ribeiro, M. P., & Coutinho, P. (2020). Xanthan Gum–Konjac Glucomannan Blend Hidrogel for Wound Healing. *Polymers*, 12(1). <https://doi.org/10.3390/polym12010099>
- Aminanto, s. (2015). *Efektivitas Gel Aloe Vera Sebagai Primary Dressing Pada Luka Diabetes Melitus Di Praktik Perawatan Luka Indaryati Sleman Yogyakarta*. Naskah Publikasi. <https://digilib.unisayogya.ac.id/231/1/Naskah%20Publikasidocx.pdf>
- Amir, Y., Lohrmann, C., Halfens, R. J., & Schols, J. M. (2016). Pressure Ulcers in Four Indonesian Hospitals: Prevalence, Patient Characteristics, Ulcer Characteristics, Prevention and Treatment. *International Wound Journal*, 14(1), 184–193. <https://doi.org/10.1111/iwj.12580>
- Anders, J., Heinemann, A., Leffmann, C., Leutenegger, M., Pröfener, F., & Renteln-Kruse, W. von. (2010). Decubitus Ulcers. *Deutsches Aerzteblatt Online*, 107(21). <https://doi.org/10.3238/arztebl.2010.0371>
- Anggarini, F. (2013). Aplikasi Plasticizer Gliserol Pada Pembuatan Plastik Biodegradable Dari Biji Nangka. *Unnes.ac.id*.

<http://lib.unnes.ac.id/17845/1/4350408019.pdf>

- Ankrom, M. A., Bennett, R. G., Sprigle, S., Langemo, D., Black, J. M., Berlowitz, D. R., & Lyder, C. H. (2005). Pressure-Related Deep Tissue Injury under Intact Skin and the Current Pressure Ulcer Staging Systems. *Advances in Skin & Wound Care*, 18(1), 35–42. <https://doi.org/10.1097/00129334-200501000-00016>
- Archana, D., Dutta, J., & Dutta, P. K. (2013). Evaluation Of Chitosan Nano Dressing for Wound Healing: Characterization, In Vitro and In Vivo Studies. *International Journal of Biological Macromolecules*, 57, 193–203. <https://doi.org/10.1016/j.ijbiomac.2013.03.002>
- ASTM E96/E96M-22. (2023). Standard Test Methods for Gravimetric Determination of Water Vapor Transmission Rate of Materials 1. *ASTM International*. https://doi.org/10.1520/E0096_E0096M-21.10.1520/E0096_E0096M-22
- Ather, S., Harding, K. G., & Tate, S. J. (2019). Wound management and dressings. *Advanced Textiles for Wound Care*, 1–22. <https://doi.org/10.1016/b978-0-08-102192-7.00001-1>
- Beeckman, D. (2014). The 2014 International Stop Pressure Ulcer Day: EPUAP needs you. *British Journal of Nursing*, 23(Sup20), S12–S12. <https://doi.org/10.12968/bjon.2014.23.sup20.s12>
- Berger, J., Reist, M., Mayer, J. M., Felt, O., & Gurny, R. (2004). Structure and Interactions in Chitosan Hidrogels Formed by Complexation or Aggregation for Biomedical Applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 57(1), 35–52. [https://doi.org/10.1016/s0939-6411\(03\)00160-7](https://doi.org/10.1016/s0939-6411(03)00160-7)
- Berger, J., Reist, M., Mayer, J. M., Felt, O., Peppas, N. A., & Gurny, R. (2004). Structure and Interactions in Covalently and Ionically Crosslinked Chitosan Hidrogels for Biomedical Applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 57(1), 19–34. [https://doi.org/10.1016/s0939-6411\(03\)00161-9](https://doi.org/10.1016/s0939-6411(03)00161-9)
- Bernal-Chávez, S. A., Alcalá-Alcalá, S., Tapia-Guerrero, Y. S., Magaña, J. J., Prado-Audelo, M. L. D., & Leyva-Gómez, G. (2022). Cross-Linked Polyvinyl Alcohol-Xanthan Gum Hidrogel Fabricated by Freeze/Thaw Technique for Potential Application in Soft Tissue Engineering. *RSC Advances*, 12(34), 21713–21724. <https://doi.org/10.1039/D2RA02295H>
- Bialik-Wąs, K., Pluta, K., Malina, D., Barczewski, M., Malarz, K., & Mrozek-Wilczkiewicz, A. (2021). The Effect of Glycerin Content in Sodium Alginate/Poly(vinyl alcohol)-Based Hidrogels for Wound Dressing Application. *International Journal of Molecular Sciences*, 22(21), 12022. <https://doi.org/10.3390/ijms222112022>
- Bluestein, D., & Javaheri, A. (2008). Pressure Ulcers: Prevention, Evaluation, and Management. *American Family Physician*, 78(10), 1186–1194. <https://www.aafp.org/pubs/afp/issues/2008/1115/p1186.html>

- Boyko, T. V., Longaker, M. T., & Yang, G. P. (2018). Review of the current management of pressure ulcers. *Advances in Wound Care*, 7(2), 57–67. <https://doi.org/10.1089/wound.2016.0697>
- Bredesen, I. M., Bjørø, K., Gunningberg, L., & Hofoss, D. (2015). The Prevalence, Prevention and Multilevel Variance of Pressure Ulcers in Norwegian Hospitals: A Cross-sectional Study. *International Journal of Nursing Studies*, 52(1), 149–156. <https://doi.org/10.1016/j.ijnurstu.2014.07.005>
- Cai, J., Wang, J., Sun, C., Dai, J., & Zhang, C. (2022). Biomaterials with Stiffness Gradient for Interface Tissue Engineering. *Biomedical Materials*, 17(6), 064103–064103. <https://doi.org/10.1088/1748-605x/ac8b4a>
- Chen, H., Chang, X., Du, D., Li, J., Xu, H., & Yang, X. (2006). Microemulsion-based Hidrogel Formulation of Ibuprofen for Topical Delivery. *International Journal of Pharmaceutics*, 315(1-2), 52–58. <https://doi.org/10.1016/j.ijpharm.2006.02.015>
- Cheng, H., Zhang, X., Xu, J., & Liu, S. (2020). Preparation of Xanthan Gum-Based Composite Hidrogels With Aligned Porous Structure. *BioResources*, 15(3), 5627–5640. <https://doi.org/10.15376/biores.15.3.5627-5640>
- Cong, H., Zhou, L., Meng, Q., Zhang, Y., Yu, B., Shen, Y., & Hu, H. (2019). Preparation and Evaluation of PAMAM Dendrimer-Based Polymer Gels Physically Cross-Linked by Hydrogen Bonding. *Biomaterials Science*, 7(9), 3918–3925. <https://doi.org/10.1039/c9bm00960d>
- Dattilo, M., Patitucci, F., Prete, S., Ortensia Ilaria Parisi, & Puoci, F. (2023). Polysaccharide-Based Hidrogels and Their Application as Drug Delivery Systems in Cancer Treatment: A Review. *Journal of Functional Biomaterials*, 14(2), 55–55. <https://doi.org/10.3390/jfb14020055>
- Edsberg, L. E., Black, J. M., Goldberg, M., McNichol, L., Moore, L., & Sieggreen, M. (2016). Revised National Pressure Ulcer Advisory Panel Pressure Injury Staging System. *Journal of Wound, Ostomy and Continence Nursing*, 43(6), 585–597. <https://doi.org/10.1097/won.0000000000000281>
- Enoch, K., Rakavi C.S, & Somasundaram, A. A. (2024). Thixotropic chitosan hidrogels for biomedical applications: Unravelling the effect of chitosan concentration on the mechanical behaviour. *Surfaces and Interfaces*, 50, 104475–104475. <https://doi.org/10.1016/j.surfin.2024.104475>
- Enoch, K., S, R. C., & Somasundaram, A. A. (2023). Improved Mechanical Properties of Chitosan/PVA Hidrogel – A Detailed Rheological Study. *Surfaces and Interfaces*, 41, 103178. <https://doi.org/10.1016/j.surfin.2023.103178>
- Erizal, & Wikanta, T. (2011). Synthesis of Polyethylene Oxide (PEO)–Chitosan Hidrogel Prepared by Gamma Radiation Technique. *Indonesian Journal of Chemistry*, 11(1), 16–20. <https://jurnal.ugm.ac.id/jjc/article/view/21413/14118>
- Fahrullah, F., Kisworo, D., Bulkaini, B., Yulianto, W., Wulandani, B. R. D., Haryanto, H., Azhary Noersidiq, Maslami, V., Ulkiyah, K., Kartika, K., &

- Rahmawati, L. (2024). Optimization of the Thickness, Water Vapour Transmission Rate and Morphology of Protein-Based Films Incorporating Glycerol and Polyethylene Glycol Plasticizers. *Jurnal Ilmu-Ilmu Peternakan*, 34(1), 11–20. <https://doi.org/10.21776/ub.jiip.2024.034.01.02>
- Falanga, V., Isseroff, R. R., Soulika, A. M., Romanelli, M., Margolis, D., Kapp, S., Granick, M., & Harding, K. (2022). Chronic wounds. *Nature Reviews Disease Primers*, 8(1), 1–21. <https://doi.org/10.1038/s41572-022-00377-3>
- Farshi, P., Salarian, R., Rabiee, M., Alizadeh, S., Gholipourmalekabadi, M., Ahmadi, S., & Rabiee, N. (2022). Design, preparation, and characterization of silk fibroin/carboxymethyl cellulose wound dressing for skin tissue regeneration applications. *Polymer Engineering and Science*, 62(9), 2741–2749. <https://doi.org/10.1002/pen.26057>
- Fauziah, M., & Soniya, F. (2020). Potensi Tanaman Zigzag sebagai Penyembuh Luka. *Jurnal Penelitian Perawat Profesional*, 2(1), 39–44. <https://doi.org/10.37287/jppp.v2i1.41>
- Firlar, I., Altunbek, M., McCarthy, C., Ramalingam, M., & Camci-Unal, G. (2022). Functional Hidrogels for Treatment of Chronic Wounds. *Gels*, 8(2), 127. <https://doi.org/10.3390/gels8020127>
- Fonder, M. A., Lazarus, G. S., Cowan, D. A., Aronson-Cook, B., Kohli, A. R., & Mamelak, A. J. (2008). Treating the Chronic Wound: A Practical Approach to the Care of Nonhealing Wounds and Wound Care Dressings. *Journal of the American Academy of Dermatology*, 58(2), 185–206. <https://doi.org/10.1016/j.jaad.2007.08.048>
- Gadri, A., Mulyanti, D., & Aprilianti, S. (2014). Formulasi Penutup Luka Hidrogel Berbasis I-Karagenan dengan Metode Freezing and Thawing Cycle. *Prosiding SNaPP: Sains, Teknologi*, 4(1), 163–170. https://proceeding.unisba.ac.id/index.php/sains_teknologi/article/view/584/pdf
- Galante, R., Pinto, T. J. A., Colaço, R., & Serro, A. P. (2017). Sterilization of Hidrogels for Biomedical Applications: A Review. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 106(6), 2472–2492. <https://doi.org/10.1002/jbm.b.34048>
- Gilarska, A., Lewandowska-Łańcucka, J., Horak, W., & Nowakowska, M. (2018). Collagen/chitosan/hyaluronic acid – based injectable hidrogels for tissue engineering applications – design, physicochemical and biological characterization. *Colloids and Surfaces B: Biointerfaces*, 170, 152–162. <https://doi.org/10.1016/j.colsurfb.2018.06.004>
- Gupta, A., Kowalczyk, M., Heaselgrave, W., Britland, S. T., Martin, C., & Radecka, I. (2019). The production and application of hidrogels for wound management: A review. *European Polymer Journal*, 111, 134–151. <https://doi.org/10.1016/j.eurpolymj.2018.12.019>
- H, H., Meylinda, A., K, K., Mario, R., Ummum, A., & Safitri, D. (2021). Application of lutein-zeaxanthin of egg yolk based hidrogel eye mask as an

- preventive effort against computer vision syndrome (CVS). *Universal Journal of Pharmaceutical Research*. <https://doi.org/10.22270/ujpr.v6i5.669>
- Han, G., & Ceilley, R. (2017). Chronic Wound Healing: A Review of Current Management and Treatments. *Advances in Therapy*, 34(3), 599–610. <https://doi.org/10.1007/s12325-017-0478-y>
- Harliantika, Y., & Noval. (2021). Formulasi dan Evaluasi Hidrogel Ekstrak Etanol Daun Gaharu (*Aquilaria malacensis* Lamk.) dengan Kombinasi Basis Karbopol 940 dan HPMC K4M. *Journal of Pharmacy and Science*, 6(1), 37–46. <https://doi.org/10.53342/pharmasci.v6i1.208>
- Haryanto, & Aini, A. N. (2018). Hidrogel film of polyethylene oxide-polypropylene glycol diacrylate for wound dressing application. *IOP Conference Series: Materials Science and Engineering*, 403, 012014. <https://doi.org/10.1088/1757-899x/403/1/012014>
- Hu, Z., Zhang, D.-Y., Lu, S.-T., Li, P.-W., & Li, S.-D. (2018). Chitosan-Based Composite Materials for Prospective Hemostatic Applications. *Marine Drugs*, 16(8), 273. <https://doi.org/10.3390/md16080273>
- Jantrawut, P., Bunrueangtha, J., Suerthong, J., & Kantrong, N. (2019). Fabrication and Characterization of Low Methoxyl Pectin/Gelatin/Carboxymethyl Cellulose Absorbent Hidrogel Film for Wound Dressing Applications. *Materials*, 12(10), 1628. <https://doi.org/10.3390/ma12101628>
- Jin, S., Newton, Cheng, H., Zhang, Q., Gao, W., Zheng, Y., Lu, Z., Dai, Z., & Zhu, J. (2023). Progress of Hidrogel Dressings with Wound Monitoring and Treatment Functions. *Gels*, 9(9), 694–694. <https://doi.org/10.3390/gels9090694>
- Kallis, P. J., & Friedman, A. J. (2018). Collagen Powder in Wound Healing. *Journal of Drugs in Dermatology*, 17(4), 403–408. <https://europepmc.org/article/med/29601617>
- Kamoun, E. A., Chen, X., Mohy Eldin, M. S., & Kenawy, E.-R. S. (2015). Crosslinked poly(vinyl alcohol) hidrogels for wound dressing applications: A review of remarkably blended polymers. *Arabian Journal of Chemistry*, 8(1), 1–14. <https://doi.org/10.1016/j.arabjc.2014.07.005>
- Kamoun, E. A., Kenawy, E.-R. S., & Chen, X. (2017). A Review on Polymeric Hidrogel Membranes for Wound Dressing Applications: PVA-Based Hidrogel Dressings. *Journal of Advanced Research*, 8(3), 217–233. <https://doi.org/10.1016/j.jare.2017.01.005>
- Khabbaz, B., Solouk, A., & Mirzadeh, H. (2019). Polyvinyl alcohol/soy protein isolate nanofibrous patch for wound-healing applications. *Progress in Biomaterials*, 8(3), 185–196. <https://doi.org/10.1007/s40204-019-00120-4>
- Krömmelbein, C., Mütze, M., Konieczny, R., Schönherr, N., Griebel, J., Gerdes, W., Mayr, S. G., & Riedel, S. (2021). Impact of High-Energy Electron Irradiation on Mechanical, Structural and Chemical Properties of Agarose Hidrogels. *Carbohydrate Polymers*, 263, 117970–117970. <https://doi.org/10.1016/j.carbpol.2021.117970>

- Li, Y., Qu, X., Wang, Q., Li, S., Zhang, Q., & Zhang, X. (2024). Tannic acid and carboxymethyl chitosan-based multi-functional double-layered hidrogel with pH-stimulated response behavior for smart real-time infection monitoring and wound treatment. *International Journal of Biological Macromolecules*, 261(1), 129042–129042. <https://doi.org/10.1016/j.ijbiomac.2023.129042>
- Liang, Y., He, J., & Guo, B. (2021). Functional Hidrogels as Wound Dressing to Enhance Wound Healing. *ACS Nano*, 15(8), 12687–12722. <https://doi.org/10.1021/acsnano.1c04206>
- Lin, H., Dan, W., & Dan, N. (2011). The water state in crosslinked poly(vinyl alcohol)-collagen hidrogel and its swelling behavior. *Journal of Applied Polymer Science*, 123(5), 2753–2761. <https://doi.org/10.1002/app.34971>
- Liu, H., Wang, C., Li, C., Qin, Y., Wang, Z., Yang, F., Li, Z., & Wang, J. (2018). A Functional Chitosan-Based Hidrogel as a Wound Dressing and Drug Delivery System in the Treatment of Wound Healing. *RSC Advances*, 8(14), 7533–7549. <https://doi.org/10.1039/c7ra13510f>
- Liu, S., Liu, X., Ren, J., Wang, P.-H., Pu, Y., Yang, R., Wang, X., Tan, X., Ye Z, Maurizot, V., & Wang, P. (2020). Mussel-Inspired Dual-Cross-linking Hyaluronic Acid/ε-Polylysine Hidrogel with Self-Healing and Antibacterial Properties for Wound Healing. *ACS Applied Materials & Interfaces*, 12(25), 27876–27888. <https://doi.org/10.1021/acsaami.0c00782>
- Liu, Y., Chen, J., Li, P., & Ning, N. (2020). The Effect of Chitosan in Wound Healing. *Advances in Skin & Wound Care, Publish Ahead of Print*. <https://doi.org/10.1097/01.asw.0000723128.58588.b5>
- Lotfollahi, Z. (2024). The anatomy, physiology and function of all skin layers and the impact of ageing on the skin. *Wound Practice & Research*, 32(1). <https://doi.org/10.33235/wpr.32.1.6-10>
- M. Ways, T., Lau, W., & Khutoryanskiy, V. (2018). Chitosan and Its Derivatives for Application in Mucoadhesive Drug Delivery Systems. *Polymers*, 10(3), 267. <https://doi.org/10.3390/polym10030267>
- Mardiana Ekayani, Yohanes Juliantoni, & Hakim, A. (2021). Uji efektivitas larvasida dan evaluasi sifat fisik sediaan losio antinyamuk ekstrak etanol daun kirinyuh (*Chromolaena odorata* L.) terhadap nyamuk aedes argypti. *Jurnal Inovasi Penelitian*, 2(4), 1261–1270. <https://doi.org/10.47492/jip.v1i4.802>
- Martínez-Ibarra, D. M., Sánchez-Machado, D. I., López-Cervantes, J., Campas-Baypoli, O. N., A. Sanches-Silva, & Madera-Santana, T. J. (2018). Hidrogel wound dressings based on chitosan and xyloglucan: Development and characterization. *Journal of Applied Polymer Science*, 136(12). <https://doi.org/10.1002/app.47342>
- Mathew-Steiner, S. S., Roy, S., & Sen, C. K. (2021). Collagen in Wound Healing. *Bioengineering*, 8(5), 63. <https://doi.org/10.3390/bioengineering8050063>
- Merlusca, I., Ibanescu, C., Tuchilus, C., Danu, M., Ionut Atanase, L., & Popa, I. (2018). *Characterization Of Neomycin-Loaded Xanthan-Chitosan Hidrogels For Topical Applications*. <https://cellulosechemtechnol.ro/pdf/CCT7->

[8\(2019\)/p.709-719 .pdf](#)

- Moholkar, D. N., Sadalage, P. S., Peixoto, D., Paiva-Santos, A. C., & Pawar, K. D. (2021). Recent advances in biopolymer-based formulations for wound healing applications. *European Polymer Journal*, 160, 110784. <https://doi.org/10.1016/j.eurpolymj.2021.110784>
- Morgado, P. I., Aguiar-Ricardo, A., & Correia, I. J. (2015). Asymmetric Membranes as Ideal Wound Dressings: An Overview on Production Methods, Structure, Properties and Performance Relationship. *Journal of Membrane Science*, 490, 139–151. <https://doi.org/10.1016/j.memsci.2015.04.064>
- Mukherjee, D., Azamthulla, M., Santhosh, S., Dath, G., Ghosh, A., Natholia, R., Anbu, J., Teja, B. V., & Muzammil, K. M. (2018). Development and characterization of chitosan-based hidrogels as wound dressing materials. *Journal of Drug Delivery Science and Technology*, 46, 498–510. <https://doi.org/10.1016/j.jddst.2018.06.008>
- Ningrum, D. R., Hanif, W., Mardhian, D. F., & Asri, L. A. T. W. (2023). In Vitro Biocompatibility of Hidrogel Polyvinyl Alcohol/Moringa oleifera Leaf Extract/Graphene Oxide for Wound Dressing. *Polymers*, 15(2), 468. <https://doi.org/10.3390/polym15020468>
- Norman, G., Dumville, J. C., Moore, Z. E., Tanner, J., Christie, J., & Goto, S. (2016). Antibiotics and antiseptics for pressure ulcers. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.cd011586.pub2>
- Nunan, R., Harding, K. G., & Martin, P. (2014). Clinical Challenges of Chronic Wounds: Searching for an Optimal Animal Model to Recapitulate Their Complexity. *Disease Models & Mechanisms*, 7(11), 1205–1213. <https://doi.org/10.1242/dmm.016782>
- Oliveira, A. S., Silva, J. C., Loureiro, M. V., Marques, A. C., Kotov, N. A., Colaço, R., & Serro, A. P. (2022). Super-Strong Hidrogel Composites Reinforced with PBO Nanofibers for Cartilage Replacement. *Macromolecular Bioscience*, 23(2). <https://doi.org/10.1002/mabi.202200240>
- Pan, H., Fan, D., Zhu, C., Duan, Z., Fu, R., & Li, X. (2019). Preparation of physically crosslinked PVA/HLC/SA hidrogel and exploration of its effects on full-thickness skin defects. *International Journal of Polymeric Materials*, 68(17), 1048–1057. <https://doi.org/10.1080/00914037.2018.1525547>
- Pandima Devi, M., Sekar, M., Chamundeswari, M., Moorthy, A., Krithiga, G., Murugan, N. S., & Sastry, T. P. (2012). A Novel Wound Dressing Material — Fibrin–Chitosan–Sodium Alginate Composite Sheet. *Bulletin of Materials Science*, 35(7), 1157–1163. <https://doi.org/10.1007/s12034-012-0404-5>
- Pasaribu, K. M., Ilyas, S., Tamrin, Radecka, I., Swinger, S., Gupta, A., Stamboulis, A. G., & Gea, S. (2023). Bioactive bacterial cellulose wound dressings for burns with collagen in-situ and chitosan ex-situ impregnation. *International Journal of Biological Macromolecules*, 230, 123118–123118. <https://doi.org/10.1016/j.ijbiomac.2022.123118>
- Patel, J., Maji, B., Moorthy, N. S. H. N., & Maiti, S. (2020). Xanthan gum

- derivatives: review of synthesis, properties and diverse applications. *RSC Advances*, 10(45), 27103–27136. <https://doi.org/10.1039/d0ra04366d>
- Pokala M., Pawarkar K., Tammira P.K., Mamidi P., Umadevi R. and Lahari S. (2016). Formulation and evaluation of transdermal patches of salbutamol. *World Journal of Pharmacy and Pharmaceutical Sciences*, 5(6): 1358-1373.
- PubChem. (2004). *Water*. PubChem. <https://pubchem.ncbi.nlm.nih.gov/compound/water>
- Putro, P. A., Sulaeman, A. S., & Erizal. (2019). Synthesis and characterization of swelling properties superabsorbent Hidrogel Carboxymethylcellulose-g-Poly (Acrylic Acid)/Natrium Alginate cross-linked by gamma-ray irradiation technique. *Journal of Physics: Conference Series*, 1171, 012011. <https://doi.org/10.1088/1742-6596/1171/1/012011>
- Rahayuningdyah, D. wuragil, Lyrawati, D., & Widodo, F. (2020). Pengembangan Formula Hidrogel Balutan Luka Menggunakan Kombinasi Polimer Galaktomanan dan PVP. *Pharmaceutical Journal of Indonesia*, 005(02), 117–122. <https://doi.org/10.21776/ub.pji.2020.005.02.8>
- Rahmatpour, A., & Alizadeh, A. H. (2024). Biofilm hidrogel derived from physical crosslinking (self-assembly) of xanthan gum and chitosan for removing Cd²⁺, Ni²⁺, and Cu²⁺ from aqueous solution. *International Journal of Biological Macromolecules*, 266, 131394. <https://doi.org/10.1016/j.ijbiomac.2024.131394>
- Ramírez-Chavarría, R. G., Pérez-Pacheco, A., Emiliano Terán, & Quispe-Siccha, R. M. (2023). Study of Polyvinyl Alcohol Hidrogels Applying Physical-Mechanical Methods and Dynamic Models of Photoacoustic Signals. *Gels*, 9(9), 727–727. <https://doi.org/10.3390/gels9090727>
- Rezvanian, M., Ahmad, N., Mohd Amin, M. C. I., & Ng, S.-F. (2017). Optimization, characterization, and in vitro assessment of alginate-pectin ionic cross-linked hidrogel film for wound dressing applications. *International Journal of Biological Macromolecules*, 97, 131–140. <https://doi.org/10.1016/j.ijbiomac.2016.12.079>
- Ribeiro, M., Simões, M., Vitorino, C., & Mascarenhas-Melo, F. (2024). Hidrogels in Cutaneous Wound Healing: Insights into Characterization, Properties, Formulation and Therapeutic Potential. *Gels*, 10(3), 188. <https://doi.org/10.3390/gels10030188>
- Ruhul Amin, M., Monoarul Haque, M., Saha, P. K., Eusuf Zai, S. Z., Mahmud Hossain, S., & Akter, S. (2014). Pattern and Risk Assessment of Bedsore in Hospitalized Patients. *Chattagram Maa-O-Shishu Hospital Medical College Journal*, 13(2), 12–16. <https://doi.org/10.3329/cmshmcj.v13i2.21049>
- Safta, D. A., Bogdan, C., Iurian, S., & Moldovan, M.-L. (2025). Optimization of Film-Dressings Containing Herbal Extracts for Wound Care—A Quality by Design Approach. *Gels*, 11(5), 322. <https://doi.org/10.3390/gels11050322>
- Schneider, L. A., Korber, A., Grabbe, S., & Dissemmond, J. (2007). Influence of pH on wound-healing: a new perspective for wound-therapy? *Archives of*

- Dermatological Research*, 298(9), 413–420. <https://doi.org/10.1007/s00403-006-0713-x>
- Silva, J. M., Pereira, C. V., Mano, F., Silva, E., Castro, V. I. B., Sá-Nogueira, I., Reis, R. L., Paiva, A., Matias, A. A., & Duarte, A. R. C. (2019). Therapeutic Role of Deep Eutectic Solvents Based on Menthol and Saturated Fatty Acids on Wound Healing. *ACS Applied Bio Materials*, 2(10), 4346–4355. <https://doi.org/10.1021/acsabm.9b00598>
- Smandri, A., Nordin, A., Hwei, N. M., Chin, K.-Y., Abd Aziz, I., & Fauzi, M. B. (2020). Natural 3D-Printed Bioinks for Skin Regeneration and Wound Healing: A Systematic Review. *Polymers*, 12(8), 1782. <https://doi.org/10.3390/polym12081782>
- Su, J., Li, J., Liang, J., Zhang, K., & Li, J. (2021). Hidrogel Preparation Methods and Biomaterials for Wound Dressing. *Life*, 11(10), 1016. <https://doi.org/10.3390/life11101016>
- Tang, S., Gong, Z., Wang, Z., Gao, X., & Zhang, X. (2022). Multifunctional hidrogels for wound dressings using xanthan gum and polyacrylamide. *International Journal of Biological Macromolecules*, 217, 944–955. <https://doi.org/10.1016/j.ijbiomac.2022.07.181>
- Tang, Y.-F., Du, Y.-M., Hu, X.-W., Shi, X.-W., & Kennedy, J. F. (2007). Rheological characterisation of a novel thermosensitive chitosan/poly(vinyl alcohol) blend hidrogel. *Carbohydrate Polymers*, 67(4), 491–499. <https://doi.org/10.1016/j.carbpol.2006.06.015>
- Tenorová, K., Masteiková, R., Pavloková, S., Kostelanská, K., Bernatoniene, J., & Vetchý, D. (2022). Formulation and Evaluation of Novel Film Wound Dressing Based on Collagen/Microfibrillated Carboxymethylcellulose Blend. *Pharmaceutics*, 14(4), 782–782. <https://doi.org/10.3390/pharmaceutics14040782>
- Thomas, D. R. (2001). Prevention and treatment of pressure ulcers: what works? what doesn't? *Cleveland Clinic Journal of Medicine*, 68(8), 704–707. <https://doi.org/10.3949/ccjm.68.8.704>
- Tichý, E., Murányi, A., & Pšenková, J. (2015). The Effects of Moist Heat Sterilization Process and the Presence of Electrolytes on Rheological and Textural Properties of Hydrophilic Dispersions of Polymers-Hidrogels. *Advances in Polymer Technology*, 35(2), 198–207. <https://doi.org/10.1002/adv.21543>
- Tomić, S. L., Mičić, M. M., Dobić, S. N., Filipović, J. M., & Suljovrujić, E. H. (2010). Smart poly(2-hydroxyethyl methacrylate/itaconic acid) hidrogels for biomedical application. *Radiation Physics and Chemistry*, 79(5), 643–649. <https://doi.org/10.1016/j.radphyschem.2009.11.015>
- Tsou, Y.-H., Khoneisser, J., Huang, P.-C., & Xu, X. (2016). Hidrogel as a bioactive material to regulate stem cell fate. *Bioactive Materials*, 1(1), 39–55. <https://doi.org/10.1016/j.bioactmat.2016.05.001>
- Ullah, F., Othman, M. B. H., Javed, F., Ahmad, Z., & Akil, H. Md. (2015).

- Classification, processing and application of hidrogels: A review. *Materials Science and Engineering: C*, 57, 414–433. <https://doi.org/10.1016/j.msec.2015.07.053>
- Uzun, M. (2018). A Review of Wound Management Materials. *Journal of Textile Engineering & Fashion Technology*, 4(1). <https://doi.org/10.15406/jteft.2018.04.00121>
- Wnek, G., & Bowlin, G. (Eds.). (2008). *Encyclopedia of Biomaterials and Biomedical Engineering*. CRC Press. <https://doi.org/10.1201/9780429154065>
- Xiang, J., Shen, L., & Hong, Y. (2020). Status and future scope of hidrogels in wound healing: Synthesis, materials and evaluation. *European Polymer Journal*, 130, 109609. <https://doi.org/10.1016/j.eurpolymj.2020.109609>
- Yazdi, M. K., Vatanpour, V., Taghizadeh, A., Taghizadeh, M., Ganjali, M. R., Munir, M. T., Habibzadeh, S., Saeb, M. R., & Ghaedi, M. (2020). Hidrogel membranes: A review. *Materials Science and Engineering: C*, 114, 111023. <https://doi.org/10.1016/j.msec.2020.111023>
- Yi, X., He, J., Wei, X., Li, H., Liu, X., & Cheng, F. (2023). A polyphenol and ϵ -polylysine functionalized bacterial cellulose/PVA multifunctional hidrogel for wound healing. *International Journal of Biological Macromolecules*, 247, 125663. <https://doi.org/10.1016/j.ijbiomac.2023.125663>
- Zeng, D., Shen, S., & Fan, D. (2021). Molecular design, synthesis strategies and recent advances of hidrogels for wound dressing applications. *Chinese Journal of Chemical Engineering*, 30, 308–320. <https://doi.org/10.1016/j.cjche.2020.12.005>
- Zhang, A., Liu, Y., Qin, D., Sun, M., Wang, T., & Chen, X. (2020). Research Status of Self-Healing Hidrogel for Wound Management: A Review. *International Journal of Biological Macromolecules*, 164(2108-2123), 2108–2123. <https://doi.org/10.1016/j.ijbiomac.2020.08.109>
- Zhang, J., Davis, T. A., Matthews, M. A., Drews, M. J., LaBerge, M., & An, Y. H. (2006). Sterilization Using High-Pressure Carbon Dioxide. *The Journal of Supercritical Fluids*, 38(3), 354–372. <https://doi.org/10.1016/j.supflu.2005.05.005>
- Zhang, K., Liu, Y., Shi, X., Zhang, R., He, Y., Zhang, H., & Wang, W. (2023). Application of polyvinyl alcohol/chitosan copolymer hidrogels in biomedicine: A review. *International Journal of Biological Macromolecules*, 242, 125192. <https://doi.org/10.1016/j.ijbiomac.2023.125192>
- Zhang, S., Yang, W., Gong, W., Lu, Y., Yu, D.-G., & Liu, P. (2024). Recent progress of electrospun nanofibers as burning dressings. *RSC Advances*, 14(20), 14374–14391. <https://doi.org/10.1039/d4ra01514b>