

Daftar Pustaka

- Abrunhosa, L., Venâncio, A., & Teixeira, J. A. (2011). Optimization of process parameters for the production of an OTA-hydrolyzing enzyme from *Aspergillus niger* under solid-state fermentation. *Journal of Bioscience and Bioengineering*, 112(4), 351–355. <https://doi.org/10.1016/j.jbiosc.2011.06.016>
- Adler, P., Frey, L. J., Berger, A., Bolten, C. J., Hansen, C. E., & Wittmann, C. (2014). The Key to Acetate: Metabolic Fluxes of Acetic Acid Bacteria under Cocoa Pulp Fermentation-Simulating Conditions. *Applied and Environmental Microbiology*, 80(15), 4702 - 4716.
- Alfirahmi, A. (2019, Juni). FENOMENA KOPI KEKINIAN DI ERA 4.0 Ditinjau dari Marketing 4.0 dan Teori Uses and Effect. *Lugas*, 3, 24-32. https://www.researchgate.net/publication/334833688_FENOMENA_KOPI_KEKINIAN_DI_ERA_40_Ditinjau_dari_Marketing_40_dan_Teori_Uses_and_Effect
- Almatsier, S. (2002). *Prinsip Dasar Ilmu Gizi*. Jakarta : Gramedia Pustaka Utama.
- Afriliana, A. (2018). *Teknologi Pengolahan Kopi Terkini*. Yogyakarta: CV. Budi Utama.
- Badan Pusat Statistik Indonesia.(2022). Statistik Kopi Indonesia 2022. Indonesia.
- Badan Standarisasi Nasional.(1992). SNI 01-2891-1992. Cara Uji Makanan dan Minuman. Jakarta : Badan Standarisasi Nasional.
- Badan Standarisasi Nasional.(2008). SNI 01-2907-2008. Biji Kopi. Jakarta : Badan Standarisasi Nasional.
- Balai Pengujian Standar Instrumen Tanaman Industri dan Penyegar. (2025). *Tren 2025: Peluang dan Daya Saing Kopi Indonesia*. Retrieved Januari 21, 2025, from <https://tanamanindustri.bsip.pertanian.go.id/berita/tren-2025-peluang-dan-daya-saing-kopi-indonesia>
- Barus, W.B.J. (2019). Pengaruh lama fermentasi dan lama pengeringan terhadap mutu bubuk kopi. *Wahana Inovasi*, 8(2): 111–115
- Bade-Wegner H., Bendig I., Holscher W., and Wollmann R. (1997). Volatile compounds associated with the over-fermented flavour defect. *ASIC 17th International Conference on Coffee Science*, (7), 176–182.
- Bernardes, Patrícia & Do Rosario, Denes & Oliveira, Eniale & Jacinto, Brenno & Batista, Nádia & Bressani, Ana Paula & Schwan, Rosane. (2024). Impact of Self-induced Anaerobiosis Fermentation (SIAF) on chemical and sensorial characteristics of *Coffea canephora*. *Food Bioscience*. 62. 105281. 10.1016/j.fbio.2024.105281.
- Bicho, N.C., Leitão, A.E., Ramalho, J.C., De Alvarenga, N.B., & Lidon, F.C. (2013). Identification of chemical clusters discriminators of Arabica and Robusta green coffee. *International Journal of Food Properties*, 16(4), 895–904. <https://doi.org/10.1080/10942912.2011.573114>.
- Borém, F. M., Rabelo, M. H. S., de Carvalho Alves, A. P., Santos, C. M., Pieroni, R. S., Nakajima, M., & Sugino, R. (2024). Fermentation of coffee fruit with sequential inoculation of *Lactiplantibacillus plantarum* and

- Saccharomyces cerevisiae*: effect on sensory attributes and chemical composition of the beans. *Food Chemistry*, 446. <https://doi.org/10.1016/j.foodchem.2024.138820>
- Bressani, A. P. P., Martinez, S. J., Batista, N. N., Simão, J. B. P., Dias, D. R., & Schwan, R. F. (2021). Co-inoculation of yeasts starters: A strategy to improve quality of low altitude Arabica coffee. *Food Chemistry*, 361.
- Burgain, A., Bensoussan, M., & Dantigny, P. (2015). Validation of a predictive model for the growth of chalk yeasts on bread. *International Journal of Food Microbiology*, 204, 47–54. <https://doi.org/10.1016/j.ijfoodmicro.2015.03.026>
- Caporaso, N., Whitworth, M. B., Cui, C., Fisk, I. D. (2018). Variability of Single Bean Coffee Volatile Compounds of Arabica and Robusta Roasted Coffees Analysed by SPME-GC MS. *Food Research International*, 108, pp.628-640. Cardoso, W. S., Agnoletti, B. Z., Freitas, R., & Pinheiro, F. A. (2021). Biochemical aspects of coffee fermentation. In L. L. Pereira, & T. R. Moreira (Eds.), *Quality Determinants In Coffee Production* (1st ed., pp. 149–208). Cham: Springer.
- Cassimiro, D. M. de J., Batista, N. N., Fonseca, H. C., Naves, J. A. O., Dias, D. R., & Schwan, R. F. (2022). Coinoculation of lactic acid bacteria and yeasts increases the quality of wet fermented Arabica coffee. *International Journal of Food Microbiology*, 369. <https://doi.org/10.1016/j.ijfoodmicro.2022.109627>
- Chin, S.T., Eyres, G.T. & Marriott, P.J. (2011). Identification of potent odourants in wine and brewed coffee using gas chromatography-olfactometry and comprehensive two-dimensional gas chromatography. *Journal of Chromatography A*, 1218, 7487–7498.
- Constantino, L. V., Zeffa, D. M., Koltun, A., Urbano, M. R., Sanzovo, A. W. S., & Nixdorl, S. L. (2020). Extraction of Soluble Sugars from Green Coffee Beans Using Hot Water and Quantification by a Chromatographic Method without an Organic Solvent. *Acta Chromatographica*, 242-246.
- Dairobbi, A., Irfan, I., & Sulaiman, I. (2018). Kajian Mutu Wine Coffee Arabika Gayo. *Jurnal Ilmiah Mahasiswa Pertanian*, 3(4), 822–829. <https://doi.org/10.17969/jimfp.v3i4.5426>.
- da Silva, B.L. (2021). Fermentation of *Coffea canephora* inoculated with yeasts: Microbiological, chemical, and sensory characteristics. *Food Microbiology*, 98. <https://www.sciencedirect.com/science/article/pii/S0740002021000514>.
- De Bruyn, F., Zhang, S. J., Pothakos, V., Torres, J., Lambot, C., Moroni, A. V., ... De Vuyst, L. (2017). Exploring the impacts of postharvest processing on the microbiota and metabolite profiles during green coffee bean production. *Applied and Environmental Microbiology*, 83(1). <https://doi.org/10.1128/AEM.02398-16>.
- De Carvalho Neto DP, de Melo Pereira GV, Finco AMO, Letti LAJ, da Silva BJB, Vandenberghe LPS, Soccol CR. (2018). Efficient coffee beans mucilage layer removal using lactic acid fermentation in a stirred-tank bioreactor:

- Kinetic, metabolic and sensorial studies. *Food Biosci.* 26: 80-87. DOI: 10.1016/j.fbio.2018.10.005.
- De Melo Pereira, G. V., Neto, E., Soccol, V. T., Medeiros, A. B. P., Woiciechowski, A. L., & Soccol, C. R. (2015). Conducting starter culture-controlled fermentations of coffee beans during on-farm wet processing: Growth, metabolic analyses and sensorial effects. *Food Research International*, 75, 348–356. <https://doi.org/10.1016/j.foodres.2015.06.027>.
- Dos Santos, D. G., Coelho, C. C. de S., Ferreira, A. B. R., & Freitas-Silva, O. (2021). Brazilian coffee production and the future microbiome and mycotoxin profile considering the climate change scenario. *Microorganisms*. MDPI AG. <https://doi.org/10.3390/microorganisms9040858>
- Dias, S.R., Bressani, A.P.P., Batista, N.N. *et al.* (2025). Increasing the quality and complexity of pulped coffee fermentation with *Lactiplantibacillus plantarum* and selected yeasts. *Eur Food Res Technol*, 251, 283–297. <https://doi.org/10.1007/s00217-024-04640-7>
- Evangelista, S. R., da Cruz Pedrozo Miguel, M. G., de Souza Cordeiro, C., Silva, C. F., Marques Pinheiro, A. C., & Schwan, R. F. (2014). Inoculation of starter cultures in a semi-dry coffee (*Coffea arabica*) fermentation process. *Food Microbiology*, 44, 87–95. <https://doi.org/10.1016/j.fm.2014.05.013>
- Elhalis, H., Cox, J., & Zhao, J. (2020). Ecological diversity, evolution and metabolism of microbial communities in the wet fermentation of Australian coffee beans. *International Journal of Food Microbiology*, 321. <https://doi.org/10.1016/j.ijfoodmicro.2020.108544>
- Elhalis, H., Cox, J., Frank, D., & Zhao, J. (2021). Microbiological and biochemical performances of six yeast species as potential starter cultures for wet fermentation of coffee beans. *LWT*, 137. <https://doi.org/10.1016/j.lwt.2020.110430>
- Elhalis, H., Cox, J., & Zhao, J. (2023). Coffee fermentation: Expedition from traditional to controlled process and perspectives for industrialization. *Applied Food Research*. Elsevier B.V. <https://doi.org/10.1016/j.afres.2022.100253>
- Evangelista, S. R., Silva, C. F., Miguel, M. G. P. da C., Cordeiro, C. de S., Pinheiro, A. C. M., Duarte, W. F., & Schwan, R. F. (2014). Improvement of coffee beverage quality by using selected yeasts strains during the fermentation in dry process. *Food Research International*, 61, 183–195. <https://doi.org/10.1016/j.foodres.2013.11.033>
- Evitasari, D., & Susanti, E. (2021). Kadar Polifenol Total Teh Hijau (*Camellia sinensis*) Hasil Maserasi dengan Perbandingan Pelarut Etanol – Air. *PHARMADEMICA : Jurnal Kefarmasian dan Gizi*, 1, 16-23.
- Farah, A., and Donangelo, C. M. (2006). Phenolic compounds in coffee. *Brazilian Journal of Plant Physiology*, 18(1), 23–36. doi:10.1590/s1677 04202006000100003.
- Farah, A., De Paulis, T., Moreira, D. P., Trugo, L. C., & Martin, P. R. (2006). Chlorogenic acids and lactones in regular and water-decaffeinated arabica

- coffees. *Journal of Agricultural and Food Chemistry*, 54(2), 374–381. <https://doi.org/10.1021/jf0518305>
- Farah, A., & dos Santos, T. F. (2015). The Coffe Plant and Beans: An Introduction. Dalam V.R. *Coffee in Health and Disease Prevention* (hal. 5-10). Cambridge : Academic Press.
- Farida, A., Ristanti, E. and Cahyo, A.K. (2013). Decreased levels of caffeine and total acid in robusta coffee beans using facultative anaerobic fermentation technology with microbial Nopkor MZ-15. *Journal of Chemical and Industrial Technology*. 2(3): 70-75.
- Ferreira, L.J., Gomes, M.d., de Oliveira, L. M., & Santos, L.D. (2023). Coffee Fermentation Process: A Review. *Food Research International*.
- Fibrianto, K., Ardianti, A.D., Pradipta, K., & Sunarharum, W.B. (2018). The influence of brewing water characteristic on sensory perception of pour-over local coffee. *IOP Conference Series: Earth and Environmental Science*, 102(1). <https://doi.org/10.1088/1755-1315/102/1/012095>.
- Fitri, H., Yanto, S., & Putra, R. P. (2024). Karakterisasi Enzim Pektinase yang Dihasilkan dari Isolat Khamir Indigenus yang Diisolasi Selama Fermentasi Biji Kopi Robusta. *Formosa Journal of Applied Sciences (FJAS)*, 3(10), 4059-4078.
- Fleet, G.H. (2003) Yeast Interactions and Wine Flavor. *International Journal of Food Microbiology*, 86, 11-22. [https://doi.org/10.1016/S0168-1605\(03\)00245-9](https://doi.org/10.1016/S0168-1605(03)00245-9)
- Galarza, G., & Figueroa, J. G. (2022). Volatile Compound Characterization of Coffee (*Coffea arabica*) Processed at Different Fermentation Times Using SPME–GC–MS. *Molecules*, 27(6). <https://doi.org/10.3390/molecules27062004>
- Ginz, M., Balzer, H.H., Bradbury, A.G.W., Maier, H.G. (2000). Formation of aliphatic acids by carbohydrate degradation during roasting of coffee. *Eur. Food Res. Technol.* 211 (6), 404–410. <https://doi.org/10.1007/s002170000215>.
- Hall, S., Desbrow, B., Anoopkumar-Dukie, S., Davey, A. K., Arora, D., McDermott, C., ... Grant, G. D. (2015, October 1). A review of the bioactivity of coffee, caffeine and key coffee constituents on inflammatory responses linked to depression. *Food Research International*. Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2015.07.027>
- Hamadi, S., Masoud, H., & Ken, M. (2014). Isolation and Identification of Local Ethanolic Yeast Inhabiting Coffee Processing Environments in Tanzania. *International Journal of Life Sciences*, 3(4), 213 - 220.
- Hatiningsih, S., Antara, N. S., & Gunam, I. B. W. (2018). Microbiological and physicochemical changes of green coffee (*Coffea arabica*) fermentation in Kintamani, Bangli, Bali. *Media Ilmiah Teknologi Pangan*, 5(2), 123–138.
- Haile, M., & Kang, W. H. (2019). The Role of Microbes in Coffee Fermentation and Their Impact on Coffee Quality. *Journal of Food Quality*. Hindawi Limited. <https://doi.org/10.1155/2019/4836709>

- Haile, M., & Kang, W. H. (2020). Antioxidant Properties of Fermented Green Coffee Beans with *Wickerhamomyces anomalus* (Strain KNU18Y3). *Fermentation*, 6(1). <https://doi.org/10.3390/fermentation6010018>
- Heckman, M. A., Weil, J., & de Meija, E. G. (2010). Caffeine (1, 3, 7-trimethylxanthine) in foods: A comprehensive review on consumption, functionality, safety, and regulatory matters. *Journal of Food Science*, 75(3). <https://doi.org/10.1111/j.1750-3841.2010.01561.x>
- Huch, M., & Franz, C.M. (2015). Coffee : Fermentation and Microbiota. Dalam W Holzappel, *Advances in Fermented Foods and Beverages* (hal. 501-513). Cambridge: Woodhead Publishing.
- Hikmah, A. N. (2021). Isolasi dan Identifikasi Khamir Indigenus pada Fermentasi Spontan Biji Kopi Robusta (*Coffea canephora*) Asal Kabupaten Bantaeng. *Skripsi*. Program Studi Pendidikan Teknologi Pertanian Fakultas Teknik Universitas Negeri Makassar. Makassar
- International Coffee Organization (2018a). The current state of the global coffee trade | CoffeeTradeStats. , Accessed date: 13 April 2018.
- International Coffee Organization (2018b). Total production by all exporting countries (In thousand 60kg bags). , Accessed date: 27 March 2018.
- Izawa, K. et al., (2010). Human–Environment Interactions – Taste. In: L. Hung-Wen & L. Mander, eds. *Comprehensive Natural Products II : Chemical Ecology*. Amsterdam: Elsevier, Ltd., pp. 631-671.
- Jain, A., Jain, R., & Jain, S.(2020). *Basic techniques in biochemistry, microbiology and molecular biology: Principles and techniques*. New Jersey : Humana Press
- Janet, E., Corry, G. & Rosamund, M., 1995. De man, rogosa and sharpe (MRS) agar. In: E. Janet, G. Corry & M. Rosamund, eds. *Progress in Industrial Microbiology* vol.34. Amsterdam: Elsevier, pp. 362-363.
- Jeszka-Skowron, M., Sentkowska, A., Pyrzyńska, K., & De Peña, M. P. (2016). Chlorogenic acids, caffeine content and antioxidant properties of green coffee extracts: influence of green coffee bean preparation. *European Food Research and Technology*, 242(8), 1403–1409. <https://doi.org/10.1007/s00217-016-2643-y>.
- Juanda, Muzaifa, M., Martunis, & Wahyuningsih, T. (2020). Analysis of Gayo wine-coffee processing facility development. *IOP Conference Series: Earth and Environmental Science*, 951(1).
- Kwak, H. S., Jeong, Y., & Kim, M. (2018). Effect of Yeast Fermentation of Green Coffee Beans on Antioxidant Activity and Consumer Acceptability. *Journal of Food Quality*, 2018. <https://doi.org/10.1155/2018/5967130>
- Kim, S.-G., Abbas, A., & Moon, G.-S. (2024). Improved Functions of Fermented Coffee by Lactic Acid Bacteria. *Applied Sciences*, 14(17), 7596. <https://doi.org/10.3390/app14177596>
- Kristiyanto, D., Dhegdo Haris Pranoto, B., Abdullah. (2013). PENURUNAN KADAR KAFEIN FERMENTASI MENGGUNAKAN PENURUNAN KADAR KAFEIN KOPI ARABIKA DENGAN PROSES FERMENTASI MENGGUNAKAN NOPKOR MZ DENGAN PROSES NOPKOR MZ-15. *Jurnal Teknologi Kimia Dan Industri*, 2(4), 170–176.

- Kurtzman, C. P., Fell, J. W., & Boekhout, T. *The Yeasts : A Taxonomic Study (Fifth Edition)*. Amsterdam: Elsevier Science.
- Kusriani, N., Nealma, S., & Setiawati, V. R. (2023). Uji Organoleptik dan Fisik Wine Coffee dari Kopi Tepal Sumbawa. *BIOFOODTECH : Journal of Bioenergy and Food Technology*, 2(01), 35–41. <https://doi.org/10.55180/biofoodtech.v2i01.333>
- Larassati, D. P., Kustyawati, M. E., Sartika, D., & AS, S. (2021). Efek Fermentasi Basah Menggunakan Kultur *Saccharomyces cerevisiae* Terhadap Sifat Kimia dan Sensori Kopi Robusta (*Coffea canephora*). *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 10(4), 449. <https://doi.org/10.23960/jtep-1.v10i4.449-458>
- Lee, B. H., Huang, C. H., Liu, T. Y., Liaou, J. S., Hou, C. Y., & Hsu, W. H. (2023). Microbial Diversity of Anaerobic-Fermented Coffee and Potential for Inhibiting Ochratoxin Produced *Aspergillus niger*. *Foods*, 1 - 17.
- Lee, L.W., Cheong, M.W., Curran, P., Yu, B., & Liu, S.Q. (2015). Coffee fermentation and flavor - An intricate and delicate relationship. *Food Chemistry*, 185, 182–191. <https://doi.org/10.1016/j.foodchem.2015.03.124>
- Lee, L.W., Tay, G. Y., Cheong, M.W., Curran, P., Yu, B., & Liu, S.Q. (2017). Modulation of the volatile and non-volatile profiles of coffee fermented with *Yarrowia lipolytica*: II. *Roasted coffee*. *LWT*, 80, 32–42. <https://doi.org/10.1016/j.lwt.2017.01.070>.
- Lessy, S. N., La Ega, & Breemer, R. (2023). Pengaruh Metode Fermentasi dan Lama Penyangraian Terhadap Cita Rasa Kopi Tuni Asal Maluku. *Jurnal Agrosilvopasture-Tech*, 2(2), 386-393.
- Lestari & Helmyati. (2018). *Peran Probiotik di Bidang Gizi dan Kesehatan*. Yogyakarta: Gadjah Mada University Press.
- Liang, N., & Kitts, D. D. (2015). Role of chlorogenic acids in controlling oxidative and inflammatory stress conditions. *Nutrients*. MDPI AG. <https://doi.org/10.3390/nu8010016>
- Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., ... Chen, S. (2016, October 1). An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes. *Molecules*. MDPI AG. <https://doi.org/10.3390/molecules21101374>
- Liu, C., Yang, Q., Linforth, R., D. Fisk, I., & Yang, N. (2019). Modifying Robusta coffee aroma by green bean chemical pre-treatment. *Food Chemistry*, 272, 251-257.
- Mahendradatta, M. 2007. *Pangan Aman Dan Sehat*. Lembaga Penerbitan Universitas Hasanuddin. Makassar.
- Majid, A. A., Suroto, D. A., Utami, T., & Rahayu, E. S. (2023). Probiotic potential of kombucha drink from butterfly pea (*Clitoria ternatea* L.) flower with the addition of *Lactiplantibacillus plantarum* subsp. *plantarum* Dad-13. *Biocatalysis and Agricultural Biotechnology*, 51. <https://www.sciencedirect.com/science/article/abs/pii/S1878818123001779>
- Malbaša, R., Lončar, E., & Djurić, M. (2008). Comparison of the products of Kombucha fermentation on sucrose and molasses. *Food Chemistry*, 106(3), 1039–1045. <https://doi.org/10.1016/j.foodchem.2007.07.020>

- Maksum, A., Wijonarko, G., Purbowati, I. S. mulyo, & Anggriawan, R. (2021). OPTIMIZATION OF PHENOLIC COMPOUNDS IN ROBUSTA GREEN BEANS COFFEE THROUGH THE WET FERMENTATION PROCESS WITH THE RESPONSE SURFACE METHODOLOGY. *Agrointek : Jurnal Teknologi Industri Pertanian*, 15(3), 825–832. <https://doi.org/10.21107/agrointek.v15i3.10585>
- Mahingsapun, R., Tantayotai, P., Panyachanakul, T., Samosorn, S., Dolsophon, K., Jiamjariyatam, R., ... Krajangsang, S. (2022). Enhancement of Arabica coffee quality with selected potential microbial starter culture under controlled fermentation in wet process. *Food Bioscience*, 48. <https://doi.org/10.1016/j.fbio.2022.101819>
- Martos, M. A., Zubreski, E. R., Garro, O. A., & Hours, R. A. (2013). Production of Pectinolytic Enzymes by the Yeast *Wickerhamomyces anomalus* Isolated from Citrus Fruits Peels. *Biotechnology Research International*, 2013, 1–7. <https://doi.org/10.1155/2013/435154>
- Massawe, G. A., & Lifa, S. J. (2010). Yeasts and lactic acid bacteria coffee fermentation starter cultures. *International Journal of Postharvest Technology and Innovation*, 2(1), 41–82.
- Mazauric, J. P., & Salmon, J. M. (2005). Interactions between yeast lees and wine polyphenols during simulation of wine aging: I. Analysis of remnant polyphenolic compounds in the resulting wines. *Journal of Agricultural and Food Chemistry*, 53(14), 5647–5653. <https://doi.org/10.1021/jf050308f>
- Michael, W., David, N., & Bright, S. (2018). Quantitative estimation of the caffeine content in some energy drinks on the Ghanaian market. *International Journal of Nutrition and Metabolism*, 10(3), 16-22. <https://doi.org/10.5897/ijnam2018.0236>
- Miller, G. L. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *ANALYTICAL CHEMISTRY*, 31(3), 426-428.
- Monteiro, M., Farah, A., Perrone, D., Trugo, L. C., & Donangelo, C. (2007). Chlorogenic acid compounds from coffee are differentially absorbed and metabolized in humans. *Journal of Nutrition*, 137(10), 2196–2201. <https://doi.org/10.1093/jn/137.10.2196>
- Muchtadi, T.R., and Sugiyono. (2010). *Ilmu Pengetahuan Bahan Pangan*. Bandung: Alfabeta.
- Nadya, Hani & Ahmad, U. & Samsudin, Samsudin. (2024). Improving the Taste of Robusta Coffee by Fermentation with Yeast Inoculum and Its Effect on Caffeine Content. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*. 13. 298. [10.23960/jtep-l.v13i2.298-308](https://doi.org/10.23960/jtep-l.v13i2.298-308).
- Narita, Y., & Inouye, K. (2015). Chlorogenic Acids from Coffee. Dalam V.R. Preedy. *Coffee in Health and Disease Prevention* (hal. 189-199). Cambridge : Academic Press.
- Narko, T., Wibowo, M. S., Damayanti, S., & Wibowo, I. (2020). Effect of kombucha culture on caffeine and chlorogenic acid content in fermentation of robusta green coffee beans (*Coffea canephora* l.). *Rasayan Journal of Chemistry*, 13(2), 1181–1186. <https://doi.org/10.31788/RJC.2020.1325675>

- Neto, D. P. d. C., de Melo, G. V., Pereira, de Carvalho, J. C., Soccol, V. T., & Soccol, C. R. (2018). *High-Throughput rRNA Gene Sequencing Reveals High and Complex Bacterial Diversity Associated with Brazilian Coffee Bean Fermentation*. *Food Technol Biotechnol*. <https://pmc.ncbi.nlm.nih.gov/articles/PMC5956267/>
- Ngamnok, T., Nimlamool, W., Amador-Noguez, D., Palaga, T., & Meerak, J. (2023). Efficiency of *Lactiplantibacillus plantarum* JT-PN39 and *Paenibacillus motobuensis* JT- A29 for fermented coffee applications and fermented coffee characteristics (Vol. 12, p. 2894). <https://doi.org/10.3390/foods12152894>, 15.
- Ogunjirin, O. A., Ola, O., Farounbi, A. J., & Ogini, F. U. (2021). Development of Improved Coffee Bean Depulping Machine. *International Journal of Research in Agricultural Sciences*, 8(1), 2348–3997.
- Pangestu, A. (2025). Central Publisher. *PENGARUH WAKTU ROASTING TERHADAP KUALITAS SENSORI KOPI ROBUSTA KECAMATAN PULOSARI KABUPATEN PEMALANG*, 3(1). https://www.researchgate.net/publication/391796227_PENGARUH_WAKTU_ROASTING_TERHADAP_KUALITAS_SENSORI_KOPI_ROBUSTA_A_KECAMATAN_PULOSARI_KABUPATEN_PEMALANG
- Passamani, F. R. F., Hernandez, T., Lopes, N. A., Bastos, S. C., Santiago, W. D., Cardoso, M. D. G., & Batista, L. R. (2014). Effect of temperature, water activity, and pH on growth and production of ochratoxin a by *Aspergillus niger* and *Aspergillus carbonarius* from Brazilian grapes. *Journal of Food Protection*, 77(11), 1947–1952. <https://doi.org/10.4315/0362-028X.JFP-13-495>
- Pelczar, C. (1988). *Dasar-dasar Mikrobiologi 2*. Jakarta : Penerbit UI Press.
- Preuss, A., & Marshall (Ed.), N. (2021). *Arabica vs Robusta Coffee: Similarities, Differences & the Concept of Quality*. Coffeness. Retrieved Januari 29, 2025, from <https://www.coffeness.de/en/arabica-vs-robusta-coffee/>
- Puertas Quintero GI. Composición química de una taza de café. *Av Tecnológicos Cenicafé*. 2011;414:1-12. Dalam Torres-Valenzuela, L. S., Serna-Jiménez, J. A., & Martínez, K. (2020). Coffee By-Products: Nowadays and Perspectives. *IntechOpen*. DOI:10.5772/intechopen.89508
- Purwoko, T., Suranto, Setyaningsih, R., & Marliyana, S. D. (2022). Caffeine degradation by food microorganisms. *Biodiversitas*, 24(6), 3495–3502. <https://doi.org/10.13057/biodiv/d240647>
- Reddy, V. S., Shiva, S., Manikantan, S., & Ramakrishna, S. (2024). Pharmacology of caffeine and its effects on the human body. *European Journal of Medicinal Chemistry Reports*, 10.
- Riastuti, A. D., Komarayanti, S., & Utomo, A. P. (2021). Karakteristik morfologi biji kopi robusta (*Coffea Canephora*) pascapanen di kawasan lereng Meru Betiri sebagai sumber belajar smk dalam bentuk e-modul. *Jurnal Ilmu Pendidikan*, 5(2), 1–13.
- Ribeiro, L. S., Miguel, M. G. da C. P., Evangelista, S. R., Martins, P. M. M., van Mullem, J., Belizario, M. H., & Schwan, R. F. (2017). Behavior of yeast inoculated during semi-dry coffee fermentation and the effect on chemical

- and sensorial properties of the final beverage. *Food Research International*, 92, 26–32. <https://doi.org/10.1016/j.foodres.2016.12.011>
- Rizki, D., Wijonarko, B. R., & Purwanto, P. (2020). Karakter Agronomis dan Fisiologis Tanaman Kopi Robusta (*Coffea canephora*) pada Dataran Tinggi di Kecamatan Pejawaran Kab. Banjarnegara. *Composite: Jurnal Ilmu Pertanian*, 2(1), 11–16.
- Rune, C. J. B., Giacalone, D., Steen, I., Duelund, L., Münchow, M., & Clausen, M. P. (2023). Acids in brewed coffees: Chemical composition and sensory threshold. *Current Research in Food Science*, 6. <https://doi.org/10.1016/j.crfs.2023.100485>
- Salem, F. H., Vasai, F., Duez, C., Siczkowski, N., Boulanger, R., & Collignan, A. (2022). Mass Transfer Kinetics of Nonvolatile Compounds into Coffee Beans during Wet Processing: Study at the Laboratory Scale and in Real Conditions Using Two Yeast Strains. *ACS Food Science and Technology*, 2(5), 852–861. <https://doi.org/10.1021/ACSFOODSCITECH.2C00022>
- Santos da Silveira, J., Durand, N., Lacour, S., Belleville, M. P., Perez, A., Loiseau, G., & Dornier, M. (2019). Solid-state fermentation as a sustainable method for coffee pulp treatment and production of an extract rich in chlorogenic acids. *Food and Bioprocess Technology*, 115, 175–184. <https://doi.org/10.1016/j.fbp.2019.04.001>
- Schwan, R.F., Wheals, A.E. (2003) . Mixed microbial fermentations of chocolate and coffee. In *Yeasts in Food* (pp. 429–449). Hamburg : Behr’s Verlag.
- Silva, C. F., Vilela, D. M., de Souza Cordeiro, C., Duarte, W. F., Dias, D. R., & Schwan, R. F. (2013). Evaluation of a potential starter culture for enhance quality of coffee fermentation. *World Journal of Microbiology and Biotechnology*, 29(2), 235–247. <https://doi.org/10.1007/s11274-012-1175-2>
- Sinaga, A. (2018). Fermentasi Kopi Arabika Lintong Nihuta : Pengaruh Variasi Jenis Wadah dan Lama Waktu Fermentasi terhadap Mutu Kopi. *Skripsi*. Medan : Fakultas Teknik Universitas Sumatera Utara.
- Singleton, V.L. and Rossi, J.A. (1965) Colorimetry of Total Phenolics with Phosphomolybdic-Phosphotungstic Acid Reagent. *American Journal of Enology and Viticulture*, 16, 144-158.
- Spencer, J.F.T., & D.M. Spencer. (1997). *Yeasts in Natural and Artificial Habitats*. Berlin: Springer Verlag
- Sunarharum, W. B., & Farhan, M. (2020). Effect of manual brewing techniques on the sensory profiles of Arabica coffees (Aceh Gayo wine process and Bali Kintamani honey process). In *IOP Conference Series: Earth and Environmental Science* (Vol. 454). Institute of Physics Publishing. <https://doi.org/10.1088/1755-1315/454/1/012099>
- Sulaiman, I., & Hasni, D. (2022). Microorganism growth profiles during fermentation of Gayo Arabica wine coffee. In *IOP Conference Series: Earth and Environmental Science* (Vol. 951). IOP Publishing Ltd. <https://doi.org/10.1088/1755-1315/951/1/012076>
- SWASTI, Y., LEONG, L., PURWIJANTININGSIH, E., PRANATA, F. (2024). The effects of *Lactobacillus plantarum* addition to robusta coffee (*Coffea*

- canephora L.) during wet fermentation. *Biodiversitas Journal of Biological Diversity*. 25. DOI: 10.13057/biodiv/d250935
- Tamang, J. P. (2014). Microfloras of Fermented Foods. Dalam C. A. Batt, & M. L. Tortorello, *Encyclopedia of Food Microbiology* (hal. 250 - 258). Cambridge: Academic press.
- TAUFIK, I., SYACHNOORMALIETA, F. I., ISTIADI, K. A., RUSDIANA, F. F., & ASTUTI, D. I. (2024). Bacterial and yeast optimization in Arabica coffee fermentation to enhance winery flavor. *BIODIVERSITAS*, 25(11), 4265-4274. DOI: 10.13057/biodiv/d251126
- Tawali, A. B., Abdullah, N., & Wiranata, B. S. (2018). Pengaruh Fermentasi Menggunakan Bakteri Asam Laktat Yoghurt Terhadap Citarasa Kopi Robusta (*Coffea Robusta*). *Canrea Journal: Food Technology, Nutritions, and Culinary Journal*, 90–97. <https://doi.org/10.20956/canrea.v1i1.26>
- Thorvaldsson, M., Mutmainah, N., Brilliantama, A., Rahmawati, S., Priyanto, A., Pargiyanti, & Setyaningsih, W. (2022). EXPERIMENTAL DESIGN-ASSISTED OPTIMIZATION OF CHROMATOGRAPHIC METHOD FOR THE SIMULTANEOUS QUANTITATION OF PHENOLIC COMPOUNDS IN DRIED FLOWERS EXTRACT. *Journal of Functional Food dan Nutraceutical*, 3(2).
- Todar, K. (2010). *Nutrition and Growth of Bacteria*. Departement of Bacteriology.
- Torres-Valenzuela, L. S., Serna-Jiménez, J. A., & Martínez, K. (2020). Coffee By-Products: Nowadays and Perspectives. *IntechOpen*. DOI:10.5772/intechopen.89508.
- Tournas, V. et al., 2001. FDA - BAM Chapter 18 : Yeasts, Molds, and Mycotoxins. [Online] Available at: <https://www.fda.gov/food/laboratory-methods-food/bam-chapter-18-yeasts-molds-and-mycotoxins> [Accessed 29 January 2025].
- Vogt, T. (2010). Phenylpropanoid biosynthesis. *Molecular Plant*. Oxford University Press. <https://doi.org/10.1093/mp/ssp106>
- Wiyono, E. V. (2019). Karakteristik fisik dan kimia kopi rakyat di kawasan pegunungan argopuro – jember. *Skripsi*. Jember : Universitas Jember.
- Xiong, L., Peng, M., Zhao, M., & Liang, Z. (2020). Truncated Expression of a Carboxypeptidase A from Bovine Improves Its Enzymatic Properties and Detoxification Efficiency of Ochratoxin A. *Toxins*, 12(11). <https://doi.org/10.3390/toxins12110680>
- Yadav, K. C., Subba, R., Shiwakoti, L. D., Dhungana, P. K., Bajagain, R., Chaudhary, D. K., . . . Dahal, R. H. (2021). Utilizing Coffee Pulp and Mucilage for Producing Alcohol-Based Beverage. *Fermentation*, 7(53), 1 -13.
- Yusianto and Widiotomo, S. (2013). Quality and flavor profiles of Arabica coffee processed by some fermentation treatments: temperature, containers and fermentation agents addition. *Plantation Pelita*. 29(3): 220-239.
- Yunowo, S. S., Hanasasmita, N., Sunarhum, W. B., and Harijono. (2019). Effect of different aroma extraction methods combined with GC-MS on the aroma profiles of coffee. *International Conference on Green Agro-industry and Bioeconomy*, 230, pp.1-8.

- ZAYAS Pérez, T., GEISLER, G., & HERNANDEZ, F. (2007). Chemical oxygen demand reduction in coffee wastewater through chemical flocculation and advanced oxidation processes. *Journal of Environmental Sciences*, 19(3), 300-305.
- Zhao Na. (2024). Isolation, Selection, and Evaluation of Yeast and Lactic Acid Bacteria Starters for Coffee Flavor Modification. *Dissertation*. Jepang : University of Tsukuba.