

REFERENCES

- Abdel-Hamid, M. *et al.* (2024) ‘Yogurt fortified with various protein hydrolysates: Texture and functional properties’, *Food Chemistry*, 461, p. 140861. Available at: <https://doi.org/10.1016/j.foodchem.2024.140861>.
- Abdul Kahar, A. *et al.* (2016) ‘The Effect of Different Freeze Dried Formulations on The Viability of Lactic Acid Bacteria In Lactose-Free Yogurt Production’, *Australian Journal of Basic and Applied Sciences*, 10, pp. 164–171.
- Afzaal, M. *et al.* (2019) ‘Functional exploration of free and encapsulated probiotic bacteria in yogurt and simulated gastrointestinal conditions’, *Food Science & Nutrition*, 7(12), pp. 3931–3940. Available at: <https://doi.org/10.1002/fsn3.1254>.
- Afzaal, M. *et al.* (2022) ‘Influence of encapsulation on the survival of probiotics in food matrix under simulated stress conditions’, *Saudi Journal of Biological Sciences*, 29(9), p. 103394. Available at: <https://doi.org/10.1016/j.sjbs.2022.103394>.
- Aghajani, A. *et al.* (2020) ‘Microencapsulation of probiotics in yogurt: A Review’.
- Agriopoulou, S. *et al.* (2023) ‘Application of Encapsulation Strategies for Probiotics: From Individual Loading to Co-Encapsulation’, *Microorganisms*, 11(12), p. 2896. Available at: <https://doi.org/10.3390/microorganisms11122896>.
- Anwar, A. *et al.* (2025) ‘Influence of Fermentation Time and Storage Conditions on the Physicochemical Properties of Different Yogurt Varieties Using Starter Cultures and Probiotic *Lactobacillus rhamnosus* GG’, *Processes*, 13(3), p. 759. Available at: <https://doi.org/10.3390/pr13030759>.
- AOAC (2000) *Official Methods of Analysis of AOAC International*. AOAC International.
- Arab, M. *et al.* (2023) ‘A comprehensive review on yogurt syneresis: effect of processing conditions and added additives’, *Journal of Food Science and Technology*, 60(6), pp. 1656–1665. Available at: <https://doi.org/10.1007/s13197-022-05403-6>.
- Ardsiri, P. *et al.* (2024) ‘Survival of probiotics *Lactobacillus acidophilus* TISTR1338 in a synbiotic-supplemented plant-based protein powder under various pH and temperatures’, *Asia-Pacific Journal of Science and Technology*, 29(05), pp. 29–05. Available at: <https://doi.org/10.14456/apst.2024.70>.
- Arkanit, K. *et al.* (2025) ‘Physicochemical properties and bioavailability of bio-calcium products from tilapia bone: A comparative study with synthetic hydroxyapatite’, *Journal of Agriculture and Food Research*, 19, p. 101708. Available at: <https://doi.org/10.1016/j.jafr.2025.101708>.

- Aschemann-Witzel, J. *et al.* (2021) 'Plant-based food and protein trend from a business perspective: markets, consumers, and the challenges and opportunities in the future', *Critical Reviews in Food Science and Nutrition*, 61(18), pp. 3119–3128. Available at: <https://doi.org/10.1080/10408398.2020.1793730>.
- Balgir, P.P. *et al.* (2013) 'In Vitro and In Vivo Survival and Colonic Adhesion of *Pediococcus acidilactici* MTCC5101 in Human Gut', *BioMed Research International*, 2013, p. 583850. Available at: <https://doi.org/10.1155/2013/583850>.
- Barajas-Álvarez, P., González-Ávila, M. and Espinosa-Andrews, H. (2023) 'Recent Advances in Probiotic Encapsulation to Improve Viability under Storage and Gastrointestinal Conditions and Their Impact on Functional Food Formulation', *Food Reviews International*, 39(2), pp. 992–1013. Available at: <https://doi.org/10.1080/87559129.2021.1928691>.
- Bernat, N. *et al.* (2015) 'Development of a non-dairy probiotic fermented product based on almond milk and inulin', *Food Science and Technology International*, 21(6), pp. 440–453. Available at: <https://doi.org/10.1177/1082013214543705>.
- Boophamala, C. *et al.* (2023) *DEVELOPMENT OF HIGH-PROTEIN PLANT-BASED YOGURT FROM OAT, CHICKPEA AND PEA PROTEIN*, p. 165. Available at: <https://doi.org/10.62788/Zz741RO>.
- Boukid, F., Rosell, C.M. and Castellari, M. (2021) 'Pea protein ingredients: A mainstream ingredient to (re)formulate innovative foods and beverages.', *Trends in Food Science & Technology*, 110, pp. 729–742. Available at: <https://doi.org/10.1016/j.tifs.2021.02.040>.
- Bruzzone, F., Ares, G. and Giménez, A. (2013) 'Temporal aspects of yoghurt texture perception', *International Dairy Journal*, 29(2), pp. 124–134. Available at: <https://doi.org/10.1016/j.idairyj.2012.10.012>.
- Buniowska-Olejnik, M. *et al.* (2025) 'Storage quality and antioxidant properties of yogurt fortified with highly bioavailable formula of curcumin', *LWT*, 223, p. 117798. Available at: <https://doi.org/10.1016/j.lwt.2025.117798>.
- Cai, J.-S. *et al.* (2021) 'An update on the nutritional, functional, sensory characteristics of soy products, and applications of new processing strategies', *Trends in Food Science & Technology*, 112, pp. 676–689. Available at: <https://doi.org/10.1016/j.tifs.2021.04.039>.
- Chávarri, M. *et al.* (2010) 'Microencapsulation of a probiotic and prebiotic in alginate-chitosan capsules improves survival in simulated gastro-intestinal conditions', *International Journal of Food Microbiology*, 142(1), pp. 185–189. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2010.06.022>.
- Chen, M. *et al.* (2019) 'Study on the emulsifying stability and interfacial adsorption of pea proteins', *Food Hydrocolloids*, 88, pp. 247–255. Available at: <https://doi.org/10.1016/j.foodhyd.2018.09.003>.

- Chen, M. and Chen, K. (2007) ‘Applications of Probiotic Encapsulation in Dairy Products’, in J.M. Lakkis (ed.) *Encapsulation and Controlled Release Technologies in Food Systems*. 1st edn. Wiley, pp. 83–112. Available at: <https://doi.org/10.1002/9780470277881.ch4>.
- Cho, K.M. *et al.* (2013) ‘Soluble phenolics and antioxidant properties of soybean (*Glycine max* L.) cultivars with varying seed coat colours’, *Journal of Functional Foods*, 5(3), pp. 1065–1076. Available at: <https://doi.org/10.1016/j.jff.2013.03.002>.
- Codex Alimentarius Commission (2024) *STANDARD FOR FERMENTED MILKS*. CXS 243-2003. Rome: FAO and WHO. Available at: https://www.fao.org/input/download/standards/400/CXS_243e.pdf (Accessed: 16 June 2025).
- Collins, N.E., Moran, E.T. and Stilborn, H.L. (2003) ‘Performance of Broilers Fed Normal and Waxy Corn Diets Formulated with Chick and Rooster Derived Apparent Metabolizable Energy Values for the Grains’, *Journal of Applied Poultry Research*, 12(2), pp. 196–206. Available at: <https://doi.org/10.1093/japr/12.2.196>.
- Craig, W.J. and Fresán, U. (2021) ‘International Analysis of the Nutritional Content and a Review of Health Benefits of Non-Dairy Plant-Based Beverages’, *Nutrients*, 13(3), p. 842. Available at: <https://doi.org/10.3390/nu13030842>.
- Dabija, A. *et al.* (2018) ‘EFFECTS OF SOME VEGETABLE PROTEINS ADDITION ON YOGURT QUALITY’, *Scientific Study & Research: Chemistry & Chemical Engineering, Biotechnology, Food Industry*, 19(2), pp. 181–192.
- D’Andrea, A.E., Kinchla, A.J. and Nolden, A.A. (2023) ‘A comparison of the nutritional profile and nutrient density of commercially available plant-based and dairy yogurts in the United States’, *Frontiers in Nutrition*, 10. Available at: <https://doi.org/10.3389/fnut.2023.1195045>.
- Das, K., Choudhary, R. and Thompson-Witrick, K.A. (2019) ‘Effects of new technology on the current manufacturing process of yogurt-to increase the overall marketability of yogurt’, *LWT*, 108, pp. 69–80. Available at: <https://doi.org/10.1016/j.lwt.2019.03.058>.
- Dermail, A. *et al.* (2022) ‘Simultaneous Selection of Sweet-Waxy Corn Ideotypes Appealing to Hybrid Seed Producers, Growers, and Consumers in Thailand’, *Agronomy*, 12(1), p. 87. Available at: <https://doi.org/10.3390/agronomy12010087>.
- Dhakal, D. *et al.* (2023) ‘Design rules of plant-based yoghurt-mimic: Formulation, functionality, sensory profile and nutritional value’, *Food Hydrocolloids*, 142, p. 108786. Available at: <https://doi.org/10.1016/j.foodhyd.2023.108786>.

- Domínguez-Murillo, A.C. and Urías-Silvas, J.E. (2024) ‘Plant-based milk substitutes as probiotic vehicles: Health effect and survival, a review’, *Food Chemistry Advances*, 5, p. 100830. Available at: <https://doi.org/10.1016/j.focha.2024.100830>.
- Donkor, O.N. *et al.* (2007) ‘ α -Galactosidase and proteolytic activities of selected probiotic and dairy cultures in fermented soymilk’, *Food Chemistry*, 104(1), pp. 10–20. Available at: <https://doi.org/10.1016/j.foodchem.2006.10.065>.
- Elisanti, A.D., Ardianto, E.T. and Rindiani, R. (2023) ‘Brix level on dragon fruit and moringa oleifera soft candy to prevent children dental caries’, *IOP Conference Series: Earth and Environmental Science*, 1168(1), p. 012038. Available at: <https://doi.org/10.1088/1755-1315/1168/1/012038>.
- F. Gibbs, Selim Kermasha, Intez Al, B. (1999) ‘Encapsulation in the food industry: a review’, *International Journal of Food Sciences and Nutrition*, 50(3), pp. 213–224. Available at: <https://doi.org/10.1080/096374899101256>.
- Farnworth, E.R. *et al.* (2007) ‘Growth of probiotic bacteria and bifidobacteria in a soy yogurt formulation’, *International Journal of Food Microbiology*, 116(1), pp. 174–181. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2006.12.015>.
- Ferragut, V. *et al.* (2009) ‘Physical characteristics during storage of soy yogurt made from ultra-high pressure homogenized soymilk’, *Journal of Food Engineering*, 92(1), pp. 63–69. Available at: <https://doi.org/10.1016/j.jfoodeng.2008.10.026>.
- FONA International (2018) *Non-Dairy Yogurt Alternatives: A Snapshot of the Marketplace and Opportunities to Enhance Their Functional Role*. FONA International. Available at: https://d1e3z2jco40k3v.cloudfront.net/-/media/project/oneweb/fon21/articles/2018/04/fona_non-dairy-yogurt-report-finalpdf.pdf (Accessed: 23 March 2025).
- Fuentes-Zaragoza, E. *et al.* (2011) ‘Resistant starch as prebiotic: A review’, *Starch - Stärke*, 63(7), pp. 406–415. Available at: <https://doi.org/10.1002/star.201000099>.
- Gao, X. *et al.* (2015) ‘Combination of κ -Carrageenan and Soy Protein Isolate Effects on Functional Properties of Chopped Low-Fat Pork Batters During Heat-Induced Gelation’, *Food and Bioprocess Technology*, 8(7), pp. 1524–1531. Available at: <https://doi.org/10.1007/s11947-015-1516-x>.
- García-Ceja, A. *et al.* (2015) ‘Viability during refrigerated storage in selected food products and during simulated gastrointestinal conditions of individual and combined lactobacilli encapsulated in alginate or alginate-chitosan’, *LWT - Food Science and Technology*, 63(1), pp. 482–489. Available at: <https://doi.org/10.1016/j.lwt.2015.03.071>.
- Ghoneem, G. *et al.* (2018) ‘Optimal Combination of Soy, Buffalo, and Cow’s Milk in Bioyogurt for Optimal Chemical, Nutritional, and Health Benefits’, *Journal*

- of the American College of Nutrition*, 37(1), pp. 8–16. Available at: <https://doi.org/10.1080/07315724.2017.1287605>.
- Grasso, N., Alonso-Miravalles, L. and O'Mahony, J.A. (2020) 'Composition, Physicochemical and Sensorial Properties of Commercial Plant-Based Yogurts', *Foods*, 9(3), p. 252. Available at: <https://doi.org/10.3390/foods9030252>.
- Greis, M. *et al.* (2022) 'Physicochemical Properties and Mouthfeel in Commercial Plant-Based Yogurts', *Foods*, 11(7), p. 941. Available at: <https://doi.org/10.3390/foods11070941>.
- Gupta, M.K. *et al.* (2022) 'Plant and Dairy-Based Yogurts: A Comparison of Consumer Sensory Acceptability Linked to Textural Analysis', *Foods*, 11(3), p. 463. Available at: <https://doi.org/10.3390/foods11030463>.
- Gutiérrez-Álzate, K. *et al.* (2024) 'Micro- and Nanoencapsulation of Probiotics: Exploring Their Impact on Animal-Origin Foods', *ACS Food Science & Technology*, 4(12), pp. 2799–2812. Available at: <https://doi.org/10.1021/acsfoodscitech.4c00776>.
- Harper, A.R. *et al.* (2022) 'Fermentation of plant-based dairy alternatives by lactic acid bacteria', *Microbial Biotechnology*, 15(5), pp. 1404–1421. Available at: <https://doi.org/10.1111/1751-7915.14008>.
- Hashim, M.A. *et al.* (2021) 'Non-Fat Yogurt Fortified with Whey Protein Isolate: Physicochemical, Rheological, and Microstructural Properties', *Foods*, 10(8), p. 1762. Available at: <https://doi.org/10.3390/foods10081762>.
- Hlaing, T.M. and Oo, N.W.T. (2022) 'Study on Morphological Characters and Nutritional Value of Zea mays L. (Waxy Corn)', *University of Yangon Research Journal*, 11(1), pp. 219–226.
- Hu, X. *et al.* (2023) 'The Accumulation and Biosynthesis of Anthocyanin in Black, White, and Yellow Waxy Corns (*Zea mays* L. *sinensis* kulesh) during Kernel Maturation', *Foods*, 12(7), p. 1486. Available at: <https://doi.org/10.3390/foods12071486>.
- Huang, B. *et al.* (2024) 'Feasibility of replacing waxy rice with waxy or sweet-waxy corn viewed from the structure and physicochemical properties of starches', *Food Research International*, 182, p. 114178. Available at: <https://doi.org/10.1016/j.foodres.2024.114178>.
- Ismail, M.F. *et al.* (2025) 'In Vitro and In Vivo Characterisation of Lactiplantibacillus plantarum LAB12 in Pea Protein-Alginate Microcapsules', *Probiotics and Antimicrobial Proteins*, 17(2), pp. 569–587. Available at: <https://doi.org/10.1007/s12602-023-10171-6>.
- Jamalullail, N.A. *et al.* (2023) 'NUTRITIONAL, PHYSICOCHEMICAL STABILITY, MICROBIAL SURVIVABILITY AND SENSORIAL EVALUATION OF LEGUME YOGURTS', *Journal of microbiology*,

- biotechnology and food sciences*, 12(4), pp. e5141–e5141. Available at: <https://doi.org/10.55251/jmbfs.5141>.
- Jeske, S., Zannini, E. and Arendt, E.K. (2017) ‘Evaluation of Physicochemical and Glycaemic Properties of Commercial Plant-Based Milk Substitutes’, *Plant Foods for Human Nutrition*, 72(1), pp. 26–33. Available at: <https://doi.org/10.1007/s11130-016-0583-0>.
- Joel, N., James, S. and Blessing, O.-O. (2019) ‘DEVELOPMENT AND COMPARATIVE EVALUATION OF STORAGE CHANGES IN PROBIOTIC SOY-YOGHURT’, *Journal of microbiology, biotechnology and food sciences*, 9(2), pp. 298–301. Available at: <https://doi.org/10.15414/jmbfs.2019.9.2.298-301>.
- Jørgensen, C.E. *et al.* (2019) ‘Processing of high-protein yoghurt – A review’, *International Dairy Journal*, 88, pp. 42–59. Available at: <https://doi.org/10.1016/j.idairyj.2018.08.002>.
- Kaczmarzka, K., T. *et al.* (2018) ‘Enhancing wheat muffin aroma through addition of germinated and fermented Australian sweet lupin (*Lupinus angustifolius* L.) and soybean (*Glycine max* L.) flour’, *LWT*, 96, pp. 205–214. Available at: <https://doi.org/10.1016/j.lwt.2018.05.034>.
- Karam, M.C. *et al.* (2013) ‘Effect of dairy powders fortification on yogurt textural and sensorial properties: a review’, *The Journal of Dairy Research*, 80(4), pp. 400–409. Available at: <https://doi.org/10.1017/S0022029913000514>.
- Kent, R.M. and Doherty, S.B. (2014) ‘Probiotic bacteria in infant formula and follow-up formula: Microencapsulation using milk and pea proteins to improve microbiological quality’, *Food Research International*, 64, pp. 567–576. Available at: <https://doi.org/10.1016/j.foodres.2014.07.029>.
- KHAMPAS, S. *et al.* (2015) ‘Effect of location, genotype and their interactions for anthocyanins and antioxidant activities of purple waxy corn cobs’, *Turkish Journal of Field Crops*, 20, pp. 15–23. Available at: <https://doi.org/10.17557/00971>.
- Khan, N.H. *et al.* (2013) ‘Development of extrusion-based legume protein isolate–alginate capsules for the protection and delivery of the acid sensitive probiotic, *Bifidobacterium adolescentis*’, *Food Research International*, 54(1), pp. 730–737. Available at: <https://doi.org/10.1016/j.foodres.2013.08.017>.
- Kizzie-Hayford, N. *et al.* (2016) ‘Effects of protein enrichment on the microbiological, physicochemical and sensory properties of fermented tiger nut milk’, *LWT*, 74, pp. 319–324. Available at: <https://doi.org/10.1016/j.lwt.2016.07.067>.
- Klemmer, K.J. *et al.* (2011) ‘Pea protein-based capsules for probiotic and prebiotic delivery: Encapsulation of probiotics and prebiotics’, *International Journal of*

- Food Science & Technology*, 46(11), pp. 2248–2256. Available at: <https://doi.org/10.1111/j.1365-2621.2011.02743.x>.
- Klost, M., Giménez-Ribes, G. and Drusch, S. (2020) ‘Enzymatic hydrolysis of pea protein: Interactions and protein fractions involved in fermentation induced gels and their influence on rheological properties’, *Food Hydrocolloids*, 105, p. 105793. Available at: <https://doi.org/10.1016/j.foodhyd.2020.105793>.
- Koh, W.Y. *et al.* (2022) ‘Encapsulated Probiotics: Potential Techniques and Coating Materials for Non-Dairy Food Applications’, *Applied Sciences*, 12(19), p. 10005. Available at: <https://doi.org/10.3390/app121910005>.
- Kourkoutas, Y. *et al.* (2004) ‘Immobilization technologies and support materials suitable in alcohol beverages production: a review’, *Food Microbiology*, 21(4), pp. 377–397. Available at: <https://doi.org/10.1016/j.fm.2003.10.005>.
- Krebs, L. *et al.* (2021) ‘Impact of Ultra-High-Pressure Homogenization of Buttermilk for the Production of Yogurt’, *Foods*, 10(8), p. 1757. Available at: <https://doi.org/10.3390/foods10081757>.
- Kwiecień, I. and Kwiecień, M. (2018) ‘Application of Polysaccharide-Based Hydrogels as Probiotic Delivery Systems’, *Gels*, 4(2), p. 47. Available at: <https://doi.org/10.3390/gels4020047>.
- Lam, A.C.Y. *et al.* (2018) ‘Pea protein isolates: Structure, extraction, and functionality’, *Food Reviews International*, 34(2), pp. 126–147. Available at: <https://doi.org/10.1080/87559129.2016.1242135>.
- Latif, A. *et al.* (2023) ‘Probiotics: mechanism of action, health benefits and their application in food industries’, *Frontiers in Microbiology*, 14. Available at: <https://doi.org/10.3389/fmicb.2023.1216674>.
- Li, K. *et al.* (2018) ‘The good, the bad, and the ugly of calcium supplementation: a review of calcium intake on human health’, *Clinical Interventions in Aging*, Volume 13, pp. 2443–2452. Available at: <https://doi.org/10.2147/CIA.S157523>.
- Li, N. *et al.* (2022a) ‘Physicochemical properties of different pea proteins in relation to their gelation ability to form lactic acid bacteria induced yogurt gel’, *LWT*, 161, p. 113381. Available at: <https://doi.org/10.1016/j.lwt.2022.113381>.
- Li, N. *et al.* (2022b) ‘Physicochemical properties of different pea proteins in relation to their gelation ability to form lactic acid bacteria induced yogurt gel’, *LWT*, 161, p. 113381. Available at: <https://doi.org/10.1016/j.lwt.2022.113381>.
- Li, Z. *et al.* (2022) ‘Fatty Acid Profiles and Nutritional Evaluation of Fresh Sweet-Waxy Corn from Three Regions of China’, *Foods*, 11(17), p. 2636. Available at: <https://doi.org/10.3390/foods11172636>.
- Lima, R.R. *et al.* (2023) ‘Plant-based proteins: A review of factors modifying the protein structure and affecting emulsifying properties’, *Food Chemistry*

- Advances*, 3, p. 100397. Available at: <https://doi.org/10.1016/j.focha.2023.100397>.
- Liu, S. *et al.* (2024) 'Validation of an Optical Technology for the Determination of pH in Milk during Yogurt Manufacture', *Foods*, 13(17), p. 2766. Available at: <https://doi.org/10.3390/foods13172766>.
- Liu, Z. *et al.* (2024) 'Lactic acid bacteria with weak post-acidification potential applied for low-salt paocai fermentation: A perspective from screening to molecular mechanism', *LWT*, 206, p. 116531. Available at: <https://doi.org/10.1016/j.lwt.2024.116531>.
- Lucey, J.A. (2002) 'Formation and Physical Properties of Milk Protein Gels', *Journal of Dairy Science*, 85(2), pp. 281–294. Available at: [https://doi.org/10.3168/jds.S0022-0302\(02\)74078-2](https://doi.org/10.3168/jds.S0022-0302(02)74078-2).
- Lucey, J.A. and Singh, H. (1997) 'Formation and physical properties of acid milk gels: a review', *Food Research International*, 30(7), pp. 529–542. Available at: [https://doi.org/10.1016/S0963-9969\(98\)00015-5](https://doi.org/10.1016/S0963-9969(98)00015-5).
- Ma, D. *et al.* (2019) 'Determination of the energy contents and nutrient digestibility of corn, waxy corn and steam-flaked corn fed to growing pigs', *Asian-Australasian Journal of Animal Sciences*, 32(10), pp. 1573–1579. Available at: <https://doi.org/10.5713/ajas.18.0713>.
- Mahmoodi Pour, H., Marhamatizadeh, M.H. and Fattahi, H. (2022) 'Encapsulation of Different Types of Probiotic Bacteria within Conventional/Multilayer Emulsion and Its Effect on the Properties of Probiotic Yogurt', *Journal of Food Quality*, 2022(1), p. 7923899. Available at: <https://doi.org/10.1155/2022/7923899>.
- Mahmud, N. *et al.* (2024) 'Exploring functional plant-based seafood: Ingredients and health implications', *Trends in Food Science & Technology*, 144, p. 104346. Available at: <https://doi.org/10.1016/j.tifs.2024.104346>.
- Marcus, R.T. (1998) 'The Measurement of Color', in *AZimuth*. Elsevier, pp. 31–96. Available at: [https://doi.org/10.1016/S1387-6783\(98\)80005-6](https://doi.org/10.1016/S1387-6783(98)80005-6).
- Marlapati, L. *et al.* (2024) 'Comparison of Physical and Compositional Attributes between Commercial Plant-Based and Dairy Yogurts', *Foods*, 13(7), p. 984. Available at: <https://doi.org/10.3390/foods13070984>.
- Minelli, E.B. and Benini, A. (2008) 'Relationship between number of bacteria and their probiotic effects', *Microbial Ecology in Health and Disease*, 20(4), pp. 180–183. Available at: <https://doi.org/10.1080/08910600802408095>.
- Mitra, P., Nepal, K. and Tavade, P. (2022) 'Effect of whey and soy proteins fortification on the textural and rheological properties of value-added yogurts', *Applied Food Research*, 2(2), p. 100195. Available at: <https://doi.org/10.1016/j.afres.2022.100195>.

- Montemurro, M. *et al.* (2021) 'Plant-Based Alternatives to Yogurt: State-of-the-Art and Perspectives of New Biotechnological Challenges', *Foods*, 10(2), p. 316. Available at: <https://doi.org/10.3390/foods10020316>.
- Mudgil, P. *et al.* (2024) 'Enhanced viability and stability of the *Lactobacillus reuteri* DSM 17938 probiotic strain following microencapsulation in pea and rice protein-inulin conjugates', *Frontiers in Sustainable Food Systems*, 8. Available at: <https://doi.org/10.3389/fsufs.2024.1284069>.
- Muzzafar, A. and Sharma, V. (2018) 'Microencapsulation of probiotics for incorporation in cream biscuits', *Journal of Food Measurement and Characterization*, 12(3), pp. 2193–2201. Available at: <https://doi.org/10.1007/s11694-018-9835-z>.
- Naissinger da Silva, M. *et al.* (2021) 'In vitro test to evaluate survival in the gastrointestinal tract of commercial probiotics', *Current Research in Food Science*, 4, pp. 320–325. Available at: <https://doi.org/10.1016/j.crfs.2021.04.006>.
- Nazir, S. *et al.* (2024) 'Survivability and behavior of probiotic bacteria encapsulated by internal gelation in non-dairy matrix and In Vitro GIT conditions', *PLOS ONE*, 19(6), p. e0303091. Available at: <https://doi.org/10.1371/journal.pone.0303091>.
- Nedovic, V. *et al.* (2011) 'An overview of encapsulation technologies for food applications', *Procedia Food Science*, 1, pp. 1806–1815. Available at: <https://doi.org/10.1016/j.profoo.2011.09.265>.
- Nedovic, V.A. *et al.* (2002) 'Immobilized Yeast Bioreactor Systems for Brewing—Recent Achievements', in M. Hofman and P. Thonart (eds) *Engineering and Manufacturing for Biotechnology*. Dordrecht: Kluwer Academic Publishers (Focus on Biotechnology), pp. 277–292. Available at: https://doi.org/10.1007/0-306-46889-1_18.
- Nguyen, H.T.H. *et al.* (2014) 'The Effect of Fermentation Temperature on the Microstructure, Physicochemical and Rheological Properties of Probiotic Buffalo Yoghurt', *Food and Bioprocess Technology*, 7(9), pp. 2538–2548. Available at: <https://doi.org/10.1007/s11947-014-1278-x>.
- Nilsuwan, K. *et al.* (2023) 'Chemical Compositions and Characteristics of Biocalcium from Asian Sea Bass (*Lates calcarifer*) Scales as Influenced by Pretreatment and Heating Processes', *Foods*, 12(14), p. 2695. Available at: <https://doi.org/10.3390/foods12142695>.
- Ong, K.S. *et al.* (2022) 'Functionalising insoluble pea protein aggregates using high-pressure homogenisation: Effects on physicochemical, microstructural and functional properties', *Food Structure*, 34, p. 100298. Available at: <https://doi.org/10.1016/j.foostr.2022.100298>.

- Papademas, P. and Kotsaki, P. (2020) *Technological Utilization of Whey towards Sustainable Exploitation*.
- Pawlos, M. *et al.* (2024) ‘Probiotic Milk Enriched with Protein Isolates: Physicochemical, Organoleptic, and Microbiological Properties’, *Foods*, 13(19), p. 3160. Available at: <https://doi.org/10.3390/foods13193160>.
- Peters, O.O., Afolabi, M.O. and Makinde, F.M. (2023) ‘Chemical, physicochemical and sensory properties of yoghurt and yoghurt simulates produced from the blends of cow milk and coconut milk’, *IOP Conference Series: Earth and Environmental Science*, 1219(1), p. 012020. Available at: <https://doi.org/10.1088/1755-1315/1219/1/012020>.
- Petsong, K. *et al.* (2023) ‘Potential of jackfruit inner skin fibre for encapsulation of probiotics on their stability against adverse conditions’, *Scientific Reports*, 13(1), p. 11158. Available at: <https://doi.org/10.1038/s41598-023-38319-y>.
- Petsong, K. *et al.* (2024) ‘Impact of Bio-Calcium from Nile Tilapia Bone as Supporting Material for Probiotic Immobilization’, in *Proceedings of International Conference on Food and Applied Bioscience (FAB2024). The 7th International Conference on Food and Applied Bioscience 2024*, Chiang Mai: Faculty of Agro-Industry, Chiang Mai University, pp. 185–193. Available at: https://www.agro.cmu.ac.th/FAB2024/Data/PageData/fi_1628104133.pdf (Accessed: 10 March 2025).
- Petsong, K. *et al.* (2025) ‘Impact of Bio-calcium from Nile Tilapia Bone as a Supporting Material on the Stability Enhancement of Immobilized Probiotics’, *Food and Bioprocess Technology* [Preprint]. Available at: <https://doi.org/10.1007/s11947-025-03837-2>.
- Ramasubramanian, L., Restuccia, C. and Deeth, H.C. (2008) ‘Effect of Calcium on the Physical Properties of Stirred Probiotic Yogurt’, *Journal of Dairy Science*, 91(11), pp. 4164–4175. Available at: <https://doi.org/10.3168/jds.2008-1354>.
- Rana, A. *et al.* (2024) ‘Exploring prebiotic properties and its probiotic potential of new formulations of soy milk-derived beverages’, *Frontiers in Microbiology*, 15. Available at: <https://doi.org/10.3389/fmicb.2024.1404907>.
- Rezvani Ghomi, E. *et al.* (2021) ‘Collagen-based biomaterials for biomedical applications’, *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 109(12), pp. 1986–1999. Available at: <https://doi.org/10.1002/jbm.b.34881>.
- Ribeiro, M.C.E. *et al.* (2014) ‘Effect of microencapsulation of *Lactobacillus acidophilus* LA-5 on physicochemical, sensory and microbiological characteristics of stirred probiotic yoghurt’, *Food Research International*, 66, pp. 424–431. Available at: <https://doi.org/10.1016/j.foodres.2014.10.019>.

- S. J. Lee, M. Rosenberg (2000) 'Preparation and some properties of water-insoluble, whey protein-based microcapsules', *Journal of Microencapsulation*, 17(1), pp. 29–44. Available at: <https://doi.org/10.1080/026520400288535>.
- Saetang, J. *et al.* (2024) 'Bio-Calcium from Skipjack Tuna Frame Attenuates Bone Loss in Ovariectomy-Induced Osteoporosis Rats', *Marine Drugs*, 22(10), p. 472. Available at: <https://doi.org/10.3390/md22100472>.
- Saleh, A. *et al.* (2020) 'Effect of Different Starches on the Rheological, Sensory and Storage Attributes of Non-fat Set Yogurt', *Foods*, 9(1), p. 61. Available at: <https://doi.org/10.3390/foods9010061>.
- Salles, J. *et al.* (2021) 'Pea Proteins Have Anabolic Effects Comparable to Milk Proteins on Whole Body Protein Retention and Muscle Protein Metabolism in Old Rats', *Nutrients*, 13(12), p. 4234. Available at: <https://doi.org/10.3390/nu13124234>.
- Samappito, J. (2021) 'Manufacture and Properties of Purple Waxy Corn Yogurt and its Application in Probiotic Salad Dressing Production', *Food and Applied Bioscience Journal*, 9(1), pp. 11–27.
- Santos, N.C. *et al.* (2025) 'Microencapsulating *Lactobacillus rhamnosus* GG by spray drying using pea protein, pectin, and tapioca flour: Probiotic viability, digestibility and thermal stability', *Food and Bioproducts Processing*, 150, pp. 207–216. Available at: <https://doi.org/10.1016/j.fbp.2025.01.011>.
- Shin, J.-S. *et al.* (2022) 'Optimization of pea protein and citrus fiber contents for plant based stirred soymilk yogurt using response surface methodology', *Food Science and Biotechnology*, 31(13), pp. 1691–1701. Available at: <https://doi.org/10.1007/s10068-022-01180-2>.
- Shin, J.-S., Kim, B.-H. and Baik, M.-Y. (2021) 'Applicable Plant Proteins and Dietary Fibers for Simulate Plant-Based Yogurts', *Foods*, 10(10), p. 2305. Available at: <https://doi.org/10.3390/foods10102305>.
- Sonne, A. *et al.* (2014) 'Improved mapping of in-mouth creaminess of semi-solid dairy products by combining rheology, particle size, and tribology data', *LWT - Food Science and Technology*, 59(1), pp. 342–347. Available at: <https://doi.org/10.1016/j.lwt.2014.05.047>.
- Surya, P. *et al.* (2021) 'Synthesis and characterization of nano-hydroxyapatite from *Sardinella longiceps* fish bone and its effects on human osteoblast bone cells', *Journal of the Mechanical Behavior of Biomedical Materials*, 119, p. 104501. Available at: <https://doi.org/10.1016/j.jmbbm.2021.104501>.
- Szajnar, K. *et al.* (2017) 'Fortification of yoghurts with calcium compounds', *Journal of Elementology* [Preprint], (3/2017). Available at: <https://doi.org/10.5601/jelem.2016.21.4.1321>.
- Tangyu, M. *et al.* (2019) 'Fermentation of plant-based milk alternatives for improved flavour and nutritional value', *Applied Microbiology and*

- Biotechnology*, 103(23–24), pp. 9263–9275. Available at: <https://doi.org/10.1007/s00253-019-10175-9>.
- Teh, S.-S. *et al.* (2009) ‘Evaluation of Agrowastes as Immobilizers for Probiotics in Soy Milk’, *Journal of Agricultural and Food Chemistry*, 57(21), pp. 10187–10198. Available at: <https://doi.org/10.1021/jf902003a>.
- Thakur, S., Singh, N. and Kaur, A. (2017) ‘Characteristics of normal and waxy corn: physicochemical, protein secondary structure, dough rheology and chapatti making properties’, *Journal of Food Science and Technology*, 54(10), pp. 3285–3296. Available at: <https://doi.org/10.1007/s13197-017-2775-5>.
- Thatsarani, S. *et al.* (2024) ‘Encapsulation Techniques for Probiotic Non-Dairy Products: A Comprehensive Review’.
- Tuck, C. *et al.* (2018) ‘Fermentable short chain carbohydrate (FODMAP) content of common plant-based foods and processed foods suitable for vegetarian- and vegan-based eating patterns’, *Journal of Human Nutrition and Dietetics*, 31(3), pp. 422–435. Available at: <https://doi.org/10.1111/jhn.12546>.
- U.S. Food and Drug Administration (or Department of Health and Human Services) (2016) *Code of Federal Regulations. Title 21, Volume 2. Revised as of April 1, 2016*. 21 CFR 131. Washington, D.C. Available at: <https://www.ecfr.gov/current/title-21/chapter-I/subchapter-B/part-131> (Accessed: 2 June 2025).
- Vanare, S.P. *et al.* (2025) ‘Double Emulsion Microencapsulation System for Lactobacillus rhamnosus GG Using Pea Protein and Cellulose Nanocrystals’, *Foods*, 14(5), p. 831. Available at: <https://doi.org/10.3390/foods14050831>.
- Veganism and vegetarianism in the United Kingdom* | Statista (no date). Available at: <https://www.statista.com/study/67944/veganism-in-the-uk/> (Accessed: 23 March 2025).
- Vivar-Quintana, A.M., Beneitez De La Mano, E. and Revilla, I. (2006) ‘Relationship between somatic cell counts and the properties of yoghurt made from ewes’ milk’, *International Dairy Journal*, 16(3), pp. 262–267. Available at: <https://doi.org/10.1016/j.idairyj.2005.03.006>.
- Vivek, K. *et al.* (2023) ‘A comprehensive review on microencapsulation of probiotics: technology, carriers and current trends’, *Applied Food Research*, 3(1), p. 100248. Available at: <https://doi.org/10.1016/j.afres.2022.100248>.
- Wijayanti, I. *et al.* (2025) ‘Soluble bio-calcium from Asian sea bass bone prepared with organic acids: solubility and physiochemical characteristics’, *Biomass Conversion and Biorefinery*, 15(4), pp. 5595–5605. Available at: <https://doi.org/10.1007/s13399-024-05402-x>.
- Xia, W. *et al.* (2022) ‘Acid-induced gels from soy and whey protein thermally-induced mixed aggregates: Rheology and microstructure’, *Food*

- Hydrocolloids*, 125, p. 107376. Available at: <https://doi.org/10.1016/j.foodhyd.2021.107376>.
- Yang, J. *et al.* (2021) 'Extraction methods significantly impact pea protein composition, structure and gelling properties', *Food Hydrocolloids*, 117, p. 106678. Available at: <https://doi.org/10.1016/j.foodhyd.2021.106678>.
- Youssef, M. *et al.* (2016) 'Fermentation of cow milk and/or pea milk mixtures by different starter cultures: Physico-chemical and sensorial properties', *LWT - Food Science and Technology*, 69, pp. 430–437. Available at: <https://doi.org/10.1016/j.lwt.2016.01.060>.
- Zahedeng, N. *et al.* (2025) 'Optimization of Soymilk Fermentation Supplemented with Coconut Protein by *Lactobacillus plantarum* TISTR2084', *Trends in Sciences*, 22(3), p. 9122. Available at: <https://doi.org/10.48048/tis.2025.9122>.
- Zare, F. *et al.* (2011) 'Microbial, physical and sensory properties of yogurt supplemented with lentil flour', *Food Research International*, 44(8), pp. 2482–2488. Available at: <https://doi.org/10.1016/j.foodres.2011.01.002>.
- Zhang, C. *et al.* (2024) 'Encapsulation of *Lactobacillus plantarum* in W1/O/W2 double emulsions stabilized with the high-intensity ultrasound-treated pea protein and pectin', *Ultrasonics Sonochemistry*, 107, p. 106936. Available at: <https://doi.org/10.1016/j.ultsonch.2024.106936>.
- Zhang, Y. *et al.* (2022) 'Probiotic encapsulation in water-in-oil high internal phase emulsions: Enhancement of viability under food and gastrointestinal conditions', *LWT*, 163, p. 113499. Available at: <https://doi.org/10.1016/j.lwt.2022.113499>.