

## DAFTAR PUSTAKA

- Afrin, S., & Gupta, V. (2023). Pharmaceutical Formulation. In *StatPearls*.  
<https://www.ncbi.nlm.nih.gov/books/NBK562239/>
- Allen, L., & Ansel, H. (2014). *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems* (10th ed.). Wolters Kluwer Health.
- Amalraj, A., Pius, A., Gopi, S., & Gopi, S. (2017). Biological activities of curcuminoids, other biomolecules from turmeric and their derivatives – A review. In *Journal of Traditional and Complementary Medicine* (Vol. 7, Issue 2, pp. 205–233). National Taiwan University.  
<https://doi.org/10.1016/j.jtcme.2016.05.005>
- AOAC. (2016). *Official Methods of Analysis of AOAC International* (20th ed.). AOAC Inc.
- Apriliyani, S. A., Martono, Y., Riyanto, C. A., Mutmainah, M., & Kusmita, K. (2018). Validation of UV-VIS Spectrophotometric Methods for Determination of Inulin Levels from Lesser Yam (*Dioscorea esculenta* L.). *Jurnal Kimia Sains Dan Aplikasi*, 21(4), 161–165. <https://doi.org/10.14710/jksa.21.4.161-165>
- Arshad, L., Areeful Haque, M., Bukhari, S. N. A., & Jantan, I. (2017). An overview of structure-Activity relationship studies of curcumin analogs as antioxidant and anti-inflammatory agents. In *Future Medicinal Chemistry* (Vol. 9, Issue 6, pp. 605–626). Future Medicine Ltd. <https://doi.org/10.4155/fmc-2016-0223>
- Astuti, E., Raharjo, T. J., Boangmanalu, P. M., Putra, I. S. R., Waskitha, S. S. W., & Solin, J. (2021). Synthesis, molecular docking, and evaluation of some new curcumin analogs as antimalarial agents. *Indonesian Journal of Chemistry*, 21(2), 452–461. <https://doi.org/10.22146/ijc.57646>
- Boobier, S., Hose, D. R. J., Blacker, A. J., & Nguyen, B. N. (2020). Machine learning with physicochemical relationships: solubility prediction in organic solvents and water. *Nature Communications*, 11(1). <https://doi.org/10.1038/s41467-020-19594-z>

- Chen, L. R., Wesley, J. A., Bhattachar, S., Ruiz, B., Bahash, K., & Babu, S. R. (2003). *Dissolution Behavior of a Poorly Water Soluble Compound in the Presence of Tween 80*.
- Ciuca, M. D., & Racovita, R. C. (2023). Curcumin: Overview of Extraction Methods, Health Benefits, and Encapsulation and Delivery Using Microemulsions and Nanoemulsions. In *International Journal of Molecular Sciences* (Vol. 24, Issue 10). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/ijms24108874>
- Departemen Kesehatan Republik Indonesia. (2020). *Farmakope Indonesia* (6th ed.). Kementrian Kesehatan.
- Dezani, A. B., Pereira, T. M., Caffaro, A. M., Reis, J. M., & Serra, C. H. dos R. (2013). Equilibrium solubility versus intrinsic dissolution: characterization of lamivudine, stavudine and zidovudine for BCS classification. In *Article Brazilian Journal of Pharmaceutical Sciences* (Vol. 49, Issue 4).
- Food and Drug Administration. (2018). *Notice to US Food and Drug Administration of the Conclusion that the Intended Use of Curcumin is Generally Recognized as Safe*. <https://www.fda.gov/food/generally-recognized-safe-gras/gras-notice-inventory>
- Geeta Bhagwat, Rubana Adul Hameed Arkate, Samreen Idrees Pasha Shaikh, & Sudha Ramnihor Vishwakarma. (2023). Improvement in solubility of BCS class II drug: Telmisartan. *World Journal of Advanced Engineering Technology and Sciences*, 14(1), 222–230. <https://doi.org/10.30574/wjbphs.2023.14.1.0195>
- Górnicka, J., Mika, M., Wróblewska, O., Siudem, P., & Paradowska, K. (2023). Methods to Improve the Solubility of Curcumin from Turmeric. In *Life* (Vol. 13, Issue 1). MDPI. <https://doi.org/10.3390/life13010207>
- Hirlekar, S. D. S., Bhairy, S., Bhairy, S., Hirlekar, R., & Hirlekar, R. (2018). PREPARATION AND CHARACTERIZATION OF ORAL NANOSUSPENSION LOADED WITH CURCUMIN. *International Journal*

*of Pharmacy and Pharmaceutical Sciences*, 10(6), 90.  
<https://doi.org/10.22159/ijpps.2018v10i6.22027>

ICH. (2005). *Q2(R1) Validation of Analytical Procedures: Text and Methodology Guidance for Industry*. <https://www.fda.gov/vaccines-blood-biologics/guidance-compliance-regulatory-information-biologics/biologics-guidances>

ICH. (2020). *ICH M9 guideline on biopharmaceutics classification system-based biowaivers*. [www.ema.europa.eu/](http://www.ema.europa.eu/)

Issa, M. G., & Ferraz, H. G. (2011). Intrinsic dissolution as a tool for evaluating drug solubility in accordance with the biopharmaceutics classification system. *Dissolution Technologies*, 18(3), 6–13. <https://doi.org/10.14227/DT180311P6>

Jithavech, P., Suwattananuruk, P., Hasriadi, Muangnoi, C., Thitikornpong, W., Towiwat, P., Vajragupta, O., & Rojsitthisak, P. (2022). Physicochemical investigation of a novel curcumin diethyl  $\gamma$ -aminobutyrate, a carbamate ester prodrug of curcumin with enhanced anti-neuroinflammatory activity. *PLoS ONE*, 17(3 March). <https://doi.org/10.1371/journal.pone.0265689>

Jorgensen, W. L., & Duffy, E. M. (2002). Prediction of drug solubility from structure. *Advanced Drug Delivery Reviews*, 54(3), 355–366. [https://doi.org/https://doi.org/10.1016/S0169-409X\(02\)00008-X](https://doi.org/https://doi.org/10.1016/S0169-409X(02)00008-X)

Kementerian Kesehatan. (2024). *Kasus TBC Tinggi Karena Perbaikan Sistem Deteksi dan Pelaporan*. <https://sehatnegeriku.kemkes.go.id/baca/rilis-media/20240129/2644877/kasus-tbc-tinggi-karena-perbaikan-sistem-deteksi-dan-pelaporan/>

Kumar Majumder, K., Sharma, J. B., Kumar, M., Bhatt, S., & Saini, V. (2020). Pages:115-121 To Cite This Article. In *Pharmacophore* (Vol. 11, Issue 1). <http://www.pharmacophorejournal.com>

Lu, J. X., Tupper, C., Gutierrez, A. V., & Murray, J. (2022). Biochemistry, Dissolution and Solubility. In *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK431100/>

Lu, K. H., Lu, P. W. A., Lu, E. W. H., Lin, C. W., & Yang, S. F. (2023). Curcumin and its Analogs and Carriers: Potential Therapeutic Strategies for Human

- Osteosarcoma. In *International Journal of Biological Sciences* (Vol. 19, Issue 4, pp. 1241–1265). Ivyspring International Publisher. <https://doi.org/10.7150/ijbs.80590>
- Pignatello, R., Corsaro, R., Bonaccorso, A., Zingale, E., Carbone, C., & Musumeci, T. (2022). Soluplus® polymeric nanomicelles improve solubility of BCS-class II drugs. *Drug Delivery and Translational Research*, 12(8), 1991–2006. <https://doi.org/10.1007/s13346-022-01182-x>
- Pinto, E. C., Cabral, L. M., & de Sousa, V. P. (2014). Development of a discriminative intrinsic dissolution method for efavirenz. *Dissolution Technologies*, 21(2), 31–40. <https://doi.org/10.14227/DT210214P31>
- Prasetyowati, R. D., & Syarifah, A. L. (2019). Pengaruh temperatur pengeringan terhadap kadar kurkumin ekstrak rimpang bangle. *Akademi Farmasi Putera Indonesia Malang*.
- Rahman, S., Telny, T., Ravi, T., & Kuppusamy, S. (2009). Role of Surfactant and pH in Dissolution of Curcumin. *Indian Journal of Pharmaceutical Sciences*. <https://doi.org/10.4103/0250-474X.54280>
- Rapalli, V. K., Kaul, V., Gorantla, S., Waghule, T., Dubey, S. K., Pandey, M. M., & Singhvi, G. (2020). UV Spectrophotometric method for characterization of curcumin loaded nanostructured lipid nanocarriers in simulated conditions: Method development, in-vitro and ex-vivo applications in topical delivery. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 224. <https://doi.org/10.1016/j.saa.2019.117392>
- Rathore, S., Mukim, M., Sharma, P., Devi, S., Chandra Nagar, J., & Khalid, M. (2020). Curcumin: A Review for Health Benefits Kingdom of Saudi Arabia. *International Journal of Research and Review (Ijrrjournal.Com)*, 7(1), 1.
- Rawski, R. I., Sanecki, P. T., Kijowska, K. M., Skitał, P. M., & Saletnik, D. E. (2016). Regression analysis in analytical chemistry. Determination and validation of linear and quadratic regression dependencies. *South African Journal of Chemistry*, 69, 166–173. <https://doi.org/10.17159/0379-4350/2016/v69a20>

- Savale, S. K. (2017). Curcumin as a model Drug: Conformation, Solubility Estimation, Morphological, in vitro and in vivo Biodistribution Study. *Journal of PharmaSciTech*, 7(1), 31–35.
- Savjani, K. T., Gajjar, A. K., & Savjani, J. K. (2012). Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics*, 2012, 1–10. <https://doi.org/10.5402/2012/195727>
- Sinko, P. J. (2006). *Martin's Physical Pharmacy and Pharmaceutical Sciences* (5th ed.). Wolters Kluwer.
- Teixeira, C. C. C., Mendonça, L. M., Bergamaschi, M. M., Queiroz, R. H. C., Souza, G. E. P., Antunes, L. M. G., & Freitas, L. A. P. (2016). Microparticles Containing Curcumin Solid Dispersion: Stability, Bioavailability and Anti-Inflammatory Activity. *AAPS PharmSciTech*, 17(2), 252–261. <https://doi.org/10.1208/s12249-015-0337-6>
- Teleki, A., Nylander, O., & Bergström, C. A. S. (2020). Intrinsic dissolution rate profiling of poorly water-soluble compounds in biorelevant dissolution media. *Pharmaceutics*, 12(6). <https://doi.org/10.3390/pharmaceutics12060493>
- Urošević, M., Nikolić, L., Gajić, I., Nikolić, V., Dinić, A., & Miljković, V. (2022). Curcumin: Biological Activities and Modern Pharmaceutical Forms. In *Antibiotics* (Vol. 11, Issue 2). MDPI. <https://doi.org/10.3390/antibiotics11020135>
- USP. (2014). *The United States Pharmacopeia : the National Formulary: Vol. USP 37-NF 32*. United States Pharmacopeial.
- Van Nong, H., Hung, L. X., Thang, P. N., Chinh, V. D., Vu, L. Van, Dung, P. T., Van Trung, T., & Nga, P. T. (2016). Fabrication and vibration characterization of curcumin extracted from turmeric (*Curcuma longa*) rhizomes of the northern Vietnam. *SpringerPlus*, 5(1). <https://doi.org/10.1186/s40064-016-2812-2>
- Wang, W., Lu, J., Dai, A., Shang, L., Chen, M., & Chen, L. (2024). Enhanced dissolution of curcumin-resorcinol cocrystal by the inhibition effect of HPMCAS on solution-mediated phase transformation. *Journal of Molecular Liquids*, 403. <https://doi.org/10.1016/j.molliq.2024.124802>

- Yabalak, E., Akay, S., Kayan, B., Gizir, A. M., & Yang, Y. (2023). Solubility and Decomposition of Organic Compounds in Subcritical Water. In *Molecules* (Vol. 28, Issue 3). MDPI. <https://doi.org/10.3390/molecules28031000>
- Yamamura, R., Inoue, K. Y., Nishino, K., & Yamasaki, S. (2023). Intestinal and fecal pH in human health. *Frontiers in Microbiomes*, 2. <https://doi.org/10.3389/frmbi.2023.1192316>
- Yu, L. X., Carlin, A. S., Amidon, G. L., & Hussain, A. S. (2004). Feasibility studies of utilizing disk intrinsic dissolution rate to classify drugs. *International journal of pharmaceutics*, 270(1-2), 221–227. <https://doi.org/10.1016/j.ijpharm.2003.10.016>