

DAFTAR PUSTAKA

- Abbasiliasi, S., Joo Shun, T., Ibrahim, T. A. T., Ismail, N., B. Ariff, A., Khairil Mokhtar, N., & Mustafa, S. (2019). Use of sodium alginate in the preparation of gelatin-based hard capsule shells and their evaluation in vitro. *RSC Advances*, *9*(28), 16147–16157. <https://doi.org/10.1039/C9RA01791G>
- Abdul Khalil, H. P. S., Banerjee, A., Saurabh, C. K., Tye, Y. Y., Suriani, A. B., Mohamed, A., Karim, A. A., Rizal, S., & Paridah, M. T. (2018). Biodegradable Films for Fruits and Vegetables Packaging Application: Preparation and Properties. *Food Engineering Reviews*, *10*(3), 139–153. <https://doi.org/10.1007/s12393-018-9180-3>
- Afina, N., Sinaga, H., & Lubis, Z. (2024). Pendugaan Umur Simpan Biji Kopi Arabika Menggunakan Metode Accelerated Shelf-Life Test (ASLT) Model Arrhenius Berdasarkan Parameter Kadar Air. *Agrikultura*, *35*(3), 562–572. <https://doi.org/10.24198/agrikultura.v35i3.56832>
- Aiza, A. N. (2023). *Profil Penggunaan Bahan Tambahan Pangan dalam Produk Bumbu Instan Pasta berdasarkan Informasi Label Pangan*. <http://repository.ipb.ac.id/handle/123456789/123477>
- Alfaro, A. da T., Balbinot, E., Weber, C. I., Tonial, I. B., & Machado-Lunkes, A. (2015). Fish Gelatin: Characteristics, Functional Properties, Applications and Future Potentials. *Food Engineering Reviews*, *7*(1), 33–44. <https://doi.org/10.1007/s12393-014-9096-5>
- Al-Hassan, A. A., & Norziah, M. H. (2012). Starch–gelatin edible films: Water vapor permeability and mechanical properties as affected by plasticizers. *Food Hydrocolloids*, *26*(1), 108–117. <https://doi.org/10.1016/j.foodhyd.2011.04.015>
- Alipal, J., Mohd Pu'ad, N. A. S., Lee, T. C., Nayan, N. H. M., Sahari, N., Basri, H., Idris, M. I., & Abdullah, H. Z. (2021). A review of gelatin: Properties, sources, process, applications, and commercialisation. *Materials Today: Proceedings*, *42*, 240–250. <https://doi.org/10.1016/j.matpr.2020.12.922>
- Ananingsih, V. K., Sharma, A., & Zhou, W. (2013). Green tea catechins during food processing and storage: A review on stability and detection. *Food Research International*, *50*(2), 469–479. <https://doi.org/10.1016/j.foodres.2011.03.004>
- Anggalih, N. N. (2022). Analisis Perbandingan Kemasan Berkelanjutan dengan Berbahan Dasar Material Alam. *Jurnal Desain Komunikasi Visual Nirmana*, *22*(1), Article 1. <https://doi.org/10.9744/nirmana.22.1.8-17>
- Anggarkasih, M. (2012). *Penentuan Umur Simpan Bumbu Gulai Siap Pakai Menggunakan Metode Accelerated Shelf Life Testing (ASLT) dengan Pendekatan Arrhenius* [Sarjana, Universitas Brawijaya]. <https://repository.ub.ac.id/id/eprint/149102/>
- Apriliyani, M. W., Purwadi, Manab, A., & Ikhwan, A. D. (2020). Characteristics of Moisture Content, Swelling, Opacity and Transparency with Addition Chitosan as Edible Films/Coating Base on Casein. *Advance Journal of Food Science and Technology*, *18*(1), Article 1. <https://doi.org/10.19026/ajfst.18.6041>

- Asiyanbi, T. T., Bio-Sawe, W., Idris, M. A., & Hamed, A. M. (2017). Gelatin-polysaccharide based materials: A review of processing and properties. *International Food Research Journal*, 24(SUPPLEMENTARY ISSUE, 2017), Article SUPPLEMENTARY ISSUE, 2017.
- Asmawati, A., Fahrizal, F., Arpi, N., Amanatillah, D., & Husna, F. (2023). The characteristics of gelatin from fish waste: A review. *Aceh Journal of Animal Science*, 8(3), Article 3. <https://doi.org/10.13170/ajas.8.3.33083>
- Asriyanti, E. W., Munisah, M., Dewanto, E. R., & Mujiburohman, M. (2022). Effect of Temperature, Concentration, and Type of Plasticizer on Edible Pectin Film Characteristics of Mango Peel (*Mangifera indica* L.). *CHEMICA: Jurnal Teknik Kimia*, 9(1), Article 1. <https://doi.org/10.26555/chemica.v9i1.20540>
- Aviana, T., Siregar, N. C., & Wardayanie, N. I. A. (2021). Pendugaan Masa Simpan Bumbu Rawon dengan Metode Accelerated Shelf Life Testing (ASLT). *Indonesian Journal of Industrial Research*, 38(2), 126–131. <https://doi.org/10.32765/wartaihp.v38i2.7523>
- Ayyadurai, V. A. S., & Deonikar, P. (2021). Bioactive compounds in green tea may improve transplant tolerance: A computational systems biology analysis. *Clinical Nutrition ESPEN*, 46, 439–452. <https://doi.org/10.1016/j.clnesp.2021.09.012>
- Bangar, S. P., Singh, A., Trif, M., Kumar, M., Kumar, P., Kaur, R., & Kaur, N. (2021). Process Parameter Optimization and Characterization for an Edible Film: Flaxseed Concern. *Coatings*, 11(9), Article 9. <https://doi.org/10.3390/coatings11091106>
- Basiak, E., Lenart, A., & Debeaufort, F. (2018). How Glycerol and Water Contents Affect the Structural and Functional Properties of Starch-Based Edible Films. *Polymers*, 10(4), 412. <https://doi.org/10.3390/polym10040412>
- Bertuzzi, M. A., Castro Vidaurre, E. F., Armada, M., & Gottifredi, J. C. (2007). Water vapor permeability of edible starch based films. *Journal of Food Engineering*, 80(3), 972–978. <https://doi.org/10.1016/j.jfoodeng.2006.07.016>
- BPS, B. (2024). *Statistik Teh Indonesia* (Vol. 17). <https://www.bps.go.id/en/publication/2024/11/29/04f3ce433a368afa83384b7a/indonesian-tea-statistics-2023.html>
- Carini, E., Curti, E., Littardi, P., Luzzini, M., & Vittadini, E. (2013). Water dynamics of ready to eat shelf stable pasta meals during storage. *Innovative Food Science & Emerging Technologies*, 17, 163–168. <https://doi.org/10.1016/j.ifset.2012.09.010>
- Cazón, P., Morales-Sanchez, E., Velazquez, G., & Vázquez, M. (2022). Measurement of the Water Vapor Permeability of Chitosan Films: A Laboratory Experiment on Food Packaging Materials. *Journal of Chemical Education*, 99(6), 2403–2408. <https://doi.org/10.1021/acs.jchemed.2c00449>
- Chaari, M., Elhadef, K., Akermi, S., Ben Akacha, B., Fourati, M., Chakchouk Mtibaa, A., Ennouri, M., Sarkar, T., Shariati, M. A., Rebezov, M., Abdelkafi, S., Mellouli, L., & Smaoui, S. (2022). Novel Active Food Packaging Films

- Based on Gelatin-Sodium Alginate Containing Beetroot Peel Extract. *Antioxidants*, 11(11), Article 11. <https://doi.org/10.3390/antiox11112095>
- Chen, H., Lan, X., Guan, X., Luo, R., Zhang, Q., Ren, H., Xu, Z., & Tang, J. (2024). Comparative study on the effects of chitosan, carrageenan, and sodium alginate on the film-forming properties of fish skin gelatin. *LWT*, 199, 116111. <https://doi.org/10.1016/j.lwt.2024.116111>
- Chen, Y., Zhang, Z., Chen, Y., Li, T., & Zhang, W. (2024). The role of fat content in coconut milk: Stability and digestive properties. *Food Chemistry*, 446, 138900. <https://doi.org/10.1016/j.foodchem.2024.138900>
- Chinma, C. E., Ariahu, C. C., & Alakali, J. S. (2015). Effect of temperature and relative humidity on the water vapour permeability and mechanical properties of cassava starch and soy protein concentrate based edible films. *Journal of Food Science and Technology*, 52(4), 2380–2386. <https://doi.org/10.1007/s13197-013-1227-0>
- Coppola, D., Lauritano, C., Palma Esposito, F., Riccio, G., Rizzo, C., & de Pascale, D. (2021). Fish Waste: From Problem to Valuable Resource. *Marine Drugs*, 19(2), 116. <https://doi.org/10.3390/md19020116>
- Costa, M. J., Marques, A. M., Pastrana, L. M., Teixeira, J. A., Sillankorva, S. M., & Cerqueira, M. A. (2018). Physicochemical properties of alginate-based films: Effect of ionic crosslinking and mannuronic and guluronic acid ratio. *Food Hydrocolloids*, 81, 442–448. <https://doi.org/10.1016/j.foodhyd.2018.03.014>
- Derkach, S. R., Voron'ko, N. G., Kuchina, Y. A., & Kolotova, D. S. (2020). Modified Fish Gelatin as an Alternative to Mammalian Gelatin in Modern Food Technologies. *Polymers*, 12(12), Article 12. <https://doi.org/10.3390/polym12123051>
- Díaz-Montes, E., & Castro-Muñoz, R. (2021). Edible Films and Coatings as Food-Quality Preservers: An Overview. *Foods*, 10(2), Article 2. <https://doi.org/10.3390/foods10020249>
- Dien, H. A., Montolalu, R. I., Mentang, F., Mandang, A. S. K., Rahmi, A. D., & Berhimpon, S. (2018). Microbiological Studies of Semi-Preserved Natural Condiments Paste Stored in Refrigerator and Ambient Temperature. *Journal of Physics: Conference Series*, 953(1), 012014. <https://doi.org/10.1088/1742-6596/953/1/012014>
- Dou, L., Li, B., Zhang, K., Chu, X., & Hou, H. (2018). Physical properties and antioxidant activity of gelatin-sodium alginate edible films with tea polyphenols. *International Journal of Biological Macromolecules*, 118, 1377–1383. <https://doi.org/10.1016/j.ijbiomac.2018.06.121>
- Elyasi, H., Rahimi, H., & Sepahvend, A. (2020). Gelatin: Advantages and disadvantages of gelatin from plant and animal sources. *Plant Biotechnology Persa*, 2(1), 35–41. <https://doi.org/10.29252/pbp.2.1.35>
- Eslami, Z., Elkoun, S., Robert, M., & Adjallé, K. (2023). A Review of the Effect of Plasticizers on the Physical and Mechanical Properties of Alginate-Based Films. *Molecules*, 28(18), 6637. <https://doi.org/10.3390/molecules28186637>

- Estrella-Osuna, D. E., Ruiz-Cruz, S., Rodríguez-Félix, F., Figueroa-Enríquez, C. E., González-Ríos, H., Fernández-Quiroz, D., Márquez-Ríos, E., Tapia-Hernández, J. A., Pérez-Álvarez, J. Á., & Suárez-Jiménez, G. M. (2024). Rheological Properties and Antioxidant Activity of Gelatin-Based Edible Coating Incorporating Tomato (*Solanum lycopersicum* L.) Extract. *Gels*, *10*(10), Article 10. <https://doi.org/10.3390/gels10100624>
- Fakhouri, F. M., Maria Martelli, S., Canhadas Bertan, L., Yamashita, F., Innocentini Mei, L. H., & Collares Queiroz, F. P. (2012). Edible films made from blends of manioc starch and gelatin – Influence of different types of plasticizer and different levels of macromolecules on their properties. *LWT*, *49*(1), 149–154. <https://doi.org/10.1016/j.lwt.2012.04.017>
- Fakhouri, F. M., Martelli, S. M., Caon, T., Velasco, J. I., & Mei, L. H. I. (2015). Edible films and coatings based on starch/gelatin: Film properties and effect of coatings on quality of refrigerated Red Crimson grapes. *Postharvest Biology and Technology*, *109*, 57–64. <https://doi.org/10.1016/j.postharvbio.2015.05.015>
- Ferdian, M. A., & Farida, S. (2021). Karakteristik Edible film dari Tepung Porang Termodifikasi sebagai Kemasan Bumbu Mi Instan. *Prosiding SENTIKUIN (Seminar Nasional Teknologi Industri, Lingkungan Dan Infrastruktur)*, *4*, A2.1-A2.8.
- Gallego, C., Rodil, E., Rodríguez, H., & Soto, A. (2025). Extraction and characterisation of gelatine from yellowfin tuna skin pretreated with a eutectic solvent. *Food Hydrocolloids*, *159*, 110652. <https://doi.org/10.1016/j.foodhyd.2024.110652>
- Gómez-Guillén, M. C., Giménez, B., López-Caballero, M. E., & Montero, M. P. (2011). Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids*, *25*(8), 1813–1827. <https://doi.org/10.1016/j.foodhyd.2011.02.007>
- Guo, X., Lu, Y., Cui, H., Jia, X., Bai, H., & Ma, Y. (2012). Factors Affecting the Physical Properties of Edible Composite Film Prepared from Zein and Wheat Gluten. *Molecules*, *17*(4), Article 4. <https://doi.org/10.3390/molecules17043794>
- Hamann, D., Puton, B. M. S., Comin, T., Colet, R., Valduga, E., Zeni, J., Steffens, J., Junges, A., Backes, G. T., & Cansian, R. L. (2022). Active edible films based on green tea extract and gelatin for coating of fresh sausage. *Meat Science*, *194*, 108966. <https://doi.org/10.1016/j.meatsci.2022.108966>
- Hamann, D., Wlodarkiewicz, M. E., Puton, B. M. S., Fischer, B., Colet, R., Paroul, N., Valduga, E., Zeni, J., Mignoni, M. L., Junges, A., Backes, G. T., & Cansian, R. L. (2024). Evaluation biodegradable films with green tea extract for interleaving sliced meat products. *Food Chemistry*, *458*, 140159. <https://doi.org/10.1016/j.foodchem.2024.140159>
- Harris, H., & Fadli, M. (2014). PENENTUAN UMUR SIMPAN (SHELF LIFE) PUNDANG SELUANG (*Rasbora* sp) YANG DIKEMAS MENGGUNAKAN KEMASAN VAKUM DAN TANPA VAKUM (Determination of Pundang Seluang (*Rasbora* sp) Shelf Life which Packed using Vacuum and Non Vacuum Packaging). *Saintek Perikanan* :

- Indonesian Journal of Fisheries Science and Technology*, 9(2), 53–62.
<https://doi.org/10.14710/ijfst.9.2.53-62>
- Hashim, A. F., Al-Amrousi, E. F., & Abd-Elsalam, K. A. (2022). Chapter 24—Nanolipid-based edible films to improve food shelf life. In K. A. Abd-Elsalam & K. Murugan (Eds.), *Bio-Based Nanoemulsions for Agri-Food Applications* (pp. 399–412). Elsevier. <https://doi.org/10.1016/B978-0-323-89846-1.00009-7>
- Hendra, A. A., Utomo, A. R., & Setijawati, E. (2015). KAJIAN KARAKTERISTIK EDIBLE FILM DARI TAPIOKA DAN GELATIN DENGAN PERLAKUAN PENAMBAHAN GLISEROL. *Jurnal Teknologi Pangan dan Gizi (Journal of Food Technology and Nutrition)*, 14(2), Article 2. <https://doi.org/10.33508/jtpg.v14i2.1547>
- Hidayat, A. N., Basyuri, A., Muslim, F. P., Restiani, V. P., Zahari, D. P., Faradila, N., Priyanti, Khairiah, A., & M, D. (2022). Etnobotani Bahan Pembuatan Gulai Oleh Masyarakat Air Tawar, Kota Padang. *Prosiding Seminar Nasional Biologi*, 2(1), Article 1. <https://doi.org/10.24036/prosemnasbio/vol2/372>
- Höfer, R. (2012). 10.21—Processing and Performance Additives for Plastics. In K. Matyjaszewski & M. Möller (Eds.), *Polymer Science: A Comprehensive Reference* (pp. 369–381). Elsevier. <https://doi.org/10.1016/B978-0-444-53349-4.00272-7>
- Homthawornchoo, W., Han, J., Kaewprachu, P., Romruen, O., & Rawdkuen, S. (2022). Green Tea Extract Enrichment: Mechanical and Physicochemical Properties Improvement of Rice Starch-Pectin Composite Film. *Polymers*, 14(13), 2696. <https://doi.org/10.3390/polym14132696>
- Hosseini, S. F., Rezaei, M., Zandi, M., & Ghavi, F. F. (2013). Preparation and functional properties of fish gelatin–chitosan blend edible films. *Food Chemistry*, 136(3), 1490–1495. <https://doi.org/10.1016/j.foodchem.2012.09.081>
- Jafari, R., Zandi, M., & Ganjloo, A. (2023). Characterization of Alginate-Gelatin Edible Film Containing Anise (*Pimpinella anisum* L.) Essential Oil. *Journal of Polymers and the Environment*, 31(4), 1568–1583. <https://doi.org/10.1007/s10924-022-02707-8>
- Joy, J. M., Padmaprakashan, A., Pradeep, A., Paul, P. T., Mannuthy, R. J., & Mathew, S. (2024). A Review on Fish Skin-Derived Gelatin: Elucidating the Gelatin Peptides—Preparation, Bioactivity, Mechanistic Insights, and Strategies for Stability Improvement. *Foods*, 13(17), Article 17. <https://doi.org/10.3390/foods13172793>
- Juwita, A., Sayekti, W. D., & Indriani, Y. (2015). Sikap dan Pola Pembelian Bumbu Instan Kemasan oleh Konsumen Rumah Tangga di Bandar Lampung. *Jurnal Ilmu-Ilmu Agribisnis*, 3(3), 13360. <https://doi.org/10.23960/jiia.v3i3.%p>
- Kchaou, H., Benbettaïeb, N., Jridi, M., Abdelhedi, O., Karbowski, T., Brachais, C.-H., Léonard, M.-L., Debeaufort, F., & Nasri, M. (2018). Enhancement of structural, functional and antioxidant properties of fish gelatin films using Maillard reactions. *Food Hydrocolloids*, 83, 326–339. <https://doi.org/10.1016/j.foodhyd.2018.05.011>

- Khairunnisa, S., Junianto, J., Zahidah, Z., & Rostini, I. (2018). *The effect of glycerol concentration as a plasticizer on edible films made from alginate towards its physical characteristic*. <https://www.semanticscholar.org/paper/The-effect-of-glycerol-concentration-as-a-on-edible-Khairunnisa-Junianto/ef785b7a062cd41593d586abf175aabc76d32de0>
- Khin, M. N., Ahammed, S., Kamal, Md. M., Saqib, M. N., Liu, F., & Zhong, F. (2024). Investigating next-generation edible packaging: Protein-based films and coatings for delivering active compounds. *Food Hydrocolloids for Health*, *6*, 100182. <https://doi.org/10.1016/j.fhfh.2024.100182>
- Laksanawati, T. A., Khirzin, M. H., Meidayanti, K., Kusherawati, P. A., Kusuma, H. S., Darmokoesoemo, H., & Iqbal, M. (2024). Prediction of shelf life and sensory qualities of beef meatball with biodegradable taro starch-duck bone gelatin packaging at different storage temperatures. *Applied Food Research*, *4*(1), 100402. <https://doi.org/10.1016/j.afres.2024.100402>
- Li, H., Liu, C., Sun, J., & Lv, S. (2022). Bioactive Edible Sodium Alginate Films Incorporated with Tannic Acid as Antimicrobial and Antioxidative Food Packaging. *Foods*, *11*(19), 3044. <https://doi.org/10.3390/foods11193044>
- Lin, D., Zheng, Y., Wang, X., Huang, Y., Ni, L., Chen, X., Wu, Z., Huang, C., Yi, Q., Li, J., Qin, W., Zhang, Q., Chen, H., & Wu, D. (2020). Study on physicochemical properties, antioxidant and antimicrobial activity of okara soluble dietary fiber/sodium carboxymethyl cellulose/thyme essential oil active edible composite films incorporated with pectin. *International Journal of Biological Macromolecules*, *165*, 1241–1249. <https://doi.org/10.1016/j.ijbiomac.2020.10.005>
- Lindriati, T., S, Y. P., Tamtarini, & Sholehudin, M. (2014). *UMUR SIMPAN EDIBLE FILM YANG DIBUAT DENGAN CARA SOLVENT CASTING DAN COMPRESSION MOLDING*. <https://repository.unej.ac.id/xmlui/handle/123456789/69338>
- Liu, Z., Lin, D., Shen, R., Zhang, R., Liu, L., & Yang, X. (2021). Konjac glucomannan-based edible films loaded with thyme essential oil: Physical properties and antioxidant-antibacterial activities. *Food Packaging and Shelf Life*, *29*, 100700. <https://doi.org/10.1016/j.fpsl.2021.100700>
- López, D., Márquez, A., Gutiérrez-Cutiño, M., Venegas-Yazigi, D., Bustos, R., & Matiacevich, S. (2017). Edible film with antioxidant capacity based on salmon gelatin and boldine. *LWT*, *77*, 160–169. <https://doi.org/10.1016/j.lwt.2016.11.039>
- Łupina, K., Kowalczyk, D., Zięba, E., Kazimierczak, W., Mężyńska, M., Basiura-Cembala, M., & Wiącek, A. E. (2019). Edible films made from blends of gelatin and polysaccharide-based emulsifiers—A comparative study. *Food Hydrocolloids*, *96*, 555–567. <https://doi.org/10.1016/j.foodhyd.2019.05.053>
- Lv, Y., Yue, H., Tan, C., & Liao, H. (2025). Characterization of a novel biodegradable active film with rose polyphenol extract and its application in edible oil packaging. *Food Bioscience*, *63*, 105784. <https://doi.org/10.1016/j.fbio.2024.105784>
- Mahamud, N., Santiworakun, N. Y., Chaovasuteeranon, S., & Boonmalert, F. (2023). Halal Alternative Sources of Gelatin: A Review. *Journal of Halal*

- Science, Industry, and Business*, 1(2), Article 2.
<https://doi.org/10.31098/jhasib.v1i2.1987>
- Mahmood, K., Muhammad, L., Ariffin, F., Razak, H. K. B. A., & Sulaiman, S. (2016). Review of Fish Gelatin Extraction, Properties and Packaging Applications. *Food Science and Quality Management*.
<https://www.semanticscholar.org/paper/Review-of-Fish-Gelatin-Extraction%2C-Properties-and-Mahmood-Muhammad/02fb58eec51d9e94ba08b5e547390731cdf1e339>
- Martadjaja, I. G. M. I. D. (2022). Gulai Kambing Menggunakan Fibercreme Sebagai Pengganti Santan. *Jurnal Gastronomi Indonesia*, 10(2), 68–77.
<https://doi.org/10.52352/jgi.v10i2.912>
- Meng, L., Sun, X., Zhang, Y., & Tang, X. (2024). Effects of high temperature and high relative humidity drying on moisture distribution, starch microstructure and cooking characteristics of extruded whole buckwheat noodles. *Journal of Future Foods*, 4(2), 159–166.
<https://doi.org/10.1016/j.jfutfo.2023.06.007>
- Mihalca, V., Kerezsi, A. D., Weber, A., Gruber-Traub, C., Schmucker, J., Vodnar, D. C., Dulf, F. V., Socaci, S. A., Fărcaș, A., Mureșan, C. I., Suharoschi, R., & Pop, O. L. (2021). Protein-Based Films and Coatings for Food Industry Applications. *Polymers*, 13(5), 769.
<https://doi.org/10.3390/polym13050769>
- Mohamed, S. A. A., El-Sakhawy, M., & El-Sakhawy, M. A.-M. (2020). Polysaccharides, Protein and Lipid -Based Natural Edible Films in Food Packaging: A Review. *Carbohydrate Polymers*, 238, 116178.
<https://doi.org/10.1016/j.carbpol.2020.116178>
- Muliasari, H., Sopiah, B., Yuanita, E., & Ningsih, B. (2023). Free-Radical Scavenging Activity and Total Phenolic Compounds of Red and Green Poinsettia Leaves (*Euphorbia pulcherrima* Willd.) from Lombok Island. *Makara Journal of Science*, 27(4). <https://doi.org/10.7454/mss.v27i4.1349>
- Murrieta-Martínez, C. L., Soto-Valdez, H., Pacheco-Aguilar, R., Torres-Arreola, W., Rodríguez-Felix, F., & Márquez Ríos, E. (2018). Edible protein films: Sources and behavior. *Packaging Technology and Science*, 31(3), 113–122.
<https://doi.org/10.1002/pts.2360>
- Namal Senanayake, S. P. J. (2013). Green tea extract: Chemistry, antioxidant properties and food applications – A review. *Journal of Functional Foods*, 5(4), 1529–1541. <https://doi.org/10.1016/j.jff.2013.08.011>
- Ngampeerapong, C., Chavasit, V., & Durst, R. (2018). *Bioactive and nutritional compounds in virgin coconut oils*.
<https://www.semanticscholar.org/paper/Bioactive-and-nutritional-compounds-in-virgin-oils-Ngampeerapong-Chavasit/520ae567edf8370081bd872bc23286d2088169bb>
- Nilamsari, A. R. (2013). *Pendugaan Umur Simpan Bumbu Balado Siap Pakai Dengan Metode Accelerated Shelf-Life Testing (ASLT) Pendekatan Arrhenius* [Sarjana, Universitas Brawijaya].
<https://repository.ub.ac.id/id/eprint/149406/>

- Ningrum, A., Widyastuti Perdani, A., Supriyadi, Siti Halimatul Munawaroh, H., Aisyah, S., & Susanto, E. (2021). Characterization of Tuna Skin Gelatin Edible Films with Various Plasticizers-Essential Oils and Their Effect on Beef Appearance. *Journal of Food Processing and Preservation*, 45(9), e15701. <https://doi.org/10.1111/jfpp.15701>
- Niu, L., Zhou, X., Yuan, C., Bai, Y., Lai, K., Yang, F., & Huang, Y. (2013). Characterization of tilapia (*Oreochromis niloticus*) skin gelatin extracted with alkaline and different acid pretreatments. *Food Hydrocolloids*, 33(2), 336–341. <https://doi.org/10.1016/j.foodhyd.2013.04.014>
- Nugroho, A. A., Basito, B., & Anandito, R. B. K. (2013). KAJIAN PEMBUATAN EDIBLE FILM TAPIOKA DENGAN PENGARUH PENAMBAHAN PEKTIN BEBERAPA JENIS KULIT PISANG TERHADAP KARAKTERISTIK FISIK DAN MEKANIK. *Jurnal Teknosains Pangan*, 2(1), Article 1. <https://jurnal.uns.ac.id/teknosains-pangan/article/view/4276>
- Nunes, J. C., Melo, P. T. S., Lorevice, M. V., Aouada, F. A., & de Moura, M. R. (2021). Effect of green tea extract on gelatin-based films incorporated with lemon essential oil. *Journal of Food Science and Technology*, 58(1), 1–8. <https://doi.org/10.1007/s13197-020-04469-4>
- Nurhaliza, Hermanto, & Mariani. (2022). PENGARUH PASTEURISASI DAN PENAMBAHAN EKSTRAK KERAGENAN RUMPUT LAUT (*Eucheuma spinosum*) TERHADAP KARATERISTIK ORGANOLEPTIK FISIKOKIMIA SANTAN. *Jurnal Berkala Ilmu-Ilmu Pertanian (Journal of Agricultural Sciences)*, 2(2), Article 2. <https://doi.org/10.56189/jagris.v2i2.27578>
- Nurilmala, M., Hizbullah, H. H., Karnia, E., Kusumaningtyas, E., & Ochiai, Y. (2020). Characterization and Antioxidant Activity of Collagen, Gelatin, and the Derived Peptides from Yellowfin Tuna (*Thunnus albacares*) Skin. *Marine Drugs*, 18(2), 98. <https://doi.org/10.3390/md18020098>
- OECD, O. (2022). Global Plastics Outlook: Economic Drivers, Environmental Impacts and Policy Options. *OECD Publishing*. <https://doi.org/10.1787/de747aef-en>
- Othman, S. H., Edwal, S. A. M., Risyon, N. P., Basha, R. K., & A. Talib, R. (2017). Water sorption and water permeability properties of edible film made from potato peel waste. *Food Science and Technology*, 37, 63–70. <https://doi.org/10.1590/1678-457X.30216>
- Parreidt, T. S., Müller, K., & Schmid, M. (2018). Alginate-Based Edible Films and Coatings for Food Packaging Applications. *Foods*, 7(10), 170. <https://doi.org/10.3390/foods7100170>
- Permadi, A., Hidayah, N., Simamora, W. I., Imanuel, C., Endah, G. W., Nurbani, S. Z., Sayuti, M., Dharmayanti, N., & Afifah, R. A. (2024). Characterization of Sodium Alginate-Based Edible Film with Addition of Gelatin and Casein. *BIO Web of Conferences*, 87, 01007. <https://doi.org/10.1051/bioconf/20248701007>
- Picauly, P., Breemer, R., Rupilu, R., Polnaya, F. J., & Ega, L. (2024). Characteristics of composite edible films from sago starch and gelatin. *Food Research*, 8(6), 244–249. [https://doi.org/10.26656/fr.2017.8\(6\).225](https://doi.org/10.26656/fr.2017.8(6).225)

- Pilapitiya, P. G. C. N. T., & Ratnayake, A. S. (2024). The world of plastic waste: A review. *Cleaner Materials*, *11*, 100220. <https://doi.org/10.1016/j.clema.2024.100220>
- Prasanth, M. I., Sivamaruthi, B. S., Chaiyasut, C., & Tencomnao, T. (2019). A Review of the Role of Green Tea (*Camellia sinensis*) in Antiphotaging, Stress Resistance, Neuroprotection, and Autophagy. *Nutrients*, *11*(2), 474. <https://doi.org/10.3390/nu11020474>
- Rahantan, M., Lalopua, V. M. N., & Savitri, I. krisanta E. (2024). KARAKTERISTIK MUTU KOLAGEN DARI LIMBAH PRODUKSI TUNA LOIN QUALITY CHARACTERISTIC OF COLLAGEN EXTRACTED FROM TUNA LOIN PRODUCTION WASTE. *BIOPENDIX: Jurnal Biologi, Pendidikan Dan Terapan*, *10*(2), Article 2. <https://doi.org/10.30598/biopendixvol10issue2page234-243>
- Ramos, M., Valdés, A., Beltrán, A., & Garrigós, M. C. (2016). Gelatin-Based Films and Coatings for Food Packaging Applications. *Coatings*, *6*(4), Article 4. <https://doi.org/10.3390/coatings6040041>
- Reygaert, W. C. (2014). The antimicrobial possibilities of green tea. *Frontiers in Microbiology*, *5*, 434. <https://doi.org/10.3389/fmicb.2014.00434>
- Rosmawati, R., Sari, S. F., Asnani, A., Embe, W., Asjun, A., Wibowo, D., Irwan, I., Huda, N., Nurdin, M., & Umar, A. A. (2025). Influence of Sorbitol and Glycerol on Physical and Tensile Properties of Biodegradable–Edible Film From Snakehead Gelatin and κ -Carrageenan. *International Journal of Food Science*, *2025*(1), 7568352. <https://doi.org/10.1155/ijfo/7568352>
- Rukunudin, I. H., White, P. J., Bern, C. J., & Bailey, T. B. (1998). A modified method for determining free fatty acids from small soybean oil sample sizes. *Journal of the American Oil Chemists' Society*, *75*(5), 563–568. <https://doi.org/10.1007/s11746-998-0066-z>
- Said, M. I. (2020). Role and function of gelatin in the development of the food and non-food industry: A review. *IOP Conference Series: Earth and Environmental Science*, *492*(1), 012086. <https://doi.org/10.1088/1755-1315/492/1/012086>
- Saleha, R. A., Novitasari, F., Andrianita, N. P., Manab, A., Sawitri, M. E., Andriani, R. D., & Rahayu, P. P. (2023). Physical Quality of Fast Sealing Dissolving Edible Films as Food Packaging Based Glucomannan and Gelatin. *Asian Food Science Journal*, *22*(3), 44–60. <https://doi.org/10.9734/afsj/2023/v22i3625>
- Salimon, J., Abdullah, B. M., & Salih, N. (2011). Hydrolysis optimization and characterization study of preparing fatty acids from *Jatropha curcas* seed oil. *Chemistry Central Journal*, *5*, 67. <https://doi.org/10.1186/1752-153X-5-67>
- Saputri, D. E., Ahmad, U., & Pujantoro, L. (2023). Shelf-life Estimation of the Red Ginger Powder in Paper Kraft Packaging using ASLT Method Arrhenius Model. *Jurnal Keteknik Pertanian*, *11*(3), Article 3. <https://doi.org/10.19028/jtep.011.3.318-331>
- Sasidharan, A., Rustad, T., & Cusimano, G. M. (2024). Tuna sidestream valorization: A circular blue bioeconomy approach. *Environmental Science*

- and Pollution Research*, 31(53), 62230–62248.
<https://doi.org/10.1007/s11356-023-28610-w>
- Saurabh, C. K., Gupta, S., Bahadur, J., Mazumder, S., Variyar, P. S., & Sharma, A. (2013). Radiation dose dependent change in physiochemical, mechanical and barrier properties of guar gum based films. *Carbohydrate Polymers*, 98(2), 1610–1617. <https://doi.org/10.1016/j.carbpol.2013.07.041>
- See, S. F., Ghassem, M., Mamot, S., & Babji, A. S. (2015). Effect of different pretreatments on functional properties of African catfish (*Clarias gariepinus*) skin gelatin. *Journal of Food Science and Technology*, 52(2), 753–762. <https://doi.org/10.1007/s13197-013-1043-6>
- Sekarina, A. S., Supriyadi, Munawaroh, H. S. H., Susanto, E., Show, P. L., & Ningrum, A. (2023). Effects of edible coatings of chitosan—Fish skin gelatine containing black tea extract on quality of minimally processed papaya during refrigerated storage. *Carbohydrate Polymer Technologies and Applications*, 5, 100287. <https://doi.org/10.1016/j.carpta.2023.100287>
- Semenova, M. G., Moiseenko, D. V., Grigorovich, N. V., Anokhina, M. S., Antipova, A. S., Belyakova, L. E., Polikarpov, Yu. N., & Tsapkina, E. N. (2014). Chapter 6—Protein–Polysaccharide Interactions and Digestion of the Complex Particles. In M. Boland, M. Golding, & H. Singh (Eds.), *Food Structures, Digestion and Health* (pp. 169–192). Academic Press. <https://doi.org/10.1016/B978-0-12-404610-8.00006-2>
- Shaikh, S., Yaqoob, M., & Aggarwal, P. (2021). An overview of biodegradable packaging in food industry. *Current Research in Food Science*, 4, 503–520. <https://doi.org/10.1016/j.crfs.2021.07.005>
- Shan, P., Wang, K., Yu, F., Yi, L., Sun, L., & Li, H. (2023). Gelatin/sodium alginate multilayer composite film crosslinked with green tea extract for active food packaging application. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 662, 131013. <https://doi.org/10.1016/j.colsurfa.2023.131013>
- Shanbhag, C., Shenoy, R., Shetty, P., Srinivasulu, M., & Nayak, R. (2023). Formulation and characterization of starch-based novel biodegradable edible films for food packaging. *Journal of Food Science and Technology*, 60(11), 2858–2867. <https://doi.org/10.1007/s13197-023-05803-2>
- Silalahi, J. (2020). Nutritional Values and Health Protective Properties Of Coconut Oil. *Indonesian Journal of Pharmaceutical and Clinical Research*, 3(2), Article 2. <https://doi.org/10.32734/idjpcr.v3i2.4065>
- Silva-Weiss, A., Ihl, M., Sobral, P. J. A., Gómez-Guillén, M. C., & Bifani, V. (2013). Natural Additives in Bioactive Edible Films and Coatings: Functionality and Applications in Foods. *Food Engineering Reviews*, 5(4), 200–216. <https://doi.org/10.1007/s12393-013-9072-5>
- Simbolon, N. P. E., Setiani, B. E., & Legowo, A. M. (2019). Estimation of Shelf Life Pasta Spice for Dekke Mas Na Niura with the Accelerated Shelf Life Test (ASLT) Method Arrhenius Equation. *Journal of Applied Food Technology*, 6(2). <https://doi.org/10.17728/jaft.5170>

- Sinija, V. R., & Mishra, H. N. (2008). Green tea: Health benefits. *Journal of Nutritional & Environmental Medicine*.
<https://doi.org/10.1080/13590840802518785>
- Siriphanich, J., Saradhulhat, P., Romphopak, T., Krisanapook, K., Pathaveerat, S., & Tongchitpakdee, S. (2011). Coconut (*Cocos nucifera* L.). In E. M. Yahia (Ed.), *Postharvest Biology and Technology of Tropical and Subtropical Fruits* (pp. 8–35e). Woodhead Publishing.
<https://doi.org/10.1533/9780857092885.8>
- Smarrito-Menozzi, C., Matthey-Doret, W., Devaud-Goumoens, S., & Viton, F. (2013). Glycerol, an underestimated flavor precursor in the Maillard reaction. *Journal of Agricultural and Food Chemistry*, *61*(43), 10225–10230. <https://doi.org/10.1021/jf3050044>
- Soenarno, M. S., Arifin, M., Prabowo, S., Salundik, Murtini, D., Alifiya, Q., & Wihansah, R. R. S. (2024). Evaluation of Acid Value, Free Fatty Acids, and Malondialdehyde (MDA) Content in Chevron Fat: A Pre- and Post-Roasting Comparison. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, *12*(2), Article 2. <https://doi.org/10.29244/jipthp.12.2.101-104>
- Sondari, D., Falah, F., Suryaningrum, R., Sari, F. P., Septefani, A. A., Restu, W. K., & Sampora, Y. (2019). Biofilm Based on Modified Sago Starch: Preparation and Characterization. *Reaktor*, *19*(3), 125–130. <https://doi.org/10.14710/reaktor.19.3.125-130>
- Song, S., Zheng, F., Tian, X., Feng, T., Yao, L., Sun, M., & Shi, L. (2022). Evolution Analysis of Free Fatty Acids and Aroma-Active Compounds during Tallow Oxidation. *Molecules*, *27*(2), Article 2. <https://doi.org/10.3390/molecules27020352>
- Suderman, N., Isa, M. I. N., & Sarbon, N. M. (2018). The effect of plasticizers on the functional properties of biodegradable gelatin-based film: A review. *Food Bioscience*, *24*, 111–119. <https://doi.org/10.1016/j.fbio.2018.06.006>
- Suhag, R., Kumar, N., Petkoska, A. T., & Upadhyay, A. (2020). Film formation and deposition methods of edible coating on food products: A review. *Food Research International*, *136*, 109582. <https://doi.org/10.1016/j.foodres.2020.109582>
- Sultana, S., Hossain, M. A. M., Zaidul, I. S. M., & Ali, M. E. (2018). Multiplex PCR to discriminate bovine, porcine, and fish DNA in gelatin and confectionery products. *LWT*, *92*, 169–176. <https://doi.org/10.1016/j.lwt.2018.02.019>
- Surhaini, S., Jatmiko, W. T., & Rinaldi, R. (2022). The Effect of Gelatin on the Characteristics of Dioscorea AlataTMs Starch Based Edible Film. *Jurnal Bio-Geo Material Dan Energi*, *2*(2), Article 2. <https://doi.org/10.22437/bigme.v2i2.31541>
- Syarifuddin, A., Hasmiyani, Dirpan, A., & Mahendradatta, M. (2017). Physical, mechanical, and barrier properties of sodium alginate/gelatin emulsion based-films incorporated with canola oil. *IOP Conference Series: Earth and Environmental Science*, *101*, 012019. <https://doi.org/10.1088/1755-1315/101/1/012019>

- Tartillah, B. A. (2024). The Power of Antioxidant: Tea Catechin and Body Oxidative Stress. In *The Power of Antioxidants—Unleashing Nature's Defense Against Oxidative Stress*. IntechOpen. <https://doi.org/10.5772/intechopen.1004270>
- Theerawitayaart, W., Prodpran, T., & Benjakul, S. (2019). Enhancement of Hydrophobicity of Fish Skin Gelatin via Molecular Modification with Oxidized Linoleic Acid. *Journal of Chemistry*, 2019(1), 5462471. <https://doi.org/10.1155/2019/5462471>
- Tkaczewska, J., Morawska, M., Kulawik, P., & Zając, M. (2018). Characterization of carp (*Cyprinus carpio*) skin gelatin extracted using different pretreatments method. *Food Hydrocolloids*, 81, 169–179. <https://doi.org/10.1016/j.foodhyd.2018.02.048>
- Ulfah, M., Salsabila, A., & Rohmawati, I. (2018). Characteristics of water solubility and color on edible film from bioselulosa nata nira siwalan with the additional of glycerol. *Journal of Physics: Conference Series*, 983(1), 012191. <https://doi.org/10.1088/1742-6596/983/1/012191>
- Warkoyo, W., Haris, M. A., & Wahyudi, V. A. (2022). The Physical, Mechanical, Barrier Characteristics, and Application of Edible Film from Yellow Sweet Potato and Aloe Vera Gel. *agriTECH*, 42(4), Article 4. <https://doi.org/10.22146/agritech.68633>
- Wu, J., Chen, S., Ge, S., Miao, J., Li, J., & Zhang, Q. (2013). Preparation, properties and antioxidant activity of an active film from silver carp (*Hypophthalmichthys molitrix*) skin gelatin incorporated with green tea extract. *Food Hydrocolloids*, 32(1), 42–51. <https://doi.org/10.1016/j.foodhyd.2012.11.029>
- Yang, L., Yang, J., Qin, X., Kan, J., Zeng, F., & Zhong, J. (2020). Ternary composite films with simultaneously enhanced strength and ductility: Effects of sodium alginate-gelatin weight ratio and graphene oxide content. *International Journal of Biological Macromolecules*, 156, 494–503. <https://doi.org/10.1016/j.ijbiomac.2020.04.057>
- Yildirim-Yalcin, M., Tornuk, F., & Toker, O. S. (2022). Recent advances in the improvement of carboxymethyl cellulose-based edible films. *Trends in Food Science & Technology*, 129, 179–193. <https://doi.org/10.1016/j.tifs.2022.09.022>
- Younis, H. G. R., & Zhao, G. (2019). Physicochemical properties of the edible films from the blends of high methoxyl apple pectin and chitosan. *International Journal of Biological Macromolecules*, 131, 1057–1066. <https://doi.org/10.1016/j.ijbiomac.2019.03.096>
- Yunoki, S., Mogi, A., Mizuno, K., Nagakawa, Y., & Hiraoka, Y. (2024). Plasticizer-gelatin mixed solutions as skin protection materials with flexible-film-forming capability. *Heliyon*, 10(3). <https://doi.org/10.1016/j.heliyon.2024.e25441>