

## DAFTAR PUSTAKA

- Anderson, J. D. (1995). *Computational Fluid Dynamics: The Basics With Applications*. McGraw-Hill Science.
- Andersson, B., Andersson, R., Håkansson, L., Mortensen, M., Sudiyo, R., & Wachem, B. van. (2011). *Computational Fluid Dynamics for Engineers*. In *Computational fluid dynamics for engineers*. Cambridge University Press.  
<https://doi.org/https://doi.org/10.1017/CBO9781139093590>
- Bao, H., Ma, Z., & Roskilly, A. P. (2017). Chemisorption power generation driven by low grade heat – Theoretical analysis and comparison with pumpless ORC. *Applied Energy*, *186*, 282–290.  
<https://doi.org/10.1016/j.apenergy.2016.01.022>
- Bertani, R. (2012). Geothermal Power Generation In The World 2005-2010 Update Report. *Geothermics*, *41*, 1–29.  
<https://doi.org/https://doi.org/10.1016/j.geothermics.2011.10.001>
- Brown, G. O. (2002). The History of the Darcy-Weisbach Equation for Pipe Flow Resistance. *Environmental and Water Resources History*, 34–43.  
[https://doi.org/10.1061/40650\(2003\)4](https://doi.org/10.1061/40650(2003)4)
- Capata, R., & Toro, C. (2014). Small-Scale ORC Energy Recovery System for Wasted Heat: Thermodynamic Feasibility Analysis and Preliminary Expander Design. *Proceedings of 1st International E-Conference on Energies*, b001.  
<https://doi.org/10.3390/ece-1-b001>
- Cengel, Y. A., Boles, M. A., & Kanoglu, M. (2019). *Thermodynamics: An Engineering Approach* (9th ed., Vol. 9). McGraw-Hill Education.
- Crowe, C. T., Elger, D. F., & Roberson, J. A. (2001). *Engineering Fluid Mechanics*. John Wiley & Sons, Inc.
- Desai, N. B., & Bandyopadhyay, S. (2009). Process integration of organic Rankine cycle. *Energy*, *34*(10), 1674–1686.
- Doroshenko, Y., & Rybitskyi, I. (2020). Investigation of the influence of the gas pipeline tee geometry on hydraulic energy loss of gas pipeline systems.

- Eastern-European Journal of Enterprise Technologies*, 103(1), 28–34.  
<https://doi.org/10.15587/1729-4061.2020.192828>
- Emadi, M. A., Chitgar, N., Oyewunmi, O. A., & Markides, C. N. (2020). Working-fluid selection and thermoeconomic optimisation of a combined cycle cogeneration dual-loop organic Rankine cycle (ORC) system for solid oxide fuel cell (SOFC) waste-heat recovery. *Applied Energy*, 261, 114384. <https://doi.org/10.1016/j.apenergy.2019.114384>
- Fox, R. W., McDonald, A. T., & Pritchard, P. J. (2004). *Introduction to Fluid Mechanics*. John Wiley & Sons, Inc.
- Fox, R. W., McDonald, Alan, T., & Pritchard, P. J. (2011). *Introduction to Fluid Mechanics*. John Wiley & Sons, Inc.
- Hettiarachchi, H. M., Golubovic, M., Worek, W. M., & Ikegami, Y. (2007). Optimum design criteria for an organic Rankine cycle using low-temperature geothermal heat sources. *Energy*, 32(9), 1698–1706.
- Katopodes, N. D. (2019). Free-Surface Flow. In *Environmental Fluid Mechanics* (pp. 2–98). Butterworth-Heinemann.
- Khaled, C., Driss, N., & Nouredine, S. C. (2015). CFD Simulation of Turbulent Flow and Heat Transfer Over Rough Surfaces. *Energy Procedia*, 74, 909–918. <https://doi.org/10.1016/j.egypro.2015.07.826>
- Lee, Y. N., & Johnston, R. L. (2023). *Surface Process, Transportation, and Storage Volume 4 in Oil and Gas Chemistry Management Series*. Gulf Professional.
- Munson, R., Young, F., Okiishi, H., & Theodore. (2002). *Fundamentals of Fluid Mechanic*. John Wiley & Sons, Inc.
- Muraca, R. F., & Whittick, J. S. (1972). NASA Materials Data Handbook. In *Western Applied Research & Development, Inc* (2nd ed.).
- Nimadage, G. E., & Chopade, S. V. (2017). CFD analysis of flow through T-junction of pipe. *International Research Journal of Engineering and Technology*, 4(2), 906–911.
- Oyewola, O. M., Ismail, O. S., & Sanni, L. A. (2022). Numerical simulation of reynolds number effect of a free incompressible isothermal turbulent coaxial jet. *EUREKA: Physics and Engineering*, 1, 3–11.

<https://doi.org/10.21303/2461-4262.2022.001896>

- Pethurajan, V., Sivan, S., & Joy, G. C. (2018). Issues, comparisons, turbine selections and applications – An overview in organic Rankine cycle. *Energy Conversion and Management*, 166(October 2017), 474–488. <https://doi.org/10.1016/j.enconman.2018.04.058>
- Puspawan, A., Mirza, A., Pangestu, A., Suandi, A., & Sofwan, F. A. (2020). the Heat Transfer Flow Analysis of Standard Plate Stell of Jis G3106 Grade Sm20B on Pre-Heating Joint Web Plate I-Girder Process Case Study in Pt. Bukaka Teknik Utama, Bogor Regency, West Java Province. *Rekayasa Mekanik*, 4(1), 1–8.
- Ravindran, R. V., Huang, M. J., & Hewitt, N. (2023). Design and modelling of a small-scale reversible high-temperature heat pump—organic Rankine cycle system for industrial waste heat recovery. *International Journal of Low-Carbon Technologies*, 18, 482–493. <https://doi.org/10.1093/ijlct/ctad038>
- Raviprakash, T. N., Sreedharamurthy, T., & Thimmegowda, M. B. (2024). Analysis of Thermal Conductivity of Aluminium 6061 Reinforced with Varying Percentage of Graphene. *International Journal of Science and Research (IJSR)*, 13(12), 1338–1341.
- Rumaherang, W. M., & Latuny, J. (2021). Fluid Flow Study In Various Shapes and Sizes of Horizontal Axis Sea Current Turbine. *SINERGI*, 289–298.
- Saleh, M. M., & Widodo, E. (2018). Analisa Kinerja Aliran Fluida dalam Rangkaian Seri dan Paralel dengan Penambahan Tube Bundle pada Pompa Sentrifugal. *REM (Rekayasa Energi Manufaktur) Jurnal*, 71–77.
- Satanphol, K., Pridasawas, W., & Suphanit, B. (2017). A study on optimal composition of zeotropic working fluid in an Organic Rankine Cycle (ORC) for low grade heat recovery. *Energy*, 123, 326–339. <https://doi.org/10.1016/j.energy.2017.02.024>
- Shen, Z., Yang, X., Yang, S., Zhang, Z., & Yin, Y. (2014). Microstructure and mechanical properties of friction spot welded 6061-T4 aluminum alloy. *Materials and Design*, 54, 766–778. <https://doi.org/10.1016/j.matdes.2013.08.021>
- Smyk, E., Stopel, M., & Szyca, M. (2024). Simulation of Flow and Pressure Loss

- in the Example of the Elbow. *Water*, 16(13), 1875.  
<https://doi.org/10.3390/w16131875>
- Sukmana, I., & Sustiono, A. (2016). Pengaruh Kecepatan Putar Indentor Las Gesek Puntir (Friction Stir Welding) Terhadap Kualitas Hasil Pengelasan Aluminium 1100-H18. *Jurnal Mechanical*, 7(1).
- Tchanche, B. F., Lambrinos, G., Frangoudakis, A., & Papadakis, G. (2011). Low-grade heat conversion into power using organic Rankine cycles - A review of various applications. *Renewable and Sustainable Energy Reviews*, 15(8), 3963–3979. <https://doi.org/10.1016/j.rser.2011.07.024>
- Terebilov, S. V., Cukanova, N. S., Petrenko, A. V., & Sedysheva, M. N. (2018). Selection of the diameter of pipeline of thermal network for water heating system. *Actual Issues of Energy*, 136–139.
- Uruba, V. (2018). On Reynolds Number Physical Interpretation. *AIP Conference Proceedings*.
- Yousaf, B., Manzoor, T., Qaisrani, M. A., Khan, I., Sana Ullah Sahar, M., & Tahir, W. (2022). Investigation of influence of elbow on pump inlet flow behaviour in cavitating flow. *Engineering Failure Analysis*, 137(May), 106420. <https://doi.org/10.1016/j.engfailanal.2022.106420>
- Yu, D., Warrington, R., Barron, R., & Ameel, T. (1995). An experimental and theoretical investigation of fluid flow and heat transfer in microtubes. *ASME/JSME Thermal Engineering Conference*, 1(52), 523–530.
- Zainol, M. A. A., Hassan, M. A. S. M., Shahrman, A. B., Razlan, Z. M., Rahman, A. A., Hashim, M. S. M., Kamarrudin, N. S., Khairunizam, W. K. N., Harun, A., Ibrahim, I., Faizi, M. K., & Rani, M. F. H. (2021). Investigating the thermal characteristic of copper alloys valve seat towards engine performance enhancement of MODENAS CT115 through steady-state analysis. *Journal of Physics: Conference Series*, 2051(1). <https://doi.org/10.1088/1742-6596/2051/1/012018>