

DAFTAR PUSTAKA

- Aarnes, T., Lerche, P. (2021). *Pharmacology in veterinary anesthesia and analgesia*. Hoboken: Wiley-Blackwell.
- Albrecht, M., Henke, J., Tacke, S., Markert, M., and Guth, B. (2014). Effects of isoflurane, ketamine-xylazine, and a combination of medetomidine, midazolam, and fentanyl on physiological variables continuously measured by telemetry in Wistar rats. *BMC Veterinary Research*, 10, 198.
- Barrett, W., Buxhoeveden, M., Dhillon, S. (2020). Ketamine: A versatile tool for anesthesia and analgesia. In *Current Opinion in Anaesthesiology* (Vol. 33, Issue 5, pp. 633–638). Philadelphia: Lippincott Williams and Wilkins.
- Bhatia, A., Saikia, P. P., Dkhar, B., and Pyngrope, H. (2022). Anesthesia protocol for ear surgery in Wistar rats: Animal research. *Animal Models and Experimental Medicine*, 5(2), 183–188.
- Boothe, D. M. (2012). *Small Animal Clinical Pharmacology and Therapeutics*. St. Louis: Saunders.
- Buck, R. K., Tordiffe, A. S. W., Zeiler, G. E. (2022). Ketamine-medetomidine compared to tiletamine-zolazepam-medetomidine for immobilisation of semi-captive cheetahs (*Acinonyx jubatus*). *Journal of the South African Veterinary Association*, 93(1).
- Clarke, K. W., Hall, L. W., Trim, C. M. (2014). *Veterinary anaesthesia*. St. Louis: Saunders Limited.
- Flecknell, P. (2023). *Laboratory Animal Anaesthesia and Analgesia* (5th ed.). Philadelphia: Elsevier.
- Grubb, T., and Lobprise, H. (2020). Local and regional anaesthesia in dogs and cats: Descriptions of specific local and regional techniques (Part 2). *Veterinary Medicine and Science*, 6(2), 218–234.
- Heng, K., Marx, J. O., Jampachairsi, K., Huss, M. K., Pacharinsak, C. (2020). Continuous rate infusion of alfaxalone during ketamine- xylazine anesthesia in rats. *Journal of the American Association for Laboratory Animal Science*, 59(2).
- Henke, J., Astner, S., Brill, T., Eissner, B., Busch, R., & Erhardt, W. (2005). Comparative study of three intramuscular anaesthetic combinations (medetomidine/ketamine, medetomidine/fentanyl/midazolam and xylazine/ketamine) in rabbits. *Veterinary anaesthesia and analgesia*, 32(5), 261-270.
- Jang, H. S., Choi, H. S., Lee, S. H., Jang, K. H., Lee, M. G. (2009). Evaluation of the anaesthetic effects of medetomidine and ketamine in rats and their reversal with atipamezole. *Veterinary Anaesthesia and Analgesia*, 36(4), 319–327.

- Kilic, Nuh. (2004). A Comparison Between Medetomidine-Ketamine and Xylazine-Ketamine Anaesthesia in Rabbits. *Turkish Journal of Veterinary and Animal Sciences*, 28. 921-926.
- Lamont, L., Grimm, K., Robertson, S., Love, L., Schroeder, C. (2024). *Veterinary anesthesia and analgesia*. Hoboken: John Wiley & Sons.
- Leitão, S. A., Soares, D. D. S., Carvas Junior, N., Zimmer, R., Ludwig, N. F., Andrades, M. (2021). Study of anesthetics for euthanasia in rats and mice: A systematic review and meta-analysis on the impact upon biological outcomes (SAFE-RM). *Life sciences*, 284. 119916.
- Linsenmeier, R. A., Beckmann, L., Dmitriev, A. V. (2020). Intravenous ketamine for long term anesthesia in rats. *Heliyon*, 6(12), 56 – 86.
- McHugh, M. L. (2011). Multiple comparison analysis testing in ANOVA. *Biochemia Medica*, 21(3), 203–209.
- Molina, A. M., Moyano, M. R., Serrano-Rodriguez, J. M., Ayala, N., Lora, A. J., Serrano-Caballero, J. M. (2015). Analyses of anaesthesia with ketamine combined with different sedatives in rats. *Veterinarni Medicina*, 60(7), 368–375.
- Muller, L. I., Osborn, D. A., Doherty, T., Keel, M. K., Miller, B. F., Warren, R. J., & Miller, K. V. (2012). Optimal medetomidine dose when combined with ketamine and tiletamine-zolazepam to immobilize white-tailed deer. *Journal of Wildlife Diseases*, 48(2), 477–482.
- Nowacka, A., and Borczyk, M. (2019). Ketamin applications beyond anesthesia – A literature review. *European Journal of Pharmacology*, 860.
- Plumb, D. C. (2008). *Plumb's Veterinary Drug Handbook* (6th ed., Desk ed.). Hoboken: Blackwell Publishing
- Ritter, J. M., Flower, R., Henderson, G., Loke, Y. K., MacEwan, D., Rang, H. P. (2020). *Rang & Dale's Pharmacology* (Ninth Edition). London: Elsevier.
- Riviere, E. and Papich 10 th Ed. 2018. *Veterinary Pharmacology and Therapeutics*. New Jersey: Hoboken: John Wiley & Sons.
- Sandbaumhüter, F. A., Theurillat, R., Bettschart-Wolfensberger, R., Thormann, W. (2017). *Effect of the α 2-receptor agonists medetomidine, detomidine, xylazine and romifidine on the ketamine metabolism in equines assessed with enantioselective capillary electrophoresis*. Electrophoresis.
- Struck, M. B., Andrutis, K. A., Ramirez, H. E., Battles, A. H. (2011). Effect of a short-term fast on ketamine-xylazine anesthesia in rats. *Journal of the American Association for Laboratory Animal Science : JAALAS*, 50(3), 344–348.
- Vanderah, T. W. (2023). *Katzung's Basic and Clinical Pharmacology, 16th Edition*. New York: McGraw Hill Professional.

- Veilleux-Lemieux, D., Castel, A., Carrier, D., Beaudry, F., Vachon, P. (2013). Pharmacokinetics of ketamine and xylazine in young and old Sprague-Dawley rats. *Journal of the American Association for Laboratory Animal Science*, 52(5), 567–570.
- Wellington, D., Mikaelian, I., Singer, L. (2013). Comparison of ketamine– xylazine and ketamine–dexmedetomidine anesthesia and intraperitoneal tolerance in rats. *Journal of the American Association for Laboratory Animal Science*, 52(4), 481–487.