

DAFTAR PUSTAKA

- Abdi, H., & Williams, L. J. (2010). Principal component analysis. *Wiley interdisciplinary reviews: computational statistics*, 2(4), 433-459.
- Alaska Satellite Facility. (2024). Introduction to SAR: Polarizations. HyP3 Documentation. Retrieved October 18, 2024, from [https://hyp3-docs.asf.alaska.edu/guides/introduction to sar/#polarizations](https://hyp3-docs.asf.alaska.edu/guides/introduction%20to%20sar/#polarizations)
- Alshboul, O., Shehadeh, A., Almasabha, G., & Almuflih, A. S. (2022). Extreme gradient boosting-based machine learning approach for green building cost prediction. *Sustainability*, 14(11), 6651.
- Altare, P. S., Copo, A. R. I., Gabuyo, Y. A., Laddaran, A. T., Mejia, L., D. P., Polycarpio, I. A., Agueda, E. G. Y., Tizon, H., & Yao, A. M. S. D. (2003). *Elementary statistic: A modern Approach*. Rex Bookstore, Inc.
- Amira, S. (2008). Pendugaan biomassa jenis *Rhizophora apiculata* BI. di Hutan Mangrove Batu Ampar Kabupaten Kubu Raya, Kalimantan Barat. In Skripsi (Tidak dipublikasikan). Fakultas Kehutanan. Institut Pertanian Bogor. Bogor.
- Amjad, M., Ahmad, I., Ahmad, M., Wróblewski, P., Kamiński, P., & Amjad, U. (2022). Prediction of pile bearing capacity using XGBoost algorithm: modeling and performance evaluation. *Applied Sciences*, 12(4), 2126.
- Amriyah, Q., Arief, R., Dyatmika, H. S., & Maulana, R. (2019). Analisis Perbandingan Data Level-1 Sentinel 1A/B (Data SLC dan GRD) Menggunakan Software SNAP dan GAMMA. In *Prosiding Seminar Nasional Penginderaan Jauh: Peningkatan IPTEK Penginderaan Jauh untuk Mendukung Pencapaian Tujuan Pembangunan Berkelanjutan (SDGs)* (pp. 533-543). Pusfatja LAPAN, 2019.

- Antarissubhi, H., Serang, R., Leda, J., Salamena, G. E., Pagoray, G. L., Gusty, S., ... & Safar, A. (2023). *Krisis Iklim Global di Indonesia (Dampak dan Tantangan)*. TOHAR MEDIA.
- Aryandi, A., & Zuharnen, Z. (2015). Estimasi Stok Karbon Menggunakan Citra Alos Avnir-2 di Hutan Wanagama Kabupaten Gunungkidul. *Jurnal Bumi Indonesia*, 4(4).
- Azizah, N. (2017). *Implementasi Dan Analisa Waktu Komputasi Pada Algoritma Random Forest Dengan Parallel Computing Di R* (Doctoral dissertation, Universitas Pendidikan Indonesia).
- Badan Standardisasi Nasional. (2011). *SNI 7724:2011: Spesifikasi teknis rehabilitasi mangrove*. Badan Standardisasi Nasional.
- Bala, G. (2014). Can Planting New Trees Help Reduce Global Warming? *Current Science*, 106(12), 1623–1624.
- Basilio, S. A., & Goliatt, L. (2022). Gradient boosting hybridized with exponential natural evolution strategies for estimating the strength of geopolymer self-compacting concrete. *Knowledge-Based Engineering and Sciences*, 3(1), 1-16.
- Batanero, C., Tauber, L. M., & Sánchez, V. (2004). Students' reasoning about the normal distribution. *The challenge of developing statistical literacy, reasoning and thinking*, 257-276.
- Bhatta, N. P., & Geetha Priya, M. (2017). *RADAR and its applications*. International Journal of Research and Analytical Reviews, 6(2).
- Biau, G., & Scornet, E. (2016). A random forest guided tour. *Test*, 25, 197-227.
- Breiman, L. (2001). Random forests. *Machine learning*, 45, 5-32.

- Brown, S. (1997). *Estimating biomass and biomass change of tropical forests: a primer* (Vol. 134). Food & Agriculture Org.
- Chandrashekar, G., & Sahin, F. (2014). A survey on feature selection methods. *Computers & electrical engineering*, *40*(1), 16-28.
- Chen, E. X. (1999). Development of forest biomass estimation using SAR data. *World forestry research*, *12*(6), 18-23.
- Chen, T., & Guestrin, C. (2016, August). Xgboost: A scalable tree boosting system. In *Proceedings of the 22nd acm sigkdd international conference on knowledge discovery and data mining* (pp. 785-794).
- Chen, T., He, T., Benesty, M., & Khotilovich, V. (2019). Package ‘xgboost’. *R version*, *90*(1-66), 40.
- Chowdhury, M. Z. I., & Turin, T. C. (2020). Variable selection strategies and its importance in clinical prediction modelling. *Family medicine and community health*, *8*(1), e000262.
- Clough, B. F., & Scott, K. (1989). Allometric relationships for estimating above-ground biomass in six mangrove species. *Forest ecology and management*, *27*(2), 117-127.
- Clough, B. F., Dixon, P., & Dalhaus, O. (1997). Allometric relationships for estimating biomass in multi-stemmed mangrove trees. *Australian Journal of Botany*, *45*(6), 1023-1031.
- Comley, B. W. T., & McGuinness, K. A. (2005). Above-and below-ground biomass, and allometry, of four common northern Australian mangroves. *Australian Journal of Botany*, *53*(5), 431-436.

- Copernicus. (n.d.). *SI Applications - SentiWiki*. Retrieved October 28, 2024, from <https://sentiwiki.copernicus.eu/web/s1-applications>
- Cortes, C., & Vapnik, V. (1995). Support-vector networks. *Machine Learning*, 20(3), 273-297.
- Cunningham, P., Kathirgamanathan, B., & Delany, S. J. (2021). Feature selection tutorial with python examples. *arXiv preprint arXiv:2106.06437*.
- Dharmawan, I. W. S. (2010). Pendugaan Biomasa Karbon di Atas Tanah pada Tegakan *Rhizophora mucronata* di Ciasem, Purwakarta. *Jurnal Ilmu Pertanian Indonesia*, 15(1), 50-56.
- Dharmawan, I.W.E. & Pramudji. (2017). *Panduan pemantauan komunitas mangrove*. Edisi 2. CRITC Coremap CTI LIPI. Jakarta.54 hlm.
- Dinanti, A., & Purwadi, J. (2023). Analisis Performa Algoritma K-Nearest Neighbor dan Reduksi Dimensi Menggunakan Principal Component Analysis. *Jambura Journal of Mathematics*, 5(1), 155-165.
- Duarte, C. M., Middelburg, J. J., & Caraco, N. (2005). Major role of marine vegetation on the oceanic carbon cycle. *Biogeosciences*, 2(1), 1-8.
- El-Darymli, K., McGuire, P., Gill, E., Power, D., & Moloney, C. (2014, May). Understanding the significance of radiometric calibration for synthetic aperture radar imagery. In *2014 IEEE 27th Canadian Conference on Electrical and Computer Engineering (CCECE)* (pp. 1-6). IEEE.
- El Naqa, I., & Murphy, M. J. (2015). *What is machine learning?* (pp. 3-11). Springer International Publishing.
- ESA. (2017). *ESA*. Retrieved from <https://Sentinel.esa.ins/> diakses 15 Oktober 2024.

ESA Sentinel Online. (2000-2019). Product Types and Processing Levels of Sentinel-1.

European Space Agency (2012). *Sentinel-1: ESA's Radar Observatory Mission for GMES Operational Services*. ESA Communications.

Fatriansyah, J. F., Dhaneswara, D., Hanifa, M., Hartoyo, F., Pradana, A. F., Anis, M., & Fauzi, A. (2023). Perancangan Program Pengestimasi Probabilitas Kegagalan Peralatan Penukar Panas Akibat Korosi Seragam Berbasis Deep Neural Network. *Syntax Literate; Jurnal Ilmiah Indonesia*, 8(3), 1827-1839.

Filipponi, F. (2019, June). Sentinel-1 GRD preprocessing workflow. In *Proceedings* (Vol. 18, No. 1, p. 11). MDPI.

Finlayson, C. M. (2018). Mangroves. In C. Finlayson, G. Milton, R. Prentice, & N. Davidson (Eds.), *The Wetland Book* (pp. 93-108). Springer. https://doi.org/10.1007/978-94-007-4001-3_258

Ghasemi, N., Sahebi, M. R., & Mohammadzadeh, A. (2011). A review on biomass estimation methods using synthetic aperture radar data. *International Journal of Geomatics and Geosciences*, 1(4), 776-788.

Greenacre, M. J. (2010). *Biplots in practice*. Fundacion BBVA.

Greenacre, M., Groenen, P. J., Hastie, T., d'Enza, A. I., Markos, A., & Tuzhilina, E. (2022). Principal component analysis. *Nature Reviews Methods Primers*, 2(1), 100.

Guyon, I., & Elisseeff, A. (2003). An introduction to variable and feature selection. *Journal of machine learning research*, 3(Mar), 1157-1182.

Hadi, A. R. (2018). *Pendugaan Cadangan Karbon Berdasarkan Indeks Vegetasi* (Doctoral dissertation, Universitas Brawijaya).

- Hall, D. K. (1996). Remote sensing applications to hydrology; imaging radar. *Hydrological Sciences Journal*, 41(4), 609-624.
- Haralick, R. M., Shanmugam, K., & Dinstein, I. H. (1973). Textural features for image classification. *IEEE Transactions on systems, man, and cybernetics*, (6), 610-621.
- Hashemian, M. S., Abkar, A. A., & Fatemi, S. B. (2004, July). Study of sampling methods for accuracy assessment of classified remotely sensed data. In *International congress for photogrammetry and remote sensing* (pp. 1682-1750).
- Hasibuan, N., Yurmaini, Y., & Erliyanti, E. (2023). Pengaruh Perubahan Lingkungan Terhadap Kinerja Karyawan Pada Bank Syariah Indonesia. *Expensive: Jurnal Akuntansi dan Keuangan*, 2(1), 136-148.
- Haupt, R. L. (2000, July). Optimum population size and mutation rate for a simple real genetic algorithm that optimizes array factors. In *IEEE Antennas and Propagation Society International Symposium. Transmitting Waves of Progress to the Next Millennium. 2000 Digest. Held in conjunction with: USNC/URSI National Radio Science Meeting (C* (Vol. 2, pp. 1034-1037). IEEE.
- Hermayani, R. (2018). *Analisis Citra Sentinel-1A untuk Estimasi Stok Karbon di Atas Permukaan (Above-Ground Carbon) Hutan Mangrove Pulau Kemujan, Taman Nasional Karimunjawa*. Universitas Gadjah Mada.
- Huang, Y. P., & Chen, J. S. (2013). Advances in the estimation of forest biomass based on SAR data. *Remote Sensing for Land and Resources*, 25, 7-13.

- Huang, Y., Walker, J. P., Gao, Y., Wu, X., & Moneris, A. (2015). Estimation of vegetation water content from the radar vegetation index at L-band. *IEEE transactions on geoscience and remote sensing*, 54(2), 981-989.
- Hutchinson, M. F. (1996). A locally adaptive approach to the interpolation of digital elevation models, paper presented at Third International Conference. In *Workshop on Integrating GIS and Environmental Modeling, Santa Fe, New Mexico, Natl. Cent. for Geogr. Inf. and Anal., Santa Barbara, Calif.*
- Hutchinson, M. F., Xu, T., & Stein, J. A. (2011). Recent progress in the ANUDEM elevation gridding procedure. *Geomorphometry*, 2011, 19-22.
- Ibe, O. (2014). *Fundamentals of applied probability and random processes*. Academic Press.
- Igaz, D., Šinka, K., Varga, P., Vrbičanová, G., Aydın, E., & Tárnik, A. (2021). The evaluation of the accuracy of interpolation methods in crafting maps of physical and hydro-physical soil properties. *Water*, 13(2), 212.
- Immanuel, S. D., & Chakraborty, U. K. (2019, July). Genetic algorithm: an approach on optimization. In *2019 international conference on communication and electronics systems (ICCES)* (pp. 701-708). IEEE.
- Intergovernmental Panel on Climate Change. (2022). *Summary for policymakers*. In *Climate Change 2022: Impacts, adaptation and vulnerability*. Cambridge University Press.
- Kadir, A., & Susanto, A. (2013). Teori dan aplikasi pengolahan citra. *Yogyakarta: Andi*.
- Katoch, S., Chauhan, S. S., & Kumar, V. (2021). A review on genetic algorithm: past, present, and future. *Multimedia tools and applications*, 80, 8091-8126.

- Kementerian Lingkungan Hidup dan Kehutanan. (2021). *Peta Mangrove Nasional*.
- Kementerian Lingkungan Hidup dan Kehutanan. (2018). *Surat Keputusan Menteri Lingkungan Hidup dan Kehutanan Nomor SK.8/MENLHK/SETJEN/PLA.3/1/2018 tentang Penetapan Wilayah Ekoregion*.
- Kherif, F., & Latypova, A. (2020). Principal component analysis. In *Machine learning* (pp. 209-225). Academic Press.
- Kim, Y., Jackson, T., Bindlish, R., Lee, H., & Hong, S. (2011). Radar vegetation index for estimating the vegetation water content of rice and soybean. *IEEE Geoscience and Remote Sensing Letters*, 9(4), 564-568.
- Kingsley, S., & Quegan, S. (1999). *Understanding radar systems* (Vol. 2). SciTech Publishing.
- Komiyama, A., Pongpan, S. & Kato, S. (2005). Common allometric equations for estimating the tree weight of mangroves. *Journal of Tropical Ecology*, 21(4), 471-477.
- Krithikadatta, J. (2014). Normal distribution. *Journal of Conservative Dentistry and Endodontics*, 17(1), 96-97.
- Kumar, D., Rao, S., & Sharma, J. R. (2013, September). Radar Vegetation Index as an alternative to NDVI for monitoring of soyabean and cotton. In *Proceedings of the XXXIII INCA International Congress (Indian Cartographer)*, Jodhpur, India (pp. 19-21).
- Kumar, V., & Minz, S. (2014). Feature selection. *SmartCR*, 4(3), 211-229.

- Lambora, A., Gupta, K., & Chopra, K. (2019, February). Genetic algorithm-A literature review. In *2019 International Conference on Machine Learning, Big Data, Cloud and Parallel Computing (COMITCon)* (pp. 380-384). IEEE.
- Lee, J. S., Jurkevich, L., Dewaele, P., Wambacq, P., & Oosterlinck, A. (1994). Speckle filtering of synthetic aperture radar images: A review. *Remote sensing reviews*, 8(4), 313-340.
- Legendre, P., & Legendre, L. (2012). *Numerical ecology* (Vol. 24). Elsevier.
- Liandana, M., & Susila, I. M. D. (2023). Pengaruh Jumlah Variabel pada Algoritma Machine Learning dalam Memprediksi Aktivitas Jatuh. *Jurnal Sistem dan Informatika (JSI)*, 17(2), 109-120.
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2008). *Remote sensing and image interpretation*. John Wiley & Sons.
- Liu, R., & Gillies, D. F. (2016). Overfitting in linear feature extraction for classification of high-dimensional image data. *Pattern Recognition*, 53, 73-86.
- Ljumović, M., & Klar, M. (2015, June). Estimating expected error rates of random forest classifiers: A comparison of cross-validation and bootstrap. In *2015 4th Mediterranean Conference on Embedded Computing (MECO)* (pp. 212-215). IEEE.
- Ma'ruf, M. S., Arthana, I. W., & Ernawati, N. M. (2022). Komposisi jenis dan kondisi mangrove di Teluk Gilimanuk, Taman Nasional Bali Barat. *Ecotrophic*, 16(2), 153-173.
- Mahesh, B. (2020). Machine learning algorithms-a review. *International Journal of Science and Research (IJSR)*. [Internet], 9(1), 381-386.

- Mansourpour, M., Rajabi, M. A., & Blais, J. A. R. (2006). Effects and performance of speckle noise reduction filters on active radar and SAR images. In *Proc. Isprs* (Vol. 36, No. 1, p. W41).
- Mansourpour, M., Rajabi, M. A., & Rezaee, Z. (2008). Radiometric and Geometric Correction Methods for Active Radar and SAR Imageries. *Tehran, Iran: University of Tehran*.
- Mascolo, L., Lopez-Sanchez, J. M., & Cloude, S. R. (2021). Thermal noise removal from polarimetric Sentinel-1 data. *IEEE Geoscience and Remote Sensing Letters*, 19, 1-5.
- Mentaschi, L., Besio, G., Cassola, F., & Mazzino, A. (2013). Problems in RMSE-based wave model validations. *Ocean Modelling*, 72, 53-58.
- Mehta, P., Bukov, M., Wang, C. H., Day, A. G., Richardson, C., Fisher, C. K., & Schwab, D. J. (2019). A high-bias, low-variance introduction to machine learning for physicists. *Physics reports*, 810, 1-124.
- Meyer, D., & Wien, F. T. (2001). Support vector machines. *R News*, 1(3), 23-26.
- Nadi, A., & Moradi, H. (2019). Increasing the views and reducing the depth in random forest. *Expert Systems with Applications*, 138, 112801.
- Navarro, L. (2019). *Dynamique récente et Holocène de la tordeuse des bourgeons de l'épinette en forêt boréale* (Doctoral dissertation, Université du Québec à Chicoutimi).
- Nguyen, T. T., Huang, J. Z., & Nguyen, T. T. (2015). Unbiased Feature Selection in Learning Random Forests for High-Dimensional Data. *The Scientific World Journal*, 2015(1), 471371.

- Nicolau, A. P., Flores-Anderson, A., Griffin, R., Herndon, K., & Meyer, F. J. (2021). Assessing SAR C-band data to effectively distinguish modified land uses in a heavily disturbed Amazon forest. *International Journal of Applied Earth Observation and Geoinformation*, 94, 102214.
- Ong, J. E., Gong, W. K., & Wong, C. H. (2004). Allometry and partitioning of the mangrove, *Rhizophora apiculata*. *Forest Ecology and Management*, 188(1-3), 395-408.
- Ottinger, M., & Kuenzer, C. (2020). Spaceborne L-band synthetic aperture radar data for geoscientific analyses in coastal land applications: A review. *Remote Sensing*, 12(14), 2228.
- Pandey, N., Panwar, K., Sharma, M., & Punia, M. P. (2016). Analysis of spatial interpolation techniques for rainfall data using various methods: a case study of Bisalpur catchment area. *International Journal of Engineering Research & Technology (IJERT)*, 4(23), 1.
- Park, J. W., Korosov, A. A., Babiker, M., Sandven, S., & Won, J. S. (2017). Efficient thermal noise removal for Sentinel-1 TOPSAR cross-polarization channel. *IEEE Transactions on Geoscience and Remote Sensing*, 56(3), 1555-1565.
- Park, J. W., Won, J. S., Korosov, A. A., Babiker, M., & Miranda, N. (2019). Textural noise correction for Sentinel-1 TOPSAR cross-polarization channel images. *IEEE Transactions on Geoscience and Remote Sensing*, 57(6), 4040-4049.
- Pasut, C., England, J. R., Piper, M., Roxburgh, S. H., & Paul, K. I. (2025). Aboveground biomass relationship with canopy cover and vegetation to improve carbon change monitoring in rangelands. *Ecosphere*, 16(4), e70231.

- Pham, T. D., Le, N. N., Ha, N. T., Nguyen, L. V., Xia, J., Yokoya, N., ... & Takeuchi, W. (2020). Estimating mangrove above-ground biomass using extreme gradient boosting decision trees algorithm with fused sentinel-2 and ALOS-2 PALSAR-2 data in can Gio biosphere reserve, Vietnam. *Remote Sensing*, *12*(5), 777.
- Prakarsh, A. J., Behera, M. D., Ghosh, S. M., Das, A., & Mishra, D. R. (2022). A new synergistic approach for Sentinel-1 and PALSAR-2 in a machine learning framework to predict aboveground biomass of a dense mangrove forest. *Ecological Informatics*, *72*, 101900.
- Praseptiyana, W. I., Widodo, A. W., & Rahman, M. A. (2019). Pemanfaatan Ciri Gray Level Co-occurrence Matrix (GLCM) Untuk Deteksi Melasma Pada Citra Wajah. *Jurnal Pengembangan Teknologi Informasi Dan Ilmu Komputer*, *3*(11), 10402-10409.
- Probst, P., Wright, M. N., & Boulesteix, A. L. (2019). Hyperparameters and tuning strategies for random forest. *Wiley Interdisciplinary Reviews: data mining and knowledge discovery*, *9*(3), e1301.
- Raihan, A. (2023). A review of tropical blue carbon ecosystems for climate change mitigation. *Journal of Environmental Science and Economics*, *2*(4), 14-36.
- Raudys, S. J., & Jain, A. K. (1991). Small sample size effects in statistical pattern recognition: Recommendations for practitioners. *IEEE Transactions on pattern analysis and machine intelligence*, *13*(3), 252-264.
- Reschenhofer, E. (2001). The bimodality principle. *Journal of Statistics Education*, *9*(1).
- Rijal, S. S., Pham, T. D., Noer'Aulia, S., Putera, M. I., & Saintilan, N. (2023). Mapping mangrove above-ground carbon using multi-source remote sensing data and

machine learning approach in Loh Buaya, Komodo National Park, Indonesia. *Forests*, 14(1), 94.

Rotaquio Jr, E. L., Nakagoshi, N., & Rotaquio, R. L. (2007). Species composition of mangrove forests in Aurora, Philippines: a special reference to the presence of *Kandelia candel* (L.) Druce. *国際協力研究誌*, 13(1), 61-78.

Rusolono, T., Tiryana, T., Purwanto, J., & Sumantri, H. (2015). Panduan survei cadangan karbon dan keanekaragaman flora di Sumatera Selatan. *Palembang: Deutsche Gesellschaft fur Internationale Zusammenarbeit (GIZ) GmbH*.

Sah, S., Haldar, D., Singh, R. N., Das, B., & Nain, A. S. (2024). Rice yield prediction through integration of biophysical parameters with SAR and optical remote sensing data using machine learning models. *Scientific Reports*, 14(1), 21674.

Santosa, H., Wiryawan, A., Purwanto, A., Gunawan, H., & Hartatik, I. (2017). *Ekosistem Mangrove di Taman Nasional Bali Barat*. Balai Taman Nasional Bali Barat.

Schmitt, A., & Brisco, B. (2013). Wetland monitoring using the curvelet-based change detection method on polarimetric SAR imagery. *Water*, 5(3), 1036-1051.

Shao, Z., Ahmad, M. N., & Javed, A. (2024). Comparison of random forest and xgboost classifiers using integrated optical and sar features for mapping urban impervious surface. *Remote Sensing*, 16(4), 665.

Singh, S., Srivastava, D., & Agarwal, S. (2017, August). GLCM and its application in pattern recognition. In *2017 5th International Symposium on Computational and Business Intelligence (ISCBI)* (pp. 20-25). IEEE.

Sinha, S., Mohan, S., Das, A. K., Sharma, L. K., Jeganathan, C., Santra, A., ... & Nathawat, M. S. (2020). Multi-sensor approach integrating optical and multi-

frequency synthetic aperture radar for carbon stock estimation over a tropical deciduous forest in India. *Carbon Management*, 11(1), 39-55

Skolnik, M. I. (1962). Introduction to radar. *Radar handbook*, 2, 21.

Small, D. (2011). Flattening gamma: Radiometric terrain correction for SAR imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 49(8), 3081-3093.

Sutaryo, D. (2009). *Penghitungan biomassa: Sebuah pengantar untuk studi karbon dan perdagangan karbon*. Wetlands International Indonesia Programme.

Syukri, M., Mashoreng, S., Werorilangi, S., Isyrini, R., Rastina, R., Faizal, A., ... & Gosalam, A. (2018). Carbon stock analysis of mangrove in Bebanga Mamuju Regency West Sulawesi. *Prosiding Simposium Nasional Kelautan dan Perikanan*, 5.

Thengade, A., & Dondal, R. (2012, January). Genetic algorithm–survey paper. In *MPGI national multi conference* (pp. 7-8). Citeseer.

Thomas, S. (2014). Blue carbon: Knowledge gaps, critical issues, and novel approaches. *Ecological Economics*, 107, 22-38.

Tian, L., Wu, X., Tao, Y., Li, M., Qian, C., Liao, L., & Fu, W. (2023). Review of remote sensing-based methods for forest aboveground biomass estimation: Progress, challenges, and prospects. *Forests*, 14(6), 1086.

Tomlinson, P. B. (1986). *The botany of mangroves*. Cambridge University Press.

Torre-Tojal, L., Bastarrika, A., Boyano, A., Lopez-Guede, J. M., & Grana, M. (2022). Above-ground biomass estimation from LiDAR data using random forest algorithms. *Journal of Computational Science*, 58, 101517.

- Töyrä, J., & Pietroniro, A. (2005). Towards operational monitoring of a northern wetland using geomatics-based techniques. *Remote Sensing of Environment*, 97(2), 174-191.
- Verleysen, M., & François, D. (2005, June). The curse of dimensionality in data mining and time series prediction. In *International work-conference on artificial neural networks* (pp. 758-770). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Velthoen, J., Dombry, C., Cai, J. J., & Engelke, S. (2023). Gradient boosting for extreme quantile regression. *Extremes*, 26(4), 639-667.
- Vijayakumar, S., & Wu, S. (1999). Sequential Support Vector Classifiers and Regression. In *IIA/SOCO*.
- Von Hippel, P. T. (2005). Mean, median, and skew: Correcting a textbook rule. *Journal of statistics Education*, 13(2).
- Yudha, G. R. P. (2018). *Perbandingan Pemanfaatan Citra Satelit Hasil Perekaman Sensor Aktif dan Pasif untuk Klasifikasi Hutan-Non Hutan s(Studi Kasus: Kabupaten Malang)* (Doctoral dissertation, ITN MALANG).
- Yueh, S. H., Shah, R., Xu, X., Stiles, B., & Bosch-Lluis, X. (2021). A satellite synthetic aperture radar concept using P-band signals of opportunity. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 14, 2796-2816.
- Wahyono, T. (2018). Python for Machine Learning. *Gava Media Yogyakarta*.
- Wang, W., Yan, Z., You, S., Zhang, Y., Chen, L., & Lin, G. (2011). Mangroves: obligate or facultative halophytes? A review. *Trees*, 25, 953-963.
- Wicaksono, P., Danoedoro, P., Hartono, H., Nehren, U., & Ribbe, L. (2011, October). Preliminary work of mangrove ecosystem carbon stock mapping in small island

using remote sensing: above and below ground carbon stock mapping on medium resolution satellite image. In *Remote Sensing for Agriculture, Ecosystems, and Hydrology XIII* (Vol. 8174, pp. 408-417). SPIE.

Zhang, F., & O'Donnell, L. J. (2020). Support vector regression. In *Machine learning* (pp. 123-140). Academic Press.

Zhang, Z., Chen, P., Zhang, S., Huang, H., Pan, Y., & Pan, D. (2025). A Review of Machine Learning Applications in Ocean Color Remote Sensing. *Remote Sensing*, *17*(10), 1776.

Zhou, X., Zhu, X., Dong, Z., & Guo, W. (2016). Estimation of biomass in wheat using random forest regression algorithm and remote sensing data. *The Crop Journal*, *4*(3), 212-219.