

DAFTAR PUSTAKA

- Abbing, A., Koretsi, V., Eliades, T. Papageorgiou, S.N. (2020). Duration of orthodontic treatment with fixed appliances in adolescents and adults: a systematic review with meta-analysis. *Prog Orthod.* 21, 37
- Abdullah, A., & Mohammed, A. (2019). Scanning Electron Microscopy (SEM): A Review Scanning Electron Microscopy (SEM): A Review. *International Conference on Hydraulics and Pneumatics*,1–9.
- Ahuja, B., Yeluri R., Baliga, M.S., & Munshi A.K. (2010). Enamel Deproteinization before Acid Etching-A Scanning Electron Microscope Observation. *J. Clin. Pediatr. Dent.*, 35(2): 169-172.
- Aikins, E.A., & Ututu, C. (2107). An audit of bonding failure among orthodontic patients in a tertiary hospital in South-South Nigeria. *Int. J. Orthod. Rehabil.* (8)91.
- Alshahni, R. Z., Sato, K., Hosaka, K., Hatayama, T., Chiba, A., Foxton, R. M., Tagami, J., Sumi, Y., Shimada, Y., & Nakajima, M. (2020). Effect of smear layer deproteinization with enzyme solutions on bonding efficacy of one-step self-etch adhesives.*Int. J. Adhes. Adhes.*, 102.
- Årtun, J., & Bergland, S. (1984). Clinical trials with crystal growth conditioning as an alternative to acid-etch enamel pretreatment. *Am. J.Orthod.*, 85(4): 333-340.
- Bacela, J., Łabowska, M. B., Detyna, J., Ziety, A., & Michalak, I. (2020). Functional coatings for orthodontic archwires-A review. *Materials*, 13(15).
- Barnhart, E. C., Campbell, P. M., Noureldin, A., Julien, K., & Buschang, P. H. (2021). The quality of etched enamel in different regions and tooth types and its significance in bonding and the development of white spot lesions. *Angle Orthodontist*, 91(5), 576–582.
- Barros, L. S., Denucci, G. C., Amaral, F. L. B., França, F. M. G., Basting, R. T., & Turssi, C. P. (2023). The potential of salivary albumin to degrade composite resin. *Acta Odontol. Latinoam.*, 36(1), 34–39.
- Bhalajhi, S. I. (2012). *Orthodontics: The Art and Science* (5th ed.). Arya Medi Publishing House Pvt, Ltd., 366, 389
- Bhatt, R., Miral, M., Patel, M., Patel, F., & Makwani, D. (2022). Assessment of pit and fissure sealants following enamel deproteinization using three different methods for shear bond strength and microleakage: A comparative in vitro study. *J. Pharm. Negat.*, 13(5), 3020–3028.
- Boaro, L. C., Gonçalves, F., Guimarães, T. C., Ferracane, J. L., Versluis, A., & Braga, R. R. (2010). Polymerization stress, shrinkage and elastic modulus of current low-shrinkage restorative composites. *Dent Mater*, 26(12), 1144-1150.

- Brown, K. (2009). The impact of bonding material on bracket failure rate, *Vital*, 6(4), 28–30.
- Cacciafesta, V., Sfondrini, M. F., Stifanelli, P., Scribante, A., & Klersy, C. (2006). Effect of *chlorhexidine* application on shear bond strength of brackets bonded with a resin-modified glass ionomer. *Am. J. Orthod. Dentofac. Orthop.*, 129(2), 273-276.
- Campos, E. A., Correr, G. M., Leonardi, D. P., Pizzatto, E., & Morais, E. C. (2009). Influence of *chlorhexidine* concentration on microtensile bond strength of contemporary adhesive systems. *Braz. Oral Res.*, 23(3), 340-345.
- Catalbas, B., Ercan, E., Dalli, M., Gelgor, I. E., & Erdemir, A. (2011). Does chlorhexidine affect the shear bond strengths of orthodontic brackets? *J. Dent. Sci*, 6(2), 76–81.
- Chen, L., Xu, J., & Chen, J, 2015, Applications of scanning electron microscopy in earth sciences. *Sci. China Earth Sci.*, 58(10), 1768-1778.
- Dayem, R., & Tameesh, M. (2013). A new concept in hybridization: Bromelain enzyme for deproteinizing dentin before application of adhesive system. *Contemp. Clin. Dent.*, 4(4), 421–426.
- Eliades, T., & Brantley, W. A. (2016). Orthodontic applications of biomaterials: A clinical guide (1st ed.), Woodhead Publishing. 76-79.
- Espinosa, R., Valencia R., Uribe, M., Ceja, I., Saadia, M. (2008). Enamel Deproteinization and Its Effect on Acid Etching. *J Clin Pediatr Dent* 33(1), 13–20.
- Fan-Chiang, Yung-Shin & Chou, Peng-Chen & Hsiao, Yu-Wen & Cheng, Yu-Hsuan & Huang, Yi & Chiu, Yu-Chieh & Lin, Yu-Ju & Mine, Yuichi & Feng, Sheng-Wei & Lee, I-Ta & Peng, Tzu-Yu. (2023). Optimizing Dental Bond Strength: Insights from Comprehensive Literature Review and Future Implications for Clinical Practice. *Biomedicines*, 11(11), 2995.
- García-Mota, L. F., Fernández-Barrera, M.-Á., Garcia-Contreras, R., Grazioli, G., Zamarripa-Calderón, J. E., Rivera-Gonzaga, J. A., & Cuevas-Suárez, C. E. (2024). Adhesive Performance of Pit and Fissure Sealants on Deproteinized Enamel with Different Proteolytic Agents: In Vitro Study. *Dentistry Journal*, 12(7), 206.
- Ghodsara, R., & Brizuela, M. (2024). Orthodontics, malocclusion. In StatPearls. Treasure Island, FL: StatPearls Publishing. Diunduh dari <https://www.ncbi.nlm.nih.gov/books/NBK592395/>, pada tanggal 29 Oktober 2024.
- Gupta, V., Pant, V., Pandey, S., & Pant, A. (2021). Efficacy and safety evaluation of alcohol-containing and alcohol-free mouth rinses: A clinicocytological study. *J Indian Soc Periodontol*, 25(2), 128–132.

- Gupta, N., Mittal, N., Giri, S., Arora, C., Malhotra, P., & Ahluwalia, R. (2023). A review of the research on deproteinizing agents as a first step toward improved bonding. *J. Surv. Fish.*, 10(1).
- Graber, L. W., Vig, K. W. L., Huang, G. J., & Fleming, P. S. (2023). *Orthodontics: Current principles and techniques* (7th ed.). Elsevier, 188.
- Habar, E. H., & Anisa, W. O. N. (2022). The effect of using fixed orthodontic appliances on periodontal health: Literature review. *Makassar Dental Journal*, 11(3), 344-347.
- Haralur, S. B., Alqahtani, A. M., Shiban, A. S., Alattaf, Z. M., Chaturvedi, S., AlQahtani, S. M., & Alqahtani, N. M. (2023). Influence of different surface treatment on bonding of metal and ceramic Orthodontic Brackets to CAD-CAM all ceramic materials. *BMC oral health*, 23(1), 564.
- Harleen, N., Ramakrishna, Y., Munshi A.K. (2011). Enamel Deproteinization Before Acid Etching and its Effect on the Shear Bond Strength-An in vitro Study. *J. Clin. Pediatr. Dent*, 36(1): 19-24.
- Hasija, P., Sachdev, V., Mathur, S., & Rath, R. (2017). Deproteinizing Agents as an Effective Enamel Bond Enhancer-An in Vitro Study. *J Clin Pediatr Dent*, 41(4).
- Hussein, F. A., Hashem, M. I., Chalisserry, E. P., & Anil, S. (2014). The impact of *chlorhexidine* mouth rinse on the bond strength of polycarbonate orthodontic brackets. *J Contemp Dent Pract*, 15(6), 688–692.
- Ilie, N. (2022). Degradation of Dental Methacrylate-Based Composites in Simulated Clinical Immersion Media. *J. Func. Biomater.*, 13(1).
- Jakavičė, R., Kubiliūtė, K., & Smailienė, D. (2023). Bracket Bond Failures: Incidence and Association with Different Risk Factors-A Retrospective Study. *International journal of environmental research and public health*, 20(5), 4452.
- Jain, M., Patel, D., & Sharma, T. (2023). The call for standardization of shear bond strength testing protocols in orthodontics. *J Indian Orthod Soc*, 57(1), 39-42.
- Joseph, R., Ahmed, N., Younus A, A., & Bhat, K. R. R. (2022). Evaluation of Shear Bond Strength of a Primer Incorporated Orthodontic Composite Resin: An In-Vitro Study. *Cureus*, 14(4)
- Justus, R. (2016). Deproteinization of tooth enamel surfaces to prevent white spot lesions and bracket bond failure: A revolution in orthodontic bonding. *APOS Trends Orthod*, 6(4), 179–184.
- Karamani, I., Kalimeri, E., Seremidi, K., Gkourtsogianni, S., & Kloukos, D. (2022). *Chlorhexidine* mouthwash for gingivitis control in orthodontic patients: A systematic review and meta-analysis. *Oral Health Prev Dent*, 20(1), 279-294.
- Kenshima, S., Francci, C., Reis, A., Loguercio, A.D., Filho, L.E.R. (2006). Conditioning effect on dentin, resin tags and hybrid layer of different acidity

self-etch adhesives applied to thick and thin smear layer. *J. Dent*, 34(10), 775-783.

Kharouf, N., Ashi, T., Eid, A., Maguina, L., Zghal, J., Sekayan, N., Bourgi, R., Hardan, L., Sauro, S., Haikel, Y., & Mancino, D. (2021). Does adhesive layer thickness and tag length influence short/long-term bond strength of universal adhesive systems? An in-vitro study. *Applied Sciences (Switzerland)*, 11(6).

Khatib, M. S., Devarasanahalli, S. V., Aswathanarayana, R. M., & Venkateswara, A. H. (2020). Microtensile bond strength of composite resin following the use of bromelain and papain as deproteinizing agents on etched dentin: An in vitro study. *Int. J. Clin. Pediatr. Dent.*, 13(1), 43-47.

Kotrogianni, M., & Rahiotis, C. (2017). Resin composites in orthodontic bonding: A clinical guide. *J Dent Oral Biol*, 2(7), 1054.

Mahmoud, G. A., Grawish, M. E., Shamaa, M. S., & Abdelnaby, Y. L. (2019). Characteristics of adhesive bonding with enamel deproteinization. *Dental Press J Orthod*, 24(5).

Marković, Evgenija & Glišić, Branislav & Scepan, Ivana & Marković, Dejan & Jokanović, Vukoman. (2013). Bond strength of orthodontic adhesives. *Metalurgija*, 79-88.

Mas-López, A. C., Robles-Ruíz, J., & Arriola-Guillén, L. E. (2024). Effect of enamel deproteinization with 5.25% sodium hypochlorite on the bond strength of orthodontic brackets. An experimental study. *J. Clin. Exp. Dent.*, 16(8), 947-952.

Meeran, N. A., & George, A. W. (2013). Effect of various commercially available mouthrinses on shear bond strength of orthodontic metal brackets: An in vitro study. *Indian J. Dent. Res.*, 24(5), 616-621.

Mei, L., Chieng, J., Wong, C., Benic, G., & Farella, M. (2017). Factors affecting dental biofilm in patients wearing fixed orthodontic appliances. *Prog Orthod*, 18(1), 4.

Montasser, M. A., & Drummond, J. L. (2009). Reliability of the adhesive remnant index score system with different magnifications. *Angle Orthod*, 79(4), 773-776.

Mulgaonkar, A., de Noronha De Ataíde, I., Fernandes, M., Lambor, R., & Soares, R. (2019). Effect of bromelain enzyme on the microleakage of composite resin restorations after external tooth bleaching: An in vitro study. *J. Conserv. Dent.*, 22(5), 436-440.

Munawar H. A., Febrida, R., & Nurdin, D. (2013). Influence of alcohol-containing mouthwash and alcohol-free mouthwash towards the hybrid composite restoration materials surface hardness. *Padjadjaran J. Dent.* (25)3.

- Mundhada, V. V., Jadhav, V. V., & Reche, A. (2023). A Review on Orthodontic Brackets and Their Application in Clinical Orthodontics. *Cureus*, 15(10)
- Nazila, A., Raheb, G., Sanaz, A., & Zahra, Z. (2022). Investigation of the effects of orthodontic brackets coated by silver hydroxyapatite, copper oxide, and titanium oxide nanoparticles on wire-bracket friction. *APOS Trends Orthod*, 12, 27-33.
- Panda, S., Gupta, B., Sahoo, A., Jambhekar, S. V., Attavar, S. H., & Kini, V. V. (2024). Efficacy and safety evaluation of alcohol-containing and alcohol-free mouth rinses: A clinical study. *Bangladesh J. Med. Sci.*, 23(Special issue), S97–S100.
- Parsaie, M., Aflatoonian, K., Esfahani, Z., Soltani, A., & Sabzevari, B. (2024). Scanning electron microscope analysis and investigation of shear bond strength of two types of two-stage orthodontic adhesive with fluoride to human tooth enamel. *J. Pharm. Negat.* 13, 1032-1045.
- Phulari, S. B. (2017). *Orthodontics Principles and Practice* (2nd ed.). Jaypee Brothers Medical Publishers Pvt Ltd. 1-3.
- Pillai, K., Akhter, J., Mekkawy, A. H., Valle, S. J., & Morris, D. L. (2024). Development and Validation of Micro-Azocasein Assay for Quantifying Bromelain. *Methods and Protocols*, 7(2).
- Pithon, M. M., Ferraz, C. Z., Oliveira, G. C., Pereira, T. B. J., Oliveira, D. D., Souza, R. A., Freitas, L. M., & Santos, R. L. (2012). Effect of 10% papain gel on enamel deproteinization before bonding procedure. *Angle Orthod*, 82(3), 541-545.
- Prasad, K. A., John, S., Deepika, V., Dwijendra, K. S., Reddy, B. R., & Chincholi, S. (2015). Anti-plaque efficacy of herbal and 0.2% *chlorhexidine* gluconate mouthwash: A comparative study. *J. Int. Oral Health.*, 7(8), 98-102.
- Prylińska-Czyżewska, A., Maciejewska-Szaniec, Z., Olszewska, A., Polichnowska, M., Grabarek, B. O., Dudek, D., Sobański, D., & Czajka-Jakubowska, A. (2022). Comparison of bond strength of orthodontic brackets onto the tooth enamel of 120 freshly extracted adult bovine medial lower incisors using 4 adhesives. *Med. Sci. Monit.*, 28.
- Radzki, D., Wilhelm-Węglarz, M., Pruska, K., Kusiak, A., & Ordyniec-Kwaśnica, I. (2022). A Fresh Look at Mouthwashes—What Is Inside and What Is It for? *Int J Environ Res Public Health*, 19(7).
- Rao, K. N., Mehta, R., Dange, P., et al. (2024). Alcohol-containing mouthwash and the risk of oral cancer: Exploring the association. *Indian J Surg Oncol.*, 15(3):553-556
- Ren, X., Zhang, Y., Xiang, Y., Hu, T., Cheng, R., & Cai, H. (2023). The efficacy of mouthwashes on oral microorganisms and gingivitis in patients undergoing

- orthodontic treatment: A systematic review and meta-analysis. *BMC Oral Health*, 23(1).
- Rosyida, N. F., Suparwitri, S., & Pudyani, P. S. (2017). Improving tensile bond strength of orthodontic bracket by applying papain gel as an enamel deproteinizing agent. *J. Dent. Indones.*, 24(3), 70-74.
- Santos, L. K., Rocha, H. R., Pereira Barroso, A. C., Otoni, R. P., de Oliveira Santos, C. C., & Fonseca-Silva, T. (2021). Comparative analysis of adhesive remnant index of orthodontic adhesive systems. *South European Journal of Orthodontics and Dentofacial Research*, 8(2), 26-30.
- Scarabello S., T. H., Menezes, M. D. S., Barreto, B. D. C. F., Naves, L. Z., Baggio Aguiar, F. H., Quagliatto, P. S., & Marcondes Martins, L. R. (2013). Influence of *chlorhexidine* on dentin adhesive interface micromorphology and nanoleakage expression of resin cements. *Microsc Res Tech*, 76, 788-794.
- Sharafeddin, F., Yazdanpanah, M. H., & Jowkar, Z. (2021). Evaluation of the effects of bromelain and papain enzymes on shear bond strength of composite resin to enamel. *Int. J. Dent.*, 2021, 3233639.
- Shilpa, M., Jain, J., Shahid, F., Gufran, K., Sam, G., & Khan, M. S. (2019). Efficacy of three types of plaque control methods during fixed orthodontic treatment: A randomized controlled trial. *J Pharm Bioallied Sci*, 11(Suppl 2):S246–S251.
- Silverstone, L. M., Saxton, C. A., Dogon, I. L., & Fejerskov, O. (1975). Variation in the Pattern of Acid Etching of Human Dental Enamel Examined by Scanning Electron Microscopy. *Caries Res*, 9.
- Singh, J., Joshi, A., Manjooran, T., Raghav, S., Gautam, A., & Patel, J. H. (2018). An in vitro evaluation of shear bond strength of orthodontic brackets after mouth rinse. *J Contemp Dent Pract*, 19(7), 862-866.
- Sykes, LM & Comley, M & Kelly, L. (2016). Availability, indications for use and main ingredients of mouthwashes in six major supermarkets in Gauteng. *S. Afr. Dent. J*, 71, 308-313.
- Thankachan, S., Emmatty, T., Jose, B., Krishna, K., Peter, J., Methippara, J., & Sebastian, R. (2022). Comparative efficacy of three deproteinizing agents on the shear bond strength of pit and fissure sealant: An in vitro study. *International Int. J. Prev. Clin. Dent. Res.*, 9(3), 72.
- Trisnawaty, N. ., & Nida Fathiya, A. . (2023). The effect of green betel leaf extract immersion on nickel ion release in stainless steel orthodontic bracket. *Journal of Health and Dental Sciences*, 3(1), 89–98.
- Tufekci, E., Casagrande, Z. A., Lindauer, S. J., Fowler, C. E., & Williams, K. T. (2008). Effectiveness of an essential oil mouthrinse in improving oral health in orthodontic patients. *Angle Orthod*, 78(2), 294-298.

- van Swaaij, B. W. M., Slot, D. E., van der Weijden, G. A., Timmerman, M. F., & Ruben, J. (2024). Fluoride, pH Value, and Titratable Acidity of Commercially Available Mouthwashes. *Int. Dent. J.*, 74(2), 260–267.
- Vivanco, R. G., Sousa, A. B. S., Oliveira, V. de de C., Sinhoreti, M. A. C., & Pires-de-Souza, F. de C. P. (2024). Effect of the use of bromelain associated with bioactive glass-ceramic on dentin/adhesive interface. *Clin. Oral Investig.*, 28(1).
- Xu, C., Wang, A., Hoskin, E. R., Cugini, C., Markowitz, K., Chang, T. L., & Fine, D. H. (2021). Differential effects of antiseptic mouth rinses on SARS-CoV-2 infectivity in vitro. *Pathogens*, 10(3), 272.
- Yanikoğlu, N., & Sakarya, R. (2020). Test methods used in the evaluation of the structure features of the restorative materials: A literature review. *J. Mater. Res. Technol.*, (9), 9720-9734.
- Yousefimanesh, H., Robati, M., Piri, A., Khosravi Boroujeni, A., & Sirous, M. (2022). The Antibacterial Analysis of Alcohol-Free and Alcohol-Based *Chlorhexidine* Mouthwashes Against Oral Bacteria. *Avicenna J Clin Microbiol Infect*, 9(1), 16–20.