

DAFTAR PUSTAKA

- Abad, U., Sassi, M., & Traas, J. 2017. Flower development: From morphodynamics to morphomechanics. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1720). <https://doi.org/10.1098/rstb.2015.0545>
- Adhikari, P. B., & Kasahara, R. D. 2024. An Overview on MADS Box Members in Plants: A Meta-Review. *International Journal of Molecular Sciences*. 25(15). <https://doi.org/10.3390/ijms25158233>
- Adi, B. N., & Susanti, S. 2020. Struktur Anatomi Ovarium Dan Perkembangan Buah Adas (*Foeniculum vulgare* Mill.). *Bioeksperimen: Jurnal Penelitian Biologi*, 6(2): 68–75. <https://doi.org/10.23917/bioeksperimen.v6i2.8909>
- Ahuja, I., Kissen, R., & Bones, A. M. 2012. Phytoalexins in defense against pathogens. *Trends in Plant Science*. 17(2): 73–90. <https://doi.org/10.1016/j.tplants.2011.11.002>
- Alberto, F., Bignon, C., Sulzenbacher, G., Henrissat, B., & Czjzek, M. 2004. The Three-dimensional Structure of Invertase (β -Fructosidase) from *Thermotoga maritima* Reveals a Bimodular Arrangement and an Evolutionary Relationship between Retaining and Inverting Glycosidases. *Journal of Biological Chemistry*. 279(18): 18903–18910. <https://doi.org/10.1074/jbc.M313911200>
- Álvarez-Flórez, F., López-Cristoffanini, C., Jáuregui, O., Melgarejo, L. M., & López-Carbonell, M. 2017. Changes in ABA, IAA and JA levels during calyx, fruit and leaves development in cape gooseberry plants (*Physalis peruviana* L.). *Plant Physiology and Biochemistry*. 115: 174–182. <https://doi.org/10.1016/j.plaphy.2017.03.024>
- Amirul-Aiman, A. J., Noraini, T., Nurul-Aini, C. A. C., & Ruzi, A. R. 2013. Petal anatomy of four *Justicia* (Acanthaceae) species. *AIP Conference Proceedings*. 1571: 368–371. <https://doi.org/10.1063/1.4858685>
- An, J., Kim, S. H., Bahk, S., Vuong, U. T., Nguyen, N. T., Do, H. L., Kim, S. H., & Chung, W. S. 2021. Naringenin Induces Pathogen Resistance Against *Pseudomonas syringae* Through the Activation of NPR1 in *Arabidopsis*. *Frontiers in Plant Science*. 12. <https://doi.org/10.3389/fpls.2021.672552>
- Andreychuk, R. R., Kolomiychuk, V. P., & Odintsova, A. V. 2020. Morpho-anatomical structure and development of fruit in *Asyneuma canescens* (Campanulaceae). *Regulatory Mechanisms in Biosystems*. 11(4): 513–519. <https://doi.org/10.15421/022078>
- April, A. P., & Mackenzie, R. J. 2018. *RNA-Seq : Basics, Applications and Protocol*. Technology Networks, all rights reserved, Part of the LabX Media Group.
- Araújo, W. L., Nunes-Nesi, A., & Fernie, A. R. 2011. Fumarate: Multiple functions of a simple metabolite. *Phytochemistry*. 72(9): 838–843.

<https://doi.org/10.1016/j.phytochem.2011.02.028>

- Åstrand, J., Knight, C., Robson, J., Talle, B., & Wilson, Z. A. 2021. Evolution and diversity of the angiosperm anther: trends in function and development. *Plant Reproduction*, 34(4): 307–319. <https://doi.org/10.1007/s00497-021-00416-1>
- Ávalos García, A., & Pérez-Urria Carril, E. 2009. Metabolismo secundario de plantas. *Reduca (Biología). Serie Fisiología Vegetal*. 2(3): 119–145.
- Azlan, G. J., Marziah, M., Radzali, M., & Johari, R. 2005. Accumulation of physalin in cells and tissues of *Physalis minima* L. *Acta Horticulturae*. 676: 53–59. <https://doi.org/10.17660/ActaHortic.2005.676.5>
- Babbar, N. 2015. An introduction alkaloids and their applications in pharmaceutical chemistry. *The Pharma Innovation Journal*. 4(10): 74–75. www.thepharmajournal.com
- Balbi, V., & Lomax, T. L. 2003. Regulation of early tomato fruit development by the Diageotropica gene. *Plant Physiology*. 131(1): 186–197. <https://doi.org/10.1104/pp.010132>
- Baumann, T. W., & Meier, C. M. 1993. Chemical defence by withanolides during fruit development in *Physalis peruviana*. *Phytochemistry*. 33(2): 317–321. [https://doi.org/10.1016/0031-9422\(93\)85510-X](https://doi.org/10.1016/0031-9422(93)85510-X)
- Beart, J. E., Lilley, T. H., & Haslam, E. 1985. Plant polyphenols-secondary metabolism and chemical defence: Some observations. *Phytochemistry*. 24(1): 33–38. [https://doi.org/10.1016/S0031-9422\(00\)80802-X](https://doi.org/10.1016/S0031-9422(00)80802-X)
- Ben-Halbritter, H., Ulrich, S., BGrímsson, F., Weber, M., Zetter, R., Hesse, M., Buchner, R., Svojtka, M., & Frosch-Radivo, A. 2018. *Illustrated Pollen Terminology, Second Edition*. <https://doi.org/10.1007/978-3-319-71365-6>
- Berdy, J. 2005. Bioactive Microbial Metabolites, a Personal View. *Journal of Antibiotics*. 58: 1-26. <http://dx.doi.org/10.1038/ja.2005.1>
- Berini, J. L., Brockman, S. A., Hegeman, A. D., Reich, P. B., Muthukrishnan, R., Montgomery, R. A., & Forester, J. D. 2018. Combinations of abiotic factors differentially alter production of plant secondary metabolites in five woody plant species in the boreal-temperate transition zone. *Frontiers in Plant Science*. <https://doi.org/10.3389/fpls.2018.01257>
- Bhat, N. A., Jeri, L., Mipun, P., & Kumar, Y. 2018. Systematic studies (micro-morphological, leaf architectural, anatomical and palynological) of genus *Physalis* (solanaceae) in northeast India. *Plant Archives*. 18(2): 2229–2238.
- Bhojwani, S.S., and S. P. Bathnagar. 1979. *The Embryology of Angiosperms*. Vikas Publishing House.

- Borghi, M., de Souza, L. P., Tohge, T., Mi, J., Melandri, G., Proost, S., Martins, M. C. M., Al-Babili, S., Bouwmeester, H. J., & Fernie, A. R. 2022. High-energy-level metabolism and transport occur at the transition from closed to open flowers. *Plant Physiology*. 190(1): 319–339. <https://doi.org/10.1093/plphys/kiac253>
- Borghi, M., & Fernie, A. R. 2017. Floral metabolism of sugars and amino acids: Implications for pollinators' preferences and seed and fruit set. *Plant Physiology*. 175(4): 1510–1524. <https://doi.org/10.1104/pp.17.01164>
- Breitel, D., Brett, P., Alseekh, S., Fernie, A. R., Butelli, E., & Martin, C. 2021. Metabolic engineering of tomato fruit enriched in L-DOPA. *Metabolic Engineering*. 65:185–196. <https://doi.org/10.1016/j.ymben.2020.11.011>
- Brewer, M. T., Moyseenko, J. B., Monforte, A. J., & Van Der Knaap, E. 2007. Morphological variation in tomato: A comprehensive study of quantitative trait loci controlling fruit shape and development. *Journal of Experimental Botany*. 58(6): 1339–1349. <https://doi.org/10.1093/jxb/erl301>
- Brukhin, V., Hernould, M., Gonzalez, N., Chevalier, C., & Mouras, A. 2003. Flower development schedule in tomato *Lycopersicon esculentum* cv. sweet cherry. *Sexual Plant Reproduction*. 15(6): 311–320. <https://doi.org/10.1007/s00497-003-0167-7>
- Bryksová, M. 2020. *Preparation and biological activity of the new cytokinin derivatives*. PhD Thesis, Palacký University Olomouc, Olomouc, Czech republic.
- Budhiraja, R. D., Krishan, P., & Sudhir, S. 2000. Biological Activity of Withanolides. *Journal of Scientific & Industri al Research*. 59.
- Busi, M. V., Bustamante, C., D'Angelo, C., Hidalgo-Cuevas, M., Boggio, S. B., Valle, E. M., & Zabaleta, E. 2003. MADS-box genes expressed during tomato seed and fruit development. *Plant Molecular Biology*. 52(4): 801–815. <https://doi.org/10.1023/A:1025001402838>
- Çakir, Ö., Pekmez, M., Çepni, E., Candar, B., & Fidan, K. 2014. Evaluation of biological activities of *Physalis peruviana* ethanol extracts and expression of Bcl-2 genes in HeLa cells. *Food Science and Technology*. 34(2): 422–430. <https://doi.org/10.1590/fst.2014.0060>
- Caputi, L., & Aprea, E. 2012. Use of Terpenoids as Natural Flavouring Compounds in Food Industry. *Recent Patents on Food, Nutrition & Agriculture*. 3(1): 9–16. <https://doi.org/10.2174/2212798411103010009>
- Cara, B., & Giovannoni, J. J. 2008. Molecular biology of ethylene during tomato fruit development and maturation. *Plant Science*. 175(1): 106–113. <https://doi.org/10.1016/j.plantsci.2008.03.021>
- Carrizo García, C. 2002. Anther wall formation in Solanaceae species. *Annals of Botany*. 90(6): 701–706. <https://doi.org/10.1093/aob/mcf248>

- Carvalho, N., da Mata, L. R., Ribeiro, P. G., Moreira, A. L. D. C., Pinedo, A. S., Ribeiro, C. S. d. C., Souza, N. O. S., & Buso, G. S. C. 2021. Morphological and anatomical characterization of peduncle, flower and fruit related to easy fruit abscission of *Capsicum chinense* (Solanaceae) genotypes. *Genetics and Molecular Research*. 20(4). <https://doi.org/10.4238/GMR18887>
- Chai, W. M., Liu, X., Hu, Y. H., Feng, H. L., Jia, Y. L., Guo, Y. J., Zhou, H. T., & Chen, Q. X. 2013. Antityrosinase and antimicrobial activities of furfuryl alcohol, furfural and furoic acid. *International Journal of Biological Macromolecules*. 57: 151–155. <https://doi.org/10.1016/j.ijbiomac.2013.02.019>
- Chauhan, A., Tanwar, B., & Intelli. 2015. Influence of processing on physicochemical, nutritional and phytochemical composition of *Ficus carica* fruit. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 6(6): 1474–1489. <https://doi.org/10.5958/j.0976-0563.33.1.008>
- Cheyrier, V., Comte, G., Davies, K. M., Lattanzio, V., & Martens, S. 2013. Plant phenolics: Recent advances on their biosynthesis, genetics, and ecophysiology. *Plant Physiology and Biochemistry*. 72: 1–20. <https://doi.org/10.1016/j.plaphy.2013.05.009>
- Cong, B., Barrero, L. S., & Tanksley, S. D. 2008. Regulatory change in YABBY-like transcription factor led to evolution of extreme fruit size during tomato domestication. *Nature Genetics*. 40(6): 800–804. <https://doi.org/10.1038/ng.144>
- Cong, B., Liu, J., & Tanksley, S. D. 2002. Natural alleles at a tomato fruit size quantitative trait locus differ by heterochronic regulatory mutations. *Proceedings of the National Academy of Sciences of the United States of America*. 99(21): 13606–13611. <https://doi.org/10.1073/pnas.172520999>
- Cong, B., & Tanksley, S. D. 2006. FW2.2 and cell cycle control in developing tomato fruit: A possible example of gene co-option in the evolution of a novel organ. *Plant Molecular Biology*. 62(6): 867–880. <https://doi.org/10.1007/s11103-006-9062-6>
- Costa, V.B., Pimentel R.M., Chagas M.G., Alves G.D., Castro C.C. 2017. Petal micromorphology and its relationship to pollination. *Plant Biol (Stuttg)*. 19(2):115–122. doi: 10.1111/plb.12523. Epub 2016 Nov 27. PMID: 27796070.
- Cucinotta, M., Colombo, L., & Roig-Villanova, I. 2014. Ovule development, a new model for lateral organ formation. *Frontiers in Plant Science*. 5: 1–12. <https://doi.org/10.3389/fpls.2014.00117>
- Dai, J., & Mumper, R. J. 2010. Plant phenolics: Extraction, analysis, and their antioxidant and anticancer properties. *Molecules*. 15(10): 7313–7352. <https://doi.org/10.3390/molecules15107313>
- de Oliveira, A. M., Malunga, L. N., Perussello, C. A., Beta, T., & Ribani, R. H. 2020. Phenolic acids from fruits of *Physalis angulata* L. in two stages of maturation. *South African Journal of Botany*. 131: 448–453. <https://doi.org/10.1016/j.sajb.2020.02.029>

- de Sales, P. M., de Souza, P. M., Simeoni, L. A., Magalhães, P. de O., & Silveira, D. 2012. α -amylase inhibitors: A review of raw material and isolated compounds from plant source. In *Journal of Pharmacy and Pharmaceutical Sciences*. 15(1): 141–183. <https://doi.org/10.18433/j35s3k>
- Deng, Y., Jia, X., Liang, L., Gu, C., & Sun, X. 2016. Morphological anatomy, sporogenesis and gametogenesis in flowering process of jasmine (*Jasminum sambac* Aiton). *Scientia Horticulturae*. 198: 257–266. <https://doi.org/10.1016/j.scienta.2015.11.036>
- Desjardins, P., & Conklin, D. 2010. NanoDrop microvolume quantitation of nucleic acids. *Journal of Visualized Experiments*. 45: 1–4. <https://doi.org/10.3791/2565>
- Dhar N., Razdan S., Rana S., Bhat W.W., Vishwakarma R., and Lattoo S.K. 2015. A Decade of Molecular Understanding of Withanolide Biosynthesis and In vitro Studies in *Withania somnifera* (L.) Dunal: Prospects and Perspectives for Pathway Engineering. *Front. Plant Sci*. 6:1031. doi: 10.3389/fpls.2015.01031
- Dias, G. B., Gomes, V. M., Moraes, T. M. S., Zottich, U. P., Rabelo, G. R., Carvalho, A. O., Moulin, M., Gonçalves, L. S. A., Rodrigues, R., & Da Cunha, M. 2012. Characterization of *Capsicum* species using anatomical and molecular data. *Genetics and Molecular Research*. 12(4): 6488–6501. <https://doi.org/10.4238/2013.February.28.29>
- Diniz, F. O., & Novembre, A. D. da L. C. 2019. Maturation of *Physalis peruviana* L. seeds according to flowering and age of the fruit. *Revista Ciencia Agronomica*. 50(3): 447–457. <https://doi.org/10.5935/1806-6690.20190053>
- Dyki, B., Jankiewicz, L. S., & Staniaszek, M. 1997. Anatomy and Surface Micromorphology of Tomatillo Fruit (*Physalis Ixocarpa* Brot.). *Acta Societatis Botanicorum Poloniae*. 66(1): 21–27. <https://doi.org/10.5586/asbp.1997.003>
- Dyki, B., Jankiewicz, L. S., & Staniaszek, M. 1998. Anatomical structure and surface micromorphology of tomatillo leaf and flower (*Physalis ixocarpa* brot., Solanaceae). In *Acta Societatis Botanicorum Poloniae*. 67(2): 181–191. <https://doi.org/10.5586/asbp.1998.021>
- El-Akad, R. H., Ibrahim, F. M., Ashour, W. E. S., Zeid, A. H. A., & Mohammed, R. S. 2022. *Physalis peruviana* L. fruit metabolome profiling via HR-UPLC/MS and its in vitro antiarthritic activity. *South African Journal of Botany*. 151: 649–654. <https://doi.org/10.1016/j.sajb.2022.10.049>
- El-Morsy, M. H., & Osman, H. E. 2024. Morphological characteristics of *Physalis peruviana* L. *Handbook of Goldenberry (Physalis Peruviana): Cultivation, Processing, Chemistry, and Functionality*. pp 87–94. <https://doi.org/10.1016/B978-0-443-15433-1.00008-X>
- Endress, P. K. 2019. The morphological relationship between carpels and ovules in angiosperms: pitfalls of morphological interpretation. *Botanical Journal of the Linnean Society*. 189(3): 201–227. <https://doi.org/10.1093/botlinnean/boy083>

- Erickson, A. N., & Markhart, A. H. 2002. Flower developmental stage and organ sensitivity of bell pepper (*Capsicum annuum* L.) to elevated temperature. *Plant, Cell and Environment*. 25(1): 123–130. <https://doi.org/10.1046/j.0016-8025.2001.00807.x>
- Ferreira, L. dos S. L., do Vale, A., de Souza, A., Leite, K., Sacramento, C., Moreno, M. V., Araújo, T., Soares, M. P., & Grassi, M. R. 2019. Anatomical and phytochemical characterization of *Physalis angulata* L.: A plant with therapeutic potential. *Pharmacognosy Research*. 11(2): 171. https://doi.org/10.4103/pr.pr_97_18
- Figueiredo, M. C. C., Passos, A. R., Hughes, F. M., Santos, K. S. dos, Silva, A. L. da, & Soares, T. L. 2020. Reproductive biology of *Physalis angulata* L. (Solanaceae). *Scientia Horticulturae*. 267. 109307. <https://doi.org/10.1016/j.scienta.2020.109307>
- Franceschi, V. R., Krokene, P., Christiansen, E., & Krekling, T. 2005. Anatomical and chemical defenses of conifer bark against bark beetles and other pests. *New Phytologist*. 167(2): 353–376. <https://doi.org/10.1111/j.1469-8137.2005.01436.x>
- Frary, A., Nesbitt, T. C., Frary, A., Grandillo, S., Van Der Knaap, E., Cong, B., Liu, J., Meller, J., Elber, R., Alpert, K. B., & Tanksley, S. D. 2000. fw2.2: A quantitative trait locus key to the evolution of tomato fruit size. *Science*. 289(5476): 85–88. <https://doi.org/10.1126/science.289.5476.85>
- Freeman. 2008. An Overview of Plant Defenses against Pathogens and Herbivores. *The Plant Health Instructor*. <https://doi.org/10.1094/phi-i-2008-0226-01>
- Furness, C. A., Rudall, P. J., & Sampson, F. B. 2002. Evolution of microsporogenesis in angiosperms. *International Journal of Plant Sciences*. 163(2): 235–260. <https://doi.org/10.1086/338322>
- Galastri, N. A., Maria, D., & Oliveira, T. 2016. Megasporogenesis and megagametogenesis in species of Annonaceae, the largest family of early-diverging angiosperms. *New Zealand Journal of Botany*. 54(1): 63–73, DOI: 10.1080/0028825X.2015.1109526
- Galbiati, F., Sinha Roy, D., Simonini, S., Cucinotta, M., Ceccato, L., Cuesta, C., Simaskova, M., Benkova, E., Kamiuchi, Y., Aida, M., Weijers, D., Simon, R., Masiero, S., & Colombo, L. 2013. An integrative model of the control of ovule primordia formation. *Plant Journal*. 76(3): 446–455. <https://doi.org/10.1111/tpj.12309>
- Gao, H., Li, J., Wang, L., Zhang, J., & He, C. 2020. Transcriptomic variation of the flower–fruit transition in *Physalis* and *Solanum*. *Planta*. 252(2): <https://doi.org/10.1007/s00425-020-03434-x>
- García-Hurtado, N. 2012. The role of hormones during tomato fruit set and development. *Plant Science*. 195: 69–75. <https://doi.org/10.1016/j.plantsci.2012.06.008>
- Gasser, C. S., & Skinner, D. J. 2019. Development and evolution of the unique ovules of flowering plants. In *Current Topics in Developmental Biology*. 1(131). Elsevier Inc.

<https://doi.org/10.1016/bs.ctdb.2018.10.007>

Ghimire, B., & Heo, K. 2012. Embryology of *Withania somnifera* (L.) Dunal (Solanaceae). *Acta Biologica Cracoviensia Series Botanica*. 54(2): 69–78. <https://doi.org/10.2478/v10182-012-0027-6>

Gilead, S., & Shoham, Y. 1995. Purification and characterization of α -L-arabinofuranosidase from *Bacillus stearothermophilus* T-6. *Applied and Environmental Microbiology*. 61(1): 170–174. <https://doi.org/10.1128/aem.61.1.170-174.1995>

Gillaspy, G., Ben-David, H., & Gruissem, W. 1993. Fruits: A developmental perspective. *Plant Cell*. 5(10): 1439–1451. <https://doi.org/10.2307/3869794>

Giovannoni, J. .2004. Genetic regulation of fruit development and ripening. *The Plant Cell*. 16: 170–180. <https://doi.org/10.1105/tpc.017731>

Goławska, S., Łukasik, I., & Czerniewicz, P. 2024. Genistein and Naringenin as Defense Molecules. *Molecules*. 29(23): <https://doi.org/10.3390/molecules29235505>

Goldberg, R. B., Beals, T. P., & Sanders, P. M. 1993. Anther development: Basic principles and practical applications. *Plant Cell*. 5(10): 1217–1229. <https://doi.org/10.2307/3869775>

Gómez, J. F., Talle, B., & Wilson, Z. A. 2015. Anther and pollen development: A conserved developmental pathway. *Journal of Integrative Plant Biology*. 57(11): 876–891. <https://doi.org/10.1111/jipb.12425>

Gonzalo, M. J., & Van Der Knaap, E. 2008. A comparative analysis into the genetic bases of morphology in tomato varieties exhibiting elongated fruit shape. *Theoretical and Applied Genetics*. 116(5): 647–656. <https://doi.org/10.1007/s00122-007-0698-7>

Göztok, F., & Zengin, F. 2015. The antimicrobial activity of *Physalis peruviana* L. *Bitlis Eren University Journal of Science and Technology*. 3(1): 15–15. <https://doi.org/10.17678/beuscitech.47134>

Gürel F., Öztürk Z.N., Uçarlı C., and Rosellini D. 2016. Barley Genes as Tools to Confer Abiotic Stress Tolerance in Crops. *Front. Plant Sci*. 7:1137. doi: 10.3389/fpls.2016.01137

Hamed, K. A. 2015. Venation Pattern in the Sepals of Certain Species of Solanaceae and its Contribution to the Taxonomy of the Family. *International Journal Of Agriculture & Biology*. 6(5): 850-855. <https://doi.org/10.15663/2004/06-5-850-855>

Hao, D., Jin, L., Wen, X., Yu, F., Xie, Q., & Guo, H. 2021. The RING E3 ligase SDIR1 destabilizes EBF1/EBF2 and modulates the ethylene response to ambient temperature fluctuations in *Arabidopsis*. *Proceedings of the National Academy of Sciences of the United States of America*. 118(6): 1–10. <https://doi.org/10.1073/pnas.2024592118>

- Hedhly, A., Vogler, H., Schmid, M. W., Pazmino, D., Gagliardini, V., Santelia, D., & Grossniklaus, U. 2016. Starch turnover and metabolism during flower and early embryo development. *Plant Physiology*. 172(4): 2388–2402. <https://doi.org/10.1104/pp.16.00916>
- Herrera, F., Mitchell, J. D., Pell, S. K., Collinson, M. E., Daly, D. C., & Manchester, S. R. 2018. Fruit Morphology and Anatomy of the *Spondioid Anacardiaceae*. *Botanical Review*. 84(4): 315–393. <https://doi.org/10.1007/s12229-018-9201-1>
- Huang, X., C. Wang, Y. Zhao, C. Sun, D. Hu. 2021. Mechanisms and regulation of organic acid accumulation in plant vacuoles. *Horticulture Research*. 8:227 <https://doi.org/10.1038/s41438-021-00702-z>
- Hu, F., Ye, Z., Dong, K., Zhang, W., Fang, D., & Cao, J. 2023. Divergent structures and functions of the Cupin proteins in plants. *International Journal of Biological Macromolecules*. 242(1), 124791. <https://doi.org/10.1016/j.ijbiomac.2023.124791>
- Hu, Y., Zhi, L., Li, P., Hancock, J. T., & Hu, X. 2022. The Role of Salicylic Acid Signal in Plant Growth, Development and Abiotic Stress. *Phyton-International Journal of Experimental Botany*. 91(12): 2591–2605. <https://doi.org/10.32604/PHYTON.2022.023733>
- Hussain, S. B., Shi, C. Y., Guo, L. X., Kamran, H. M., Sadka, A., & Liu, Y. Z. 2017. Recent Advances in the Regulation of Citric Acid Metabolism in *Citrus* Fruit. *Critical Reviews in Plant Sciences*. 36(4): 241–256. <https://doi.org/10.1080/07352689.2017.1402850>
- Irish, V. F. 2009. Evolution of petal identity. *Journal of Experimental Botany*. 60(9): 2517–2527. <https://doi.org/10.1093/jxb/erp159>
- Islam, M. S., Saito, J. A., Emdad, E. M., Ahmed, B., Islam, M. M., Halim, A., Hossen, Q. M. M., Hossain, M. Z., Ahmed, R., Hossain, M. S., Kabir, S. M. T., Khan, M. S. A., Khan, M. M., Hasan, R., Aktar, N., Honi, U., Islam, R., Rashid, M. M., Wan, X., Alam, M. 2017. Comparative genomics of two jute species and insight into fibre biogenesis. *Nature Plants*. 3(1): 1–7. <https://doi.org/10.1038/nplants.2016.223>
- Iwashina, T., & Mizuno, T. 2020. Flavonoids and Xanthones From the Genus *Iris*: Phytochemistry, Relationships with Flower Colors and Taxonomy, and Activities and Function. *Natural Product Communications*. 15(10): 1–35 <https://doi.org/10.1177/1934578X20937151>
- Jagatheeswari, D. 2014. *Morphological studies on flowering plants (Solanaceae)*. 15: 36–43. <https://doi.org/10.18052/www.scipress.com/ILNS.15.36>
- Jamil, I., Qamarunnisa, S., Azhar, A., Shinwari, Z. K., Ali, S. I., & Qaiser, M. 2014. Subfamilial Relationships Within Solanaceae As Inferred From atp β -rbcL Intergenic Spacer. In *Pak. J. Bot.* 46(2): 585–590.
- Jin, W., Horner, H. T., Palmer, R. G., & Shoemaker, R. C. 1999. Analysis and mapping of

- gene families encoding β -1,3-glucanases of soybean. *Genetics*. 153(1): 445–452. <https://doi.org/10.1093/genetics/153.1.445>
- John, J., & Sarada, S. 2012. Role of phenolics in allelopathic interactions. *Allelopathy Journal*. 2: 215–230. <https://www.researchgate.net/publication/280096292>
- Johri, B.M. 1984. *Experimental Embryology of Vascular Plants*. Springer-Verlag. New York
- Judkevich, M. D., Salas, R. M., & Gonzalez, A. M. 2022. Embryology of some flowers of the *Gardenieae complex* (Rubiaceae). *Protoplasma*. 259(5): 1233–1254. <https://doi.org/10.1007/s00709-022-01734-5>
- Kelley, D. R., & Gasser, C. S. 2009. Ovule development: Genetic trends and evolutionary considerations. *Sexual Plant Reproduction*. 22(4): 229–234. <https://doi.org/10.1007/s00497-009-0107-2>
- Khafagi, A., El- Ghamery, A., Ghaly, O., & Ragab, O. 2018. Fruit and Seed Morphology of Some Species of Solanaceae. *Taeckholmia*. 38(1): 123–140. <https://doi.org/10.21608/taec.2018.13520>
- Kianersi, F., Abdollahi, M. R., Mirzaie-asl, A., Dastan, D., & Rasheed, F. 2020. Identification and tissue-specific expression of rutin biosynthetic pathway genes in *Capparis spinosa* elicited with salicylic acid and methyl jasmonate. *Scientific Reports*. 10(1): 1–15. <https://doi.org/10.1038/s41598-020-65815-2>
- Kimura, Y., Tani, S., Hayashi, A., Ohtani, K., Fujioka, S., Kawano, T., & Shimada, A. 2007. Nematicidal activity of 5-hydroxymethyl-2-furoic acid against plant-parasitic nematodes. *Zeitschrift Fur Naturforschung - Section C Journal of Biosciences*. 62(3–4): 234–238. <https://doi.org/10.1515/znc-2007-3-413>
- Kogan, M. 1987. Plant volatiles as insect attractants. *Critical Reviews in Plant Sciences*. 5(3): 251–301. <https://doi.org/10.1080/07352688709382242>
- Kotia, A. 2017. *Biosystematics of Angiospermae, Plant Development and Reproduction*. Rajasthan State Cooperative Press.
- Kreft, S., Štrukelj, B., Gaberščik, A., & Kreft, I. 2002. Rutin in buckwheat herbs grown at different UV-B radiation levels: Comparison of two UV spectrophotometric and an HPLC method. *Journal of Experimental Botany*. 53(375): 1801–1804. <https://doi.org/10.1093/jxb/erf032>
- Kroymann, J. 2011. Natural diversity and adaptation in plant secondary metabolism. *Current Opinion in Plant Biology*. 14(3): 246–251. <https://doi.org/10.1016/j.pbi.2011.03.021>
- Ku, H. M., Grandillo, S., & Tanksley, S. D. 2000. fs8.1, a major QTL, sets the pattern of tomato carpel shape well before anthesis. *Theoretical and Applied Genetics*. 101(5–6): 873–878. <https://doi.org/10.1007/s001220051555>

- Kusumaningtyas, R., Laily, N., & Limandha, P. 2015. Potential of Ciplukan (*Physalis angulata* L.) as Source of Functional Ingredient. *Procedia Chemistry*. 14: 367–372. <https://doi.org/10.1016/j.proche.2015.03.050>
- Laranjeira, S., Amorim-Silva, V., Esteban, A., Arró, M., Ferrer, A., Tavares, R. M., Botella, M. A., Rosado, A., & Azevedo, H. 2015. Arabidopsis Squalene Epoxidase 3 (SQE3) Complements SQE1 and Is Important for Embryo Development and Bulk Squalene Epoxidase Activity. *Molecular Plant*. 8(7): 1090–1102. <https://doi.org/10.1016/j.molp.2015.02.007>
- Lattanzio, V., Kroon, P. A., Quideau, S., & Treutter, D. 2008. Plant Phenolics - Secondary Metabolites with Diverse Functions. In *Recent Advances in Polyphenol Research*. (Vol. 1, Issue February). <https://doi.org/10.1002/9781444302400.ch1>
- Lebeau-Roche, E., Daniele, G., Fildier, A., Turies, C., Dedourge-Geffard, O., Porcher, J. M., Geffard, A., & Vulliet, E. 2021. An optimized LC-HRMS untargeted metabolomics workflow for multi-matrices investigations in the three-spined stickleback. *PLoS ONE*. 16: 1–22. <https://doi.org/10.1371/journal.pone.0260354>
- Li A, Sun X., and Liu L.2022. Action of Salicylic Acid on Plant Growth. *Front. Plant Sci*. 13:878076. doi: 10.3389/fpls.2022.878076
- Li, Y., Qin, P., Sun, A., Xiao, W., Chen, F., He, Y., Yu, K., Li, Y., Zhang, M., & Guo, X. 2022. Genome-wide identification, new classification, expression analysis and screening of drought & heat resistance related candidates in the RING zinc finger gene family of bread wheat (*Triticum aestivum* L.). *BMC Genomics*. 23(1): 1–18. <https://doi.org/10.1186/s12864-022-08905-x>
- Licodiedidoff, S., Koslowski, L. A. D., & Ribani, R. H. 2013. Flavonóis e atividade antioxidante do fruto *Physalis peruviana* L. em dois estádios de maturação. *Acta Scientiarum - Technology*. 35(2): 393–399. <https://doi.org/10.4025/actascitechnol.v35i2.13265>
- Lin, D., Hu, L., You, H., Sarkar, D., Xing, B., & Shetty, K. 2010. Initial screening studies on potential of high phenolic-linked plant clonal systems for nitrate removal in cold latitudes. *Journal of Soils and Sediments*. 10(5): 923–932. <https://doi.org/10.1007/s11368-010-0214-6>
- Linka, N., & Esser, C. 2012. Transport proteins regulate the flux of metabolites and cofactors across the membrane of plant peroxisomes. *Frontiers in plant science*. 3(1): 1–13. <https://doi.org/10.3389/fpls.2012.00003>
- Liu, J., Shi, M., Wang, J., Zhang, B., Li, Y., Wang, J., El-Sappah, A. H., & Liang, Y. 2020. Comparative transcriptomic analysis of the development of sepal morphology in tomato (*Solanum lycopersicum* L.). *International Journal of Molecular Sciences*. 21(16): 1–23. <https://doi.org/10.3390/ijms21165914>
- Liu, L., & Wang, T. 2021. Male gametophyte development in flowering plants: A story of quarantine and sacrifice. *Journal of Plant Physiology*. 258: 153365. <https://doi.org/10.1016/j.jplph.2021.153365>

- Liu, Y., Gu, L., & Liu, J. 2017. Sporogenesis, gametogenesis and pollen morphology of *Solanum japonense* and *S. septemlobum* (Solanaceae). *Archives of Biological Sciences*. 70(2): 313-320. <https://doi.org/10.2298/ABS170724048L>
- Loreto, F., Dicke, M., Schnitzler, J. P., & Turlings, T. C. J. 2014. Plant volatiles and the environment. *Plant, Cell and Environment*. 37(8): 1905–1908. <https://doi.org/10.1111/pce.12369>
- Lozano, R., Giménez, E., Cara, B., Capel, J., & Angosto, T. 2009. Genetic analysis of reproductive development in tomato. In *International Journal of Developmental Biology*. 53(8–10): 1635–1648. <https://doi.org/10.1387/ijdb.072440rl>
- Lu, J., Luo, M., Wang, L., Li, K., Yu, Y., Yang, W., Gong, P., Gao, H., Li, Q., Zhao, J., Wu, L., Zhang, M., Liu, X., Zhang, X., Zhang, X., Kang, J., Yu, T., Li, Z., Jiao, Y. He. 2021. The *Physalis floridana* genome provides insights into the biochemical and morphological evolution of *Physalis* fruits. *Horticulture Research*. 8(1). <https://doi.org/10.1038/s41438-021-00705-w>
- Mamadalieva, N. Z., Šoral, M., Kysil, E., Stark, P., Frolov, A., & Wessjohann, L. A. 2024. Comparative metabolic profiling and quantitative analysis of metabolites in different tissues of *Ajuga turkestanica* by ESI-UHPLC-QqTOF-MS and NMR. *Scientific Reports*. 14(1): 1–13. <https://doi.org/10.1038/s41598-024-71546-5>
- Manning, K., Tör, M., Poole, M., Hong, Y., Thompson, A. J., King, G. J., Giovannoni, J. J., & Seymour, G. B. 2006. A naturally occurring epigenetic mutation in a gene encoding an SBP-box transcription factor inhibits tomato fruit ripening. *Nature Genetics*. 38(8): 948–952. <https://doi.org/10.1038/ng1841>
- Marchant, D. B., & Walbot, V. 2022. Anther development—The long road to making pollen. *Plant Cell*. 34(12): 4677–4695. <https://doi.org/10.1093/plcell/koac287>
- Marsh, K. J., Wallis, I. R., Kulheim, C., Clark, R., Nicolle, D., Foley, W. J., & Salminen, J. P. 2020. New approaches to tannin analysis of leaves can be used to explain in vitro biological activities associated with herbivore defence. *New Phytologist*. 225(1): 488–498. <https://doi.org/10.1111/nph.16117>
- Martins, N., Barros, L., & Ferreira, I. C. F. R. 2016. In vivo antioxidant activity of phenolic compounds: Facts and gaps. *Trends in Food Science and Technology*. 48: 1–12. <https://doi.org/10.1016/j.tifs.2015.11.008>
- Matsuura, H. N., & Fett-Neto, A. G. 2015. Plant Alkaloids: Main Features, Toxicity, and Mechanisms of Action. *Plant Toxins*. 1:1–15. https://doi.org/10.1007/978-94-007-6728-7_2-1
- Maurer, T. R., Tonello, C., Machado, B., Trentin, T., Bertol, C., Lângaro, N., & Chiomento, J. L. 2023. Phytochemical potential of berries: An overview. *Latin American Developments in Energy Engineering*. 4(1): 11–28. <https://doi.org/10.17981/ladee.04.01.2023.2>

- Mayer, E. S., Ben-Michael, T., Kimhi, S., Forer, I., Rabinowitch, H. D., & Kamenetsky, R. 2015. Effects of different temperature regimes on flower development, microsporogenesis and fertility in bolting garlic (*Allium sativum*). *Functional Plant Biology*. 42(6): 514–526. <https://doi.org/10.1071/FP14262>
- Mejat, D. 2023. An Overview on Fatty Acid Synthesis and Ecological Consequences in Plants. *Journal of Plant Biochemistry & Physiology*. 1–2. <https://doi.org/10.35248/2329-9029.23.11.282.Citation>
- Mera, I. F. G., Falconí, D. E. G., & Córdova, V. M. 2019. Secondary metabolites in plants: Main classes, phytochemical analysis and pharmacological activities. In *Revista Bionatura*. 4(4). <https://doi.org/10.21931/RB/2019.04.04.11>
- Mishra, S. R. 2009. *Understanding Plant Anatomy*. Discovery Publishing House Pvt. Ltd.
- Monniaux, M., & Vandenbussche, M. 2023. Flower Development in the Solanaceae. *Methods in Molecular Biology*. 2686: 39–58. https://doi.org/10.1007/978-1-0716-3299-4_2
- Muniz, J., Aike, I., Kretschmar, A., Leo, I., Tânia, R. I., Pelizza, R., De, A., & Rufato, R. 2014. *General aspects of physalis cultivation Aspectos gerais da cultura da physalis*. 6: 964–970.
- Muravnik, L. E., Kostina, O. V., & Zaporozhets, N. L. 2022. Structure and functions of the glandular trichomes in three *Arnica species* (Asteraceae), depending on their location on leaves and flowers. *Flora: Morphology, Distribution, Functional Ecology of Plants*. 152047. <https://doi.org/10.1016/j.flora.2022.152047>
- Mutz, K. O., Heilkenbrinker, A., Lönne, M., Walter, J. G., & Stahl, F. 2013. Transcriptome analysis using next-generation sequencing. *Current Opinion in Biotechnology*. 24(1): 22–30. <https://doi.org/10.1016/j.copbio.2012.09.004>
- Nadhifah, A., Suratman, & Pitoyo, A. 2016. Kekerabatan fenetik ciplukan (*Physalis angulata* L.) di wilayah eks-Karesidenan Surakarta berdasarkan karakter morfologis, palinologis dan pola pita isozim [Phenetic relationship among ciplukan (*Physalis angulata* L.) in Surakarta based on variation. *Jurnal Tumbuhan Obat Indonesia*. 9(1): 1–10.
- Ng, Y. P., Or, T. C. T., & Ip, N. Y. 2015. Plant alkaloids as drug leads for Alzheimer's disease. *Neurochemistry International*. 89: 260–270. <https://doi.org/10.1016/j.neuint.2015.07.018>
- Nurul Latifah, Ari Ariefah Hidayati, S. R. Y. dan E. S. 2008. Ciplukan (*Physalis angulata* L.). In *Plant Resources of Tropical Africa 11(1): Medicinal plants*. 1: 437–440. <https://research.wur.nl/en/publications/plant-resources-of-tropical-africa-111-medicinal-plants-1>
- Oberti, H., Gutierrez-Gonzalez, J., & Pritsch, C. 2024. A first de novo transcriptome

- assembly of feijoa (*Acca sellowiana* [Berg] Burret) reveals key genes involved in flavonoid biosynthesis. *Plant Genome*. 17(3): 1–17. <https://doi.org/10.1002/tpg2.20501>
- Ogunrinde, A., Munro, K., Davidson, A., Ubaid, M., & Snedden, W. A. 2017. *Arabidopsis* calmodulin-like proteins, CML15 and CML16 possess biochemical properties distinct from calmodulin and show non-overlapping tissue expression patterns. *Frontiers in Plant Science*. 8: 1–17. <https://doi.org/10.3389/fpls.2017.02175>
- Okmanov, R. Y., Makhmudova, M. M., Bobaev, I. D., & Tashkhodjaev, B. 2021. Withanolides from *Physalis angulata* L. *Acta Crystallographica Section E: Crystallographic Communications*. 77: 804–808. <https://doi.org/10.1107/S205698902100709X>
- Oztruk, A., Özdemir, Y., Albayrak, B., Simsek, M., & Yıldırım, K. C. 2017. Some Nutrient Characteristics of Goldenberry (*Physalis Peruviana* L.) Cultivar Candidate From Turkey. *Scientific Papers - Series B, Horticulture*. 61: 293–297.
- Pattison, R. J. 2014. Hormonal regulation of tomato fruit development: A molecular perspective. *Journal of Plant Growth Regulation*. 33(2): 307–322. <https://doi.org/10.1007/s00344-013-9387-8>
- Paul, I., Poddar Sarkar, M., & Bhadoria, P. B. S. 2022. Floral secondary metabolites in context of biotic and abiotic stress factors. *Chemoecology*. 32(2): 49–68. <https://doi.org/10.1007/s00049-021-00366-0>
- Pérez-Castorena, A. L., Hernández, I. Z., Martínez, M., & Maldonado, E. 2013. Chemical study of calyces and roots of *Physalis solanaceus*. *Records of Natural Products*. 7(3): 230–233.
- Petkova, N. T., Popova, V. T., Ivanova, T. A., Mazova, N. N., Panayotov, N. D., & Stoyanova, A. 2021. Nutritional composition of different cape gooseberry genotypes (*Physalis peruviana*) – a comparative study. *Food Research*. 5(4): 191–202. [https://doi.org/10.26656/fr.2017.5\(4\).123](https://doi.org/10.26656/fr.2017.5(4).123)
- Pitt, J. J. 2009. Principles and Applications of Liquid ChromatographyMass Spectrometry in Clinical Biochemistry. *Clin Biochem Rev*. 30: 19–34.
- Primer, A. 1998. *Basics of LC/MS*.
- Qiao, Z., Deng, F., Zeng, H., Li, X., Lu, L., Lei, Y., Li, L., Chen, Y., & Chen, J. 2024. MADS-Box Family Genes in *Lagerstroemia indica* and Their Involvement in Flower Development. *Plants*. 13(5). <https://doi.org/10.3390/plants13050709>
- Qin, G., Xu, C., Ming, R., Tang, H., Guyot, R., Kramer, E. M., Hu, Y., Yi, X., Qi, Y., Xu, X., Gao, Z., Pan, H., Jian, J., Tian, Y., Yue, Z., & Xu, Y. 2017. The pomegranate (*Punica granatum* L.) genome and the genomics of punicalagin biosynthesis. *Plant Journal*. 91(6): 1108–1128. <https://doi.org/10.1111/tpj.13625>

- Quan, W., Chan, Z., Wei, P., Mao, Y., Bartels, D., & Liu, X. 2023. PHD finger proteins function in plant development and abiotic stress responses: an overview. *Frontiers in Plant Science*. 14: 1–13. <https://doi.org/10.3389/fpls.2023.1297607>
- Quinet, M., Angosto, T., Yuste-Lisbona, F. J., Blanchard-Gros, R., Bigot, S., Martinez, J. P., & Lutts, S. 2019. Tomato Fruit Development and Metabolism. *Frontiers in Plant Science*. 10: 1–23. <https://doi.org/10.3389/fpls.2019.01554>
- Ramadan, M. F., & Moersel, J. T. 2007. Impact of enzymatic treatment on chemical composition, physicochemical properties and radical scavenging activity of goldenberry (*Physalis peruviana* L.) juice. *Journal of the Science of Food and Agriculture*. 87(3): 452–460. <https://doi.org/10.1002/jsfa.2728>
- Ramakrishna, A., & Ravishankar, G. A. 2011. Influence of abiotic stress signals on secondary metabolites in plants. *Plant Signaling and Behavior*. 6(11): 1720–1731. <https://doi.org/10.4161/psb.6.11.17613>
- Ramezani, H., Chehregani Rad, A., & Karamian, R. 2018. Development of the male and female gametophyte in *Capsicum annuum* L. var. California Wonder. *Plant Biosystems*. 152(5): 1172–1181. <https://doi.org/10.1080/11263504.2018.1435568>
- Ramos, C. A. da S., Soares, T. L., Barroso, N. S., & Pelacani, C. R. 2021. Influence of maturity stage on physical and chemical characteristics of fruit and physiological quality of seeds of *Physalis angulata* L. *Scientia Horticulturae*. 284. <https://doi.org/10.1016/j.scienta.2021.110124>
- Rani, C. S., & Sudhakar, C. 2018. Effect of plant growth retardants on growth , yield and economics of kharif pigeonpea (*Cajanus cajan* L.). *International Journal of Chemical Studies*. 6(6): 1495–1498.
- Rasbery, J. M., Shan, H., LeClair, R. J., Norman, M., Matsuda, S. P. T., & Bartel, B. 2007. *Arabidopsis thaliana* squalene epoxidase 1 is essential for root and seed development. *Journal of Biological Chemistry*. 282(23): 17002–17013. <https://doi.org/10.1074/jbc.M611831200>
- Raskin, I., Ribnicky, D. M., Komarnytsky, S., Ilic, N., Poulev, A., Borisjuk, N., Brinker, A., Moreno, D. A., Ripoll, C., Yakoby, N., O’Neal, J. M., Cornwell, T., Pastor, I., & Fridlender, B. 2002. Plants and human health in the twenty-first century. *Trends in Biotechnology*. 20(12): 522–531. [https://doi.org/10.1016/S0167-7799\(02\)02080-2](https://doi.org/10.1016/S0167-7799(02)02080-2)
- Rengifo, E., & Vargas-Arana, G. 2013. *Physalis angulata* L. (Bolsa Mullaca): A Review of its Traditional Uses, Chemistry and Pharmacology Bioprospection. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas*. 12 (5): 431 - 445 <https://www.researchgate.net/publication/260284500>
- Robles, P., & Pelaz, S. 2005. Flower and fruit development in *Arabidopsis thaliana*. In *International Journal of Developmental Biology*. 49(–6): 633–643. <https://doi.org/10.1387/ijdb.052020pr>

- Rodrigues, F. A., Dória, J., Soares, R., Alves, R., Silva, L., Dos, E., Penoni, S., Pasqual, M., Pereira, F. J., & Mauro De Castro, E. 2014. Anatomy of vegetative organs and seed histochemistry of *Physalis peruviana* L. *Australian Journal of Crop Sciences*. 8(6): 895-900.
- Rodriguez, I. 2000. Flower anatomy and morphology of *Exodeconus maritimus* (Solanaceae, Solaneae) and *Nicandra physalodes* (Solanaceae, Nicandreae). *Adansonia*. 22(2): 187–199.
- Rodríguez, M., Arjona, ; Harvey, Fischer, ; Gerhard, Campos, H., & Chaparro De Valencia, M. 2010. Aspectos Anatómicos del Desarrollo del Fruto de Feijoa [*Acca sellowiana*(O.Berg) Burret]. *Rev.Fac.Nal.Agr.Medellín*. 63(1): 5267–5273.
- Roncaglia, P., Martone, M. E., Hill, D. P., Berardini, T. Z., Foulger, R. E., Imam, F. T., Drabkin, H., Mungall, C. J., & Lomax, J. 2013. The Gene Ontology (GO) Cellular Component Ontology : integration with SAO (Subcellular Anatomy Ontology) and other recent developments. *Journal of Biomedical Semantics*. 4(1). <https://doi.org/10.1186/2041-1480-4-20>
- Ronse, L., Wanntorp, L., Annals, S., October, N., Craene, L. R. De, & Wanntorp, L. 2022. Floral development and anatomy of Salvadoraceae. *Ann. Bot.* 104(5): 913–923. <https://doi.org/10.1093/aob/mcpl70>
- Rukmi, K., & Waluyo, B. 2019. Keragaman Genetik Akses Ciplukan (*Physalis* sp.) Berdasarkan Karakter Morfologi dan Agronomi Variability Genetic Accession Of Ciplukan (*Physalis* sp .) Based On Agronomic and Morphological Characters. *Jurnal Produksi Tanaman*. 7(2): 209–217. <http://protan.studentjournal.ub.ac.id/index.php/protan/article/view/1024/1041>
- Ruzin, S. 1999. *Plant Microtechnique and microscopy*. Oxford University Press.
- Salim, S. A., Abood, K. H., & Razzooqee, M. A. 2019. Determination of secondary metabolites in callus and different tissues of *Physalis angulata* L. *Research on Crops*. 20(3): 642–647. <https://doi.org/10.31830/2348-7542.2019.094>
- Sampson, F. B., Furness, C. A., & Rudall, P. J. 2002. *Evolution of Microsporogenesis in Angiosperms*. *Int. J. Plant Sci.* 163(2): 235–260. <https://doi.org/10.1086/338322>
- Seymour, G. B., Manning, K., Eriksson, E. M., Popovich, A. H., & King, G. J. 2002. Genetic identification and genomic organization of factors affecting fruit texture. *Journal of Experimental Botany*. 53(377): 2065–2071. <https://doi.org/10.1093/jxb/erf087>
- Shakhnoza S. Azimova., M. S. Y. 2013. Natural Compounds Alkaloids Plant Sources, Structure and Properties. Springer.
- Sharmila, S., Kalaichelvi, K., Rajeswari, M., & Anjanadevi, N. 2014. Studies On The Folklore Medicinal Uses Of Some Indigenous Plants Among The Tribes Of Thiashola. *International Journal of Plant, Animal and Environmental Sciences*. 4(3):

14-22.

- Shi, H., Jiang, J., Yu, W., Cheng, Y., Wu, S., Zong, H., Wang, X., Ding, A., Wang, W., & Sun, Y. 2024. Naringenin restricts the colonization and growth of *Ralstonia solanacearum* in tobacco mutant KCB-1. *Plant Physiology*. 195(3): 1818–1834. <https://doi.org/10.1093/plphys/kiae185>
- Sholehah, D. N., Hariyanto, S., & Purnobasuki, H. 2021. Fruit development of groundcherry (*Physalis angulata* L.) in dryland. *Australian Journal of Crop Science*. 15(8): 1186–1191. <https://doi.org/10.21475/ajcs.21.15.08.p3318>
- Singh, N., Singh, S., Maurya, P., Arya, M., Khan, F., Dwivedi, D. H., & Saraf, S. A. 2019. An updated review on *Physalis peruviana* fruit: Cultivational, nutraceutical and pharmaceutical aspects. *Indian Journal of Natural Products and Resources*. 10(2): 97-110.
- Sokoloff, D. D., Jura-Morawiec, J., Zoric, L., & Fay, M. F. 2021. Plant anatomy: At the heart of modern botany. *Botanical Journal of the Linnean Society*. 195(3): 249–253. <https://doi.org/10.1093/botlinnean/boaa110>
- Soriano, I. R., Riley, I. T., Potter, M. J., & Bowers, W. S. 2004. Phytoecdysteroids: A novel defense against plant-parasitic nematodes. *Journal of Chemical Ecology*. 30(10): 1885–1899. <https://doi.org/10.1023/B:JOEC.0000045584.56515.11>
- Soviguidi, D. R. J., Pan, R., Liu, Y., Rao, L., Zhang, W., & Yang, X. 2022. Chlorogenic acid metabolism: The evolution and roles in plant response to abiotic stress. *Phyton-International Journal of Experimental Botany*. 91(2): 239–255. <https://doi.org/10.32604/phyton.2022.018284>
- Srivastava, L. M. 2002. *Plant Growth and Development : Hormones and Environment*. Academic Press Inc.
- Sullivan, J. R. 2020. Systematics of the *Physalis viscosa* (*Solanaceae*). *American Society of Plant Taxonomists*. 10(4): 426–444. Stable URL : <https://www.jstor.org/stable/2419136>
- Sumczynski, D., Kotásková, E., Družbíková, H., & Mlček, J. 2016. Determination of contents and antioxidant activity of free and bound phenolics compounds and in vitro digestibility of commercial black and red rice (*Oryza sativa* L.) varieties. *Food Chemistry*. 211: 339–346. <https://doi.org/10.1016/j.foodchem.2016.05.081>
- Surco-Laos, F., Valle, C. M., Loyola, E., Dueñas, M., & Santos, C. 2016. Antioxidants activity of flavonoid metabolites caused by the human gut microflora. *Revista de La Sociedad Química Del Perú*, 81(1).
- Suryani, T., Susanti, S., & Utaminingsih. 2020. Microsporogenesis of Ciplukan (*Physalis angulata* L.). *Proceeding ICBS*. 2260(1):030017. DOI:10.1063/5.0016268
- Susila, H., Nasim, Z., Gawarecka, K., Jung, J. Y., Jin, S., Youn, G., & Ahn, J. H. 2021.

PHOSPHORYLETHANOLAMINE CYTIDYLYLTRANSFERASE 1 modulates flowering in a florigen-independent manner by regulating SVP. *Development (Cambridge)*. 148(1): 1–8. <https://doi.org/10.1242/dev.193870>

Tan, J., Tu, L., Deng, F., Hu, H., Nie, Y., & Zhang, X. 2013. A genetic and metabolic analysis revealed that cotton fiber cell development was retarded by flavonoid naringenin. *Plant Physiology*. 162(1): 86–95. <https://doi.org/10.1104/pp.112.212142>

Tanksley, S. D. 2004. The genetic, developmental, and molecular bases of fruit size and shape variation in tomato. *Plant Cell*. 16: 18119. <https://doi.org/10.1105/tpc.018119>

Teoh, E. S. 2016. Medicinal orchids of Asia. Springer International Publishing Switzerland. pp 1–752. <https://doi.org/10.1007/978-3-319-24274-3>

Suzuki, M., Yukiko K., Noriko N., Hikaru S., Kiyoshi O., Hisashi K., Kazuo M., Shusei S., Tomohiko K., Satoshi T., Shigeo Y., and Toshiya M. 2004. Loss of function of 3-hydroxy-3-methylglutaryl coenzyme A reductase 1 HMG1. *The Plant Journal*. 37: 750-761. doi: 10.1111/j.1365-313X.2003.02003.x

Salazar-Sarasua B., López-Martín M.J., Roque E., Hamza R., Cañas L.A., Beltrán J.P., Gómez-Mena C. 2022. The tapetal tissue is essential for the maintenance of redox homeostasis during microgametogenesis in tomato. *Plant J*. 112(5):1281-1297. doi: 10.1111/tpj.16014.

Thermo Scientific. 2000. NanoDrop 2000 / 2000c Spectrophotometer. *Thermo Scientific Inc.*

Thomson, B., & Wellmer, F. 2019. Molecular regulation of flower development. In *Current Topics in Developmental Biology* (1st ed., Vol. 131). Elsevier Inc. <https://doi.org/10.1016/bs.ctdb.2018.11.007>

Tiago, O., Maicon, N., Ivan, R. C., Diego, N. F., Vinícius, J. S., Mauricio, F., Alan, J. de P., & Velci, Q. de S. 2017. Plant secondary metabolites and its dynamical systems of induction in response to environmental factors: A review. *African Journal of Agricultural Research*. 12(2): 71–84. <https://doi.org/10.5897/ajar2016.11677>

Tomczak, A., Mortens, J. M., Winnenburger, R., Liu, C., Alessi, T., Swamy, V., Vallania, F., Lofgren, S., Haynes, W., Shah, N. H., Musen, M. A., & Khatri, P. 2018. Interpretation of biological experiments changes with evolution of the Gene Ontology and its annotations. *Nature scientific reports*. 8:5115. <https://doi.org/10.1038/s41598-018-23395-2>

Tyagi, A., Singh, B., Billekallu Thammegowda, N. K., & Singh, N. K. 2019. Shotgun metagenomics offers novel insights into taxonomic compositions, metabolic pathways and antibiotic resistance genes in fish gut microbiome. *Archives of Microbiology*. 201(3): 295–303. <https://doi.org/10.1007/s00203-018-1615-y>

Valenta, K., Burke, R. J., Styler, S. A., Jackson, D. A., Melin, A. D., & Lehman, S. M. 2013. Colour and odour drive fruit selection and seed dispersal by mouse lemurs.

Scientific Reports. 3: 2424. <https://doi.org/10.1038/srep02424>

- van Mourik, S., van Dijk, A. D. J., de Gee, M., Immink, R. G. H., Kaufmann, K., Angenent, G. C., van Ham, R. C. H. J., & Molenaar, J. 2010. Continuous-time modeling of cell fate determination in *Arabidopsis* flowers. *BMC Systems Biology*. 4(101): 1-13. <https://doi.org/10.1186/1752-0509-4-101>
- Vanhercke, T., Wood, C. C., Stymne, S., Singh, S. P., & Green, A. G. 2013. Metabolic engineering of plant oils and waxes for use as industrial feedstocks. *Plant Biotechnology Journal*. 11(2): 197–210. <https://doi.org/10.1111/pbi.12023>
- Vattem, D. A., Randhir, R., & Shetty, K. 2005. Cranberry phenolics-mediated antioxidant enzyme response in oxidatively stressed porcine muscle. *Process Biochemistry*. 40(6): 2225–2238. <https://doi.org/10.1016/j.procbio.2004.09.001>
- Veitch, G. E., Boyer, A., & Ley, S. V. 2008. The azadirachtin story. *Angewandte Chemie - International Edition*. 47(49): 9402–9429. <https://doi.org/10.1002/anie.200802675>
- Velderrain-Rodríguez, G. R., Palafox-Carlos, H., Wall-Medrano, A., Ayala-Zavala, J. F., Chen, C. Y. O., Robles-Sánchez, M., Astiazaran-García, H., Alvarez-Parrilla, E., & González-Aguilar, G. A. 2014. Phenolic compounds: Their journey after intake. *Food and Function*. 5(2): 189–197. <https://doi.org/10.1039/c3fo60361j>
- Verdaguer, D., Jansen, M. A. K., Llorens, L., Morales, L. O., & Neugart, S. 2017. UV-A radiation effects on higher plants: Exploring the known unknown. *Plant Science*. 255: 72–81. <https://doi.org/10.1016/j.plantsci.2016.11.014>
- Vrebalov, J., Ruezinsky, D., Padmanabhan, V., White, R., Medrano, D., Drake, R., Schuch, W., & Giovannoni, J. 2002. A MADS-box gene necessary for fruit ripening at the tomato ripening-inhibitor (rin) locus. *Science*. 296(5566): 343–346. <https://doi.org/10.1126/science.1068181>
- Wang, H., Caruso, L. V., Downie, A. B., & Perry, S. E. 2004. The embryo Mads domain protein Agamous-like 15 directly regulates expression of a gene encoding an enzyme involved in gibberellin metabolism. *Plant Cell*. 16(5): 1206–1219. <https://doi.org/10.1105/tpc.021261>
- Wang, L., Cui, D., Zhao, X., & He, M. 2017. The Important Role of the Citric Acid Cycle in Plants. *Genomics and Applied Biology*. 8(4): 25-29. <https://doi.org/10.5376/gab.2017.08.0004>
- Wang, L., He, L., Li, J., Zhao, J., Li, Z., & He, C. 2014. Regulatory change at *Physalis* Organ Size 1 correlates to natural variation in tomatillo reproductive organ size. *Nature Communications*. 5:4271. <https://doi.org/10.1038/ncomms5271>
- Wang, L., Li, J., Zhao, J., & He, C. 2015. Evolutionary developmental genetics of fruit morphological variation within the solanaceae. *Frontiers in Plant Science*. 6: 1–10. <https://doi.org/10.3389/fpls.2015.00248>

- Wang, Z., Gerstein, M., & Snyder, M. 2009. RNA-Seq: a revolutionary tool for transcriptomics. *Nat Rev Genet.* 10: 57–63. <https://doi.org/10.1038/nrg2484>
- Wani, T. A., Pandith, S. A., Gupta, A. P., Chandra, S., Sharma, N., & Lattoo, S. K. 2017. Molecular and functional characterization of two isoforms of chalcone synthase and their expression analysis in relation to flavonoid constituents in *Grewia asiatica* L. *PLoS ONE.* 12(6): 1–24. <https://doi.org/10.1371/journal.pone.0179155>
- Whitson, M., & Manos, P. S. 2005. Untangling *Physalis* (Solanaceae) from the Physaloids: A Two-Gene Phylogeny of the Physalinae. *Systematic Botany.* 30(1): 216–230. <https://www.jstor.org/stable/25064051>
- Worley, B., & Powers, R. 2013. Multivariate Analysis in Metabolomics. *Current Metabolomics.* 1(1): 92–107. <https://doi.org/10.2174/2213235x11301010092>
- Wu, J., Zhao, J., Zhang, T., Gu, Y., Khan, I. A., Zou, Z., & Xu, Q. 2021. Naturally occurring physalins from the genus *Physalis*: A review. *Phytochemistry.* 191. <https://doi.org/10.1016/j.phytochem.2021.112925>
- Xiao, H., Jiang, N., Schaffner, E., Stockinger, E. J., & Van Der Knaap, E. 2008. A retrotransposon-mediated gene duplication underlies morphological variation of tomato fruit. *Science.* 319(5869): 1527–1530. <https://doi.org/10.1126/science.1153040>
- Yang, W., Xu, X., Li, Y., Wang, Y., Li, M., Wang, Y., Ding, X., & Chu, Z. 2016. Rutin-mediated priming of plant resistance to three bacterial pathogens initiating the early SA signal pathway. *PLoS ONE.* 11(1): 1–15. <https://doi.org/10.1371/journal.pone.0146910>
- Yellianty, Y., Kartasmita, R. E., Surantaatmadja, S. I., & Rukayadi, Y. 2022. Identification of chemical constituents from fruit of *Antidesma bunius* by GC-MS and HPLC-DAD-ESI-MS. *Food Science and Technology.* 42:61320. <https://doi.org/10.1590/fst.61320>
- Zhang, Y.-J., Deng, G.-F., Xu, X.-R., Wu, S., Li, S., & Li, H.-B. 2013. Gooseberry (*Physalis peruviana*). *International Journal of Food Nutrition and Safety.* 3(1): 15–24. <http://modernscientificpress.com/Journals/ViewArticle.aspx?6ZIT7oAL6Lqarm6Ljqm1AEElk+hj9A+fv9GWpU/xhwwRe+2q2RWNomBD9alJ2kYX>
- Zhang, Y. Y., Li, Y., Gao, T., Zhu, H., Wang, D. J., Zhang, H. W., Ning, Y. S., Liu, L. J., Wu, Y. R., Chu, C. C., Guo, H. S., & Xie, Q. 2008. Arabidopsis SDIR1 enhances drought tolerance in crop plants. *Bioscience, Biotechnology and Biochemistry.* 72(8): 2251–2254. <https://doi.org/10.1271/bbb.80286>
- Zhang, Y., Yang, C., Li, Y., Zheng, N., Chen, H., Zhao, Q., Gao, T., Guo, H., & Xie, Q. 2007. SDIR1 is a RING finger E3 ligase that positively regulates stress-responsive abscisic acid signaling in Arabidopsis. *Plant Cell.* 19(6): 1912–1929. <https://doi.org/10.1105/tpc.106.048488>

Zillich, O. V., Schweiggert-Weisz, U., Eisner, P., & Kersch, M. 2015. Polyphenols as active ingredients for cosmetic products. *International Journal of Cosmetic Science*. 37(5): 455–464. <https://doi.org/10.1111/ics.12218>