

REFERENCES

- Ayunda Pininta Kasih. (2024, March 19). *Pecah Rekor, Pendaftar Beasiswa IISMA 2024 Capai 15.211 Orang*. KOMPAS.com; Kompas.com. <https://www.kompas.com/edu/read/2024/03/19/133355371/pecah-rekor-pendaftar-beasiswa-iisma-2024-capai-15211-orang>
- Bhatnagar, G. (2023, February 13). *XG Boost for text classification - Gauri Bhatnagar* - Medium. <https://medium.com/@gaurishah143/xg-boost-for-text-classification-9c8b1f8f24aa>
- Diveki. (2018, November 10). *Classification with NLP, XGBoost and Pipelines*. Kaggle.com; Kaggle. <https://www.kaggle.com/code/diveki/classification-with-nlp-xgboost-and-pipelines>
- HAYYU ILHAM WICAKSONO. (2023). *ASPECT BASED SENTIMENT ANALYSIS OPTIMIZATION USING VADER AND SMOTE FOR MOBILE GAME REVIEWS*. Ugm.ac.id. <https://etd.repository.ugm.ac.id/penelitian/detail/226956>
- IISMA. (2022). *Home*. Kemdikbud.go.id. <https://iisma.kemdikbud.go.id/>
- Jurnalis Ketik. (2025, January 16). *IISMA Diisukan Bubar: Surat Terbuka Karyawan Kampus Merdeka Beredar di Media Sosial*. KETIK | Lembaga Pers Mahasiswa PoliMedia. <https://majalahketik.com/nasional/iisma-diisukan-bubar-surat-terbuka-karyawan-kampus-merdeka-beredar-di-media-sosial/>
- Justin. (2023, July 9). *Expressing One's Opinion Online When Nobody Cares*. ILLUMINATION. Medium; ILLUMINATION. <https://medium.com/illumination/understanding-the-urge-to-express-opinions-on-social-media-8b751ba95b31>
- KEZIA WASISTHA PUTRI. (2022). *Analisis Pengaruh Spam Tweets Terhadap Klasifikasi Sentimen Menggunakan VADER pada Twitter (Studi Kasus: Tweet Tentang Iphone dan Samsung)*. Ugm.ac.id. <https://etd.repository.ugm.ac.id/penelitian/detail/216006>

- Mohamad Sham, N., & Mohamed, A. (2022). Climate Change Sentiment Analysis Using Lexicon, Machine Learning and Hybrid Approaches. *Sustainability*, 14(8), 4723. <https://doi.org/10.3390/su14084723>
- Mumtaz, D., & Ahuja, B. (2017). A Lexical and Machine Learning-Based Hybrid System for Sentiment Analysis. *Innovations in Computational Intelligence*, 165–175. https://doi.org/10.1007/978-981-10-4555-4_11
- Polignano, M., Basile, V., Basile, P., Gabrieli, G., Vassallo, M., & Bosco, C. (2022). A hybrid lexicon-based and neural approach for explainable polarity detection. *Information Processing & Management*, 59(5), 103058. <https://doi.org/10.1016/j.ipm.2022.103058>
- RI, O. (2021). *Dilema Indonesian International Student Mobility Awards (IISMA) terhadap Pemerataan Pendidikan*. Ombudsman.go.id. <https://ombudsman.go.id/artikel/r/pwkinternal--dilema-indonesian-international-student-mobility-awards-iisma-terhadap-pemerataan-pendidikan>
- Satria, H. (2024a, April 11). *helimisatria/tweet-harvest*. GitHub. <https://github.com/helimisatria/tweet-harvest>
- Satria, H. (2024b, July 2). *Cara Mendapatkan Data (Crawl) Twitter X - Maret 2024*. Helmi Satria. <https://helimisatria.com/blog/updated-crawl-data-twitter-x-maret-2024>
- Sodo Lanang BJ katio. (2021). *Slang Indonesia*. Kaggle.com. <https://www.kaggle.com/datasets/sodolanangbjkatio/slang-indonesia>
- stopwords-iso. (2016). *GitHub - stopwords-iso/stopwords-id: Indonesian stopwords collection*. GitHub. <https://github.com/stopwords-iso/stopwords-id>
- Styawati Styawati, Nirwana Hendrastuty, & Auliya Rahman Isnain. (2021). Analisis Sentimen Masyarakat Terhadap Program Kartu Prakerja Pada Twitter Dengan Metode Support Vector Machine. *Jurnal Informatika Jurnal Pengembangan IT*, 6(3), 150–155. <https://doi.org/10.30591/jpit.v6i3.2870>

Yasinta Rahmawati. (2025, January 6). *Apa Itu IISMA? Diisukan Terancam Bubar di Tengah Carut Marut Kampus Merdeka*. Suara.com; Suara.com. <https://www.suara.com/lifestyle/2025/01/06/164619/apa-itu-iisma-diisukan-terancam-bubar-di-tengah-carut-marut-kampus-merdeka?page=all>

Sastrawi. (2023, November 13). GitHub. <https://github.com/sastrawi/sastrawi>

Bird, S., Klein, E., & Loper, E. (2009). *Natural Language Processing with Python: Analyzing Text with the Natural Language Toolkit*. O'Reilly Media.

Hutto, C. J., & Gilbert, E. (2014). VADER: A Parsimonious Rule-based Model for Sentiment Analysis of Social Media Text. *Proceedings of the 8th International Conference on Weblogs and Social Media (ICWSM)*.

Khandelwal, S., & Sharma, A. (2019). Text Normalization for Handling Social Media Text. *International Journal of Computer Applications*, 178(7), 30–35.

Kumar, R., & Garg, K. (2019). A Survey on Preprocessing Techniques for Text Mining. *International Journal of Computer Applications*, 177(7), 1–4.

Han, J., Kamber, M., & Pei, J. (2011). *Data Mining: Concepts and Techniques* (3rd ed.). Morgan Kaufmann.

Kohavi, R. (1995). A Study of Cross-Validation and Bootstrap for Accuracy Estimation and Model Selection. *Proceedings of the 14th International Joint Conference on Artificial Intelligence (IJCAI)*, 2, 1137–1143.

Medhat, W., Hassan, A., & Korashy, H. (2014). Sentiment analysis algorithms and applications: A survey. *Ain Shams Engineering Journal*, 5(4), 1093–1113.

Sammut, C., & Webb, G. I. (2011). *Encyclopedia of Machine Learning*. Springer.

- Aggarwal, C. C. (2015). *Data Mining: The Textbook*. Springer.
- Manning, C. D., Raghavan, P., & Schütze, H. (2008). *Introduction to Information Retrieval*. Cambridge University Press.
- Sammut, C., & Webb, G. I. (2011). *Encyclopedia of Machine Learning*. Springer.
- Agarwal, A., Xie, B., Vovsha, I., Rambow, O., & Passonneau, R. (2011). Sentiment analysis of Twitter data. In *Proceedings of the Workshop on Language in Social Media* (pp. 30-38).
- Baccianella, S., Esuli, A., & Sebastiani, F. (2016). SentiWordNet 3.0: An enhanced lexical resource for sentiment analysis and opinion mining. In *LREC* (Vol. 10, pp. 2200-2204).
- Banfield, R. E., Hall, L. O., Bowyer, K. W., & Kegelmeyer, W. P. (2007). A comparison of decision tree ensemble creation techniques. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29(1), 173-180.
- Bergstra, J., & Bengio, Y. (2012). Random search for hyper-parameter optimization. *Journal of Machine Learning Research*, 13, 281-305.
- Bouthillier, X., Delaunay, P., Bronzi, M., Trofimov, A., Nichyporuk, B., Szeto, J., & Vincent, P. (2019). Accounting for variance in machine learning benchmarks. *Proceedings of Machine Learning and Systems*, 3, 747-769.
- Bradley, A. P. (1997). The use of the area under the ROC curve in the evaluation of machine learning algorithms. *Pattern Recognition*, 30(7), 1145-1159.
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5-32.
- Cawley, G. C., & Talbot, N. L. (2010). On over-fitting in model selection and subsequent selection bias in performance evaluation. *Journal of Machine Learning Research*, 11, 2079-2107.

- Chawla, N. V. (2005). Data mining for imbalanced datasets: An overview. In *Data Mining and Knowledge Discovery Handbook* (pp. 853-867). Springer.
- Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining* (pp. 785-794).
- Claesen, M., & De Moor, B. (2015). Hyperparameter search in machine learning. *arXiv preprint arXiv:1502.02127*.
- Daelemans, W., & Hoste, V. (2002). Evaluation of machine learning methods for natural language processing tasks. In *Proceedings of the Third International Conference on Language Resources and Evaluation (LREC)*.
- Davis, J., & Goadrich, M. (2006). The relationship between precision-recall and ROC curves. In *Proceedings of the 23rd International Conference on Machine Learning* (pp. 233-240).
- Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. (2019). BERT: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of NAACL-HLT* (pp. 4171-4186).
- Dietterich, T. G. (1998). Approximate statistical tests for comparing supervised classification learning algorithms. *Neural Computation*, 10(7), 1895-1923.
- Domingos, P. (2012). A few useful things to know about machine learning. *Communications of the ACM*, 55(10), 78-87.
- Fawcett, T. (2006). An introduction to ROC analysis. *Pattern Recognition Letters*, 27(8), 861-874.
- Feurer, M., & Hutter, F. (2019). Hyperparameter optimization. In *Automated Machine Learning* (pp. 3-33). Springer.
- Fokkens, A., Van Erp, M., Postma, M., Pedersen, T., Vossen, P., & Freire, N. (2013). Offspring from reproduction problems: What replication

failure teaches us. In Proceedings of the 51st Annual Meeting of the Association for Computational Linguistics (pp. 1691-1701).

Forman, G., & Scholz, M. (2010). Apples-to-apples in cross-validation studies: Pitfalls in classifier performance measurement. ACM SIGKDD Explorations Newsletter, 12(1), 49-57.

Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. Annals of Statistics, 29(5), 1189-1232.

Galar, M., Fernandez, A., Barrenechea, E., Bustince, H., & Herrera, F. (2012). A review on ensembles for the class imbalance problem: Bagging-, boosting-, and hybrid-based approaches. IEEE Transactions on Systems, Man, and Cybernetics, Part C, 42(4), 463-484.

Gundersen, O. E., & Kjensmo, S. (2018). State of the art: Reproducibility in artificial intelligence. In Proceedings of the AAAI Conference on Artificial Intelligence (Vol. 32, No. 1).

Guyon, I. (1997). A scaling law for the validation-set training-set size ratio. AT&T Bell Laboratories, 1(11).

Hand, D. J., & Till, R. J. (2001). A simple generalisation of the area under the ROC curve for multiple class classification problems. Machine Learning, 45(2), 171-186.

Hanley, J. A., & McNeil, B. J. (1982). The meaning and use of the area under a receiver operating characteristic (ROC) curve. Radiology, 143(1), 29-36.

Hastie, T., Tibshirani, R., & Friedman, J. (2009). The elements of statistical learning: Data mining, inference, and prediction. Springer Science & Business Media.

He, H., & Garcia, E. A. (2009). Learning from imbalanced data. IEEE Transactions on Knowledge and Data Engineering, 21(9), 1263-1284.

- Henderson, P., Islam, R., Bachman, P., Pineau, J., Precup, D., & Meger, D. (2018). Deep reinforcement learning that matters. In Proceedings of the AAAI Conference on Artificial Intelligence (Vol. 32, No. 1).
- Jain, S., & Wallace, B. C. (2019). Attention is not explanation. In Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics (pp. 3543-3556).
- Kohavi, R. (1995). A study of cross-validation and bootstrap for accuracy estimation and model selection. In Proceedings of the 14th International Joint Conference on Artificial Intelligence (Vol. 2, pp. 1137-1143).
- López, V., Fernández, A., García, S., Palade, V., & Herrera, F. (2013). An insight into classification with imbalanced data: Empirical results and current trends on using data intrinsic characteristics. *Information Sciences*, 250, 113-141.
- Mantovani, R. G., Rossi, A. L., Vanschoren, J., Bischl, B., & De Carvalho, A. C. (2018). Effectiveness of random search in SVM hyperparameter tuning. In 2018 International Joint Conference on Neural Networks (IJCNN) (pp. 1-8). IEEE.
- Molinaro, A. M., Simon, R., & Pfeiffer, R. M. (2005). Prediction error estimation: A comparison of resampling methods. *Bioinformatics*, 21(15), 3301-3307.
- Natekin, A., & Knoll, A. (2013). Gradient boosting machines, a tutorial. *Frontiers in Neurorobotics*, 7, 21.
- Pak, A., & Paroubek, P. (2010). Twitter as a corpus for sentiment analysis and opinion mining. In Proceedings of the Seventh International Conference on Language Resources and Evaluation (LREC).
- Pang, B., Lee, L., & Vaithyanathan, S. (2002). Thumbs up? Sentiment classification using machine learning techniques. In Proceedings of the Conference on Empirical Methods in Natural Language Processing (pp. 79-86).

- Perlich, C., Provost, F., & Simonoff, J. S. (2003). Tree induction vs. logistic regression: A learning-curve analysis. *Journal of Machine Learning Research*, 4, 211-255.
- Pineau, J., Vincent-Lamarre, P., Sinha, K., Larivière, V., Beygelzimer, A., d'Alché-Buc, F., & Larochelle, H. (2021). Improving reproducibility in machine learning research: A report from the neurips 2019 reproducibility program. *Journal of Machine Learning Research*, 22(164), 1-20.
- Ripley, B. D. (1996). *Pattern recognition and neural networks*. Cambridge University Press.
- Sheridan, R. P., Wang, W. M., Liaw, A., Ma, J., & Gifford, E. M. (2016). Extreme gradient boosting as a method for quantitative structure–activity relationships. *Journal of Chemical Information and Modeling*, 56(12), 2353-2360.
- Sokolova, M., & Lapalme, G. (2009). A systematic analysis of performance measures for classification tasks. *Information Processing & Management*, 45(4), 427-437.
- Stone, M. (1974). Cross-validatory choice and assessment of statistical predictions. *Journal of the Royal Statistical Society: Series B (Methodological)*, 36(2), 111-133.
- Swets, J. A. (1988). Measuring the accuracy of diagnostic systems. *Science*, 240(4857), 1285-1293.
- Taboada, M., Brooke, J., Tofiloski, M., Voll, K., & Stede, M. (2011). Lexicon-based methods for sentiment analysis. *Computational Linguistics*, 37(2), 267-307.
- Tang, H., Tan, S., & Cheng, X. (2009). A survey on sentiment detection of reviews. *Expert Systems with Applications*, 36(7), 10760-10773.
- Tay, Y., Luu, A. T., Hui, S. C., & Su, J. (2018). Reasoning with sarcasm by reading in-between. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics* (pp. 1010-1020).

- Valavi, R., Elith, J., Lahoz-Monfort, J. J., & Guillera-Arroita, G. (2021). Modelling species presence-only data with random forests. *Ecography*, 44(12), 1731-1742.
- Zou, H., & Hastie, T. (2005). Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 67(2), 301-320.
- Chicco, D., & Jurman, G. (2020). The advantages of the Matthews correlation coefficient (MCC) over F1 score and accuracy in binary classification evaluation. *BMC Genomics*, 21, 6.
- Go, A., Bhayani, R., & Huang, L. (2009). Twitter sentiment classification using distant supervision. *CS224N Project Report*, Stanford, 1-12.
- Brownlee, J. (2019). *XGBoost With Python: Gradient Boosted Trees with XGBoost and scikit-learn*. Machine Learning Mastery.
- Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining* (pp. 785–794). <https://doi.org/10.1145/2939672.2939785>
- Jain, D., Singh, V., & Baghel, D. S. (2022). Comparative study of machine learning algorithms for sentiment analysis on Twitter data. *Procedia Computer Science*, 207, 1094–1103.
- Nabil, M., Aly, M., & Atiya, A. F. (2015). ASTD: Arabic Sentiment Tweets Dataset. In *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing* (pp. 2515–2519).
- Song, W., Chen, L., Zhang, Z., & Huang, H. (2020). A hybrid text sentiment analysis method based on XGBoost. *IEEE Access*, 8, 23607–23620. <https://doi.org/10.1109/ACCESS.2020.2970170>
- Yadav, V., & Vishwakarma, D. K. (2020). Sentiment analysis using deep learning architectures: A review. *Artificial Intelligence Review*, 53, 4335–4385. <https://doi.org/10.1007/s10462-019-09794-5>

Brownlee, J. (2019). XGBoost With Python: Gradient Boosted Trees with XGBoost and scikit-learn. Machine Learning Mastery.

Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. In Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (pp. 785–794). <https://doi.org/10.1145/2939672.2939785>

Jain, D., Singh, V., & Baghel, D. S. (2022). Comparative study of machine learning algorithms for sentiment analysis on Twitter data. Procedia Computer Science, 207, 1094–1103.

Nabil, M., Aly, M., & Atiya, A. F. (2015). ASTD: Arabic Sentiment Tweets Dataset. In Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing (pp. 2515–2519).

Song, W., Chen, L., Zhang, Z., & Huang, H. (2020). A hybrid text sentiment analysis method based on XGBoost. IEEE Access, 8, 23607–23620. <https://doi.org/10.1109/ACCESS.2020.2970170>