

## DAFTAR PUSTAKA

- Achar, A., & Rathi, S. K. (2011). Melasma: A clinico-epidemiological study of 312 cases. *Indian Journal of Dermatology*, 56(4), 380–382. <https://doi.org/10.4103/0019-5154.84722>
- Agu, P. C., Afiukwa, C. A., Orji, O. U., Ezeh, E. M., Ofoke, I. H., Ogbu, C. O., Ugwuja, E. I., & Aja, P. M. (2023). Molecular docking as a tool for the discovery of molecular targets of nutraceuticals in diseases management. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-40160-2>
- Akter, M., Kamrul Huda, M., Mozammel Hoque, M., & Mohammed Mozammel Hoque, C. (2018). Investigation of secondary metabolites of nine medicinally important orchids of Bangladesh. ~ 602 ~ *Journal of Pharmacognosy and Phytochemistry*, 7(5).
- Alfian, R., & Susanti, H. (2012). Penetapan kadar fenolik total ekstrak metanol kelopak bunga rosella merah (*Hibiscus sabdariffa* Linn) dengan variasi tempat tumbuh secara spektrofotometri. *Pharmaciana*, 2(1), 73–80.
- Allwood, J. W., Williams, A., Uthe, H., van Dam, N. M., Mur, L. A. J., Grant, M. R., & Pétriacq, P. (2021). Unravelling Plant Responses to Stress—The Importance of Targeted and Untargeted Metabolomics. *Metabolites*, 11(8), 558. <https://doi.org/10.3390/metabo11080558>
- Alruhaimi, R. S., Mahmoud, A. M., Elbagory, I., Ahmeda, A. F., El-Bassuony, A. A., Lamsabhi, A. M., & Kamel, E. M. (2024). Unveiling the tyrosinase inhibitory potential of phenolics from *Centaurium spicatum*: Bridging in silico and in vitro perspectives. *Bioorganic Chemistry*, 147. <https://doi.org/10.1016/j.bioorg.2024.107397>
- Amalia, R., Lovadi, I., & Linda, R. (2015). Kekayaan Jenis Anggrek Di Hutan Alam Desa Beginjan Kecamatan Tayan Hilir Kabupate Kabupaten Sanggau Sanggau. *Protobiont*, 4(1), 170–177.
- Ambarwati, Y.-, Martoprawiro, M., Mulyani, I., Ismunandar, I., & Onggo, D. (2017). Docking interaction of protein tyrosine phosphatase and complex chromium (III) nicotinate compounds. *Jurnal Kimia VALENSI*, 3, 89–95. <https://doi.org/10.15408/jkv.v3i2.5203>
- Arditti, J. (1993). *Fundamentals of Orchid Biology*. John Wiley & Sons.
- Ashooriha, M., Khoshneviszadeh, M., Khoshneviszadeh, M., Rafiei, A., Kardan, M., Yazdian-Robati, R., & Emami, S. (2020). Kojic acid–natural product conjugates as mushroom tyrosinase inhibitors. *European Journal of Medicinal Chemistry*, 201. <https://doi.org/10.1016/j.ejmech.2020.112480>
- Ashtawy, H.M., Mahapatra, N.R. (2018). Task-specific scoring functions for predicting ligand binding poses and affinity and for screening enrichment.

*Journal of Chemical Information and Modeling*. 58, 119–133.  
<https://doi.org/10.1021/acs.jcim.7b00309>

Asiamah, I., Obiri, S. A., Tamekloe, W., Armah, F. A., & Borquaye, L. S. (2023). Applications of molecular docking in natural products-based drug discovery. *Scientific African*, 20, e01593. <https://doi.org/10.1016/j.sciaf.2023.e01593>

Athipornchai, A., & Jullapo, N. (2018). Tyrosinase inhibitory and antioxidant activities of Orchid (*Dendrobium* spp.). *South African Journal of Botany*, 119, 188–192.

Azhar, S., Tambunan, M. I. H., & Ritonga, Y. E. (2021). INVENTARISASI ANGGREK DI HUTAN BUKIT LAWANG DESA TIMBANG JAYA KECAMATAN BAHOROK KABUPATEN LANGKAT. *Jurnal Biolokus*, 4(2), 80. [www.theplantlist.com](http://www.theplantlist.com)

Behrens, H. (2016). *Manual of Microchemical Analysis*. Wentworth Press.

Berman, H. M. (2000). The Protein Data Bank. *Nucleic Acids Research*, 28(1), 235–242. <https://doi.org/10.1093/nar/28.1.235>

Bose, B., Kumaria, S., Choudhury, H., & Tandon, P. (2017). Insights into nuclear DNA content, hydrogen peroxide and antioxidative enzyme activities during transverse thin cell layer organogenesis and ex vitro acclimatization of *Malaxis wallichii*, a threatened medicinal orchid. *Physiology and Molecular Biology of Plants*, 23, 955–968.

Brenner, M., & Hearing, V. J. (2008). The protective role of melanin against UV damage in human skin. *Photochemistry and Photobiology*, 84(3), 539–549. <https://doi.org/10.1111/j.1751-1097.2007.00226.x>

Céspedes, C. L., Cristian Balbontin, Avila, J., Dominguez, M. R., Alarcón, J., Paz, C., Burgos, V., Ortiz, L., Peñaloza-Castro, I., Seigler, D. S., & Kubo, I. (2017). Inhibition on cholinesterase and tyrosinase by alkaloids and phenolics from *Aristolelia chilensis* leaves. *Food and Chemical Toxicology*, 109, 984–995. <https://doi.org/10.1016/j.fct.2017.05.009>

Chandra, M., Levitt, J., & Pensabene, C. A. (2012). View of Hydroquinone Therapy for Post-inflammatory Hyperpigmentation Secondary to Acne\_ Not Just Prescribable by Dermatologists. *Acta Dermato-Venereologica*, 92(3), 232–235.

Chang, T. S. (2009). An updated review of tyrosinase inhibitors. *International Journal of Molecular Sciences*, 10(6), 2440–2475. <https://doi.org/10.3390/ijms10062440>

Chang, T.-S. (2012). Natural Melanogenesis Inhibitors Acting Through the Down-Regulation of Tyrosinase Activity. *Materials*, 5(9), 1661–1685. <https://doi.org/10.3390/ma5091661>

- Chen, W.C., Tseng, T.S., Hsiao, N.W., Lin, Y.L., Wen, Z.H., Tsai, C.C., Lee, Y.C., Lin, H.H., Tsai, K.C. (2015). Discovery of highly potent tyrosinase inhibitor, T1, with significant anti-melanogenesis ability by zebrafish in vivo assay and computational molecular modeling. *Scientific Reports*, 5, 7995. <https://doi.org/10.1038/srep07995>
- Choi, Y. H., Kim, S. E., & Lee, K. H. (2022). Changes in consumers' awareness and interest in cosmetic products during the pandemic. *Fashion and Textiles*, 9(1). <https://doi.org/10.1186/s40691-021-00271-8>
- Comber, J. B. (2001). *Orchids of Sumatra*. Natural History Publication.
- Cook-Botelho, J. C., Bachmann, L. M., & French, D. (2017). Steroid hormones. *Mass Spectrometry for the Clinical Laboratory*, 205–230. Elsevier. <https://doi.org/10.1016/B978-0-12-800871-3.00010-9>
- Cybermasta. (2024). *Largest online collection of New Guinea orchids*. Orchidsnewguinea.Com.
- D'Mello, S. A. N., Finlay, G. J., Baguley, B. C., & Askarian-Amiri, M. E. (2016). Signaling pathways in melanogenesis. *International Journal of Molecular Sciences*, 17(7). MDPI AG. <https://doi.org/10.3390/ijms17071144>
- Dolorosa, M. T., Nurjanah, Purwaningsih, S., Anwar, E., & Hidayat, T. (2019). Tyrosinase inhibitory activity of Sargassum plagyophyllum and Eucheuma cottonii methanol extracts. *IOP Conference Series: Earth and Environmental Science*, 278(1), 012020. <https://doi.org/10.1088/1755-1315/278/1/012020>
- Duval, C., Cohen, C., Chagnoleau, C., Flouret, V., Bourreau, E., & Bernerd, F. (2014). Key regulatory role of dermal fibroblasts in pigmentation as demonstrated using a reconstructed skin model: Impact of photo-aging. *PLoS ONE*, 9(12). <https://doi.org/10.1371/journal.pone.0114182>
- El-Nashar, H. A., El-Din, M. I. G., Hritcu, L., & Eldahshan, O. A. (2021). Insights on the inhibitory power of flavonoids on tyrosinase activity: A survey from 2016 to 2021. *Molecules*, 26(24), 7546.
- Faizul Huda, M., Truelovin Hadi Putri, R., Pea Yuanita Meishanti, O., Hasbullah, W., & Timur, J. (2023). *Identifikasi Senyawa dan Struktur Anatomi Tanaman melalui Uji Mikrokimia pada Sepuluh Jenis Tanaman yang Berbeda* (Vol. 08).
- Ferreira, L., Dos Santos, R., Oliva, G., & Andricopulo, A. (2015). Molecular Docking and Structure-Based Drug Design Strategies. *Molecules*, 20(7), 13384–13421. <https://doi.org/10.3390/molecules200713384>
- Fischer, C.L. (2020). Antimicrobial activity of host-derived lipids. *Antibiotics*, 9, 75. <https://doi.org/10.3390/antibiotics9020075>
- Fujieda, N., Umakoshi, K., Ochi, Y., Nishikawa, Y., Yanagisawa, S., Kubo, M., Kurisu, G., & Itoh, S. (2020). Copper–Oxygen Dynamics in the Tyrosinase

- Mechanism. *Angewandte Chemie - International Edition*, 59(32), 13385–13390. <https://doi.org/10.1002/anie.202004733>
- Gazali, M., Zamani, N. P., & Batubara, I. (2014). Potensi limbah kulit buah Nyirih *Xylocarpus granatum* sebagai inhibitor tirosinase. *Depik*, 3(3). <https://doi.org/10.13170/depik.3.3.5711>
- Gesztelyi, R., Zsuga, J., Kemeny-Beke, A., Varga, B., Juhasz, B., & Tosaki, A. (2012). The Hill equation and the origin of quantitative pharmacology. *Archive for History of Exact Sciences*, 66(4), 427–438. <https://doi.org/10.1007/s00407-012-0098-5>
- Gillbro, J. M., & Olsson, M. J. (2011). The melanogenesis and mechanisms of skin-lightening agents – existing and new approaches. *International Journal of Cosmetic Science*, 33(3), 210–221. <https://doi.org/10.1111/j.1468-2494.2010.00616.x>
- Hamzah, N., Haeria, Mus, N.M. (2017). Qsar dan molecular docking senyawa derivat lumiracoxib, inhibitor oksigenasi 2-ag pada terapi inflamasi. *Jurnal Farmasi UIN Alauddin Makassar*, 3, 42–47.
- Hanani, E. (2015). *Analisis Fitokimia*. Buku Kedokteran EGC.
- Harahap, F. (2012). . *FISIOLOGI TUMBUHAN: Suatu Pengantar*. UNIMED Press.
- Harborne, J. B. (1996). *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. ITB Press.
- Haryati, N. A., Chairul, S., & Erwin. (2015). Uji Toksisitas dan Aaktivitas Antibakteri ekstrak Daun Merah Tanaman Pucuk Merah (*Syzygium myrtifolium* Walp.) Terhadap Bakteri *Staphylococcus aureus* dan *Escherichia coli*. *Jurnal Kimia Mulawarman*, 13(1), 35–40.
- Huda, M. K., Hoque, M. M., & Jahan, I. (2022). Addition of a new report *Acriopsis liliifolia* (J. Koenig) Ormerod (Orchidaceae: Epidendroideae) to the flora of Bangladesh. *Tropical Plant Research*, 9(1), 31–36. <https://doi.org/10.22271/tpr.2022.v9.i1.005>
- Indrisari, M., Sartini, S., Miskad, U. A., Djawad, K., Tahir, K. A., Nurkhairi, N., & Muslimin, L. (2021). Photoprotective and inhibitory activity of tyrosinase in extract and fractions of *terminalia catappa* l. *Open Access Macedonian Journal of Medical Sciences*, 9, 263–270. <https://doi.org/10.3889/oamjms.2021.5940>
- International Orchid Foundation. (2019). *Orchid Species: Acriopsis javanica*. Orchids.Org.
- Ipandi, I., Sa'adi, A., & Sudjarwo, S. (2019). Verifikasi Metode ELISA (Enzym Linked Immunosorbent Assay) Untuk Penentuan Kadar AMH (Anti

- Mullerian Hormone). *Jurnal Surya Medika*, 5(1), 201–208. <https://doi.org/10.33084/jsm.v5i1.973>
- Jalu Putra, F. N. (2018). *Metabolomik Mikrobiologi*. <https://www.researchgate.net/publication/343222357>
- Khojah, H., Ahmed, S.R., Alharbi, S.Y., AlSabeelah, K.K., Alrayyes, H.Y., Almusayyab, K.B., Alrawiliy, S.R., Alshammari, R.M., Qasim, S. (2024). Skin anti-aging potential of *Launaea procumbens* extract: antioxidant and enzyme inhibition activities supported by ADMET and molecular docking studies. *Saudi Pharmaceutical Journal*, 32, 102107. <https://doi.org/10.1016/j.jsps.2024.102107>
- Kim, Y. J., & Uyama, H. (2005). Tyrosinase inhibitors from natural and synthetic sources: Structure, inhibition mechanism and perspective for the future. *Cellular and Molecular Life Sciences*, 62(15), 1707–1723. <https://doi.org/10.1007/s00018-005-5054-y>
- Kitchen, D. B., Decornez, H., Furr, J. R., & Bajorath, J. (2004). Docking and scoring in virtual screening for drug discovery: methods and applications. *Nature Reviews Drug Discovery*, 3(11), 935–949. <https://doi.org/10.1038/nrd1549>
- Kumari, I., Sandhu, P., Ahmed, M., & Akhter, Y. (2017). Molecular Dynamics Simulations, Challenges and Opportunities: A Biologist's Prospective. *Current Protein & Peptide Science*, 18(11), 1163–1179. <https://doi.org/10.2174/1389203718666170622074741>
- Li, J., Feng, L., Liu, L., Wang, F., Ouyang, L., Zhang, L., Hu, X., & Wang, G. (2021). Recent advances in the design and discovery of synthetic tyrosinase inhibitors. *European Journal of Medicinal Chemistry*, 224. <https://doi.org/10.1016/j.ejmech.2021.113744>
- Li, J., Min, X., Zheng, X., Wang, S., Xu, X., Peng, J. (2023). Synthesis, anti-tyrosinase activity, and spectroscopic inhibition mechanism of cinnamic acid–eugenol esters. *Molecules*, 28, 5969. <https://doi.org/10.3390/molecules28165969>
- Li, X., Zhang, X., Ye, L., Kang, Z., Jia, D., Yang, L., & Zhang, B. (2019). LC-MS-Based Metabolomic Approach Revealed the Significantly Different Metabolic Profiles of Five Commercial Truffle Species. *Frontiers in Microbiology*, 10. <https://doi.org/10.3389/fmicb.2019.02227>
- Lima, G. S., Lima, N. M., Roque, J. V., de Aguiar, D. V. A., Oliveira, J. V. A., dos Santos, G. F., Chaves, A. R., & Vaz, B. G. (2022). LC-HRMS/MS-Based Metabolomics Approaches Applied to the Detection of Antifungal Compounds and a Metabolic Dynamic Assessment of Orchidaceae. *Molecules*, 27(22), 7937. <https://doi.org/10.3390/molecules27227937>

- Madhavamurthy, H., Chikkamadaiah, M., & Suryanarayana, S. M. (2023). Screening of Biological Activity of Selected Medicinal Orchids of Western Ghats, Karnataka, India. *INNOSC Theranostics and Pharmacological Sciences*, 5(2), 22–31. <https://doi.org/10.36922/itps.239>
- Mangurana, W. O. I., Yusnaini, Y., & Sahidin, S. (2019). ANALISIS LC-MS/MS (Liquid Chromatograph Mass Spectrometry) DAN METABOLIT SEKUNDER SERTA POTENSI ANTIBAKTERI EKSTRAK n-HEKSANA SPONGS *Callispongia aerizusa* YANG DIAMBIL PADA KONDISI TUTUPAN TERUMBU KARANG YANG BERBEDA DI PERAIRAN TELUK STARING. *Jurnal Biologi Tropis*, 19(2), 131–141. <https://doi.org/10.29303/jbt.v19i2.1126>
- Margen, S. (1982). *Dasar-Dasar Kimia Organik*. Departemen Pendidikan dan Budaya.
- Marjoka, A., Alam, O., & Huda, M. (2016). Phytochemical screening of three medicinally important epiphytic orchids of Bangladesh. *Jahangirnagar University Journal of Biological Sciences*, 5(1), 95–99. <https://doi.org/10.3329/jujbs.v5i1.29748>
- Marks, D. B., Marks, A. D., & Smith, C. M. (2014). *Biokimia Kedokteran Dasar: Sebuah Pendekatan Klinis*. EGC.
- McMullen, R. L., & Dell'Acqua, G. (2023). History of Natural Ingredients in Cosmetics. *Cosmetics*, 10(3). MDPI. <https://doi.org/10.3390/cosmetics10030071>
- Meng, X.-Y., Zhang, H.-X., Mezei, M., & Cui, M. (2011). Molecular Docking: A Powerful Approach for Structure-Based Drug Discovery. *Current Computer Aided-Drug Design*, 7(2), 146–157. <https://doi.org/10.2174/157340911795677602>.
- Molecular Operating Environment (MOE), 2022.02. (2022). Chemical Computing Group ULC.
- Nafisah, M., Tukiran, Suyanto, Nurul, Hidayati. (2014). Uji Skrining Fitokimia Pada Ekstrak Heksan, Kloroform, Dan Metanol Dari Tanaman Patikan Kebo (*Euphorbia hirta*). dalam *Prosiding Seminar Nasional Kimia Surabaya 2014*, FMIPA Universitas Negeri Surabaya, 279–286.
- Nautiyal, A., & Wairkar, S. (2021). Management of hyperpigmentation: Current treatments and emerging therapies. *Pigment Cell and Melanoma Research*, 34(6), 1000–1014. John Wiley and Sons Inc. <https://doi.org/10.1111/pcmr.12986>
- Obaid, R. J., Mughal, E. U., Naeem, N., Sadiq, A., Alsantali, R. I., Jassas, R. S., Moussa, Z., & Ahmed, S. A. (2021). Natural and synthetic flavonoid derivatives as new potential tyrosinase inhibitors: a systematic review. *RSC*

- Advances*, 11(36), 22159–22198. Royal Society of Chemistry. <https://doi.org/10.1039/d1ra03196a>
- Osuna, I., Dolinska, M. B., & Sergeev, Y. V. (2022). In Vitro Reconstitution of the Melanin Pathway's Catalytic Activities Using Tyrosinase Nanoparticles. *International Journal of Molecular Sciences*, 24(1), 639. <https://doi.org/10.3390/ijms24010639>
- Padmawinata, T.R. (1995). *Kandungan Senyawa Organik Tumbuhan Tinggi*. ITB. Bandung
- Parasuraman, S., Balamurugan, S., Muralidharan, S., Jayaraj Kumar, K., Vijayan, V., & Parasuraman, S. (2014). An Overview of Liquid Chromatography-Mass Spectroscopy Instrumentation. *Pharmaceutical Methods*, 5, 47–55. <https://doi.org/10.5530/phm.2014.2.2>
- Patil, M., Bhatia, M., Arvindekar, S., Patil, R., & Pawar, V. (2024). Sources and Applications of Tyrosinase in Life Sciences. *Current Pharmaceutical Biotechnology*, 25. <https://doi.org/10.2174/0113892010279852240702062859>
- Peng, Z., Wang, G., He, Y., Wang, J.J., Zhao, Y. (2023). Tyrosinase inhibitory mechanism and anti-browning properties of novel kojic acid derivatives bearing aromatic aldehyde moiety. *Current Research in Food Science*, 6, 1-10. <https://doi.org/10.1016/j.crfs.2022.100421>
- Pillaiyar, T., Manickam, M., & Namasivayam, V. (2017). Skin whitening agents: Medicinal chemistry perspective of tyrosinase inhibitors. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 32(1), 403–425. Taylor and Francis Ltd. <https://doi.org/10.1080/14756366.2016.1256882>
- Pintus, F., Spanò, D., Corona, A., & Medda, R. (2015). Antityrosinase activity of *Euphorbia characias* extracts. *PeerJ*, 2015(10). <https://doi.org/10.7717/peerj.1305>
- Popov, V. M., Yee, W. A., & Anderson, A. C. (2006). Towards in silico lead optimization: Scores from ensembles of protein/ligand conformations reliably correlate with biological activity. *Proteins*, 66(2), 375–387. <https://doi.org/10.1002/PROT.21201>
- Portela, S., & Fernández, I. (2021). Nature of the hydrogen bond enhanced halogen bond. *Molecules*, 26, 1885. <https://doi.org/10.3390/molecules26071885>
- POWO. (2017). *Acriopsis liliifolia* var. *liliifolia* | *Plants of the World Online* / *Kew Science*. Plants of the World Online.
- Prihatini, I., Rifqi, M. S., Wibowo, A. R. U., Martiansyah, I., Nuraini, L., Mercuriani, I. S., & Semiarti, E. (2025). Application of DNA barcoding for conservation of orchid species in Yogyakarta. *IOP Conf. Series: Earth and*

*Environmental Science*, 1478(012008). <https://doi.org/10.1088/1755-1315/1478/1/012008>

Ratnasari, D., Sofyanita, F. R., & Citreksoko, P. (2020). Uji Aktivitas Penghambatan Enzim Tirosinase Serta Uji Iritasi Sediaan Masker Peel-Off Ekstrak Etanol Daun Sukun (*Artocarpus Altilis F*) Tyrosinase Enzyme Inhibition and Irritation Test for Peel-Off Mask from Breadfruit Leaf Ethanol Extract (*Artocarpus Altilis F*). *PharmaCine*, 1(1), 16–24.

RCSB Protein Data Bank. (2011). *RCSB PDB - 2Y9X: Crystal structure of PPO3, a tyrosinase from Agaricus bisporus, in deoxy-form that contains additional unknown lectin-like subunit, with inhibitor tropolone*. [www.rcsb.org](http://www.rcsb.org). <https://www.rcsb.org/structure/2Y9X>.

Rubiyanto, D. (2017). *Metode Kromatografi Prinsip Dasar, Praktikum, dan Pendekatan Pembelajaran Kromatografi*. Deepublish.

Saber Iraj, M., & Ameri, H. (2016). RMSD Protein Tertiary Structure Prediction with Soft Computing. *International Journal of Mathematical Sciences and Computing*, 2(2), 24–33. <https://doi.org/10.5815/ijmsc.2016.02.03>

Saeedi, M., Eslamifar, M., & Khezri, K. (2019). Kojic acid applications in cosmetic and pharmaceutical preparations. *Biomedicine and Pharmacotherapy*, 110, 582–593. Elsevier Masson SAS. <https://doi.org/10.1016/j.biopha.2018.12.006>

Sakka, L. (2018). Identifikasi senyawa alkaloid, flavonoid, saponin, dan tanin pada jeruk nipis (*Citrus aurantifolia*) di Kabupaten Bone Kecamatan Lamuru Menggunakan Metode Infusa. *Jurnal Ilmiah Kesehatan Diagnosis*, 12(6), 670–674.

Salamah, N., & Widyasari, E. (2015). AKTIVITAS ANTIOKSIDAN EKSTRAK METANOL DAUN KELENGKENG (*Euphoria longan (L) Steud.*) DENGAN METODE PENANGKAPAN RADIKAL 2,2'-DIFENIL-1-PIKRILHIDRAZIL. *Pharmaciana*, 5(1), 25–34.

Santosa, B. (2020). *Metode ELISA untuk Pengukuran Protein Metallothionein pada Daun Padi Ir Bagendit*. Unimus Press.

Setiawan, R. B., Handayani, M., Rahimmi Nanda, A., Sukma, D., Rahmi, A., & Syahputra, A. (2024). Diversity of orchids (Orchidaceae) and host trees at Padang, West Sumatra, Indonesia: A preliminary step towards germplasm conservation. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 52(2), 253–263. <https://doi.org/10.24831/jai.v52i2.56159>

Shojazadeh, T., Zolghadr, L., Gharaghani, S., JafarKhani, S., Molaabasi, F., Piri, H., & Gheibi, N. (2023). New insights into the inhibitory effect of phenol carboxylic acid antioxidants on mushroom tyrosinase by molecular dynamic studies and experimental assessment. *Journal of Biomolecular Structure and*

*Dynamics*, 41(22), 13404–13414.  
<https://doi.org/10.1080/07391102.2023.2175038>

Singh Larsen, P., Singh, P., & Pandey, K. M. (2016). Structural Modeling of Human Tyrosinase Protein Using Computational Methods. *Biotec.Res.J*, 2(1). <https://www.researchgate.net/publication/291187365>

Sivayathorn, A. (1995). Melasma in Orientals. *Clinical Drug Investigation*, 10(Supplement 2), 34–40. <https://doi.org/10.2165/00044011-199500102-00006>

Sofiyanti, N. (2014). Perbandingan\_Morfologi\_Dua\_Jenis\_Anggrek\_Epifit\_pa. *Jurnal Biologi*, 7(1).

Solano, F. (2020). Photoprotection and skin pigmentation: Melanin-related molecules and some other new agents obtained from natural sources. *Molecules*, 25(7). MDPI AG. <https://doi.org/10.3390/molecules25071537>

Stock, N. L. (2017). Introducing Graduate Students to High-Resolution Mass Spectrometry (HRMS) Using a Hands-On Approach. *Journal of Chemical Education*, 94(12), 1978–1982. <https://doi.org/10.1021/acs.jchemed.7b00569>

Sulistyoningdyah, F., & Ramayani, L. S. (2017). Skrining Fitokimia Ekstrak Infusa Kulit Petai (*Parkia speciosa* Hassk). *Jurnal Jawara*, 4(1), 1–3.

Supriyatna, A., Amalia, D., Jauhari, A. A., & Holydaziah, D. (2015). *AKTIVITAS ENZIM AMILASE, LIPASE, DAN PROTEASE DARI LARVA Hermetia illucens yang diberi pakan jerami padi*. IX(2).

Tantardini, C., Michalchuk, A.A.L., Samtsevich, A., Rota, C., Kvashnin, A.G. (2020). The volumetric source function: looking inside van der waals interactions. *Scientific Reports*, 10, 7816. <https://doi.org/10.1038/s41598-020-64261-4>

Thibane, V. S., Ndhkala, A. R., Finnie, J. F., & Van Staden, J. (2019). Cosmeceutical efficiency by some plant extracts used traditionally for skin care in inhibiting tyrosinase activity in a human epidermal melanocyte (HEM) cell line. *South African Journal of Botany*, 126, 256–260. <https://doi.org/10.1016/j.sajb.2019.06.031>

Trepa, M., Sułkowska-Ziaja, K., Kała, K., & Muszyńska, B. (2024). Therapeutic potential of fungal terpenes and terpenoids: application in skin diseases. *Molecules*, 29(5), 1183

Vaezi, M. (2023). Structure and inhibition mechanism of some synthetic compounds and phenolic derivatives as tyrosinase inhibitors: review and new insight. *Journal of Biomolecular Structure and Dynamics*, 41, 4798–4810. <https://doi.org/10.1080/07391102.2022.2069157>

Varghese, P. K., Abu-Asab, M., Dimitriadis, E. K., Dolinska, M. B., Morcos, G. P., & Sergeev, Y. V. (2021). Tyrosinase Nanoparticles: Understanding the

- Melanogenesis Pathway by Isolating the Products of Tyrosinase Enzymatic Reaction. *International Journal of Molecular Sciences*, 22(2), 734. <https://doi.org/10.3390/ijms22020734>
- Veerichetty, V., & Saravanabavan, I. (2023). Molecular docking study of nuciferine as a tyrosinase inhibitor and its therapeutic potential for hyperpigmentation. *Genomics and Informatics*, 21(3). <https://doi.org/10.5808/gi.23054>
- Vogeser, M., & Parhofer, K. (2007). Liquid Chromatography Tandem-mass Spectrometry (LC-MS/MS) - Technique and Applications in Endocrinology. *Experimental and Clinical Endocrinology & Diabetes*, 115(09), 559–570. <https://doi.org/10.1055/s-2007-981458>
- Wagner, H., & Bladts, S. , 1996. (1996). Plant Drug Analysis. *A Thin Layer Chromatography Atlas 2nd ed.*, 102, 240–251. Springer Verlag.
- Wang, W., Gao, Y., Wang, W., Zhang, J., Yin, J., Le, T., Xue, J., Engelhardt, U.H., Jiang, H. (2022). Kojic acid showed consistent inhibitory activity on tyrosinase from mushroom and in cultured B16F10 cells compared with arbutins. *Antioxidants*, 11, 502. <https://doi.org/10.3390/antiox11030502>
- Windarsih, A., Suratno, Warmiko, H. D., Indrianingsih, A. W., Rohman, A., & Ulumuddin, Y. I. (2022). Untargeted metabolomics and proteomics approach using liquid chromatography-Orbitrap high resolution mass spectrometry to detect pork adulteration in Pangasius hypophthalmus meat. *Food Chemistry*, 386. <https://doi.org/10.1016/j.foodchem.2022.132856>.
- Wishart, D.S., Guo, A.C., Oler, E., dkk. (2022). HMDB 5.0: the Human Metabolome Database for 2022. *Nucleic Acids Res.* 50(D1), D622–31.
- Wonoraharjo, S. (2013). *Metode - Metode Pemisahan Kimia*. PT. Indeks.
- Woolery-Lloyd, H., & Kammer, J. N. (2011). Treatment of Hyperpigmentation. *Seminars in Cutaneous Medicine and Surgery*, 30(3), 171–175. <https://doi.org/10.1016/j.sder.2011.06.004>
- Wu, C., Wang, Y., & Sun, H. (2023). Targeted and untargeted metabolomics reveals deep analysis of drought stress responses in needles and roots of Pinus taeda seedlings. *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.1031466>
- Xu, W., Lucke, A. J., & Fairlie, D. P. (2015). Comparing sixteen scoring functions for predicting biological activities of ligands for protein targets. *Journal of Molecular Graphics & Modelling*, 57, 76–88. <https://doi.org/10.1016/J.JMGM.2015.01.009>
- Xu, Z.-Y., Hu, Z., La, C.-S., Du, N.-N., Bai, M., Hao, J., Lin, B., Huang, X.-X., & Song, S.-J. (2024). Hydroxyl-Amide Alkaloids from Pepper Roots: Potential Sources of Natural Antioxidants and Tyrosinase Inhibitors. *Journal of*

*Agricultural and Food Chemistry*, 72(36), 19800–19811.  
<https://doi.org/10.1021/acs.jafc.4c03650>

Yap, P.-G., & Gan, C.-Y. (2024). Tyrosinase inhibitory peptides: Structure-activity relationship study on peptide chemical properties, terminal preferences and intracellular regulation of melanogenesis signaling pathways. *Biochimica et Biophysica Acta. G, General Subjects*, 1868(1), 130503–130503. <https://doi.org/10.1016/j.bbagen.2023.130503>

Zhukov, A. V., & Shumskaya, M. (2020). Very-long-chain fatty acids (VLCFAs) in plant response to stress. *Functional Plant Biology*, 47(8), 695. <https://doi.org/10.1071/fp19100>

Zolghadri, S., Bahrami, A., Hassan Khan, M.T., Munoz-Munoz, J., Garcia-Molina, F., Garcia-Canovas, F., Saboury, A.A. (2019). A comprehensive review on tyrosinase inhibitors. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 34, 279-309. <https://doi.org/10.1080/14756366.2018.1545767>