

## DAFTAR PUSTAKA

- Adams, J., Hofman, K., Moubarac, J.-C. & Thow, A.M. (2020). Public health response to ultra-processed food and drinks. *BMJ*, 369, m2391. doi:10.1136/bmj.m2391.
- Afshin, A., Forouzanfar, M., Reitsma, M. & et al. (2017). Health effects of overweight and obesity in 195 countries over 25 years. *The New England Journal of Medicine*, 377(1), 13–27. doi:10.1056/NEJMoa1614362.
- Alderete, E., Bejarano, I. & Rodríguez, A. (2016). Beverage intake and obesity in early childhood: evidence from primary health care clients in Northwest Argentina. *Journal of Development Origin of Health and Disease*, 7(3), 244–252. doi:10.1017/S204017441500793X.
- Alhareky, M., Goodson, J.M., Tavares, M. & Hartman, M.-L. (2023). Beverage consumption and obesity in Kuwaiti school children. *Frontiers in Endocrinology*, 14, 1174299. doi:10.3389/fendo.2023.1174299.
- Al-Jawaldeh, A. & Abbass, M.M. (2022). Unhealthy dietary habits and obesity: the major risk factors beyond non-communicable diseases in the eastern mediterranean region. *Frontiers in Nutrition*, 9, 817808. doi:10.3389/fnut.2022.817808.
- Al-Jawaldeh, A. & Jabbour, J. (2022). Marketing of food and beverages to children in the eastern mediterranean region: a situational analysis of the regulatory framework. *Frontiers in Nutrition*, 9, 868937. doi:10.3389/fnut.2022.868937.
- Allen, L. (2021). *Commercial Determinants of Global Health*. In: Haring R, Kickbusch I, Ganten D, Moeti M, ed. *Handbook of Global Health*. pp.1275–1310. doi:10.1007/978-3-030-45009-0\_57.
- Alqaoud, N., Al-Jawaldeh, A., Al-Anazi, F., Subhakaran, M. & Doggui, R. (2021). Trend and Causes of Overweight and Obesity among Pre-School Children in Kuwait. *Children*, 8(6), 524. doi:10.3390/children8060524.
- Alviso-Orellana, C., Estrada-Tejada, D., Carrillo-Larco, R.M. & Bernabé-Ortiz, A. (2018). Sweetened beverages, snacks and overweight: findings from the Young Lives cohort study in Peru. *Public Health Nutrition*, 21(9), 1627–1633. doi:10.1017/S1368980018000320.
- Anderson, J. (2013). Potential health concerns of dietary phosphorus: cancer, obesity, and hypertension. *Annals of the New York Academy of Sciences*, 13011(1), 1–8. doi:10.1111/nyas.12208.
- Anggraini, N.V. & Serri, H. (2022). Pendidikan Orang Tua dan Obesitas Anak Usia Sekolah. *Jurnal Penelitian Kesehatan Suara Forikes*, 13(4), 1023–1027. doi:10.33846/sf13425.
- Asgari, E., Mohammadreza, A., Bellissimo, N. & Azadbakht, L. (2022). Association between ultraprocessed food intake and overweight, obesity, and malnutrition among children in Tehran, Iran. *International Journal of Clinical Practice*, 2022(1), 8310260. doi:10.1155/2022/8310260.
- Asgary, S., Nazari, B., Sarrafzadegan, N., Parkhideh, S., Saberi, S., Esmailzadeh, A. & et al. (2009). Evaluation of fatty acid content of some Iranian fast foods with emphasis on trans fatty acids. *Asia Pacific Journal of Clinical Nutrition*, 18(2), 187–192. <https://pubmed.ncbi.nlm.nih.gov/19713177/>.
- Asghari, G., Yuzbashian, E., Mirmiran, P., Mahmoodi, B. & Azizi, F. (2015). Fast

- Food Intake Increases the Incidence of Metabolic Syndrome in Children and Adolescents: Tehran Lipid and Glucose Study. *PLoS One*, 10(10), e0139641. doi:10.1371/journal.pone.0139641.
- Balasundaram, P. (2024). *Obesity Effects on Child Health*. <https://www.ncbi.nlm.nih.gov/books/NBK570613/>.
- Banfield, E.C., Liu, Y., Davis, J.S., Chang, S. & Frazier-Wood, A.C. (2016). Poor adherence to US Dietary Guidelines for children and adolescents in the National Health and Nutrition Examination Survey population. *Journal of the Academy of Nutrition and Dietetics*, 116(1), 21–27. doi:10.1016/j.jand.2015.08.010.
- Basto-Abreu, A., Barrientos-Gutiérrez, T., Vidaña-Pérez, D., Colchero, M. & Hernández, F. (2019). Cost-Effectiveness Of The Sugar-Sweetened Beverage Excise Tax In Mexico. *Health Aff (Millwood)*, 38(11), 1824–1831. doi:10.1377/hlthaff.2018.05469.
- Benton, D. (2004). Role of parents in the determination of the food preferences of children and the development of obesity. *International Journal of Obesity*, 28, 858–869. doi:10.1038/sj.ijo.0802532.
- Beydoun, M., Gary, T., Caballero, B., Lawrence, R., Cheskin, L. & Wang, Y. (2008). Ethnic differences in dairy and related nutrient consumption among US adults and their association with obesity, central obesity, and the metabolic syndrome. *American Journal of Clinical Nutrition*, 87, 1914–1925. doi:10.1093/ajcn/87.6.1914.
- Biadgilign, S., Mgutshini, T., Gebremichael, B., Berhanu, L., Cook, C., Deribew, A., Gebre, B. & Memiah, P. (2023). Association between dietary Intake, eating behavior, and childhood obesity among children and adolescents in Ethiopia. *BMJ Nutrition, Prevention & Health*, 6, e000415. doi:10.1136/bmjnph-2021-000415.
- Birch, L.L. (2006). Child Feeding Practices and the Etiology of Obesity. *Obesity*, 14(3), 343–344. doi:10.1038/oby.2006.45.
- Bishwakarma, R. (2011). *Spatial Inequality in Children Nutrition in Nepal: Implications of Regional Context and Individual/Household Composition*. College Park, US: University of Maryland. <http://hdl.handle.net/1903/11683>.
- Bouchard, C. (1997). Genetic determinants of regional fat distribution. *Human Reproduction*, 12(1), 1–51. doi:10.1093/humrep/12.suppl\_1.1.
- Bozic, P., Djordjic, V., Markovic, L., Cvejic, D., Trajkovic, N., Halasi, S. & Ostojic, S. (2021). Dietary Patterns and Weight Status of Primary School Children in Serbia. *Frontiers in Public Health*, 9, 678346. doi:10.3389/fpubh.2021.678346.
- Bray, G.A. (2010) Soft drink consumption and obesity: it is all about fructose. *Current Opinion in Lipidology*, 21(1), 51–57. doi:10.1097/MOL.0b013e3283346ca2.
- Brion, M., Ness, A., Rogers, I., Emmett, P., Cribb, V., Davey Smith, G. & Lawlor, D. (2010). Maternal macronutrient and energy intakes in pregnancy and offspring intake at 10 y: exploring parental comparisons and prenatal effects. *The American Journal of Clinical Nutrition*, 91(3), 748–756. doi:10.3945/ajcn.2009.28623.
- Bronfenbrenner, Urie (1999). Friedman SL and Wachs TD (ed.). *Measuring environment across the life span: Emerging methods and concepts*. Washington, DC: American Psychological Association Press. doi:10.1037/10317-000.
- Camargo, J.M.T.B. & Marin-Leon, L. (2016). Factors associated with overweight

- among elementary schoolchildren in Campinas, São Paulo, Brazil. *Revista de Nutrição*, 29(3), 401–413. doi:10.1590/1678-98652016000300010.
- Cardon, G., Bourdeaudhuij, I.D., Iotova, V., Latomme, J., Socha, P., Koletzko, B., Moreno, L., Manios, Y., Androustos, O., Craemer, M.D. & ToyBox-study group. (2016). Health Related Behaviours in Normal Weight and Overweight Preschoolers of a Large Pan-European Sample: The ToyBox-Study. *PLoS One*, 11(3), e0150580. doi:10.1371/journal.pone.0150580.
- de Carvalho Pereira, D., Lima, R., de Lima, R., Gonçalves, M., de Moraes, Franceschini, S. & et al. (2013). Association between obesity and calcium: phosphorus ratio in the habitual diets of adults in a city of Northeastern Brazil: an epidemiological study. *Nutrition Journal*, 12(90). doi:10.1186/1475-2891-12-90.
- CDC (2024) *Child and Teen BMI Categories*. 28 June 2024. <https://www.cdc.gov/bmi/child-teen-calculator/bmi-categories.html>.
- Chang, B.-H. & Hoaglin, D.C. (2017). Meta-analysis of Odds Ratios: Current Good Practices. *Medical Care*, 55(4), 328–335. doi:10.1097/MLR.0000000000000696.
- Chavez-Ugalde, Y., Jago, R., Toumpakari, Z., Egan, M., Cummins, S., White, M., Hulls, P. & Vocht, F.D. (2021). Conceptualizing the commercial determinants of dietary behaviors associated with obesity: A systematic review using principles from critical interpretative synthesis. *Obesity Science and Practice*, 7, 473–486. doi:10.1002/osp4.507.
- Chen, Z.H., Mousavi, S., Mandhane, P.J., Simons, E., Turvey, S.E., Subbarao, P. & Miliku, K. (2025). Ultraprocessed Food Consumption and Obesity Development in Canadian Children. *JAMA Network Open*, 8(1), e2457341. doi:10.1001/jamanetworkopen.2024.57341.
- Cheng, T. (2006). Effects of fast foods, rising blood pressure and increasing serum cholesterol on cardiovascular disease in China. *American Journal of Cardiology*, 97(11), 1676–1678. doi:10.1016/j.amjcard.2005.12.019.
- CISDI. (2022). *Demand Price Elasticity of Sugar-Sweetened Beverages in Indonesia*. <https://cdn.cisdi.org/reseach-document/fnm-Report-Kuantitatif-fnm.pdf>.
- Colchero, M., Salgado, J., Unar-Mungula, M., Molina, M., Ng, S. & et al. (2015). Changes in prices after an excise tax to sweetened sugar beverages was implemented in Mexico: Evidence from urban areas. *PLoS One*, 10(12), e0144408. doi:10.1371/journal.pone.0144408.
- Collison, K., Zaidi, M., Subhani, S., Al-Rubeaan, K., Shoukri, M. & Al-Mohanna, F. (2010). Sugar-sweetened carbonated beverage consumption correlates with BMI, waist circumference, and poor dietary choices in school children. *BMC Public Health*, 10, 234. doi:10.1186/1471-2458-10-234.
- Contento, I. (2008). Nutrition education: linking research, theory, and practice. *Asia Pacific Journal of Clinical Nutrition*, 17, 176–179. <https://pubmed.ncbi.nlm.nih.gov/18296331/>.
- Dashti, H.S.; Scheer, F.A.; Jacques, P.F.; Lamon-Fava, S.; Ordovás, J.M. (2015). Short sleep duration and dietary intake: Epidemiologic evidence, mechanisms, and health implications. *Adv. Nutr*; 2015, 6, 648–659. doi: 10.3945/an.115.008623.
- DeBoer, M.D., Scharf, R.J. & Demmer, R.T. (2013). Sugar-sweetened beverages and weight gain in 2- to 5-year-old children. *Pediatrics*, 132(3), 413–420.

- doi:10.1542/peds.2013-0570.
- Després, J., Carpentier, A., Tchernof, A., Neeland, I. & Poirier, P. (2021). Management of Obesity in Cardiovascular Practice: JACC Focus Seminar. *Journal of the American College of Cardiology*, 78(5), 513–531. doi:10.1016/j.jacc.2021.05.035.
- Devís-Devís, J., Lizandra, J., Valencia-Peris, A., Pérez-Gimeno, E., García-Massó, X. & Peiró-Velert, C. (2017). Longitudinal changes in physical activity, sedentary behavior and body mass index in adolescence: migrations towards different weight cluster. *PLoS One*, 12(6), 1–15. doi:10.1371/journal.pone.0179502.
- Do, L., Eriksson, B., Tran, T., Petzold, M. & Ascher, H. (2015). Feeding of preschool children in Vietnam: a study of parents' practices and associated factors. *BMC Nutrition*, 1(1), 1–10. doi:10.1186/s40795-015-0011-0.
- Dongen, M.V., Kok, F.J. & Graaf, C. de. (2011). Eating rate of commonly consumed foods promotes food and energy intake. *Appetite*, 56(1), 25–31. doi:10.1016/j.appet.2010.11.141.
- Eisenberg, D. & Burgess, J. (2015). Nutrition education in an era of global obesity and diabetes: thinking outside the box. *Academic Medicine*. 90(7), 854–860. doi:10.1097/ACM.0000000000000682.
- Epstein, L.H., Roemmich, J.N., Robinson, J.L., Paluch, R.A., Winiewicz, D.D., Fuerch, J.H. & Robinson, T.N. (2008). A randomized trial of the effects of reducing television viewing and computer use on body mass index in young children. *Archives of pediatrics & adolescent medicine*. 162(3), 239–245. doi:10.1001/archpediatrics.2007.45.
- Escobar, M., Veerman, J., Tollman, S., Bertram, M. & Hofman, K. (2013). Evidence that a tax on sugar sweetened beverages reduces the obesity rate: a meta-analysis. *BMC Public Health*, 13, 1–10. doi:10.1186/1471-2458-13-1072.
- Faizan, U. & Rouster, A. (2023). *Nutrition and Hydration Requirements In Children and Adults*. <https://www.ncbi.nlm.nih.gov/books/NBK562207/>.
- Falbe, J., Rosner, B., Willet, W.C., Sonnevile, K.R., Hu, F.B. & Field, A.E. (2013). Adiposity and different types of screen time. *Pediatrics*, 132(6), e1497-505. doi:10.1542/peds.2013-0887.
- Ford, C., Word, C. & White, M. (2012). Television viewing associated with adverse dietary outcomes in children ages 2-6. *Obesity Reviews*, 13(12), 1139–1147. doi:10.1111/j.1467-789X.2012.01028.x.
- Ford, C.N., Slining, M.M. & Popkin, B.M. (2013). Trends in dietary intake among US 2- to 6-year-old children, 1989-2008. *Journal of the Academy of Nutrition and Dietetics*, 113(1), 35–42. doi:10.1016/j.jand.2012.08.022.
- Freedman, D., Khan, L., Dietz, W., Srinivasan, S. & Berenson, G. (2001). Relationship of Childhood Obesity to Coronary Heart Disease Risk Factors in Adulthood: The Bogalusa Heart Study. *Pediatrics*, 108(3), 712–718. doi:10.1542/peds.108.3.712.
- Friel, S., Collin, J., Daube, M., Depoux, A., Freudenberg, N., Gilmore, A.B., Johns, P., Marten, R., McKee, M. & Mialon, M. (2023). Commercial determinants of health: future directions. *The Lancet*, 401(10383), 1229–1240. doi:10.1016/S0140-6736(23)00011-9.
- Gan, Q., Xu, P., Cao, W., Xu, J., Pan, H., Zhao, W. & Zhang, Q. (2021). Sugar-Sweetened Beverage Consumption Status and Its Association with

- Childhood Obesity among Chinese Children Aged 6–17 Years. *Nutrients*, 13(7), 2211. doi:10.3390/nu13072211.
- Ganle, J.K., Boakye, P.P. & Baatiema, L. (2019). Childhood obesity in urban Ghana: evidence from a cross-sectional survey of in-school children aged 5–16 years. *BMC Public Health*, 19(1), 1561. doi:10.1186/s12889-019-7898-3.
- George, B.J. & Aban, I.B. (2015). An application of meta-analysis based on DerSimonian and Laird method. *Journal of Nuclear Cardiology*, 23(4), 690–692. doi:10.1007/s12350-015-0249-6.
- Ghassemi, M. & Granger, C. (2012). *Effectiveness of Interventions for Reducing Screen Time in Children: Rapid Review of the Evidence*. <http://www.peelregion.ca/health/library/pdf/screen-time-rapid-review.pdf>.
- Ghebreyesus, T.A. (2023). Achieving health for all requires action on the economic and commercial determinants of health. *The Lancet*, 401(10383), 1137–1139. doi: 10.1016/S0140-6736(23)00574-3.
- Gibney, M.J. (2019). Ultra-processed foods: definitions and policy issues. *Current developments in nutrition*, 3(2), nzy077. doi:10.1093/cdn/nzy077.
- Gibney, M.J. & Forde, C.G. (2022). Nutrition research challenges for processed food and health. *Nature Food*, 3(2), 104–109. doi:10.1038/s43016-021-00457-9.
- Gilbert-Diamond, D., Li, Z., Adachi-Mejia, A.M., McClure, A.C. & Sargent, J.D. (2013). Association of a television in the bedroom with increased adiposity gain in a nationally representative sample of children and adolescents. *JAMA Pediatrics*, 168(5), 427–434. doi:10.1001/jamapediatrics.2013.3921.
- Gilmore, A.B., Fabbri, A., Bretscher, A., Bondy, K., Chang, H.-J., Demaio, S., Ersze, A., Freudenberg, N., Friel, S., Hofman, K.J., John, P., Karim, S.A. & et al. (2023). Defining and conceptualising the commercial determinants of health. *The Lancet*, 401(10383), 1194–1213. doi:10.1016/S0140-6736(23)00013-2.
- Gonzalez-Palacios, S., Navarrete-Muñoz, E.-M., García-de-la-Hera, M., Torres-Collado, L., Santa-Marina, L., Amiano, P., Lopez-Espinosa, M.-J., Tardon, A., Riano-Galan, I., Vrijheid, M., Sunyer, J. & Vioque, J. (2019). Sugar-Containing Beverages Consumption and Obesity in Children Aged 4–5 Years in Spain: the INMA Study. *Nutrients*, 11(8), 1772. doi:10.3390/nu11081772.
- Güngör, N.K. (2014). Overweight and Obesity in Children. *Journal of Clinical Research in Pediatric Endocrinology*, 6(3), 129–143. doi:10.4274/jcrpe.1471.
- Gupta, N., Goel, K., Shah, P. & Misra, A. (2012). Childhood Obesity in Developing Countries: Epidemiology, Determinants, and Prevention. *Endocrine Reviews*. 33(1), 48–70. doi:10.1210/er.2010-0028.
- Ha, K., Chung, S., Lee, H.-S., Kim, C., Joung, H., Paik, H.-Y. & Song, Y. (2016). Association of Dietary Sugars and Sugar-Sweetened Beverage Intake with Obesity in Korean Children and Adolescents. *Nutrients*, 8(31), 1–11. doi:10.3390/nu8010031.
- Habsiyah, Y. (2015). *Perilaku Konsumsi Makanan Jajanan dengan Berat Badan Anak Prasekolah di TK Tarbiyatush Shiblyan Desa Gayaman Mojoanyar Mojokerto*. Mojokerto: Poltekkes Majapahit.
- Hansen, A.L., Thomsen, R.W., Brøns, C., Svane, H.M., Jensen, R.T., Andersen, M.K., Hansen, T., Nielsen, J.S., Vestergaard, P., Højlund, K. & Jessen, N. (2023). Birthweight is associated with clinical characteristics in people with recently

- diagnosed type 2 diabetes. *Diabetologia*, 66(9), 1680-1692. doi:10.1007/s00125-023-05936-1.
- Harrington, J.M., Perry, C., Keane, E. & Perry, I.J. (2020). Sugar-sweetened beverage consumption and association with weight status in Irish children: a cross-sectional study prior to the introduction of a government tax on sugar-sweetened beverages. *Public Health Nutrition*, 23(12), 2234–2244. doi:10.1017/S1368980020000014.
- Haryanto, I. (2012). *Faktor faktor yang berhubungan dengan obesitas (Z-Score > 2 IMT menurut umur) pada anak usia sekolah dasar (7-12 tahun) di Jawa tahun 2010 (Analisis data RISKESDAS 2010)*. Jakarta: FKM UI.
- He, B., Long, W., Li, X., Yang, W., Chen, Y. & Zhu, Y. (2018). Sugar-Sweetened Beverages Consumption Positively Associated with the Risks of Obesity and Hypertriglyceridemia Among Children Aged 7–18 Years in South China. *Journal of Atherosclerosis and Thrombosis*, 25(1), 81–89. doi:10.5551/jat.38570.
- Heelan, K.A., Bartee, R.T., Nihiser, A. & Sherry, B. (2015). Healthier School Environment Leads to Decreases in Childhood Obesity: The Kearney Nebraska Story. *Childhood Obesity*, 11(5), 600–607. doi:10.1089/chi.2015.0005.
- Hesketh, K., Waters, E., Green, J., Salmon, L. & Williams, J. (2005). Healthy eating, activity and obesity prevention: a qualitative study of parent and child perceptions in Australia. *Health Promot. Int*, 20, 19–26. doi: 10.1093/heapro/dah503.
- Holmbäck, I., Ericson, U., Gullberg, B. & Wirfält, E. (2010). A high eating frequency is associated with an overall healthy lifestyle in middle-aged men and women and reduced likelihood of general and central obesity in men. *British Journal of Nutrition*, 104(7), 1065–1073. doi:10.1017/S0007114510001753.
- International Diabetes Federation. (2007). *The IDF consensus definition of metabolic syndrome in children and adolescents*. Brussels, IDF Communications. <https://idf.org/media/uploads/2023/05/attachments-31.pdf>.
- James, J., Thomas, P., Cavan, D. & Kerr, D. (2004). Preventing childhood obesity by reducing consumption of carbonated drinks: cluster randomised controlled trial. *BMJ*, 328(7450), 1237. doi:10.1136/bmj.38077.458438.EE.
- Janssen, I., Katmarzyk, P., Boyce, W. & et al. (2005). Comparison of overweight and obesity prevalence in school aged youth from 34 countries and their relationships with physical activity and dietary patterns. *Obesity Reviews*, 6(2), 123–132. doi:10.1111/j.1467-789X.2005.00176.x.
- Jebb, S. (2007). Dietary determinants of obesity. *Obesity Reviews*, 8(s1), 93–97. doi:10.1111/j.1467-789X.2007.00326.x.
- Juton, C., Burruezo, P., Torres, S. & et al. (2023). Association between meal frequency and weight status in Spanish children: a prospective cohort study. *Nutrients*, 15(4), 870. doi:10.3390/nu15040870.
- Kamanga, P., Zhang, B., Kaphera, S., Mwale, S. & Koroma, M.M. (2024). Association between ultra-processed food consumption, sociodemographic characteristics, malnutrition and obesity among urban school-aged children in Lilongwe, Malawi: a cross-sectional study. *BMJ Open*, 14(7), e084120. doi:10.1136/bmjopen-2024-084120.
- Kaushik, J., Narang, M. & Parakh, A. (2011). Fast food consumption in children.

- Indian Pediatr*, 48, 97–101. doi:10.1007/s13312-011-0035-8.
- Kersh, R. (2009) The Politics of Obesity: A Current Assessment and Look Ahead. *The Milbank Quarterly*, 87(1), 295–316. doi:10.1111/j.1468-0009.2009.00556.x.
- Kickbusch, I., Allen, L. & Franz, C. (2016). The commercial determinants of health. *The Lancet Global Health*, 4(12), e895-6. doi:10.1016/S2214-109X(16)30217-0.
- Knowles KM, Paiva LL, Sanchez SE, Revilla L, Lopez T, Yasuda MB, et al. (2011). Waist circumference, body mass index, and other measures of adiposity in predicting cardiovascular disease risk factors among Peruvian adults. *Int J Hypertens*, 2011, 931402. doi:10.4061/2011/931402.
- Kumar, S. & Kelly, A.S. (2017). Review of Childhood Obesity: From Epidemiology, Etiology, and Comorbidities to Clinical Assessment and Treatment. *Mayo Clinic Proceedings*, 92(2), P251-265. doi:10.1016/j.mayocp.2016.09.017.
- Kupek, E. (2023). Can we estimate the causal effects of diet and sedentary behavior on schoolchildren's overweight/obesity from observational studies? *Exploration of Medicine*, 4, 272–285. doi:10.37349/emed.2023.00139.
- Lacy-Nichols, Nandi, S., Mialon, M. & et al. (2023). Conceptualising commercial entities in public health: beyond unhealthy commodities and transnational corporations. *The Lancet*, 401(10383), 1214–1228. doi:10.1016/S0140-6736(23)00012-0.
- Lacy-Vawdon, C. d & Livingstone, C. (2020). Defining the commercial determinants of health: a systematic review. *BMC Public Health*, 20(1022), 1–16. doi:10.1186/s12889-020-09126-1.
- Lane, M.M., Gamage, E., Du, S., Ashtree, D.N., McGuinness, A.J., Gauci, S., Baker, P., Lawrence, M., Rebholz, C.M., Srour, B., Touvier, M., Jacka, F.N., O'Neil, A., Segasby, T. & Marx, W. (2024). Ultra-processed food exposure and adverse health outcomes: umbrella review of epidemiological meta-analyses. *BMJ*, 384, e077310. doi:10.1136/bmj-2023-077310.
- Le Nguyen, B., Le Thi, H. & Nguyen Do, V. (2013). Double burden of undernutrition and overnutrition in Vietnam in 2011: results of the SEANUTS study in 0-5–11-year-old children. *British Journal of Nutrition*, 110(S3), S45-56. doi:10.1017/S0007114513002080.
- Leventakou, V., Sarri, K., Georgiou, V., Chatzea, V., Frouzi, E., Kastelianou, A., Gatzou, A., Kogevinas, M. & Chatzi, L. (2016). Early life determinants of dietary patterns in preschool children: Rhea mother–child cohort, Crete, Greece. *European Journal of Clinical Nutrition*, 70, 60–65. doi:10.1038/ejcn.2015.93.
- Li, S., Cao, M., Yang, C., Zheng, H. & Zhu, Y. (2020). Association of sugar-sweetened beverage intake with risk of metabolic syndrome among children and adolescents in urban China. *Public Health Nutrition*, 23(15), 2770–2780. doi:10.1017/S1368980019003653.
- Liberali, R., Kupek, E. & Assis, M.A.A. de. (2020). Dietary Patterns and Childhood Obesity Risk: A Systematic Review. *Childhood Obesity*, 16(2), 70–85. doi:10.1089/chi.2019.0059.
- Lioret, S., Betoko, A., Forhan, A., Charles, M., Heude, B., de Lauzon-Guillain, B. & Group EMCCS. (2015). Dietary patterns track from infancy to preschool age: cross-sectional and longitudinal perspectives. *Journal of Nutrition*, 145, 775–782. doi:10.3945/jn.114.201988.

- Lipsky, L.M. & Iannotti, R.J. (2012). Associations of television viewing with eating behaviors in the 2009 Health Behaviour in School-aged Children Study. *Archives of pediatrics & adolescent medicine*, 166(5), 465–472. doi:10.1001/archpediatrics.2011.1407.
- López-Gil, J.F., Smith, L., Abellán-Huerta, J., Abellán-Alemán, J., Royo, J.M.P., Gutiérrez-Espinoza, H., López-Bueno, R. & Tárrega-López, P.J. (2023). Food consumption patterns related to excess weight and obesity in Spanish preschoolers. *Pediatric Research*, 94, 385–391. doi:10.1038/s41390-022-02442-9.
- Louzada, M.L. da C., Baraladi, L.G., Steele, E.M., Martins, A.P.B., Canella, D.S., Moubarac, J.-C., Levy, R.B., Cannon, G., Afshin, A., Imamura, F., Mozaffarian, D. & Monteiro, C.A. (2015). Consumption of ultra-processed foods and obesity in Brazilian adolescents and adults. *Preventive Medicine*, 81, 9–15. doi:10.1016/j.ypmed.2015.07.018.
- Luiten, C.M., Steenhuis, I.M., Eyles, H., Mhurchu, C.N. & Waterlander, W.E. (2016). Waterlander WE. Ultra-processed foods have the worst nutrient profile, yet they are the most available packaged products in a sample of New Zealand supermarkets. *Public Health Nutrition*, 19(3), 530–538. doi:10.1017/S1368980015002177.
- Ma, X., Chen, Q., Pu, Y. & et al. (2020). Skipping breakfast is associated with overweight and obesity: a systematic review and meta-analysis. *Obesity Research & Clinical Practice*, 14(1), 1–8. doi:10.1016/j.orcp.2019.12.002.
- Macdonald, I.A. & Binia, A. (2023). Nutrition and the metabolic health of children. In Nestlé Nutrition Institute Workshop Series. <https://www.nestlenutrition-institute.org/publication-series/nutrition-and-metabolic-health-children>.
- Macintyre, A.K., Marryat, L. & Chambers, S. (2018). Exposure to liquid sweetness in early childhood: artificially-sweetened and sugar-sweetened beverage consumption at 4–5 years and risk of overweight and obesity at 7–8 years. *Pediatric Obesity*, 13(12), 755–765. doi:10.1111/ijpo.12284.
- Magripils, E., Kanellopoulou, A., Notara, V., Antonogeorgos, G., Rojas-Gil, A.P., Kornilaki, E.N., Lagiou, A., Zampelas, A. & Panagiotakos, D.B. (2022). The Association of Sugar-Sweetened Beverages to Children’s Weights Status Is Moderated by Frequency of Adding Sugars and Sleep Hours. *Children*, 9(7), 1088. doi:10.3390/children9071088.
- Mahmoud, S.A., Moshy, S.E., Rady, D., Radwan, I.A., Abbass, M.M. & Al-Jawaldeh, A. (2022). The effect of unhealthy dietary habits on the incidence of dental caries and overweight/obesity among Egyptian school children (A cross-sectional study). *Frontiers in Public Health*, 10, 953545. doi:10.3389/fpubh.2022.953545.
- Mai, T.M.T., Tran, Q.C., Nambiar, S., Gallegos, D. & Pols, J.C.V. der (2022) Dietary patterns and child, parental, and societal factors associated with being overweight and obesity in Vietnamese children living in Ho Chi Minh city. *Maternal & Child Nutrition*, 20(52), e13514. doi:10.1111/mcn.13514.
- Malik, V.S., Pan, A., Willet, W.C. & Hu, F.B. (2013) Sugar-sweetened beverages and weight gain in children and adults: a systematic review and meta-analysis. *The American Journal of Clinical Nutrition*, 98(4), 1084–1102.

- doi:10.3945/ajcn.113.058362.
- Malik, V.S., Schulze, M.B. & Hu, F.B. (2006). Intake of sugar-sweetened beverages and weight gain: a systematic review. *American Journal of Clinical Nutrition*, 84 (2), 274–288. doi:10.1093/ajcn/84.1.274.
- Mendes, C., Miranda, L., Claro, R. & Horta, P. (2021) Food marketing in supermarket circulars in Brazil: An obstacle to healthy eating. *Preventive Medicine Reports*, 21 (101304), 1–6. doi:10.1016/j.pmedr.2020.101304.
- Metreau, E., Young, K.E. & Eapen, S.G. (2024). *World Bank country classifications by income level for 2024-2025*. 1 July 2024. <https://blogs.worldbank.org/en/opendata/world-bank-country-classifications-by-income-level-for-2024-2025>.
- Mihrshahi, S., Drayton, B.A., Bauman, A.E. & Hardy, L.L. (2017). Associations between childhood overweight, obesity, abdominal obesity and obesogenic behaviors and practices in Australian homes. *BMC Public Health*, 18(1), 44. doi:10.1186/s12889-017-4595-y.
- Min, K., Wang, J., Liao, W., Astell-Burt, T., Feng, X., Cai, S., Liu, Y., Zhang, P., Su, F., Yang, K., Sun, L., Zhang, J., Wang, L., Liu, Z. & Jiang, Y. (2021). Dietary patterns and their associations with overweight/obesity among preschool children in Dongcheng District of Beijing: a cross-sectional study. *BMC Public Health*, 21(223), 1–14. doi:10.1186/s12889-021-10240-x.
- Mirmiran, P., Yuzbashian, E., Asghari, G., Hosseinpour-Niazi, S. & Azizi, F. (2015). Consumption of sugar sweetened beverage is associated with incidence of metabolic syndrome in Tehranian children and adolescents. *Nutrition & Metabolism*, 12(25), 1–9. doi:10.1186/s12986-015-0021-6.
- Mohan, B.P. & Adler, D.G. (2019). Heterogeneity in systematic review and meta-analysis: how to read between the numbers. *Gastrointestinal Endoscopy*, 89(4), 902–903. doi:10.1016/j.gie.2018.10.036.
- Monteiro, C.A., Cannon, G., Lawrence, M.A., Louzada, M.L. da C. & Machado, P.P. (2019a). *Ultra-processed foods, diet quality, and health using the NOVA classification system*. <https://openknowledge.fao.org/server/api/core/bitstreams/5277b379-0acb-4d97-a6a3-602774104629/content>.
- Monteiro, C.A., Cannon, G., Levy, R.B., Moubarac, J.-C., Jaime, P.C., Martins, A.P.B., Canella, D., Louzada, M.L. da C., Parra, D., Ricardo, C., Calixto, G., Machado, P.P., Martins, C., Martinez-Steele, E., Baraladi, L.G., Garzillo, J. & Sattamini, I. (2016). NOVA. The star shines bright. *World Nutrition*, 7 (1–3), 28–38. <https://worldnutritionjournal.org/index.php/wn/article/view/5/4>.
- Monteiro, C.A., Cannon, G., Levy, R.B., Moubarac, J.-C., Louzada, M.L. da C., Rauber, F., Khandpur, N., Cediel, G., Neri, D., Martinez-Steele, E., Baraladi, L.G. & Jaime, P.C. (2019b). Ultra-processed foods: what they are and how to identify them. *Public Health Nutrition*, 22(5), 936–941. doi:10.1017/S1368980018003762.
- Monteiro, C.A., Cannon, G., Moubarac, J.-C., Levy, R.B., Louzada, M.L. da C. & Jaime, P.C. (2018). The UN decade of nutrition, the NOVA food classification and the trouble with ultra-processing. *Public Health Nutrition*, 21(1), 5–17. doi:10.1017/S1368980017000234.
- Monteiro, C.A., Moubarac, J.-C., Cannon, G., Ng, S. & Popkin, B. (2013).

- Ultra-processed products are becoming dominant in the global food system. *Obesity Reviews*, 14, 21–28. doi:10.1111/obr.12107.
- Moreno, L., Bel-Serrat, S., Santaliestra-Pasias, A. & Rodríguez, G. (2012). Obesity prevention in children. *World Review of Nutrition and Dietetics*, 106, 119–126. doi:10.1159/000342560.
- Nardocci, M., Polsky, J. & Moubarac, J. (2021). Consumption of ultra-processed foods is associated with obesity, diabetes and hypertension in Canadian adults. *Canadian Journal of Public Health*, 112(3), 421–429. doi:10.17269/s41997-020-00429-9.
- Nasreddine, L., Shatila, H., Itani, L., Hwalla, N., Jomaa, L. & Naja, F. (2019). A traditional dietary pattern is associated with lower odds of overweight and obesity among preschool children in Lebanon: a cross-sectional study. *European Journal of Nutrition*, 58(1), 91–102. doi:10.1007/s00394-017-1574-0.
- Nasuuna, E., Nanyeenya, N., Kibirige, D., Izudi, J., Chikwari, C., Kalyesubula, R. & Castelnuovo, B. (2024). Prevalence of chronic kidney disease among young people living with HIV in Sub Saharan Africa: a systematic review and meta-analysis. *PLoS One*, 19(11), 1–18. doi:10.1371/-journal.pone.0301954.
- Neri, D., Gabe, K.T., Costa, C.D.S., Steele, E.M., Rauber, F., Marchioni, D.M., Louzada, M.L. da C., Levy, R.B. & Monteiro, C.A. (2023). A novel web-based 24-h dietary recall tool in line with the Nova food processing classification: description and evaluation. *Public Health Nutrition*, 26(10), 1997–2004. doi:10.1017/S1368980023001623.
- Nguyen, T., Sokal-Gutierrez, K., Lahiff, M., Fernald, L. & Ivey, S.L. (2021). Early childhood factors associated with obesity at age 8 in Vietnamese children: The Young Lives Cohort Study. *BMC Public Health*, 21(301), 1–13. doi:10.1186/s12889-021-10292-z.
- Nicklas, T.A., Hayes, D. & American Dietetic Association. (2008). Position of the American Dietetic Association: nutrition guidance for healthy children ages 2 to 11 years. *Journal of the American Dietetic Association*, 108(6), 1038–1047. doi:10.1016/j.jada.2008.04.005.
- Niebylski, M., Redburn, K., Duhaney, T. & Campbell, N. (2015). Healthy food subsidies and unhealthy food taxation: a systematic review of the evidence. *Nutrition*, 31, 787–795. doi:10.1016/j.nut.2014.12.010.
- Nurwanti, E., Hadi, H., Chang, J.-S., Chao, J.C., Paramashanti, B.A., Gittelsohn, J. & Bai, C.-H. (2019). Rural–Urban Differences in Dietary Behavior and Obesity: Results of the Riskesdas Study in 10–18-Year-Old Indonesian Children and Adolescents. *Nutrients*, 11(11), 2813. doi:10.3390/nu11112813.
- Obesity Action Coalition. (n.d.). *Understanding Childhood Obesity: Measuring Weight in Children*. <https://www.obesityaction.org/get-educated/understanding-childhood-obesity/measuring-weight-in-children/>.
- Oddo, V.M., Maehara, M. & Rah, J.H. (2019). Overweight in Indonesia: an observational study of trends and risk factors among adults and children. *BMJ Open*, 9(9), e031198. doi:10.1136/bmjopen-2019-031198.
- Oliveira, G., Santos Gonçalves, V., Nakano, E. & Toral, N. (2024). Consumption of ultra-processed foods and low dietary diversity are associated with sedentary and unhealthy eating behaviors: A nationwide study with Brazilian

- Schoolchildren. *PLoS One*, 19(1), e0294871. doi:10.1371/journal.pone.0294871.
- Onita, B., Azaredo, C., Jaime, P., Levy, R. & Rauber, F. (2021). Eating context and its association with ultra-processed food consumption by British children. *Appetite*, (157), 105007. doi:10.1016/j.appet.2020.105007.
- Oviedo-Solis, C.I., Monterrubio-Flores, E.A., Cediel, G., Denova-Gutiérrez, E. & Barquera, S. (2022). Trend of ultraprocessed product intake is associated with the double burden of malnutrition in Mexican children and adolescents. *Nutrients*, 14(20), 4347. doi:10.3390/nu14204347.
- Paciorek, C., Stevens, G., Finucane, M. & Ezzati, M. (2013). Nutrition Impact Model Study Group (Child Growth). Children's height and weight in rural and urban populations in low-income and middle-income countries: A systematic analysis of population representative data. *Lancet Global Health*, 1(5), 300–309. doi:10.1016/s2214-109x(13)70109-8.
- Page, M., McKenzie, J., Bossyut, P., Boutron, I., Hoffman, T., Mulrow, C., Shamseer, L., Tetzlaff, J., Aki, E., Brennan, S. & et al. (2021). The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*, 372, n71. doi:10.1136/bmj.n71.
- Pagliai, G., Dinu, M., Madarena, M., Bonaccio, L., Iacoviello, L. & Sofi, F. (2021). Consumption of ultra-processed foods and health status: a systematic review and meta-analysis. *British Journal of Nutrition*, 125(3), 308–318. doi:10.1017/S0007114520002688.
- PAHO. (2016). *Nutrient profile model*. [https://iris.paho.org/bitstream/handle/10665.2/18621/9789275118733\\_eng.pdf](https://iris.paho.org/bitstream/handle/10665.2/18621/9789275118733_eng.pdf).
- Payab, M., Kelishadi, R., Qorbani, M., Motlagh, M.E., Ranjbar, S.H., Ardalan, G., Zahedi, H., Chinian, M., Asayesh, H., Larijani, B. & Heshmat, R. (2015). Association of junk food consumption with high blood pressure and obesity in Iranian children and adolescents: the CASPIAN-IV Study. *Journal de Pediatria*, 91(2), 196–205. doi:10.1016/j.jpmed.2014.07.006.
- Pearson, N. & Biddle, S. (2011). Sedentary behavior and dietary intake in children, adolescents, and adults: A systematic review. *American Journal of Preventive Medicine*, 41(2), 178–188. doi:10.1016/j.amepre.2011.05.002.
- Pereyra-González, I., Fariás-Antúnez, S., Buffarini, R., Ayora, A.G., Fletcher, A.M., Domingues, M.R., Silveira, M.F. da & Umpiérrez, A.H.F. (2023a). Ultra-processed food consumption and the incidence of obesity in two cohorts of Latin-American young children: A longitudinal study. *Journal of Pediatric Nursing*, 69, e120–e126. doi:10.1016/j.pedn.2022.12.018.
- Pereyra-González, I., Buffarini, R., Gómez, A., Fariás-Antúnez, S., Fletcher, A.M., Garbero, L.G., Umpiérrez, A.H.F., Domingues, M.R. & Silveira, M.F. da (2023b). Ultra-processed food consumption and nutritional status in Uruguayan and Brazilian children between three to five years. *Archivos Latinoamericanos de Nutrición*, 73(3), 47–57. doi:10.37527/2023.73.S2.006.
- Pham, N., Sepehri, A., Le, T. & Tran, V. (2020). Correlates of body mass index among primary school children in Ho Chi Minh City, Vietnam. *Public Health*. 81, 65–72, doi:10.1016/j.puhe.2019.12.007.
- Popkin, B. (2001). The nutrition transition and obesity in the developing world. *J Nutr*, 131, 871S–873S. doi:10.1093/jn/131.3.871S.

- Popkin, B.M. (2006). Global nutrition dynamics: the world is shifting rapidly toward a diet linked with noncommunicable diseases. *American Journal of Clinical Nutrition*, 84(2), 289–298. doi:10.1093/ajcn/84.2.289.
- Poti, J.M., Bianca, B. & Qin, B. (2017). Ultra-processed Food Intake and Obesity: What Really Matters for Health—Processing or Nutrient Content? *Current Obesity Reports*, 6, 420–431. doi:10.1007/s13679-017-0285-4.
- Qiao, Y., Ma, J., Wang, Y., Li, W., Katzmarzyk, P.T., Chaput, J.P., Fogelholm, M., Johnson, W.D., Kuriyan, R., Kurpad, A. & Lambert, E.V. (2015). Birth weight and childhood obesity: a 12-country study. *International journal of obesity supplements*, 5(2), S74-S79. doi: 10.1038/ijosup.2015.23.
- Rahimi, M., Bartley, A. & Hashemi, L. (2023). Childhood Overweight/Obesity amidst Migration, Socioeconomic Factors, and Obesogenic Behaviors: Insights from the Growing Up in New Zealand Study. *Advances in Public Health*, 2023(1), 5592593. doi:10.1155/2023/5592593.
- Rahmad, A.A., Fitri, Y., Suryana, S., Mulyani, N.S., Fajriansyah, F. & Abdul, H. (2020). Analysis of the relationship between nutritional influence with the obesity phenomenon among primary school students in Banda Aceh, Aceh Province, Indonesia. *Open Access Macedonian Journal of Medical Sciences*, 8(E), 267–270. doi:10.3889/oamjms.2020.3471.
- Reilly, J., Armstrong, J., Dorosty, A., Emmett, P., Ness, A., Rogers, I. & et al. (2005). Reilly JJ, Armstrong J, Dorosty AR, Emmett PM, Ness A, Rogers I, et al. Early life risk factors for obesity in childhood: Cohort study. *BMJ*. 2005;330(7504):1357. <https://doi.org/10.1136/bmj.38470.670903.e0>.
- Roberto, C., Wong, D., Musicus, A. & Hammond, D. (2016). The Influence of Sugar-Sweetened Beverage Health Warning Labels on Parents' Choices. *Pediatrics*, 137(2), e20153185. doi:10.1542/peds.2015-3185.
- Robinson, T.N., Banda, J.A., Hale, L., Shirong, A., Fleming-Milici, F., Calvert, S.L. & Wartella, E. (2017). Screen Media Exposure and Obesity in Children and Adolescents. *Pediatrics*, 140(2), S97–S101. doi:10.1542/peds.2016-1758K.
- Robles, B., Mota-Bertran, A., Saez, M. & Solans, M. (2024). Association between ultraprocessed food consumption and excess adiposity in children and adolescents: a systematic review. *Obesity Reviews*, 25(10), e13796. doi:10.1111/obr.13796.
- Rocha, N.P., Milagres, L.C., Filgueiras, M.D.S., Suhett, L.G., Silva, M.A., Albuquerque, F.M. de, Ribeiro, A.Q., Vieira, S.A. & Novaes, J.F. de. (2019). Association of Dietary Patterns with Excess Weight and Body Adiposity in Brazilian Children: The Pase-Brasil Study. *The Arquivos Brasileiros de Cardiologia*, 113(1), 52–59. doi:10.5935/abc.20190113.
- Romieu, I., Dossus, L., Barquera, S., Blottière, H.M., Franks, P.W., et al. (2017). Energy balance and obesity: what are the main drivers? *Cancer Causes Control*. 28(3), 247–258. doi:10.1007/s10552-017-0869-z.
- Ruopeng, A. (2013). Effectiveness of subsidies in promoting healthy food purchases and consumption: a review of field experiments. *Public Health Nutrition*, 16, 1215–1228. doi:10.1017/S1368980012004715.
- Saikia, D., Ahmed, S.J., Saikia, H. & Sarma, R. (2016). Overweight and obesity in early adolescents and its relation to dietary habit and physical activity: A study

- in Dibrugarh town. *Clinical Epidemiology and Global Health*, 4, 522–528. doi:10.1016/j.cegh.2016.09.001.
- Sartika, R.A.D. (2011). Faktor Risiko Obesitas pada Anak 5-15 Tahun di Indonesia. *Makara Journal of Health Research*, 15(1), 37–43. doi:10.7454/msk.v15i1.796.
- Schratz, L.M., Larkin, O., Santos, N.D. & Martin, C. (2023) Caregiver Influences on Eating Behaviors in Children: An Opportunity for Preventing Obesity. *Current Atherosclerosis Reports*. 25, 1035–1045. doi:10.1007/s11883-023-01171-6.
- Seubsman, S., Kelly, M., Yuthapornpinit, P. & Sleigh, A. (2009). Cultural resistance to fast-food consumption? A study of youth in North Eastern Thailand. *International Journal of Consumer Study*, 33(6), 669–675. doi:10.1111/j.1470-6431.2009.00795.xS.
- Shah, B., Tombeau Cost, K., Fuller, A., Birken, C. S., & Anderson, L. N. (2020). Sex and gender differences in childhood obesity: contributing to the research agenda. *BMJ nutrition, prevention & health*. 3(2), 387–390. doi:10.1136/bmjnph-2020-000074.
- Siddiqui, A.A., Alshammary, F., Mulla, M., Al-Zubaidi, S.M., Afroze, E., Amin, J., Amin, S., Shaikh, S., Madfa, A.A. & Alam, M.K. (2021). Prevalence of dental caries in Pakistan: a systematic review and meta-analysis. *BMC Oral Health*, 12(1), 450. doi:10.1186/s12903-021-01802-x.
- Sirkka, O., Fleischmann, M., Abrahamse-Berkeveld, M., Halberstadt, J., Olthof, M.R., Seidell, J.C. & Corpeleijn, E. (2021). Dietary Patterns in Early Childhood and the Risk of Childhood Overweight: The GECKO Drenthe Birth Cohort. *Nutrients*, 13(6), 1–12. doi:10.3390/nu13062046.
- Skinner, A., Ravanbakht, S., Skelton, J. & et al. (2018). Prevalence of obesity and severe obesity in US children, 1999-2016. *Pediatrics*, 141, e20173459. doi:10.1542/peds.2017-3459.
- Small, D. & Difeliceantonio, A. (2019) Processed foods and food reward. *Science*. 363(6425), 346–347. doi:10.1126/science.aav055.
- Snyder, H. (2019). Literature Review as a Research Methodology: An Overview and Guidelines. *Journal of Business Research*, 104, 333–339. doi:10.1016/j.jbusres.2019.07.039.
- Souza, S.F. de, Conceição-Machado, M.E.P. da, Costa, P.R. de F., Cunha, C. de M., Queiroz, V.A. de O., Santana, M.L.P. de, Leite, L. de O. & Assis, Ana Marlúcia de Oliveira. (2022). *Degree of food processing and association with overweight and abdominal obesity in adolescents*. 20, eAO6619. doi:10.31744/einstein\_journal/2022AO6619.
- Spruijt-Metz, D. (2011). Etiology, Treatment and Prevention of Obesity in Childhood and Adolescence: A Decade in Review. *Journal of Research on Adolescence*, 21(1), 129–152. doi:10.1111/j.1532-7795.2010.00719.x.
- Steele, E.M., Baraladi, L.G., Louzada, M.L. da C., Moubarac, J.-C., Mozaffarian, D. & Monteiro, C.A. (2016). Ultra-processed foods and added sugars in the US diet: evidence from a nationally representative cross-sectional study. *BMJ Open*, 6(3), e009892. doi:10.1136/bmjopen-2015-009892.
- Stettler, N., Signer, T.M. & Suter, P.M. (2004). Electronic games and environmental factors associated with childhood obesity in Switzerland. *Obesity Research*, 12(6), 896–903. doi:10.1038/oby.2004.109.
- Stettler, N., Zemel, B., Kumanyika, S. & Stallings, V. (2002). Infant weight gain and

- childhood overweight status in a multicenter, cohort study. *Pediatrics*, 109 (2), 194–199. doi:10.1542/peds.109.2.194.
- Story, M., Hayes, M. & Kalina, B. (1996). Availability of foods in high schools: is there cause for concern?. *J Am Diet Assoc*, 96, 123–126. doi:10.1016/S0002-8223(96)00039-9.
- Striegel-Moore, R., Thompson, D., Affenito, S., Franko, D., Obarzanek, E., Barton, B. & et al. (2006). Correlates of beverage intake in adolescent girls: the National Heart, Lung, and Blood Institute Growth and Health Study. *Journal de Pediatrics*, 148(2), 183–187. doi:10.1016/j.jpeds.2005.11.025.
- Su, Z., Zeng, C., Huang, J., Luo, S., Guo, J., Fu, J., Zhang, W., Zhang, Z., Zhang, B. & Li, Y. (2024). Association of Dietary Patterns, C-Reactive Protein, and Risk of Obesity Among Children Aged 9–17 Years in Guangzhou, China: A Cross-Sectional Mediation Study. *Nutrients*, 16(22), 3835. doi:10.3390/nu16223835.
- Sun, M., Hu, X., Li, F., Deng, J., Shi, J. & Lin, Q. (2020). Eating Habits and Their Association with Weight Status in Chinese School-Age Children: A Cross-Sectional Study. *International Journal of Environmental Research and Public Health*, 17(10), 3571. doi:10.3390/ijerph17103571.
- Sweeting, H.N. (2007). Measurement and Definitions of Obesity In Childhood and Adolescence: A field guide for the uninitiated. *Nutrition Journal*, 6(32), 1–8. doi:10.1186/1475-2891-6-32.
- Swinburn, B.A., Sacks, G., Hall, K.D., McPherson, K., Finegood, D.T., Moodie, M.L. & Gortmaker, S.L. (2011). The global obesity pandemic: shaped by global drivers and local environments. *Lancet*, 378(9793), 804–814. doi:10.1016/S0140-6736(11)60813-1.
- Thow, A.M., Jan, S., Leeder, S. & Swinburn, B.A. (2010). The effect of fiscal policy on diet, obesity and chronic disease: a systematic review. *Bulletin of the World Health Organization*, 88, 609–614. doi:10.2471/BLT.09.070987.
- Tobias, D. & Hall, K. (2021). Eliminate or reformulate ultra-processed foods? Biological mechanisms matter. *Cell Metabolism*, 33(12), 2314–2315. doi:10.1016/j.cmet.2021.10.005.
- Trang, N., Hong, T. & Dibley, M. (2012). Cohort profile: Ho Chi Minh City youth cohort-changes in diet, physical activity, sedentary behaviour and relationship with overweight/obesity in adolescents. *BMJ Open*, 2(1), 1–8. doi:10.1136/bmjopen-2011-000362.
- UNICEF. (2024a). *Education Overview*. July 2024. <https://data.unicef.org/topic/education/overview/>.
- UNICEF. (2021). *Policy Brief: Sugar-Sweetened Beverage Taxation 2021*. <https://www.unicef.org/documents/advocacy-packages-food-environment-policies>.
- UNICEF. (2019). *Prevention of overweight and obesity in children and adolescents: UNICEF programming guidance*. New York, UNICEF. <https://www.unicef.org/media/92336/file/Programming-Guidance-Overweight-Prevention.pdf>.
- UNICEF. (2024b). *UNICEF's Brief on The Social Ecological Model*. 9 April 2024. <https://knowledge.unicef.org/mental-health-and-psychosocial-support/resource/unicefs-brief-social-ecological-model>.

- Vinke, P.C., Blijleven, K.A., Luitjens, M.H. & Corpeleijn, E. (2020). Young Children's Sugar-Sweetened Beverage Consumption and 5-Year Change in BMI: Lessons Learned from the Timing of Consumption. *Nutrients*, 12(8), 2486. doi:10.3390/nu12082486.
- Vo, K. & Francic, M. (2017). *Vietnam Retail Foods - Sector Report 2016*. [https://apps.fas.usda.gov/newgainapi/api/report/downloadreportbyfilename?filename=Retail\\_Foods\\_Hanoi\\_Vietnam\\_11-13-2018.pdf](https://apps.fas.usda.gov/newgainapi/api/report/downloadreportbyfilename?filename=Retail_Foods_Hanoi_Vietnam_11-13-2018.pdf).
- Wang C, C., Bleich, S.N. & Gortmaker, S.L. (2008). Increasing caloric contribution from sugar-sweetened beverages and 100% fruit juices among US children and adolescents, 1988-2004. *Pediatrics*, 121(6), e1604-1614. doi:10.1542/peds.2007-2834.
- Wang H, H., Jeong, H., Kim, N.-H., Kang, Y., Wang, K., Lee, H., Hong, J.-H. & Oh, K.-S. (2018). Association between beverage intake and obesity in children: The Korea National Health and Nutrition Examination Survey (KNHANES) 2013-2015. *Nutrition Research and Practice*, 12(4), 307-314. doi:10.4162/nrp.2018.12.4.307.
- Wang L, L., Steele, E.M., Du, M. & et al. (2021). Trends in Consumption of Ultraprocessed Foods Among US Youths Aged 2-19 Years, 1999-2018. *JAMA*, 326(6), 519-530. doi:10.1001/jama.2021.10238.
- Wardle, B., Brodersen, N., Cole, T., Jarvis, M. & Boniface, D. (2006). Development of adiposity in adolescence: five year longitudinal study of an ethnically and socioeconomically diverse sample of young people in Britain. *BMJ*, 3321, 1130-1135. doi:10.1136/bmj.38807.594792.AE.
- Welker, E., Lott, M. & Story, M. (2016). The School Food Environment and Obesity Prevention: Progress Over the Last Decade. *Current Obesity Reports*, 5(2), 145-155. doi:10.1007/s13679-016-0204-0.
- West, R. & Marteau, T. (2013). Commentary on Casswell (2013): the commercial determinants of health. *Addiction*, 108(4), 686-687. doi:10.1111/add.12118.
- WHO. (n.d.a). *BMI-for-age (5-19 years)*. <https://www.who.int/tools/growth-reference-data-for-5to19-years/indicators/bmi-for-age>.
- WHO. (n.d.b). *Commercial determinants of health*. [https://www.who.int/health-topics/commercial-determinants-of-health#tab=tab\\_1](https://www.who.int/health-topics/commercial-determinants-of-health#tab=tab_1).
- WHO. (2023). *Fact sheets: Commercial determinants of health*. 21 March 2023. <https://www.who.int/news-room/fact-sheets/detail/commercial-determinants-of-health>.
- WHO. (2024). *Fact sheets: Obesity and overweight*. 2024. <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>.
- WHO. (2017). *Guideline: assessing and managing children at primary health-care facilities to prevent overweight and obesity in the context of the double burden of malnutrition*. <https://www.who.int/publications/i/item/9789241550123>.
- WHO. (2020a). *Noncommunicable diseases: Childhood overweight and obesity*. 19 October 2020. <https://www.who.int/news-room/questions-and-answers/item/noncommunicable-diseases-childhood-overweight-and-obesity>.

- WHO. (2016). *Report of the commission on ending childhood obesity*.  
[https://iris.who.int/bitstream/handle/10665/204176/9789241510066\\_eng.pdf](https://iris.who.int/bitstream/handle/10665/204176/9789241510066_eng.pdf).
- WHO. (2020b). *WHO Guidelines on Physical Activity and Sedentary Behaviour*.  
Geneva: World Health Organization.  
<https://www.who.int/publications/i/item/9789240015128>.
- Woo, T. & Lee, K. (2019). Exploring parenting variables associated with sweetness preferences and sweets intake of children. *Nutrition Research and Practice*, 13 (2), 169–177. doi:10.4162/nrp.2019.13.2.169.
- World Obesity. (2019). *Atlas of Childhood Obesity*.  
<https://www.worldobesity.org/membersarea/global-atlas-on-childhood-obesity>.
- Yu J, J., Huang, F., Zhang, X., Xue, H., Ni, X., Yang, J., Zou, Z. & Du, W. (2023). *Association of Sugar-Sweetened Beverage Consumption and Moderate-to-Vigorous Physical Activity with Childhood and Adolescent Overweight/Obesity: Findings from a Surveillance Project in Jiangsu Province of China*. 15(19), 4164. doi:10.3390/nu15194164.
- Yu L, L., Zhou, H., Zheng, F., Song, J., Lu, Y., Yu, X. & Zhao, C. (2022). Sugar Is the Key Cause of Overweight/Obesity in Sugar-Sweetened Beverages (SSB). *Frontiers in Nutrition*, 9, 885704. doi:10.3389/fnut.2022.885704.
- Yu P, P., Chen, Y., Zhao, A., Bai, Y., Zheng, Y., Zhao, W. & Zhang, Y. (2016). Consumption of sugar-sweetened beverages and its association with overweight among young children from China. *Public Health Nutrition*, 19(13), 2336–2346. doi:10.1017/S1368980016001373.
- Yu ZB, Han SP, Zhu GZ, Zhu C, Wang XJ, Cao XG, Guo XR. (2011). Birth weight and subsequent risk of obesity: a systematic review and meta-analysis. *Obes Rev*, 12(7), 525-42. doi:10.1111/j.1467-789X.2011.00867.
- Zadka, K., Palkowska-Goździk, E. & Rosołowska-Huszcz, D. (2019). Family factors associated with selected childhood nutrition aspects in central Poland. *International Journal of Environmental Research and Public Health*, 16(4). doi:10.3390/ijerph16040541.
- Zhang T, T., Cai, L., Jing, J., Chen, Y. & Ma, J. (2016) The prevalence of obesity and influence of early life and behavioral factors on obesity in Chinese children in Guangzhou. *BMC Public Health*. 16 (1), 954. doi:10.1186/s12889-016-3599-3.
- Zhang, X., Liu, J., Ni, Y., Yi, C., Fang, Y., Ning, Q., Shen, B., Zhang, K., Liu, Y., Yang, L., Li, K., Liu, Y., Huang, R. & Li, Z. (2024). Global Prevalence of Overweight and Obesity in Children and Adolescents: A Systematic Review and Meta-Analysis. *JAMA Pediatrics*, 178(8), 800–813. doi:10.1001/jamapediatrics.2024.1576.
- Zhao, Y., Wang, S.F., Mu, M. & Sheng, J. (2012). Birth weight and overweight/obesity in adults: a meta-analysis. *European journal of pediatrics*, 171(12), 1737-1746. doi: 10.1007/s00431-012-1701-0.