



DAFTAR PUSTAKA

- Adhau, A., Gahalod, M. P., (2020). Bakuchiol: A retinol like structure in the field of cosmetics. *International Journal of Advance Study and Research Work*, 3(7), 14-7
- Adiaswati, Y. I., Puspitasari, D., & Andriani, D. (2020). Optimasi Formula Patch Kosmetik Ekstrak Metanol Daun Pacar Air (*Impatiens balsamina* L.) DENGAN Kombinasi Matriks HPMC Dan Polietilen Glikol 400 Secara Simplex Lattice Design. *Jurnal Insan Farmasi Indonesia*, 3(2), 413–422. <https://doi.org/10.36387/jifi.v3i2.578>
- Aisyah, Y., Irwanda, L. P., Haryani, S., & Safriani, N. (2018). Characterization of corn starch-based edible film incorporated with nutmeg oil nanoemulsion. *IOP Conference Series Materials Science and Engineering*, 352, 012050. <https://doi.org/10.1088/1757-899x/352/1/012050>.
- Alexis, A. F., Harper, J. C., Stein Gold, L. F., & Tan, J. K. L. (2018). Treating Acne in Patients With Skin of Color. *Seminars in Cutaneous Medicine and Surgery*, 37(3S), S71–S73. <https://doi.org/10.12788/j.sder.2018.027>
- Anushri Adhau, & Dr.Madhuri Pardeshi. (2020). Bakuchiol: A Retinol like Structure in the Field of Cosmetics. *Zenodo (CERN European Organization for Nuclear Research)*, 3(7). <https://doi.org/10.5281/zenodo.3958020>.
- Ayudianti, P. & Indramaya, D.M. (2014). Studi Retrospektif: Faktor Pencetus Acne Vulgaris. *Berkala Ilmu Kesehatan Kulit dan Kelamin*, 26 (1); p.1-7.
- Buang, A., Andriana, A. N. I., & Sapra, A. A. (2020). Optimasi Kombinasi HPMC Dan PVP Sebagai Polimer Terhadap Mutu Fisik Patch Ekstrak Rimpang Jahe Merah (*Zingiber officinale* Var. *Rubrum*). *Journal Kesehatan Yamasi Makassar*, 4(2), 104–112.
- Cacicedo, M. L., Pacheco, G., Germán Abel Islan, Álvarez, V. A., Barud, H. S., & Castro, G. R. (2020). Chitosan-bacterial cellulose *patch* of ciprofloxacin for wound dressing: Preparation and characterization studies. *International Journal of Biological Macromolecules*, 147, 1136–1145. <https://doi.org/10.1016/j.ijbiomac.2019.10.082>
- Callender, V. D., Baldwin, H., Cook-Bolden, F. E., Alexis, A. F., Stein Gold, L., & Guenin, E. (2022). Effects of Topical Retinoids on Acne and Post-inflammatory Hyperpigmentation in Patients with Skin of Color: A Clinical Review and Implications for Practice. *American Journal of Clinical Dermatology*, 23(1), 69–81. <https://doi.org/10.1007/s40257-021-00643-2>
- Chaudhuri, R.K., & Marchio, F. (2011). Bakuchiol in the Management of Acne-affected Skin. *Cosmetics and toiletries*, 126.
- Chen, Q., Chen, H., Zhu, L., & Zheng, J. (2015). Fundamentals of double network hydrogels. *Journal of Materials Chemistry B*, 3(18), 3654–3676. <https://doi.org/10.1039/C5TB00123D>
- Cheol Kim, H., Na Lee, J., Kim, E., Hee Kim, M., & Ho Park, W. (2021). Self-healable poly(γ -glutamic acid)/chitoooligosaccharide hydrogels via ionic and π -interactions. *Materials Letters*, 297, 129987. <https://doi.org/10.1016/j.matlet.2021.129987>



- Crendhuty, F. D., Sriwidodo, & Wardhana, Y. W. (2021). Sistem Penghantaran Obat Berbasis Biopolimer Kitosan pada Formulasi Film Forming System. *Majalah Farmasetika*, 6(1), 38–55. <https://doi.org/10.24198/mfarmasetika.v6i1.27457>
- Danarto, YC., Rochmadi, & Budhijanto. (2020). Microencapsulation of riboflavin (vitamin B2) using alginate and chitosan : effect of alginate and chitosan concentration upon encapsulation efficiency. *IOP Conference Series: Materials Science and Engineering*, 858, 012030. <https://doi.org/10.1088/1757-899x/858/1/012030>
- Dhaliwal, S., Rybak, I., Ellis, S. R., Notay, M., Trivedi, M., Burney, W., ... Sivamani, R. K. (2019). Prospective, randomized, double-blind assessment of topical bakuchiol and retinol for facial photoageing. *British Journal of Dermatology*, 180(2), 289–296. <https://doi.org/10.1111/bjd.16918>
- Dhand, A. P., Galarraga, J. H., & Burdick, J. A. (2021). Enhancing Biopolymer Hydrogel Functionality through Interpenetrating Networks. *Trends in Biotechnology*, 39(5), 519–538. <https://doi.org/10.1016/j.tibtech.2020.08.007>
- Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G., & Posey, L. M. (2008). Pharmacotherapy A Pathophysiologic Approach, 7th ed., *The McGrawHill Companies*, p.959-973.
- Dodero, A., Pianella, L., Vicini, S., Alloisio, M., Ottonelli, M., & Castellano, M. (2019). Alginate-based hydrogels prepared via ionic gelation: An experimental design approach to predict the crosslinking degree. *European Polymer Journal*, 118, 586–594. <https://doi.org/10.1016/j.eurpolymj.2019.06.028>
- Enoch, K., Rakavi C.S, & Anbumozhi Angayarkanni Somasundaram. (2024). Thixotropic chitosan hydrogels for biomedical applications: Unravelling the effect of chitosan concentration on the mechanical behaviour. *Surfaces and Interfaces*, 50, 104475–104475. <https://doi.org/10.1016/j.surfin.2024.104475>
- Fang, Y., Al-Assaf, S., Phillips, G.O., Nishinari, K., Funami, T., Williams, P.A., dkk. (2007). Multiple steps and critical behaviors of the binding of calcium to alginate. *Journal of Physical Chemistry B*, 111: 2456–2462.
- Feyissa, Z., Edossa, G. D., Gupta, N. K., & Negera, D. (2023). Development of double crosslinked sodium alginate/chitosan based hydrogels for controlled release of metronidazole and its antibacterial activity. *Heliyon*, 9(9), e20144. <https://doi.org/10.1016/j.heliyon.2023.e20144>
- Figuroa-Pizano, M. D., Vélaz, I., Peñas, F. J., Zavala-Rivera, P., Rosas-Durazo, A. J., Maldonado-Arce, A. D., & Martínez-Barbosa, M. E. (2018). Effect of freeze-thawing conditions for preparation of chitosan-poly (vinyl alcohol) hydrogels and drug release studies. *Carbohydrate Polymers*, 195, 476–485. <https://doi.org/10.1016/j.carbpol.2018.05.004>
- Fuziyanti, N., Aji, N., Siti H. (2022). Pengaruh Kombinasi Polimer Terhadap Sediaan Transdermal Pada Karakteristik Patch Yang Baik. *Pharmaceutical Journal of Indonesia*, 7(2): 147 - 152.



- Goggin et al, (2000). A histological and immunocytochemical study of early acne lesions. *Br J Dermatology*, 118(5):651-9.
- Goh, C., Cheng, C., Agak, G., Zaenglein, A. L., Graber, E. M., Thiboutot, D. M., Kim, J. (2019). Acne vulgaris. *Fitzpatrick's Dermatology*, 9e. McGraw-Hill Education.
<https://accessmedicine.mhmedical.com/content.aspx?bookid=2570§ionid=210419885>.
- Greenzaid, J., Friedman, A., & Sodha, P. (2022). The Use of Bakuchiol in Dermatology: A Review of In Vitro and In Vivo Evidence. *Journal of Drugs in Dermatology*, 21(6), 624–629. <https://doi.org/10.36849/jdd.6740>
- Hassan, C. M., Stewart, J. E., & Peppas, N. A. (2000). Diffusional characteristics of freeze/thawed poly(vinyl alcohol) hydrogels: applications to protein controlled release from multilaminate devices. *European journal of pharmaceuticals and biopharmaceutics : official journal of Arbeitsgemeinschaft fur Pharmazeutische Verfahrenstechnik e.V.*, 49(2), 161–165. [https://doi.org/10.1016/s0939-6411\(99\)00056-9](https://doi.org/10.1016/s0939-6411(99)00056-9)
- Hebert, A., Thiboutot, D., Stein Gold, L., Cartwright, M., Gerloni, M., Fragasso, E., & Mazzetti, A. (2020). Efficacy and Safety of Topical Clascoterone Cream, 1%, for Treatment in Patients With Facial Acne. *JAMA Dermatology*, 156(6), 621. <https://doi.org/10.1001/jamadermatol.2020.0465>
- Heng, A. H. S., & Chew, F. T. (2020). Systematic review of the epidemiology of acne vulgaris. *Scientific Reports*, 10(1), 5754. <https://doi.org/10.1038/s41598-020-62715-3>
- Hsieh, F.-M., Huang, C., Lin, T.-F., Chen, Y.-M., & Lin, J.-C. (2008). Study of sodium tripolyphosphate-crosslinked chitosan beads entrapped with *Pseudomonas putida* for phenol degradation. *Process Biochemistry*, 43(1), 83–92. <https://doi.org/10.1016/j.procbio.2007.10.016>
- Hu, T., & Lo, A. C. Y. (2021). Collagen–alginate composite hydrogel: Application in tissue engineering and biomedical sciences. *Polymers*, 13(11). <https://doi.org/10.3390/polym13111852>
- Huang, Q., Zou, Y., Arno, M. C., Chen, S., Wang, T., Gao, J., Dove, A. P., & Du, J. (2017). Hydrogel scaffolds for differentiation of adipose-derived stem cells. *Chemical Society Reviews*, 46(20), 6255–6275. <https://doi.org/10.1039/C6CS00052E>
- Ibrahim, dkk., (2019). Film natrium alginat: efek pengikat silang pada sifat fisik dan mekanik. *konferensi IOP*
- Iversen, M., Monisha, M., Agarwala, S., Flexible. (2021) Wearable and Fully-printed Smart Patch for pH and Hydration Sensing in Wounds. *Int J Bioprint*. 8(1):447. doi: 10.18063/ijb.v8i1.447.
- Jing, H., Huang, X., Du, X., Mo, L., Ma, C., & Wang, H. (2022). Facile synthesis of pH-responsive sodium alginate/carboxymethyl chitosan hydrogel beads promoted by hydrogen bond. *Carbohydrate Polymers*, 278, 118993. <https://doi.org/10.1016/j.carbpol.2021.118993>
- Kaban, J., Bangun, H., Dawolo, A. K. (2006). Pembuatan membran kompleks polielektrolit alginat kitosan. *Jurnal Sains Kimia*, 10(1), 10– 16.



- Kaufman, B. P., Aman, T., & Alexis, A. F. (2017). Postinflammatory Hyperpigmentation: Epidemiology, Clinical Presentation, Pathogenesis and Treatment. *American Journal of Clinical Dermatology*, 19(4), 489–503. <https://doi.org/10.1007/s40257-017-0333-6>
- Khanna, R., Michelle, C., Ramona, K., Seemal, D., (2024). 53373 BAK to the Future: Systematic Review of Bakuchiol as a Treatment of Post-Inflammatory Hyperpigmentation. *Journal of the American Academy of Dermatology*, vol. 91, no. 3, 1 Sept. 2024, pp. AB139–AB139, <https://doi.org/10.1016/j.jaad.2024.07.560>.
- Kulig, D., Korzycka, Anna, Z., Jarmoluk, A., Marycz, Krzysztof. (2016). Study on Alginate - Chitosan Complex Formed with Different Polymers Ratio. *Polymers*, 8(5) : 167.
- Kuo, C.-W., Chiu, Y.-F., Wu, M.-H., Li, M.-H., Wu, C.-N., Chen, W.-S., & Huang, C.-H. (2021). Gelatin/Chitosan Bilayer Patches Loaded with Cortex Phellodendron amurense/Centella asiatica Extracts for Anti-Acne Application. *Polymers*, 13(4), 579. <https://doi.org/10.3390/polym13040579>
- Kurniasari, D., & Atun, S. (2017). Pembuatan dan Karakterisasi Nanopartikel Ekstrak Etanol Temu Kunci (*Boesenbergia pandurata*) Pada Berbagai Variasi Komposisi Kitosan. *Jurnal Sains Dasar*, 6(1), pp.31–35.
- Kurniawati, A.R. (2014). Pengaruh Kebersihan Kulit Wajah Terhadap Kejadian Acne Vulgaris. *Media Medika Muda*, p.9-12.
- Lawrence, E., Syed, H. A., & Al Aboud, K. M. (2024). Postinflammatory Hyperpigmentation. *StatPearls*. StatPearls Publishing.
- Leung, A. K., Barankin, B., Lam, J. M., Leong, K. F., & Hon, K. L. (2021). Dermatology: how to manage acne vulgaris. *Drugs in Context*, 10, 1–18. <https://doi.org/10.7573/dic.2021-8-6>.
- Li, J., Mooney, D. (2016). Designing hydrogels for controlled drug delivery. *Nat Rev Mater* 1, 16071. <https://doi.org/10.1038/natrevmats.2016.71>
- Li, Y., Zhang, H., Yang, R., Laffitte, Y., Schmill, U., Hu, W., ... Cui, B. (2019). Fabrication of sharp silicon hollow microneedles by deep-reactive ion etching towards minimally invasive diagnostics. *Microsystems & Nanoengineering*, 5(1), 1–11. <https://doi.org/10.1038/s41378-019-0077-y>.
- Li, P., Zhao, J., Chen, Y., Cheng, B., Yu, Z., Zhao, Y., Yan, X., Tong, Z., & Jin, S. (2017). Preparation and characterization of chitosan physical hydrogels with enhanced mechanical and antibacterial properties. *Carbohydrate polymers*, 157, 1383–1392. <https://doi.org/10.1016/j.carbpol.2016.11.016>
- Li, R., Guan, X., Lin, X., Guan, P., Zhang, X., Rao, Z., Du, L., Zhao, J., Rong, J., & Zhao, J. (2020). Poly(2-hydroxyethyl methacrylate)/ β -cyclodextrin-hyaluronan contact lens with tear protein adsorption resistance and sustained drug delivery for ophthalmic diseases. *Acta Biomaterialia*, 110, 105–118. <https://doi.org/10.1016/j.actbio.2020.04.002>
- Liu, H., Wang, C., Li, C., Qin, Y., Wang, Z., Yang, F., ... Wang, J. (2018). A functional chitosan-based hydrogel as a wound dressing and drug delivery system in the treatment of wound healing. *RSC Advances*, 8(14), 7533–7549. <https://doi.org/10.1039/c7ra13510f>



- Lynn, D., Umari, T., Dellavalle, R., & Dunnick, C. (2016). The epidemiology of acne vulgaris in late adolescence. *Adolescent Health, Medicine and Therapeutics*, 7, 13–25. <https://doi.org/10.2147/ahmt.s55832>
- Madaghiale, M., Demitri, C., Sannino, A., & Ambrosio, L. (2014). Polymeric hydrogels for burn wound care: Advanced skin wound dressings and regenerative templates. *Burns and Trauma*. Oxford University Press. <https://doi.org/10.4103/2321-3868.143616>
- Manarisip, C.K., Kepel, B.J. & Rompas, S.S. (2015). Hubungan Stres Dengan Kejadian Acne Vulgaris Pada Mahasiswa Semester V (Lima) Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Sam Ratulangi Manado. *Jurnal keperawatan*, 3(1); p.1-6.
- Mandal, A., Clegg, J. R., Anselmo, A. C., & Mitragotri, S. (2020). Hydrogels in the clinic. *Bioengineering & Translational Medicine*, 5(2). <https://doi.org/10.1002/btm2.10158>
- Mehra, A., Kaur, G., Sethi, S., Kumar, P., Bhandari, T., Kaur, K., Singh, G., & Bedi, N. (2024). Unveiling the potential of Bakuchiol-A comprehensive review on pharmacological activities and therapeutic formulations. *Journal of Biologically Active Products from Nature*, 14, 134 - 160.
- Mihajlovic, M., Staropoli, M., Appavou, M. S., Wyss, H. M., Pyckhout-Hintzen, W., & Sijbesma, R. P. (2017). Tough Supramolecular Hydrogel Based on Strong Hydrophobic Interactions in a Multiblock Segmented Copolymer. *Macromolecules*, 50(8), 3333–3346. <https://doi.org/10.1021/acs.macromol.7b00319>
- Mohiuddin, A. K. (2019). A Comprehensive Review of Acne Vulgaris. *Clinical Research in Dermatology: Open Access*, 6(2), 1–34. <http://dx.doi.org/10.15226/2378-1726/6/2/00186>
- Mulder, M., (1996) Basic Principle Of MeKapao, N., & Wattanutchariya, W. (2018). Development of natural acne patch from local materials using quality function deployment technique. *MATEC Web of Conferences*, 192, 01050. <https://doi.org/10.1051/mateconf/201819201050>
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 176, Acetic Acid. Retrieved November 7, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Acetic-Acid>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 5468522, Bakuchiol. Retrieved November 7, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Bakuchiol>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 5284359, Calcium Chloride. Retrieved November 7, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Calcium-Chloride>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 71853, Chitosan. Retrieved November 7, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Chitosan>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 702, Ethanol. Retrieved November 7, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Ethanol>.



- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 24455, Pentasodium Triphosphate. Retrieved November 8, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Pentasodium-Triphosphate>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 1030, Propylene Glycol. Retrieved November 13, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Propylene-Glycol>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 5102882, Sodium 3,4,5,6-tetrahydroxyoxane-2-carboxylate. Retrieved November 7, 2024 from https://pubchem.ncbi.nlm.nih.gov/compound/Sodium-3_4_5_6-tetrahydroxyoxane-2-carboxylate
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 962, Water. Retrieved November 7, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Water>.
- Nuder N. N., Mahmud, S., Ark, A., Kamruzzaman, M., & Md. Kamrul Hasan. (2023). Bakuchiol, a natural constituent and its pharmacological benefits. *F1000Research*, 12, 29. <https://doi.org/10.12688/f1000research.129072.2>
- Paşcalău, V., Popescu, V., Popescu, G. L., Dulescu, M. C., Borodi, G., Dinescu, A., ... Paul, M. (2012). The alginate/k-carrageenan ratio's influence on the properties of the cross-linked composite films. *Journal of Alloys and Compounds*, 536, S418–S423. <https://doi.org/10.1016/j.jallcom.2011.12.026>
- Pastore, M. N., Kalia, Y. N., Horstmann, M., & Roberts, M. S. (2015). Transdermal patches: history, development and pharmacology. *British Journal of Pharmacology*, 172(9), 2179–2209. <https://doi.org/10.1111/bph.13059>
- Peng, Y., Wu, Y., & Li, Y. (2013). Development of tea extracts and chitosan composite films for active packaging materials. *International Journal of Biological Macromolecules*, 59, 282–289. <https://doi.org/10.1016/j.ijbiomac.2013.04.019>
- Pillaiyar, T., Manickam, M., Namasivayam, V. (2017). Skin whitening agents: Medicinal chemistry perspective of tyrosinase inhibitors. *J. Enzyme Inhib. Med. Chem.* 32(1):403-425.
- Pinto, C., Leidi Méndez, Camacho-Rodríguez, B., & Silva-Cote, I. (2023). Antibacterial PVA/Chitosan/alginate/Meropenem-based hydrogel as a potential therapeutic strategy for chronic ulcers infections. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 73(12), 1–13. <https://doi.org/10.1080/00914037.2023.2243363>
- Pita-López, M. L., Fletes-Vargas, G., Espinosa-Andrews, H., & Rodríguez-Rodríguez, R. (2021). Physically cross-linked chitosan-based hydrogels for tissue engineering applications: A state-of-the-art review. *European Polymer Journal*, 145, 110176. <https://doi.org/10.1016/j.eurpolymj.2020.110176>
- Potaś, J., Szymańska, E., & Winnicka, K. (2020). Challenges in developing of chitosan – Based polyelectrolyte complexes as a platform for mucosal and



- skin drug delivery. *European Polymer Journal*, 140, 110020.
<https://doi.org/10.1016/j.eurpolymj.2020.110020>
- Qothrunnadaa, T., & Hasanah, A. N. (2021). Patches For Acne Treatment: An Update on The Formulation and Stability Test. *International Journal of Applied Pharmaceutics*, 13(4), 21–26.
<https://doi.org/10.22159/ijap.2021.v13s4.43812>
- Reynolds, R. V., Yeung, H., Cheng, C. E., Cook-Bolden, F., Desai, S. R., Druby, K., ... Barbieri, J. S. (2024). Guidelines of care for the management of acne vulgaris. *Journal of the American Academy of Dermatology*, 90(5).
<https://doi.org/10.1016/j.jaad.2023.12.017>
- Román-Doval, R., Torres-Arellanes, S. P., Tenorio-Barajas, A. Y., Gómez-Sánchez, A., & Valencia-Lazcano, A. A. (2023). Chitosan: Properties and Its Application in Agriculture in Context of Molecular Weight. *Polymers*, 15(13), 1–26. <https://doi.org/10.3390/polym15132867>
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). Handbook of Pharmaceutical Excipients. (Sixth Edit). *Pharmaceutical Press*.
- Savić Gajić, I. M., Savić, I. M., & Svirčev, Z. (2023). Preparation and Characterization of Alginate Hydrogels with High Water-Retaining Capacity. *Polymers*, 15(12), 2592. <https://doi.org/10.3390/polym15122592>
- Sacco, P., Massimiliano Borgogna, Travan, A., Marsich, E., Paoletti, S., Asaro, F., ... Donati, I. (2014). Polysaccharide-Based Networks from Homogeneous Chitosan-Tripolyphosphate Hydrogels: Synthesis and Characterization. *Biomacromolecules*, 15(9), 3396–3405.
<https://doi.org/10.1021/bm500909n>
- Sami, F. J., & Rahimah, S. (2016). Uji AKTIVITAS ANTIOKSIDAN EKSTRAK METANOL BUNGA BROKOLI (*Brassica oleracea* L. var. *Italica*) DENGAN METODE DPPH (2,2 diphenyl-1-picrylhydrazyl) dan METODE ABTS (2,2 azinobis (3-etilbenzotiazolin)-6-asam sulfonat). *Jurnal Fitofarmaka Indonesia*, 2(2), 107–110.
<https://doi.org/10.33096/jffi.v2i2.179>
- Sawant, S.V. & Sankpal, S.V. & Jadhav, Kisan & Kadam, V.J. (2012). Hydrogel as drug delivery system. *Research Journal of Pharmacy and Technology*. 5. 561-569.
- Serafin, A., Culebras, M., & Collins, M. N. (2023). Synthesis and evaluation of alginate, gelatin, and hyaluronic acid hybrid hydrogels for tissue engineering applications. *International Journal of Biological Macromolecules*, 233. <https://doi.org/10.1016/j.ijbiomac.2023.123438>
- Seyedehsara M. D., Bonnot, C., Gutierrez-Maddox, N., Alfaro, A. C., & Seyfoddin, A. (2022). Chitosan coated alginate beads as probiotic delivery system for New Zealand black footed abalone (*Haliotis iris*). *Journal of Applied Polymer Science*, 139(29). <https://doi.org/10.1002/app.52626>
- Shenvi, S., Ismail, A. F., & Isloor, A. M. (2014). Preparation and characterization study of PPEES/chitosan composite membrane crosslinked with tripolyphosphate. *Desalination*, 344, 90–96.
<https://doi.org/10.1016/j.desal.2014.02.026>



- Shin, S., Han, D., Park, M.-C., Ji Young Mun, Choi, J., Chun, H., ... Jong Wook Hong. (2017). Separation of extracellular nanovesicles and apoptotic bodies from cancer cell culture broth using tunable microfluidic systems. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-08826-w>
- Simanullang, G., Ramadhani, U. K. S., Suprahman, N. Y., Maretta, G., Syafitri, D. R., Saeli, P. M., & Ashafila, T. (2024). Uji Stabilitas dan Aktivitas Sediaan Patch Herbal AntiAcne Ekstrak Etanol Daun Gaharu (*Aquilaria malaccensis* L.). *Jurnal Mandala Pharmacoin Indonesia*, 10(1), 1-14. <https://doi.org/10.35311/jmpi.v10i1.439>
- Sofowora, A., Ogunbodede, E., & Onayade, A. (2013). The role and place of medicinal plants in the strategies for disease prevention. *African Journal of Traditional, Complementary and Alternative Medicines*, 10(5). <https://doi.org/10.4314/ajtcam.v10i5.2>
- Sutaria, A. H., & Schlessinger, J. (2023). Acne Vulgaris. Retrieved from National Library of Medicine website: <https://www.ncbi.nlm.nih.gov/books/NBK459173/>
- Syntheon, 2024, SYTENOL® A-BAKUCHIOL,.
- Takei, T., Yoshihara, R., Danjo, S., Fukuhara, Y., Evans, C., Tomimatsu, R., Ohzuno, Y., Yoshida, M. (2020). Hydrophobically-Modified Gelatin Hydrogel as A Carrier for Charged Hydrophilic Drugs and Hydrophobic Drugs. *International Journal of Biological Macromolecules*, 149; 140 – 147
- Tang, S., Yang, J., Lin, L., Peng, K., Chen, Y., Jin, S., & Yao, W. (2020). Construction of physically crosslinked chitosan/sodium alginate/calcium ion double-network hydrogel and its application to heavy metal ions removal. *Chemical Engineering Journal*, 393, 124728. <https://doi.org/10.1016/j.cej.2020.124728>
- Tao, X., Sun, X.-J., Su, J., Chen, J.-F., & Roa, W. (2006). Natural microshells of alginate–chitosan: Unexpected stability and permeability. *Polymer*, 47(17), 6167–6171. <https://doi.org/10.1016/j.polymer.2006.06.038>
- Ullah, A., & Lim, S. I. (2022). Bioinspired tunable hydrogels: An update on methods of preparation, classification, and biomedical and therapeutic applications. *International Journal of Pharmaceutics*, 612, 121368. <https://doi.org/10.1016/j.ijpharm.2021.121368>
- Wang, W., Meng, Q., Li, Q., Liu, J., Zou, M., Jin, Z., & Zhao, K. (2020). Chitosan derivatives and their application in biomedicine. *International Journal of Molecular Sciences*, 21(2).
- Wolff, K., Johnson, R. A. (2007) Disorders of sebaceous and apocrine glands. In: Wolff K, Johnson, R. A, Suurmond, D., (Eds.), Fitzpatrick's Color Atlas and Synopsis of Clinical Dermatology. New York: McGraw-Hill.
- Wu, H. (2022) 'Ginsenoside Rg3 Nanoparticles with Permeation Enhancing Based Chitosan Derivatives were Encapsulated with Doxorubicin by Thermosensitive Hydrogel and Anti-Cancer Evaluation of Peritumoral Hydrogel Injection Combined with PD-L1 Antibody', *Biomaterials Research*, 26(1). doi:10.1186/s40824-022-00329-8.
- Wu, T., Yu, S., Lin, D., Wu, Z., Xu, J., Zhang, J., ... Cai, X. (2020). Preparation, Characterization, and Release Behavior of Doxorubicin hydrochloride from



- Dual Cross-Linked Chitosan/Alginate Hydrogel Beads. *ACS Applied Bio Materials*, 3(5), 3057–3065. <https://doi.org/10.1021/acsabm.9b01119>
- Ye, L., Lv, Q., Sun, X., Liang, Y., Fang, P., Yuan, X., ... Liang, H. (2020). Fully physically cross-linked double network hydrogels with strong mechanical properties, good recovery and self-healing properties. *Soft Matter*, 16(7), 1840–1849. <https://doi.org/10.1039/c9sm02071c>
- Yin, N. C., & McMichael, A. J. (2013). Acne in Patients with Skin of Color: Practical Management. *American Journal of Clinical Dermatology*, 15(1), 7–16. <https://doi.org/10.1007/s40257-013-0049-1>
- Zaenglein, A. L., Pathy, A. L., Schlosser, B. J., Alikhan, A., Baldwin, H. E., Berson, D. S., ... Stern, M. (2016). Guidelines of care for the management of acne vulgaris. *Journal of the American Academy of Dermatology*, 74(5), 945–973.e33. <https://doi.org/10.1016/j.jaad.2015.12.037>
- Zhang, Y., Feng, P., Yu, J., Yang, J., Zhao, J., Wang, J., ... Gu, Z. (2018). ROS-Responsive Microneedle Patch for Acne Vulgaris Treatment. *Advanced Therapeutics*, 1(3), 1800035. <https://doi.org/10.1002/adtp.201800035>
- Zhao, Q., Fan, L., Li, J., & Zhong, S. (2024). Pickering emulsions stabilized by biopolymer-based nanoparticles or hybrid particles for the development of food packaging films: A review. *Food Hydrocolloids*, 146, Article 109185. <https://doi.org/10.1016/j.foodhyd.2023.109185>
- Zhao, X., Wu, H., Guo, B., Dong, R., Qiu, Y., & Ma, P. X. (2017). Antibacterial anti-oxidant electroactive injectable hydrogel as self-healing wound dressing with hemostasis and adhesiveness for cutaneous wound healing. *Biomaterials*, 122, 34–47. <https://doi.org/10.1016/j.biomaterials.2017.01.011>