

DAFTAR PUSTAKA

- Andrade, C. (2020). The inconvenient truth about convenience and purposive samples. *Indian Journal of Psychological Medicine*, 43(1), 86–88. <https://doi.org/10.1177/0253717620977000>
- Armstrong, R. A. (2014). When to use the Bonferroni correction. *Ophthalmic and Physiological Optics*, 34(5), 502–508. <https://doi.org/10.1111/opo.12131>
- Abdi, H., & Williams, L. J. (2010). Tukey's Honestly Significant Difference (HSD) Test. In N. J. Salkind (Ed.), *Encyclopedia of Research Design*. Thousand Oaks, CA: SAGE Publications, Inc.
- Azwar, S. (2015). ASUMSI-ASUMSI DALAM INFERENSI STATISTIKA. *Buletin Psikologi*, 9(1). <https://doi.org/10.22146/bpsi.7436>
- Balado, J., Garozzo, R., Winiwarter, L., & Tilon, S. (2024). A systematic literature review of low-cost 3D mapping solutions. *Information Fusion*, 114, 102656. <https://doi.org/10.1016/j.inffus.2024.102656>
- Bakker, M., & Wicherts, J. M. (2011). The (mis)reporting of statistical results in psychology journals. *Behavior Research Methods*, 43(3), 666–678. <https://doi.org/10.3758/s13428-011-0089-5>
- Bauwens, S., Bartholomeus, H., Calders, K., & Lejeune, P. (2021). Forest inventory with terrestrial LiDAR: A comparison of static and handheld mobile laser scanning for measuring DBH and tree height. *Forest Ecosystems*, 8(1), 1–14. <https://doi.org/10.1186/s40663-021-00299-3>
- Berenguer-Rico, V., & Nielsen, J. P. (2023). *Normality testing after outlier removal*. *Econometrics and Statistics*. <https://doi.org/10.1016/j.ecosta.2023.100286>
- Bevans, R. (2024). One-way ANOVA.
- Bobrowski, R., Winczek, M., Zięba-Kulawik, K., & Wężyk, P. (2022). Best practices to use the iPad Pro LiDAR for some procedures of data acquisition in the urban forest. *Urban Forestry & Urban Greening*, 79, 127815. <https://doi.org/10.1016/j.ufug.2022.127815>
- Borz, S. A., & Proto, A. R. (2025). Low-cost phone-based LiDAR scanning technology provides sub-centimeter accuracy when measuring the main dimensions of motor-manual tree felling cuts. *Ecological Informatics*, 85, 102999. <https://doi.org/10.1016/j.ecoinf.2025.102999>
- Brandtberg, T. (1999). Automatic individual tree-based analysis of high spatial resolution remotely sensed data. *PhD thesis, Acta Universitatis*

Agriculturae Sueciae, Silvestria, 118, Swedish University of Agricultural Sciences, Uppsala, Sweden, 47 p.

Branthomme, A., Saket, M., Altrell, D., Vuorinen, P., Dalsgaard, S., & Andersson, L.G.B. (2004). *National forest inventory manual*, 4th edn. Forestry Department, Forest Resources Assessment Programme, Working paper 94/E. FAO, Rome.

Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Routledge.

Eitel, J. U. H., Vierling, L. A., & Magney, T. S. (2013). A lightweight, low cost autonomously operating terrestrial laser scanner for quantify-ing and monitoring ecosystem structural dynamics. *Agricultural and Forest Meteorology*, 180, 86– 96.

Forkuo, E. K., Borz, S. A., & Proto, A. R. (2025). Evaluation of the ForestScanner App for Forest Inventory in Mixed Stands. *Bulletin of the Transilvania University of Braşov*, 18(2). https://webbut.unitbv.ro/index.php/Series_II/article/view/10331

Field, A. (2013). *Discovering Statistics Using IBM SPSS Statistics* (4th ed.). London: Sage.

Friedrich, J. O., Adhikari, N. K. J., & Beyene, J. (2008). The ratio of means method as an alternative to mean differences for analyzing continuous outcome variables in meta-analysis: A simulation study. *BMC Medical Research Methodology*, 8(1), 32. <https://doi.org/10.1186/1471-2288-8-32>

Giannico, V., Laforteza, R., & Colangelo, G. (2022). Assessing the accuracy of smartphone LiDAR in tree inventory applications. *Forests*, 13(5), 678. <https://doi.org/10.3390/f13050678>

Gravetter, F. J., & Wallnau, L. B. (2016). *Statistics for The Behavioral Sciences* (10th ed.). Cengage Learning.

Ghasemi, A., & Zahediasl, S. (2012). Normality tests for statistical analysis: A guide for non-statisticians. *International Journal of Endocrinology and Metabolism*, 10(2), 486–489. <https://doi.org/10.5812/ijem.3505>

Goldsmith, G. R., Lehmann, L. M., & Bentley, L. P. (2020). Using smartphone-based LiDAR to model trees in 3D: Applications for forest ecology. *Methods in Ecology and Evolution*, 11(9), 1132–1140.

Hamilton, G. J. (1975). *Forest Mensuration Handbook*. Forestry Commision Archive.

Howell, D. C. (2012). *Statistical Methods for Psychology* (8th ed.). Cengage Learning.

- Howie, S. N.. (2024). Comparing mobile LiDAR forest inventory apps: ForestScanner vs Arboreal Forest. *Methods in Ecology and Evolution*, 15(4), 456–465. <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210X.13900>
- Hsu, H., & Lachenbruch, P. A. (2014). Paired t Test. *Wiley StatsRef: Statistics Reference Online*. <https://doi.org/10.1002/9781118445112.stat05929>
- Jong, S.M.d., Meer, F.D.v., & Clevers, J.G. (2004). Basics of Remote Sensing. In: Jong, S.M.D., Meer, F.D.V. (eds) *Remote Sensing Image Analysis: Including The Spatial Domain. Remote Sensing and Digital Image Processing, vol 5*. Springer, Dordrecht. https://doi.org/10.1007/978-1-4020-2560-0_1
- Kairu, E.N. (1982). An introduction to remote sensing. *GeoJournal*, 6, 251–260. <https://doi.org/10.1007/BF00210657>
- Kangas, A., & Maltamo, M. (2006). *Forest Inventory: Methodology and Applications*. Springer, Dordrecht. <https://doi.org/10.1007/1-4020-4381-3>
- Khorram, S., Nelson, S. A., Koch, F. H., & Van Der Wiele, C. F. (2012). Remote sensing. In *SpringerBriefs in space development*. <https://doi.org/10.1007/978-1-4614-3103-9>
- Koreň, M., Scheer, Ľ., Sedmák, R., & Fabrika, M. (2024). Evaluation of tree stump measurement methods for estimating diameter at breast height and tree height. *International Journal of Applied Earth Observation and Geoinformation*, 129, 103828. <https://doi.org/10.1016/j.jag.2024.103828>
- Kraus, K., & Pfeifer, N. (1998). Determination of terrain models in wooded areas with airborne laser scanner data. *ISPRS Journal of Photogrammetry and Remote Sensing*, 53, 193–203.
- Kuçak, R. A. (2023). The accuracy evaluation of point cloud data generated with iPhone 15 Pro Next Gen LiDAR sensor. *Intercontinental Geoinformation Days (IGD)*, 7, 205-208, Peshawar, Pakistan.
- Li, R., Wang, D., Wu, Y., Zhang, Y., & Liu, J. (2020). Estimating tree DBH and height using iPad LiDAR and computer vision. *Remote Sensing*, 12(17), 2751. <https://doi.org/10.3390/rs12172751>
- Liang, X. et al. (2020). Forest inventory with terrestrial laser scanning: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 163, 282–299.
- Mair, P., & Wilcox, R. (2020). Robust statistical methods in R using the WRS2 package. *Behavior Research Methods*, 52, 464–488. <https://doi.org/10.3758/s13428-019-01246-w>

- Mardiatmoko, G., Pieterz, J.H., & Boreel, A. (2014). *ILMU UKUR KAYU DAN INVENTARISASI HUTAN*. Badan Penerbit Fakultas Pertanian Universitas Pattimura. ISBN: 978-602-8403-47-4.
- Mishra, P., Pandey, C. M., Singh, U., Gupta, A., Sahu, C., & Keshri, A. (2019). Descriptive statistics and normality tests for statistical data. *Annals of Cardiac Anaesthesia*, 22(1), 67–72. https://doi.org/10.4103/aca.ACA_157_18
- Mokroš, M. (2021). Testing the usability of the Apple iPad Pro LiDAR scanner for forest structure measurement. *International Journal of Remote Sensing*, 42(21), 8042–8058. <https://doi.org/10.1080/01431161.2021.1939273>
- Mokros, M. (2021). Point cloud circle fitting errors in forest stem mapping using low-cost LiDAR. *Forests*, 12(1), 88.
- Olofsson, K., Lindberg, E., Holmgren, J., & Olsson, H. (2020). Accuracy of tree diameter estimation using terrestrial laser scanning and the influence of scanning conditions. *Forests*, 11(3), 309. <https://doi.org/10.3390/f11030309>
- Palanisamy, K., Hegde, M., & Yi, J.-S. (2009). Teak (*Tectona grandis* Linn. f.): A renowned commercial timber species. *Journal of Forest Science*, 25(1), 1–24.
- Pandey, C.B., Singh, L., & Singh, S.K. (2011). Buttresses induced habitat heterogeneity increases nitrogen availability. *Forest Ecology and Management*, 262, 1679–1685.
- R Core Team (2024). *R: A Language and environment for statistical computing*. (Version 4.4) [Computer software]. Retrieved from <https://cran.r-project.org>. (R packages retrieved from CRAN snapshot 2024-08-07).
- Robertson, A. (1991). Centroid of wood density, bole eccentricity, and tree-ring width in relation to vector winds in wave forests. *Canadian Journal of Forest Research*, 21, 73–82.
- Ross, A., Willson, V.L. (2017). *One-way Anova*. In: Basic and Advanced Statistical Tests. SensePublishers, Rotterdam. https://doi.org/10.1007/978-94-6351-086-8_5
- Salkind, N. J. (2010). *Encyclopedia of Research Design*. SAGE Publications.
- Scott, C. T., & Gove, J. H. (2006). Forest inventory. *Encyclopedia of Environmetrics*. <https://doi.org/10.1002/9780470057339.vaf013>
- Shao, T., Qu, Y., & Du, J. (2022). A low-cost integrated sensor for measuring tree diameter at breast height (DBH). *Computers and Electronics in Agriculture*, 199, 107140. <https://doi.org/10.1016/j.compag.2022.107140>

- Shao, J., Lin, Y., Wingren, C., Shin, S., Fei, W., Carpenter, J., Habib, A., & Fei, S. (2024). Large-scale inventory in natural forests with mobile LiDAR point clouds. *Science of Remote Sensing*, 10, 100168. <https://doi.org/10.1016/j.srs.2024.100168>
- Shapiro, S. S., Wilk, M. B., & Chen, H. J. (1968). A Comparative Study of Various Tests for Normality. *Journal of the American Statistical Association*, 63(324), 1343–1372. <https://doi.org/10.1080/01621459.1968.10480932>
- Sihombing, S. O., Manurung, S., & Saragi, D. R. (2023). Identifikasi data outlier dalam distribusi univariat dan alternatif penyelesaiannya. *Jurnal Ekonomi dan Sistem Informasi (JESI)*, 4(2), 101–108. <https://doi.org/10.51674/jesi.v4i2.123>
- Rinnhofer, A., Pfeifer, N., & Hollaus, M. (2022). Accuracy assessment of tree diameter measurements using terrestrial and mobile LiDAR systems. *ISPRS Journal of Photogrammetry and Remote Sensing*, 183, 1–10. <https://doi.org/10.1016/j.isprsjprs.2021.11.007>
- Sullivan, L. M., & D'Agostino, R. B. (2003). Tutorial in biostatistics: Presenting statistical data. *Statistics in Medicine*, 22(5), 679–710. <https://doi.org/10.1002/sim.1461>
- Sullivan, G. M., & Feinn, R. (2012). Using effect size—or why the p value is not enough. *Journal of Graduate Medical Education*, 4(3), 279–282. <https://doi.org/10.4300/JGME-D-12-00156.1>
- Tatsumi, S., Yamaguchi, K., & Furuya, N. (2022). ForestScanner: A mobile application for measuring and mapping trees with LiDAR-equipped iPhone and iPad. *Methods in Ecology and Evolution*, 14(7), 1603–1609. <https://doi.org/10.1111/2041-210x.13900>
- Teo, T., & Yang, C. (2023). Evaluating the accuracy and quality of an iPad Pro's built-in lidar for 3D indoor mapping. *Developments in the Built Environment*, 14, 100169. <https://doi.org/10.1016/j.dibe.2023.100169>
- The jamovi project (2024). *jamovi*. (Version 2.6) [Computer Software]. Retrieved from <https://www.jamovi.org>.
- Tomppo, E., Gschwantner, T., Lawrence, M., & McRoberts, R. E. (2009). National Forest Inventories. In *Springer eBooks*. <https://doi.org/10.1007/978-90-481-3233-1>
- Tomašík, J., Surový, P., & Kuželka, K. (2017). Terrestrial structure from motion photogrammetry for deriving forest stand parameters: A comparison with terrestrial laser scanning. *Journal of Forest Research*, 22(2), 109–117. <https://doi.org/10.1016/j.inffus.2017.05.002>
- Wanagama – Wanagama. (n.d.). <https://wanagama.fkt.ugm.ac.id/wanagama-2/>

- Wandinger, U. (2006). Introduction to Lidar. In *Springer eBooks* (pp. 1–18).
https://doi.org/10.1007/0-387-25101-4_1
- Wang, X., Singh, A., Pervysheva, Y., Lamatunga, K. E., Murtinová, V., Mukarram, M., Zhu, Q., Song, K., Surový, P., & Mokroš, M. (2021). *Evaluation of iPad Pro 2020 LiDAR for Estimating Tree Diameters in Urban Forest. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, VIII-4/W1-2021*, 105–110.
<https://doi.org/10.5194/isprs-annals-VIII-4-W1-2021-105-2021>
- West, P.W. (2004). *Tree and Forest Measurement*. Springer, Berlin.
<https://doi.org/10.1007/978-3-662-05436-9>
- Webb, J. (2023). One-Way ANOVA.
- Willmott, C., & Matsuura, K. (2005). Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model performance. *Climate Research*, 30, 79–82.
<https://doi.org/10.3354/cr030079>
- Wilkes, P. et al. (2017). Data acquisition considerations for terrestrial laser scanning of forest plots. *Remote Sensing of Environment*, 196, 140–153.
- Yap, B. W., & Sim, C. H. (2011). Comparisons of various types of normality tests. *Journal of Statistical Computation and Simulation*, 81(12), 2141–2155. <https://doi.org/10.1080/00949655.2010.520163>
- Young, H. E. (1967). COMPLETE TREE MENSURATION. *The Forestry Chronicle*, 43(4), 360–364. <https://doi.org/10.5558/tfc43360-4>
- Zhou, Y., Wang, C., & Xu, Y. (2024). 3D Point Cloud–Based Place Recognition: A Survey. *Artificial Intelligence Review*.
<https://doi.org/10.1007/s10462-024-10713-6>
- Zimmerman, D. W. (2004). A note on preliminary tests of equality of variances. *British Journal of Mathematical and Statistical Psychology*, 57(1), 173–181.