

## DAFTAR PUSTAKA

- Achille, Y. L., Engelbert, A. J., Gabin, A. A., Pauline, A., Parfait, D., Habib, G., & Djang'eing'a, R. M. (2022). Quality Control of parasetamol Generic Tablets Marketed in Benin and Search of Its Two Impurities P-aminofenol and P-Nitrophenol by HPLC-UV/Visible. *American Journal of Analytical Chemistry*, 13(11), 449–460. <https://doi.org/10.4236/ajac.2022.1311030>
- Allen, L. V., Popovich, N. G., & Ansel, H. C. (2011). *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems* (9th ed.). Lippincott Williams & Wilkins.
- Ali, A., Chiang, Y. W., & Santos, R. M. (2022). X-Ray Diffraction Techniques for Mineral Characterization: A Review for Engineers of the Fundamentals, Applications, and Research Directions. *Minerals*, 12(2). <https://doi.org/10.3390/min12020205>
- Aitipamula, S. Wong, A.B., Chow, P.S., Tan, R.B., 2016, Novel solid forms of oxaprozin: cocrystals and an extended release drug–drug salt of salbutamol, *RSC advances*, 6(41),34110-34119.
- Arziyah, D., Yusmita, L., & Wijayanti, R., 2022, Analisis Mutu Organoleptik Sirup Kayu Manis Dengan Modifikasi Perbandingan Konsentrasi Gula Aren Dan Gula Pasir. *Jurnal Hasil Penelitian Dan Pengkajian Ilmiah Eksakta*, 1(2), 105–109
- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. In *Critical Reviews in Analytical Chemistry* (Vol. 45, Issue 4, pp. 289–299). Taylor and Francis Ltd. <https://doi.org/10.1080/10408347.2014.949616>
- Capellades, G., Bonsu, J. O., & Myerson, A. S. (2022). Impurity incorporation in solution crystallization: diagnosis, prevention, and control. In *CrystEngComm* (Vol. 24, Issue 11, pp. 1989–2001). Royal Society of Chemistry. <https://doi.org/10.1039/d1ce0172Ca>
- Childs, S.L., Stahly, G.P., Park, A., 2007, The salt cocrystal continuum: The influence of crystal structure on ionization state, *Mol. Pharm*, 4, 323–338.
- Chaluvaraju, C., Manjunatha, O., Khot, B., & Unakalla, B. (2024). Melting Point Of Organic Compounds: A Comprehensive Guide. *International Journal of Creative Research Thoughts*, 12(9), 87–100.
- Cuadros-Rodríguez, L., Gámiz-Gracia, L., Almansa-López, E. M., & Bosque-Sendra, J. M. (2001). Calibration in chemical measurement processes. II. A methodological approach. *TrAC - Trends in Analytical Chemistry*, 20(11), 620–636. [https://doi.org/10.1016/S0165-9936\(01\)00111-X](https://doi.org/10.1016/S0165-9936(01)00111-X)
- Dynatech, 2019, Teknik XRD: X-Ray Difraksi, Definisi, Prinsip, Beserta Gambar dari di [www.dynatech-int.com](http://www.dynatech-int.com) diakses pada 29 Juli 2024.
- Elbagerma, M. A., Edwards, H. G. M., Munshi, T., & Scowen, I. J. (2011). Identification of a new cocrystal of citric acid and paracetamol of pharmaceutical relevance. *CrystEngComm*, 13(6), 1877–1884. <https://doi.org/10.1039/c0ce00461h>
- El-Houssini, O. M. (2013). RP-LC and TLC densitometric determination of parasetamol and pamabrom in presence of hazardous impurity of parasetamol and application to pharmaceuticals. *Analytical Chemistry Insights*, 8(1). <https://doi.org/10.4137/ACI.S12349>
- Etter, M.C., 1991, Hydrogen bonds as design elements in organic chemistry, *J. Phys. Chem*, 95.4601-4610.
- Fachry, A.R., Tumanggor, J., Yuni, N.P.E. 2008. Pengaruh Waktu Kristalisasi dengan Proses Pendinginan Terhadap Pertumbuhan Kristal Amonium Sulfat dari Larutannya. *Jurnal Teknik Kimia*, 2(15). 9 - 16.



- Franklin & Marchall, 2024, *Material Characterization Fundamentals*, Libretexts, California State University, USA.
- Ferchiou, R., Soussi, M. A., Ghedira, D., Ferchiou, D., Douki, W., & Najjar, M. F. (2023). Development and validation of a simple thin-layer chromatography–smartphone method for plasma parasetamol quantification. *Journal of Planar Chromatography - Modern TLC*, 36(4). <https://doi.org/10.1007/s00764-023-00247-y>
- García-Mateos, F.J., Ruiz-Rosas, R., Marqués, M.D., Rodríguez-Mirasol, C.J., Cordero, T, 2015, Removal of parasetamol on Biomass-Derived Activated Carbon: Modeling the Fixed Bed Breakthrough Curves using Batch Adsorption Experiments, *Chemical Engineering Journal*, 1-63.
- Gritter, R.J., Bobbitt, M.J., Schwarting, A.E., 1999, *Pengantar Kromatografi*, Penerbit ITB, Bandung.
- Gupta, R. N., Eng, F., & Keane, P. M. (1977). Thin-layer chromatographic method for the quantitative analysis of parasetamol (N-acetyl-p-aminofenol) in blood plasma. *Journal of Chromatography B: Biomedical Sciences and Applications*, 143(1). [https://doi.org/10.1016/S0378-4347\(00\)81335-3](https://doi.org/10.1016/S0378-4347(00)81335-3)
- Gyawali, R., Aryal, S., Regmi, Y., & Rajarajan, S. (2021). Cocrystallization: An Approach to Improve Bioavailability by Altering Physicochemical Properties of Poorly Soluble API's (Vol. 20, Issue 4). [www.ijppr.humanjournals.com](http://www.ijppr.humanjournals.com)
- Habiba, U., Alam, A., Rahman, S., Shamin, S.U.D., Piya, A.A., 2021. IR Spectra of parasetamol, *Bangladesh J.Sci. Ind. Res*, 56(4).255-262, DOI: <https://doi.org/10.3329/bjsir.v56i4.57197>
- Hadiprabowo, T. 2009. Optimasi Sintesis Analog Kurkumin 1,3-Bis- (4- Hidroksi-3-Metoksi Benzilidin) Urea pada Rentang pH 3,4. Universitas Muhammadiyah Surakarta.
- ICH Harmonised Tripartite Guideline: Validation of Analytical Procedures: Text and Methodology Q2 (R1). 2005. [https://www.ema.europa.eu/en/documents/scientificguideline/ich-q-2-r1-validation-analyticalprocedures-text-methodology-step-5\\_en.pdf](https://www.ema.europa.eu/en/documents/scientificguideline/ich-q-2-r1-validation-analyticalprocedures-text-methodology-step-5_en.pdf)
- Jampilek, J., Dohnal, J., 2012, Investigation of Carbohydrates and Their Derivatives as Crystallization Modifiers, *Comprehensive Studies on Glycobiology and Glycotechnology*,1-37.
- Jayasankar, A., Reddy, L. S., Bethune, S. J., & Rodríguez-Hornedo, N. (2009). Role of cocrystal and solution chemistry on the formation and stability of cocrystals with different stoichiometry. *Crystal Growth and Design*, 9(2), 889–897. <https://doi.org/10.1021/cg800632r>
- Jendrzewska, I., Goryczka, T., Pietrasik, E., Klimontko, J., Jampilek, J., 2020, X-ray and Thermal Analysis of Selected Drugs Containing Acetaminophen, *Molecules*, 25. 1-24. doi:10.3390/molecules25245909
- Jornada, D. H., Dos Santos Fernandes, G. F., Chiba, D. E., De Melo, T. R. F., Dos Santos, J. L., & Chung, M. C. (2016). The prodrug approach: A successful tool for improving drug solubility. In *Molecules* (Vol. 21, Issue 1). MDPI AG. <https://doi.org/10.3390/molecules21010042>
- Kendall T, Stratford S, Patterson AR, Lunt RA, Cruickshank D, Bonnaud T. 2021. An industrial perspective on co-crystals: Screening, identification and development of the less utilised solid form in drug discovery and development. *Progress in Medicinal Chemistry*.;60:345-442. DOI: 10.1016/bs.pmch.2021.05.001
- Khan, S.A., Khan, L.U., Khan, B.S., Asiri, A.M., 2018, *Fourier Transform Infrared Spectroscopy: Fundamentals and Application in Functional Groups and Nanomaterials Characterization*, 317-344.



- Khandavili, U.R., Keshavarz, L. Skorepova, E., Steendam, R.R., Frawley, P.J, 2020, Organic Salts of Pharmaceutical Impurity p-aminofenol, *Molecules*, 25(8), 1910.
- Kitamura, C. (2015). Synthesis, Crystal Structures, and Solid-State Optical Properties of Substituted Tetracenes. In *Chemical Science of Electron Systems*. [https://doi.org/10.1007/978-4-431-55357-1\\_5](https://doi.org/10.1007/978-4-431-55357-1_5)
- Korotkova, E.I. and Kratochvíl, B., 2014, Pharmaceutical Cocrystals, *Procedia Chemistry*, 10, pp.473–476, doi:<https://doi.org/10.1016/j.proche.2014.10.079>.
- Kuminek, G., Cao, F., Bahia de Oliveira da Rocha, A., Cardoso, S.G., Rodriguez-Hornedo, N.2016.. *Adv. Drug Deliv*, 101.143-166.
- Kurnia, D., Yuliantini, A., & Faizal, D. (2018). *PENGEMBANGAN METODE PENENTUAN KADAR NEOTAM DALAM SEDIAAN OBAT DENGAN SPEKTROFOTOMETRI UV* (Vol. 3, Issue 1).
- Lewis, 2004. *Sax's Dangerous Properties of Industrial Materials*. 11th Edition. Wiley Interscience, Willey & Sons, Inc. Hoboken, NJ. p.208.
- Li, Y. Benzley, C.M., Tarloff, J.B., 2005, Comparison of para- aminofenol cytotoxicity in rat renal epithelial cells and hepatocytes, *Toxicology*, 209(1), 69-76.
- Link, F. J., & Heng, J. Y. Y. (2022). Unraveling the Impact of pH on the Crystallization of Pharmaceutical Proteins: A Case Study of Human Insulin. *Crystal Growth and Design*, 22(5), 3024–3033. <https://doi.org/10.1021/acs.cgd.1c01463>
- Lökov, M., Kesküla, C., Tshepelevitsh, S., Pikma, M. L., Saame, J., Trubitsõn, D., Kanger, T., & Leito, I. (2025). The Acidity of Weak NH Acids: Expanding the pKa Scale in Acetonitrile. *ACS Organic and Inorganic Au*. <https://doi.org/10.1021/acsorginorgau.4c00095>
- Madurga, S., Nedyalkova, M., Mas, F., & Garcés, J. L. (2017). Ionization and Conformational Equilibria of Citric Acid: Delocalized Proton Binding in Solution. *Journal of Physical Chemistry A*, 121(31), 5894–5906. <https://doi.org/10.1021/acs.jpca.7b05089>
- Mallah, M.A., Sherazi, S.T.H., Bhangar, M.I., Mahesar, S.A. Bajeer, M.A., 2015, A rapid Fourier-transform infrared (FTIR) spectroscopic method for direct quantification of parasetamol content in solid pharmaceutical formulations, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 141, 64-70.
- McMurry, J. (2020). *Organic chemistry*. Cengage Learning.
- Németh, T., Jankovics, P., Németh-Palotás, J., & Koszegi-Szalai, H. (2008). Determination of parasetamol and its main impurity 4-aminofenol in analgesic preparations by micellar electrokinetic chromatography. *Journal of Pharmaceutical and Biomedical Analysis*, 47(4–5), 746–749. <https://doi.org/10.1016/j.jpba.2008.03.003>
- Parveen, I., Rose, M., Phillips, H. C., Flower, S. E., Woodman, T. J., Garty, C. A., & Threadgill, M. D. (2023). Two-Step Synthesis of parasetamol (Acetaminophen), a Practical Illustration of Carbonyl Reactivity for Year-One Biosciences Students. *Journal of Chemical Education*, 100(10), 3955–3959. <https://doi.org/10.1021/acs.jchemed.3c00549>
- Pavia, D., Lampman, G., & Kriz, G. (2001). *Introduction to Spectroscopy* (3rd ed.). Thomson Learning. Pharmacy and Pharmaceutical Sciences, 3(1): 188-191.
- PubChem, 2023, Acetaminofenol, Diakses dari <https://pubchem.ncbi.nlm.nih.gov/compound/acetaminophen#section=Information-Sources>, pada 27 Mei 2024.
- PubChem, 2023, P-aminofenol, Diakses dari <https://pubchem.ncbi.nlm.nih.gov/compound/p-aminofenol>, pada 27 Mei 2024.



- Putri, R. K., 2021, Optimasi Pemurnian Parasetamol secara Rekrystalisasi menggunakan Teknik Filtrasi Panas. Universitas Gadjah Mada: Yogyakarta.
- Ravisankar P, Navya CN, Pravallika D, and Sri DN. A Review on Step-by-Step Analytical Method Validation. *IOSR Journal Of Pharmacy*. 2015; 5(10): 7-19.
- Rosydiati, Saleh, E.K, 2019, Karakteristik Puncak Kromatogram dalam High Performance Liquid Chromatography (HPLC) Terhadap Perbedaan Fase Gerak, Laju Alir, dan Penambahan Asam dalam Analisis Indole Acetoc Acid (IAA), *Kandaga*, 1(2). 1-9.
- PubChem, 2023, Glucuronic acid, <https://pubchem.ncbi.nlm.nih.gov/compound/D-Glucuronic-Acid>, 27 Juli 2024.
- Sakiroff, L. M., Chennell, P., Yessaad, M., Pereira, B., Bouattour, Y., & Sautou, V. (2022). Evaluation of color changes during stability studies using spectrophotometric chromaticity measurements versus visual examination. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-13025-3>
- Salman, Indriana, M., 2020, Determination of parasetamol Levels in Tablets and Oral Solutions by High-Performance Liquid Chromatography (HPLC), *Journal of Pharmaceutical and Sciences (JPS)*, 3(2).106-113.
- Singh, M., Barua, H., Jyothi, V.G.S.S., Dhondale, M.R., Nambiar, A.G., Agrawal, A.K., Kumar, P., Shastri, N.R., Kumar, D., 2023, Cocrystals by Design: A Rational Cofomer Selection Approach for Tackling the API Problems, *Pharmaceutics*, 15, 1161.
- Salem, A., Khanfar, E., Nagy, S., Szechenyi, A., 2022, Cocrystals of tuberculosis antibiotics: Challenges and missed opportunities, *Int. J. Pharm*, 623, 121-924.
- Simek, M., 2016, Comparison of Compression and Material Properties of Differently Shaped and Sized parasetamols, *KONA Powder*, 1-11, Doi:10.14356/kona.2017003
- Snodin,, D.J., McCrossen, S.D, 2012, Guidelines and pharmacopoeial standards for pharmaceutical impurities: overview and critical assessment, *Regulatory Toxicology and Pharmacology*, 63(2).298-312.
- Steed JW. 2017. Pharmaceutical cocrystals, salts and multicomponent systems; intermolecular interactions and property based design. *Advanced Drug Delivery Reviews*.;117:3-24. DOI: 10.1016/j.addr.2017.03.003
- Suresh, K., Nangia, A., 2014, Lornoxicam salts: crystal structures, conformations, and solubility. *Crystal growth & design*, 14(6). 2945-2953.
- Srabovic, M., HUremovic, M., Caticvic, B., Kulic, S., Taletovic A., 2017, Design synthesis and crystallization of acetaminophen, *Journal of Chemical, Biological, and Physical Sciences*, 7(1).218-230.
- Taupik, M., Djuwarno, E., Mustapa, M., Kunusa, W., Kilo, J., & Sahumena, M. (2021). THE TYPE FRAGMENTATION PATTERNS CONFIRMED ACETAMINOPHEN BY USING LIQUID CHROMATOGRAPHY-MASS SPECTROSCOPY (LCMS) FROM HERBAL MEDICINE (JAMU) . *Journal of Islamic Science and Technology*, 7(2), 341–353.
- Tipson, S.R., 1950. Theory, Scope, and Methods of Recrystallization. *Anal.Chem*, 22. 5. 628 - 638. <https://doi.org/10.1021/ac60041a002>
- Triyana, R., Nurhabibah, Sopyan, I., 2021, Artikel Tinjauan: Kokristal, Kokristal Ibuprofen dengan Berbagai Kofomer, Virtual Screening Tools, *Majalah Farmasetika*, 6(1).23-37.
- Umamah, C., 2014. Studi Pembentukan Fasa Spinel MgAl<sub>2</sub>O<sub>4</sub> hasil sintesis menggunakan metode pencampuran logam terlarut (Metal Dissolved Method) (Tesis). Insitutut Teknologi Sepuluh Nopember, Surabaya.



- Virgine, K.A., 2008, Sintesis Parasetamol dari *p*-aminofenol dan Asam Asetat Glasial Menggunakan Katalis Berbasis Bentonit Alam, Skripsi, UI Press, Depok.
- Vopson, M. M., Rogers, N., & Hepburn, I. 2010. *The generalized Lindemann melting coefficient*.
- Wang, J.R., Ye, C., Zhu, B., Zhou, C., Mei, X., 2015, Pharmaceutical cocrystals of the anti-tuberculosis drug pyrazinamide with dicarboxylic and tricarboxylic acids, *CrystEngComm*, 17, 747–752.
- Wash, P. L., Maverick, E., Chiefari, J., & Lightner, D. A. (1997). Acid-amide intermolecular hydrogen bonding. *Journal of the American Chemical Society*, 119(16), 3802–3806. <https://doi.org/10.1021/ja963416e>
- Yan, Y., Wang, L., Si, Z., Zhang, X., Yuan, W., 2022, A novel cocrystal of metformin hydrochloride with citric acid: Systematic synthesis and computational simulation, *Eur. J. Pharm. Biopharm*, 179, 37–46.
- Zaini, E., Halim, A., Soewandhi, S.N., Setyawan, D., 2011, Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Kokristal Dengan Nikotinamid, *Jurnal Farmasi Indonesia*, 5(4), 205-12.
- Zou, G., Smith, E. J., Zou, L., Qiu, S. F., & Shu, D. 2023. A rank-based approach to design and analysis of pretest-posttest randomized trials, with application to COVID-19 ordinal scale data. *Contemporary Clinical Trials*, 126. <https://doi.org/10.1016/j.cct.2023.107085>