

## DAFTAR PUSTAKA

- Abdollahnejad, A., Panagiotidis, D., & Surový, P. (2017). Forest canopy density assessment using different approaches - Review. *Journal of Forest Science*, 63(3), 107–116. <https://doi.org/10.17221/110/2016-JFS>
- Aditio, R., Yendri Sudiar, N., Dwiridal, L., & Amir, H. (2023a). Microclimate Characteristics in Mangrove Forest Areas in Padang City. *Journal of Climate Change Society*, 1(2), 104–114. <https://doi.org/10.24036/jccs/vol1-iss2/17>
- Aditio, R., Yendri Sudiar, N., Dwiridal, L., & Amir, H. (2023b). Microclimate Characteristics in Mangrove Forest Areas in Padang City. *Journal of Climate Change Society*, 1(2), 104–114. <https://doi.org/10.24036/jccs/vol1-iss2/17>
- Ahadi, G. D., & Zain, N. N. L. E. (2023). Pemeriksaan Uji Kenormalan dengan Kolmogorov-Smirnov, Anderson-Darling dan Shapiro-Wilk. *Eigen Mathematics Journal*, 6(1), 11–19. <https://doi.org/10.29303/emj.v6i1.131>
- Aini, Q., Rajiatul Jummi, C. V., & Maulidian, M. O. R. (2023). Pemetaan Kerapatan Vegetasi Dalam Mencegah Ablasi Das Krueng Aceh Dengan Menggunakan Sistem Informasi Geografis (Sig) Di Kecamatan Montasik. *Jurnal Pendidikan Geosfer*, 8(1), 93–102. <https://doi.org/10.24815/jpg.v8i1.24113>
- Alston, J. M., Joyce, M. J., Merkle, J. A., & Moen, R. A. (2020). Temperature shapes movement and habitat selection by a heat-sensitive ungulate. *Landscape Ecology*, 35(9), 1961–1973. <https://doi.org/10.1007/s10980-020-01072-y>
- Amarasinghe, N. K., & Amarasinghe, A. T. (2011). Social behaviours of captive *Hylobates moloch* (Primates: Hylobatidae) in the Javan gibbon rescue and rehabilitation center, Gede-Pangrango national park, Indonesia. *TAPROBANICA: The Journal of Asian Biodiversity*, 2(2), 97. <https://doi.org/10.4038/tapro.v2i2.3148>
- Ambarwati, N., Wijayanti Faida, L. R., & Marhaento, H. (2023). The Effects of Green Open Spaces on Microclimate and Thermal Comfort in Three Integrated Campus in Yogyakarta, Indonesia. *Geoplanning*, 10(1), 31–44. <https://doi.org/10.14710/geoplanning.10.1.37-44>
- Ario, A., Kartono, A. P., Prasetyo, L. B., & Supriatna, J. (2018). Post-release adaptation of Javan Gibbon (*Hylobates moloch*) in mount Malabar protected forest, West Java, Indonesia. *Biodiversitas*, 19(4), 1482–1491. <https://doi.org/10.13057/biodiv/d190439>
- Ario, A., Kartono, A. P., Prasetyo, L. B., & Supriatna, J. (2019). *Biosaintifika*. 11(1), 15–24.

- Asensio, N., Brockelman, W. Y., Malaivijitnond, S., & Reichard, U. H. (2011). Gibbon travel paths are goal oriented. *Animal Cognition*, *14*(3), 395–405. <https://doi.org/10.1007/s10071-010-0374-1>
- Atmoko, T., Mardiasuti, A., Bismark, M., Prasetyo, L. B., & Iskandar, E. (2020). Habitat suitability of proboscis monkey (*Nasalis larvatus*) in Berau delta, East Kalimantan, Indonesia. *Biodiversitas*, *21*(11), 5155–5163. <https://doi.org/10.13057/biodiv/d211121>
- Awaliyan, R., & Sulistyoadi, Y. B. (2018). Klasifikasi Penutupan Lahan Pada Citra Satelit Sentinel-2a Dengan Metode Tree Algorithm. *ULIN: Jurnal Hutan Tropis*, *2*(2), 98–104. <https://doi.org/10.32522/u-jht.v2i2.1363>
- Bach, T. H., Chen, J., Hoang, M. D., Beng, K. C., & Nguyen, V. T. (2017). Feeding behavior and activity budget of the southern yellow-cheeked crested gibbons (*Nomascus gabriellae*) in a lowland tropical forest. *American Journal of Primatology*, *79*(8). <https://doi.org/10.1002/ajp.22667>
- Barelli, C., Albanese, D., Donati, C., Pindo, M., Dallago, C., Rovero, F., Cavalieri, D., Michael Tuohy, K., Christine Hauffe, H., & De Filippo, C. (2015). Habitat fragmentation is associated to gut microbiota diversity of an endangered primate: Implications for conservation. *Scientific Reports*, *5*(June), 1–12. <https://doi.org/10.1038/srep14862>
- Bartlett, T. (2002). Intragroup and Intergroup Social Interactions in White-Handed Gibbons. *International Journal of Primatology*, *24*(2), 239–248. <https://doi.org/10.1023/A>
- Bolt, L. M., Schreier, A. L., Russell, D. G., Jacobson, Z. S., Merrigan-Johnson, C., Barton, M. C., & Coggeshall, E. M. C. (2019). Howling on the edge: Mantled howler monkey (*Alouatta palliata*) howling behaviour and anthropogenic edge effects in a fragmented tropical rainforest in Costa Rica. *Ethology*, *125*(9), 593–602. <https://doi.org/10.1111/eth.12886>
- Borah, M. (2015). *Feeding Behavior and Analysis of Food Plant Diversity of Hoolock hoolock in a Tropical Forest of Assam , India A thesis submitted in partial fulfillment of the requirements for the degree of. 032, 784028.*
- Caspar, K. R., & Yi, Y. (2022). *Hylobates moloch* (Primates: Hylobatidae). *Mammalian Species*, *54*(1021), 1–19. <https://doi.org/10.1093/mspecies/seac006>
- Castillo-Contreras, R., Carvalho, J., Serrano, E., Mentaberre, G., Fernández-Aguilar, X., Colom, A., González-Crespo, C., Lavín, S., & López-Olvera, J. R. (2018). Urban wild boars prefer fragmented areas with food resources near natural

- corridors. *Science of the Total Environment*, 615, 282–288. <https://doi.org/10.1016/j.scitotenv.2017.09.277>
- Channon, A. J., Usherwood, J. R., Crompton, R. H., Günther, M. M., & Verecke, E. E. (2012). The extraordinary athletic performance of leaping gibbons. *Biology Letters*, 8(1), 46–49. <https://doi.org/10.1098/rsbl.2011.0574>
- Chen, J., Yang, P., Zhang, Q., Li, W., Wang, X., & Li, J. (2024). Collective decision-making in nocturnal huddling sleep: The influence of social factors on fans and fandom in Tibetan macaques. *Global Ecology and Conservation*, 54(June), e03055. <https://doi.org/10.1016/j.gecco.2024.e03055>
- Cheyne, S. (2010). Behavioural ecology and socio-biology of gibbons (*Hylobates albibarbis*) in a degraded peat-swamp forest. In *Indonesian Primates* (Issue April). <https://doi.org/10.1007/978-1-4419-1560-3>
- Cheyne, S. M., Thompson, C. J. H., & Chivers, D. J. (2013). Travel adaptations of Bornean Agile Gibbons *Hylobates albibarbis* (Primates: Hylobatidae) in a degraded secondary forest, Indonesia. *Journal of Threatened Taxa*, 5(5), 3963–3968. <https://doi.org/10.11609/jott.o3361.3963-8>
- Clink, D. J., Hamid Ahmad, A., & Klinck, H. (2020). Gibbons aren't singing in the rain: presence and amount of rainfall influences ape calling behavior in Sabah, Malaysia. *Scientific Reports*, 10(1), 1–13. <https://doi.org/10.1038/s41598-020-57976-x>
- Cudney-Valenzuela, S., Arroyo-Rodríguez, V., Morante-Filho, J., Toledo-Aceves, T., & Andresen, E. (2021). Tropical forest loss impoverishes arboreal mammal assemblages by increasing tree canopy openness. *Ecol Appl*, 33(1), 1–12.
- Darniwa, A. V., Kinasih, I., & Fitri, N. A. (2023). BY-SA license (<http://creativecommons.org/licenses/by-sa/4.0/>) DIET, FEED PREFERENCES, AND NUTRITIONAL INTAKE OF *Hylobates albibarbis* IN TRANSIT CAGE BKSDA KALIMANTAN TENGAH. *Jurnal Biologi*, 16(2), 386–394.
- Deka, J., Tripathi, O. P., & Khan, M. L. (2013). Implementation of Forest Canopy Density Model to Monitor Tropical Deforestation. *Journal of the Indian Society of Remote Sensing*, 41(2), 469–475. <https://doi.org/10.1007/s12524-012-0224-5>
- Deng, H., & Zhou, J. (2018). Diet composition of Hainan gibbons (*Nomascus hainanus*) based on 13 years of observation. *Journal of Zoology*, 14(2), 213–219. <http://biozoojournals.ro/nwjz/index.html>

- Dewi, D. P., Iskandar, E., & Perwitasari-Farajallah, D. (2023). The feeding behavior and food preferences of siamang (*Symphalangus syndactylus* Raffles, 1821) at Taman Safari Indonesia Bogor. *IOP Conference Series: Earth and Environmental Science*, 1271(1). <https://doi.org/10.1088/1755-1315/1271/1/012048>
- Dewi, M. C., & Mardiasuti, A. (2016). WILAYAH JELAJAH DAN TERITORI OWA JAWA (*Hylobates moloch*) DI TAMAN NASIONAL GUNUNG HALIMUN-SALAK (Home Range and Territory of Javan Gibbon in Gunung Halimun-Salak National Park). *Media Konservasi*, 21(1), 73–82.
- Dewi, Prasetyo, L. B., & Rinaldi, D. (2007). Pemetaan kesesuaian habitat owa jawa (*Hylobates moloch* Audebert 1797) di Taman Nasional Gunung Halimun-Salak. *Media Konservasi*, XII(1), 1–9.
- Earl, J. E., & Zollner, P. A. (2014). Effects of animal movement strategies and costs on the distribution of active subsidies across simple landscapes. *Ecological Modelling*, 283, 45–52. <https://doi.org/10.1016/j.ecolmodel.2014.03.020>
- Eppley, T. M., Hoeks, S., Chapman, C. A., Ganzhorn, J. U., Hall, K., Owen, M. A., Adams, D. B., Allgas, N., Amato, K. R., Andriamahaiavana, M., Aristizabal, J. F., Baden, A. L., Balestri, M., Barnett, A. A., Bicca-Marques, J. C., Bowler, M., Boyle, S. A., Brown, M., Caillaud, D., ... Santini, L. (2022). Factors influencing terrestriality in primates of the Americas and Madagascar. *Proceedings of the National Academy of Sciences of the United States of America*, 119(42). <https://doi.org/10.1073/pnas.2121105119>
- Estrada, A., Garber, P. A., Rylands, A. B., Roos, C., Fernandez-Duque, E., Fiore, A. Di, Anne-Isola Nekaris, K., Nijman, V., Heymann, E. W., Lambert, J. E., Rovero, F., Barelli, C., Setchell, J. M., Gillespie, T. R., Mittermeier, R. A., Arregoitia, L. V., de Guinea, M., Gouveia, S., Dobrovolski, R., ... Li, B. (2017). Impending extinction crisis of the world's primates: Why primates matter. *Science Advances*, 3(1), 1–16. <https://doi.org/10.1126/sciadv.1600946>
- Fan, P.-F., Ai, H. Sen, Fei, H. L., Zhang, D., & Yuan, S. D. (2013). Seasonal variation of diet and time budget of Eastern hoolock gibbons (*Hoolock leuconedys*) living in a northern montane forest. *Primates*, 54(2), 137–146. <https://doi.org/10.1007/s10329-012-0336-0>
- Fan, P.-F., Fei, H. Ian, & Ma, C. yong. (2012). Behavioral Responses of Cao Vit Gibbon (*Nomascus Nasutus*) to Variations in Food Abundance and Temperature in Bangliang, Jingxi, China. *American Journal of Primatology*, 74(7), 632–641. <https://doi.org/10.1002/ajp.22016>

- Febrissa, I., & Rinaldi, D. (2020a). AKTIVITAS HARIAN OWA JAWA REMAJA (*Hylobates moloch* AUDEBERT 1798) DI TAMAN NASIONAL GUNUNG HALIMUN SALAK. *Zoo Indonesia*, 29(1), 39–53.
- Febrissa, I., & Rinaldi, D. (2020b). AKTIVITAS HARIAN OWA JAWA REMAJA (*Hylobates moloch* AUDEBERT 1798) DI TAMAN NASIONAL GUNUNG HALIMUN SALAK. *Zoo Indonesia*, 29(1), 39–53.
- Fei, H., de Guinea, M., Yang, L., Chapman, C. A., & Fan, P. (2022). Where to sleep next? Evidence for spatial memory associated with sleeping sites in Skywalker gibbons (*Hoolock tianxing*). *Animal Cognition*, 25(4), 891–903. <https://doi.org/10.1007/s10071-022-01600-0>
- Fei, H., De Guinea, M., Yang, L., Garber, P. A., Zhang, L., Chapman, C. A., & Fan, P. (2023). Wild gibbons plan their travel pattern according to food types of breakfast. *Proceedings of the Royal Society B: Biological Sciences*, 290(1999). <https://doi.org/10.1098/rspb.2023.0430>
- Feizizadeh, B., Darabi, S., Blaschke, T., & Lakes, T. (2022). QADI as a New Method and Alternative to Kappa for Accuracy Assessment of Remote Sensing-Based Image Classification. *Sensors*, 22(12), 1–21. <https://doi.org/10.3390/s22124506>
- Fikri, A. A., Darmawan, A., Hilmanto, R., Banuwa, I. S., Agustiono, A., & Agustiana, L. (2022). Pemanfaatan platform Google Earth Engine dalam Pemantauan Perubahan Tutupan Lahan di Taman Hutan Raya Wan Abdul Rachman. *Journal of Forest Science Avicennia*, 5(1), 46–57. <https://doi.org/10.22219/avicennia.v5i1.19938>
- Fotang, C., Bröring, U., Roos, C., Enoguanbhor, E. C., Abwe, E. E., Dutton, P., Schierack, P., Angwafo, T. E., & Birkhofer, K. (2021). Human Activity and Forest Degradation Threaten Populations of the Nigeria–Cameroon Chimpanzee (*Pan troglodytes ellioti*) in Western Cameroon. *International Journal of Primatology*, 42(1), 105–129. <https://doi.org/10.1007/s10764-020-00191-2>
- Gelmi-Candusso, T. A., Bialozyt, R., Slana, D., Zárata Gómez, R., Heymann, E. W., & Heer, K. (2019). Estimating seed dispersal distance: A comparison of methods using animal movement and plant genetic data on two primate-dispersed Neotropical plant species. In *Ecology and Evolution* (Vol. 9, Issue 16, pp. 8965–8977). <https://doi.org/10.1002/ece3.5422>
- Giese, L., Baumberger, M., Ludwig, M., Schneidereit, H., Sánchez, E., Robroek, B. J. M., Lamentowicz, M., Lehmann, J. R. K., Hölzel, N., Knorr, K. H., & Meyer, H. (2025). Recent trends in moisture conditions across European peatlands.

*Remote Sensing Applications: Society and Environment*, 37, 101385.  
<https://doi.org/10.1016/j.rsase.2024.101385>

Gogoi, P. P., Vinoj, V., Swain, D., Roberts, G., Dash, J., & Tripathy, S. (2019). Land use and land cover change effect on surface temperature over Eastern India. *Scientific Reports*, 9(1), 1–10. <https://doi.org/10.1038/s41598-019-45213-z>

Grandgirard, J., Poinso, D., Krespi, L., Nénon, J. P., & Cortesero, A. M. (2002). Costs of secondary parasitism in the facultative hyperparasitoid *Pachycrepoideus dubius*: Does host size matter? *Entomologia Experimentalis et Applicata*, 103(3), 239–248. <https://doi.org/10.1023/A>

Guan, Z. H., Ma, C. Y., Fei, H. L., Huang, B., Ning, W. H., Ni, Q. Y., Jiang, X. L., & Fan, P. F. (2018). Ecology and social system of northern gibbons living in cold seasonal forests. *Zoological Research*, 39(4), 255–265. <https://doi.org/10.24272/j.issn.2095-8137.2018.045>

Ham, S., Lappan, S., Hedwig, D., & Choe, J. C. (2017). Female Songs of the Nonduetting Javan Gibbons (*Hylobates moloch*) Function for Territorial Defense. *International Journal of Primatology*, 38(3), 533–552. <https://doi.org/10.1007/s10764-017-9964-y>

Hankinson, E. (2016). *Spatial Distribution and Density of the Lar gibbon *Hylobates lar* and Siamang *Symphalangus syndactylus* in relation to canopy structure and disturbance in a lowland dipterocarp forest, Sumatra* (Issue January).

Hardianto, A., Dewi, P. U., Feriansyah, T., Sari, N. F. S., & Rifiana, N. S. (2021). Pemanfaatan Citra Landsat 8 Dalam Mengidentifikasi Nilai Indeks Kerapatan Vegetasi (NDVI) Tahun 2013 dan 2019 (Area Studi: Kota Bandar Lampung). *Jurnal Geosains Dan Remote Sensing*, 2(1), 8–15. <https://doi.org/10.23960/jgrs.2021.v2i1.38>

Hasan, S., Naher, H., Akhter, T., Ahmed, T., Al-Razi, H., Rahman, H. A., & Muzaffar, S. Bin. (2024). Impact of Seasonality on Food Selection and Home Range Size of the Western Hoolock Gibbon (*Hoolock hoolock*). *International Journal of Primatology*, 46(1), 69–95. <https://doi.org/10.1007/s10764-024-00452-4>

Hasibuan, R. S. (2017). PERENCANAAN JALUR INTERPRETASI PENDAKIAN KAWAH RATU TAMAN NASIONAL GUNUNG HALIMUN SALAK (Interpretation Trail Planning for Kawah Ratu Gunung Halimun Salak National Park). *Jurnal Nusa Sylva*, 17(1), 29–39.

- Hidayat, R., & Farihah, A. W. (2020). Identification of the changing air temperature and rainfall in Bogor. *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan*, 10(4), 616–626. <https://doi.org/10.29244/jpsl.10.4.616-626>
- Hill, R. A. (2006). Thermal constraints on activity scheduling and habitat choice in baboons. *American Journal of Physical Anthropology*, 129(2), 242–249. <https://doi.org/10.1002/ajpa.20264>
- Hon, N., Behie, A. M., Rothman, J. M., & Ryan, K. G. (2018). Nutritional composition of the diet of the northern yellow-cheeked crested gibbon (*Nomascus annamensis*) in northeastern Cambodia. *Primates*, 59(4), 339–346. <https://doi.org/10.1007/s10329-018-0663-x>
- Ilham, M., Farajallah, D. P., & Iskandar, E. (2019a). Activity and Behavior of the Javan gibbon pairs (*Hylobates moloch*) in Javan Gibbon Centre. *Jurnal Ilmu Pertanian Indonesia*, 24(3), 273–279. <https://doi.org/10.18343/jipi.24.3.273>
- Ilham, M., Farajallah, D. P., & Iskandar, E. (2019b). Activity and Behavior of the Javan gibbon pairs (*Hylobates moloch*) in Javan Gibbon Centre. *Jurnal Ilmu Pertanian Indonesia*, 24(3), 273–279. <https://doi.org/10.18343/jipi.24.3.273>
- Ina, T. R. M., Rahman, D. A., Setiawan, Y., & Giri, S. (2022). Population Monitoring of Javan Leopard and Javan Gibbon in Potential Areas in Mount Halimun Salak National Park. *Media Konservasi*, 27(3), 128–139. <https://doi.org/10.29244/medkon.27.3.128-139>
- Indarto, Nadzirah, R., & Belagama, H. R. (2020). Pemetaan Lahan Sub-Optimal Berbasis Nilai NDVI Sentinel 2a: Studi Pendahuluan. *Jurnal Presipitasi*, 17(3), 194–205. <https://ejournal.undip.ac.id/index.php/presipitasi/article/download/27834/pdf>
- Innadya, A., Pratama, S., Khotimah, H. K., Ridwana, R., & Somantri, L. (2022). Analisis Kerapatan Vegetasi Untuk Perencanaan Wilayah Di Desa Cihideung Kabupaten Bandung Barat Menggunakan Citra Sentinel-2a Dengan Metode Msarvi. *Jurnal Planologi*, 19(2), 192. <https://doi.org/10.30659/jpsa.v19i2.23960>
- Iqbar, I., Safriana, R., & Fauziah, F. (2024). Feeding behavior and diet preferences of Sumatran orangutans (*Pongo abelii* Lesson 1827) at Soraya Research Station, Mount Leuser National Park, Indonesia. *Biodiversitas*, 25(4), 1788–1796. <https://doi.org/10.13057/biodiv/d250449>
- Ismail, M., Hartono, & Danoedoro, P. (2017). The Application of Forest Cover Density (FCD) Model for Structural Composition of Vegetation Changes in Part of Lore Lindu National Park, Central Sulawesi Province. *IOP Conference*

*Series: Earth and Environmental Science*, 98(1). <https://doi.org/10.1088/1755-1315/98/1/012056>

Istomo, & Sari, P. N. (2019). Distribution and Habitat Characteristics of Rasamala (*Altingia excelsa* Noronha) in Halimun Salak Mountain National Park. *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan*, 9(3), 608–625. <https://doi.org/10.29244/jpsl.9.3.608-625>

Jang, H., Oktaviani, R., Kim, S., Mardiasuti, A., & Choe, J. C. (2021). Do Javan gibbons (*Hylobates moloch*) use fruiting synchrony as a foraging strategy? *American Journal of Primatology*, 83(10). <https://doi.org/10.1002/ajp.23319>

Janmaat, K. R. L., Byrne, R. W., & Zuberbühler, K. (2006). Primates Take Weather into Account when Searching for Fruits. *Current Biology*, 16(12), 1232–1237. <https://doi.org/10.1016/j.cub.2006.04.031>

Junaedi, Fithria, A., & Badaruddin. (2025). Distribution and Habitat Characteristics of the Müller ' s Gibbon (*Hylobates muelleri*) in a Degraded Sub-watershed Landscape of South Kalimantan , Indonesia. *International Journal of Research and Review*, 12(June), 34–48.

Kahar, F. P., Abidin, K., & Ilham, R. (2024). Analisis Tingkat Intensitas Curah Hujan, Tekanan Udara Serta Suhu Udara di Wilayah Paotere Makassar Selama Periode Tahun 2022. *Jurnal Sains Fisika*, 4(1), 27–36.

Karyati, K., Ardianto, S., Muhammad Syafrudin, D., Fakultas Kehutanan, D., Mulawarman, U., Gunung Kelua, K., & Ki Hajar Dewantara, J. (2016). *Fluktuasi Iklim Mikro*. 1(1999), 83–92.

Karyati, K., Putri, R. O., & Syafrudin, M. (2018). Suhu Dan Kelembaban Tanah Pada Lahan Revegetasi Pasca Tambang Di Pt Adimitra Baratama Nusantara, Provinsi Kalimantan Timur. *Agrifor*, 17(1), 103. <https://doi.org/10.31293/af.v17i1.3280>

Kim, S., Lappan, S., & Choe, J. C. (2011a). Diet and ranging behavior of the endangered Javan gibbon (*Hylobates moloch*) in a submontane tropical rainforest. *American Journal of Primatology*, 73(3), 270–280. <https://doi.org/10.1002/ajp.20893>

Kim, S., Lappan, S., & Choe, J. C. (2011b). Diet and ranging behavior of the endangered Javan gibbon (*Hylobates moloch*) in a submontane tropical rainforest. *American Journal of Primatology*, 73(3), 270–280. <https://doi.org/10.1002/ajp.20893>

Klein, M., Garvelmann, J., & Förster, K. (2021). Revisiting forest effects on winter air temperature and wind speed-new open data and transfer functions. *Atmosphere*, 12(6). <https://doi.org/10.3390/atmos12060710>

- Kshetri, S., Khanal, L., Tandon, S., & Kyes, R. C. (2023). Seasonal Variation in the Activity Budget and Daily Path Length of Semi-Provisioned Rhesus Macaques (*Macaca mulatta*) in Daunne Forest, Nawalpur, Nepal. *Indonesian Journal of Primatology*, 2(01), 27–36. <https://doi.org/10.29244/primatology.2.01.27-36>
- Kumara, H. W. R., Nahallage, C. A. D., & Huffman, M. A. (2019). Study on Home Range Size and Pattern Among Three Diurnal Non-Human Primates in Mihintale Wildlife Sanctuary in Sri Lanka. *International Journal of Multidisciplinary Studies*, 6(1), 56. <https://doi.org/10.4038/ijms.v6i1.92>
- Kurnyawati, P., Handoko, E. Y., & Syariz, M. A. (2024). *WILAYAH JAWA TIMUR MENGGUNAKAN SENTINEL-3 SLSTR*. 30–37. <https://doi.org/10.12962/jpji.v4i1.3390>
- Lambert, J. E., & Rothman, J. M. (2015). Fallback Foods, Optimal Diets, and Nutritional Targets: Primate Responses to Varying Food Availability and Quality. *Annual Review of Anthropology*, 44(1), 493–512. <https://doi.org/10.1146/annurev-anthro-102313-025928>
- Li, C., Zhao, X., Li, D., Garber, P. A., Xiang, Z., Li, M., & Pan, H. (2020). Impact of cost distance and habitat fragmentation on the daily path length of *Rhinopithecus bieti*. *PeerJ*, 2020(5), 1–18. <https://doi.org/10.7717/peerj.9165>
- Li, Y., Huang, Z., Zhou, Q., Ma, G., & Huang, C. (2019). Daily activity pattern in Assamese macaques inhabiting limestone forest, southwest Guangxi, China. *Global Ecology and Conservation*, 20(15), e00709. <https://doi.org/10.1016/j.gecco.2019.e00709>
- Lintang, N. C., Sanjoto, T., & Tjahjono, H. (2017). Kajian Kerapatan Vegetasi Hutan Lindung Gunung Ungaran Jawa Tengah Tahun 2016 Menggunakan Metode Indeks Vegetasi. *Geo Image*, 6(1), 1–7.
- Loi, D. T., Chou, T.-Y., & Fang, Y.-M. (2017). Integration of GIS and Remote Sensing for Evaluating Forest Canopy Density Index in Thai Nguyen Province, Vietnam. *International Journal of Environmental Science and Development*, 8(8), 539–542. <https://doi.org/10.18178/ijesd.2017.8.8.1012>
- Lopes, K. G. D., & Bicca-Marques, J. C. (2017). Ambient temperature and humidity modulate the behavioural thermoregulation of a small arboreal mammal (*Callicebus bernhardi*). *Journal of Thermal Biology*, 69(February), 104–109. <https://doi.org/10.1016/j.jtherbio.2017.06.010>
- Lufilah, S. N., Makalew, A. D., & Sulistyantara, B. (2017). Pemanfaatan Citra Landsat 8 Untuk Analisis Indeks Vegetasi Di Dki Jakarta. *Jurnal Lanskap Indonesia*, 9(1), 73–80. <https://doi.org/10.29244/jli.v9i1.15173>

- Lukman, A. H., Parikesit, Hadikusumah, H., & Rahmat, A. (2022). *Tree Diversity and Forest Structure of Tropical Forest in Mount Geulis, Cianjur*. 2(2), 10–19.
- Mandl, I., Holderied, M., & Schwitzer, C. (2018). The Effects of Climate Seasonality on Behavior and Sleeping Site Choice in Sahamalaza Sportive Lemurs, *Lepilemur sahamalaza*. *International Journal of Primatology*, 39(6), 1039–1067. <https://doi.org/10.1007/s10764-018-0059-1>
- Matsuda, I., Chapman, C. A., Physilia, C. Y. S., Sha, J. C. M., & Clauss, M. (2017). Primate resting postures: Constraints by foregut fermentation? *Physiological and Biochemical Zoology*, 90(3), 383–391. <https://doi.org/10.1086/691360>
- McConkey, K. R. (2018). Seed Dispersal by Primates in Asian Habitats: From Species, to Communities, to Conservation. *International Journal of Primatology*, 39(3), 466–492. <https://doi.org/10.1007/s10764-017-0013-7>
- McGraw, W. S. (1998). Posture and support use of old world monkeys (cercopithecidae): The influence of foraging strategies, activity patterns, and the spatial distribution of preferred food items. *American Journal of Primatology*, 46(3), 229–250. [https://doi.org/10.1002/\(sici\)1098-2345\(1998\)46:3<229::aid-ajp4>3.0.co;2-%23](https://doi.org/10.1002/(sici)1098-2345(1998)46:3<229::aid-ajp4>3.0.co;2-%23)
- McLean, K. A., Trainor, A. M., Asner, G. P., Crofoot, M. C., Hopkins, M. E., Campbell, C. J., Martin, R. E., Knapp, D. E., & Jansen, P. A. (2016). Movement patterns of three arboreal primates in a Neotropical moist forest explained by LiDAR-estimated canopy structure. *Landscape Ecology*, 31(8), 1849–1862. <https://doi.org/10.1007/s10980-016-0367-9>
- Mohr, W. K., & Naylor, M. D. (1998). Creating a curriculum for the 21st century. *Nursing Outlook*, 46(5), 206–212. [https://doi.org/10.1016/S0029-6554\(98\)90051-3](https://doi.org/10.1016/S0029-6554(98)90051-3)
- Moise, K. (2009). *Play behaviour and activity budgets of non-adult, wild southern-Bornean gibbons (. September.*
- Nakabayashi, M., Inoue, Y., Ahmad, A. H., & Izawa, M. (2019). Limited directed seed dispersal in the canopy as one of the determinants of the low hemiepiphytic figs' recruitments in Bornean rainforests. *PLoS ONE*, 14(6), 1–17. <https://doi.org/10.1371/journal.pone.0217590>
- Nijman, V. (2020). *Hylobates moloch*, Silvery Gibbon. *The IUCN Red List of Threatened Species*, 8(11), eT.10550A17966495.
- Ning, W. H., Guan, Z. H., Huang, B., Fan, P. F., & Jiang, X. L. (2019). Influence of food availability and climate on behavior patterns of western black crested

- gibbons (*Nomascus concolor*) at Mt. Wuliang, Yunnan, China. *American Journal of Primatology*, *81*(12), 1–10. <https://doi.org/10.1002/ajp.23068>
- Nuraisah, G. S. (2015). Studi Perilaku Harian Owa Jawa (*Hylobates moloch*) di Penangkaran Pusat Studi Satwa Primata LPPM IPB. *Jurnal Primatologi Indonesia*, *12*(1), 19–29.
- Nur-Aizatul, T., Mohd-Ridwan, A. R., Noor-Faezah, M., Tingga, R. C. T., Bukhori, M. F. M., Mohd-Azlan, J., Denel, A., Abdul-Latiff, M. A. B., & Md-Zain, B. M. (2025). Seasonal variation in activity budgets of critically endangered Bornean banded langur, *Presbytis chrysomelas chrysomelas* in Malaysian Borneo. *Biodiversity Data Journal*, *13*, 1–16. <https://doi.org/10.3897/BDJ.13.e141783>
- Oktaviani, R., Borzée, A., Cahyana, A. N., Lappan, S., Mardiasuti, A., & Giri, M. S. (2023a). Predicting suitable habitat for the endangered Javan Gibbon in a submontane forest in Indonesia. *Journal of Threatened Taxa*, *15*(7), 23463–23471. <https://doi.org/10.11609/jott.8291.15.7.23463-23471>
- Oktaviani, R., Borzée, A., Cahyana, A. N., Lappan, S., Mardiasuti, A., & Giri, M. S. (2023b). Predicting suitable habitat for the endangered Javan Gibbon in a submontane forest in Indonesia. *Journal of Threatened Taxa*, *15*(7), 23463–23471. <https://doi.org/10.11609/jott.8291.15.7.23463-23471>
- Oktaviani, R., Kim, S., Cahyana, A. N., & Choe, J. C. (2018). Nutrient Composition of the Diets of Javan gibbons (*Hylobates moloch*). *IOP Conference Series: Earth and Environmental Science*, *197*(1). <https://doi.org/10.1088/1755-1315/197/1/012048>
- Prodromou, M., Danezis, C., Gitas, I., & Hadjimitsis, D. (2022). The development of a Forest Canopy Density (FCD) model in Akamas National Forest Park in Cyprus, using Landsat-8 and Sentinel-2 satellite data. *Proceedings of the 17th International Conference on Environmental Science and Technology*, *17*(September), 2019–2022. <https://doi.org/10.30955/gnc2021.00224>
- Purbatrapсила, A., Iskandar, E., & Pamungkas, J. (2012). Pola Aktivitas dan Stratifikasi Vertikal oleh Monyet Ekor Panjang (*Macaca fascicularis* Raffles, 1821) di Fasilitas Penangkaran Semi Alami Pulau Tinjil. *Zoo Indonesia*, *21*(1), 39–47.
- Purnama, M. D., & Mustafidah, M. E. (2024). Relationship Between Temperature and Humidity on Rainfall. *Engineering, Mathematics and Computer Science Journal (EMACS)*, *6*(2), 151–156. <https://doi.org/10.21512/emacsjournal.v6i2.11466>

- Putra, M. F. R., Baskoro, K., & Hadi, M. (2018). Studi Populasi dan Habitat Owa Jawa (*Hylobates moloch* Audebert 1797) di Kawasan Wana Wisata Kali Paingan Linggo Asri, Pekalongan, Jawa Tengah. *Bioma : Berkala Ilmiah Biologi*, 20(2), 154–164.
- Putra, Widhaningtyas, U. T., Fariz, T. R., & Prakoso, A. (2023). Mapping Age of Oil Palm Trees Using Google Earth Engine Cloud Computing in Pt. Scp, Pulang Pisau Regency. *Jurnal Riset Perkebunan*, 4(2), 85–94. <https://doi.org/10.25077/jrp.4.2.85-94.2023>
- Putri, S., Ridwana, R., & Somantri, L. (2021). PEMANFAATAN CITRA SENTINEL-2 UNTUK ANALISIS KERAPATAN VEGETASI DI WILAYAH GUNUNG MANGLAYANG. *Jurnal Pendidikan Geografi Undiksha*, 9(2), 133–143. <https://doi.org/10.23887/jjpg.v9i2.35357>
- Queiroz, A. C. M., & Ribas, C. R. (2016). A cobertura de dossel afeta negativamente a riqueza de formigas arborícolas em um hábitat tropical aberto. *Brazilian Journal of Biology*, 76(4), 864–870. <https://doi.org/10.1590/1519-6984.02015>
- Rakowski, A. E., Elmore, R. D., Davis, C. A., Fuhlendorf, S. D., & Carroll, J. M. (2019). Thermal refuge affects space use and movement of a large-bodied galliform. *Journal of Thermal Biology*, 80(October 2018), 37–44. <https://doi.org/10.1016/j.jtherbio.2018.12.024>
- Raño, M., Kowalewski, M. M., Cerezo, A. M., & Garber, P. A. (2016). Determinants of daily path length in black and gold howler monkeys (*Alouatta caraya*) in northeastern Argentina. *American Journal of Primatology*, 78(8), 825–837. <https://doi.org/10.1002/ajp.22548>
- Reyna-Hurtado, R., Teichroeb, J. A., Bonnell, T. R., Hernández-Sarabia, R. U., Vickers, S. M., Serio-Silva, J. C., Sicotte, P., & Chapman, C. A. (2018). Primates adjust movement strategies due to changing food availability. *Behavioral Ecology*, 29(2), 368–376. <https://doi.org/10.1093/beheco/axx176>
- Riedler, B., Millesi, E., & Pratje, P. H. (2010). Adaptation to forest life during the reintroduction process of immature pongo abelii. *International Journal of Primatology*, 31(4), 647–663. <https://doi.org/10.1007/s10764-010-9418-2>
- Riendriasari, S. D., Iskandar, E., Manansang, J., & Pamungkas, J. (2009). Tingkah Laku Owa Jawa (*Hylobates moloch*) di Fasilitas Penangkaran Pusat Studi Satwa Primata, Institut Pertanian Bogor. *Jurnal Primatologi Indonesia*, 6(1), 1410–5373.
- Righini, N., Garber, P. A., & Rothman, J. M. (2017). The effects of plant nutritional chemistry on food selection of Mexican black howler monkeys (*Alouatta pigra*):

The role of lipids. *American Journal of Primatology*, 79(4), 1–15.  
<https://doi.org/10.1002/ajp.22524>

Rikimaru, A., Roy, P. S., & Miyatake, S. (2002). Tropical forest cover density mapping. *Tropical Ecology*, 43(1), 39–47.

Roshani, Sajjad, H., Rahaman, M. H., Masroor, M., Sharma, Y., Sharma, A., & Saha, T. K. (2024). Vulnerability assessment of forest ecosystem based on exposure, sensitivity and adaptive capacity in the Valmiki Tiger Reserve, India: A geospatial analysis. *Ecological Informatics*, 80(May 2023), 102494.  
<https://doi.org/10.1016/j.ecoinf.2024.102494>

Sahana, M., Sajjad, H., & Ahmed, R. (2015). Assessing spatio-temporal health of forest cover using forest canopy density model and forest fragmentation approach in Sundarban reserve forest, India. *Modeling Earth Systems and Environment*, 1(4), 0–10. <https://doi.org/10.1007/s40808-015-0043-0>

Sambas, E., Kusmana, C., Prasetyo, L. B., & Partomihardjo, T. (2018). Vegetation Analysis and Population Structure of Plants At Mount Endut Forested Area, Gunung Halimun Salak National Park, Banten, Java, Indonesia. *Reinwardtia*, 17(1), 39. <https://doi.org/10.14203/reinwardtia.v17i1.3539>

Santoso, N., Perdhana, R. D., & Sutopo. (2023). Cohabitation the Tricolour Langur and Muller's Gibbon in Pulau Majang Resort, Danau Sentarum National Park. *Media*, 28(2), 176–186. <https://doi.org/10.29244/medkon.28.2.176-186>

Saputra, A. N., Iqbal, M., & Adyatma, S. (2023). Pemetaan Kebakaran Hutan dan Lahan di Kota Banjarbaru. *JPG (Jurnal Pendidikan Geografi)*, 10(1), 103–116.  
<https://doi.org/10.20527/jpg.v10i1.12424>

Seiler, N., & Robbins, M. M. (2020). Ecological correlates of space use patterns in wild western lowland gorillas. *American Journal of Primatology*, 82(9).  
<https://doi.org/10.1002/ajp.23168>

Setiawan, A., Nugroho, T. S., Wibisono, Y., Ikawati, V., & Sugardjito, J. (2011). Population density and distribution of Javan gibbon (*Hylobates moloch*) in Central Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 13(1), 23–27. <https://doi.org/10.13057/biodiv/d130105>

Setyaputri, A. F., Ramadhani, D. D., & Kisworo, W. (2023). Kajian pemenuhan ruang terbuka hijau untuk menyelaraskan kebutuhan oksigen manusia dan kebutuhan lingkungan menggunakan citra satelit di kota surakarta. *Jurnal Ekosains*, XV(1), 1–11.

Shah, A. A., Totakul, P., Matra, M., Cherdthong, A., Hanboonsong, Y., & Wanapat, M. (2022). Nutritional composition of various insects and potential uses as

alternative protein sources in animal diets. *Animal Bioscience*, 35(2), 317–331.  
<https://doi.org/10.5713/ab.21.0447>

Simarmata, N., Wikantika, K., Tarigan, T., Aldyansyah, M., Tohir, R. K., Fauziah, A., & Purnama, Y. (2021). ANALISIS TRANSFORMASI INDEKS NDVI, NDWI DAN SAVI UNTUK IDENTIFIKASI KERAPATAN VEGETASI MANGROVE MENGGUNAKAN CITRA SENTINEL DI PESISIR TIMUR PROVINSI LAMPUNG. *Jurnal Geografi*, 19(2), 35–48.

Slater, H. (2015). Forest Structure and group density of Thomas' Langur monkey. *Thesis, October*.

Souza-Alves, J. P., Mourthe, I., Hilário, R. R., Bicca-Marques, J. C., Rehg, J., Gestich, C. C., Acero-Murcia, A. C., Adret, P., Aquino, R., Berthet, M., Bowler, M., Calouro, A. M., Canale, G. R., Cardoso, N. de A., Caselli, C. B., Cäsar, C., Chagas, R. R. D., Clyvia, A., Corsini, C. F., ... Barnett, A. A. (2019). Terrestrial Behavior in Titi Monkeys (*Callicebus*, *Cheracebus*, and *Plecturocebus*): Potential Correlates, Patterns, and Differences between Genera. *International Journal of Primatology*, 40(4–5), 553–572. <https://doi.org/10.1007/s10764-019-00105-x>

Srimulyaningsih, R., & Permadi, R. (2022). AKTIVITAS HARIAN OWA JAWA (*Hylobates moloch*) DI PUSAT REHABILITASI SATWA PRIMATA JAWA CIWIDEY JAWA BARAT. *Wanamukti: Jurnal Penelitian Kehutanan*, 25(1), 47. <https://doi.org/10.35138/wanamukti.v25i1.402>

Surono, H., Mustari, A. H., & Rinaldi, D. (2015). Jenis pakan owa jawa (*Hylobates moloch* Audebert, 1798) di Taman Nasional Gunung Halimun Salak Provinsi Jawa Barat. *Biodidaktika*, 10(2), 24–32.

Thompson, C. L., Williams, S. H., Glander, K. E., & Vinyard, C. J. (2016). Measuring Microhabitat Temperature in Arboreal Primates: A Comparison of On-Animal and Stationary Approaches. *International Journal of Primatology*, 37(4–5), 495–517. <https://doi.org/10.1007/s10764-016-9917-x>

Wasis, B., Maulis, I., & Winata, B. (2024). The abundance of soil fauna in Gunung Halimun Salak National Park at altitude: 1100-1300 masl. *IOP Conference Series: Earth and Environmental Science*, 1315(1), 0–12. <https://doi.org/10.1088/1755-1315/1315/1/012027>

Widianto, M. M., Husodo, T., Megantara, E. N., Wulandari, I., Atsaury, Z., & Febrianto, P. (2022). Daily activity variation of Javan gibbon (*Hylobates moloch*) by age class and sex in Cisokan, West Java, Indonesia. *Pros Sem Nas Masy Biodiv Indon*, 8(1), 71–79. <https://doi.org/10.13057/psnmbi/m080110>

- Widyastuti, S., Perwitasari-Farajallah, D., Iskandar, E., Prasetyo, L. B., Setiawan, A., Aoliya, N., & Cheyne, S. M. (2023a). Population of the Javan Gibbon (*Hylobates moloch*) in the Dieng Mountains, Indonesia: An updated estimation from a new approach. *Biodiversity Data Journal*, *11*. <https://doi.org/10.3897/BDJ.11.E100805>
- Widyastuti, S., Perwitasari-Farajallah, D., Iskandar, E., Prasetyo, L. B., Setiawan, A., Aoliya, N., & Cheyne, S. M. (2023b). Population of the Javan Gibbon (*Hylobates moloch*) in the Dieng Mountains, Indonesia: An updated estimation from a new approach. *Biodiversity Data Journal*, *11*. <https://doi.org/10.3897/BDJ.11.E100805>
- Wijaya, I. M. S., & Defiani, M. R. (2021). Diversity and distribution of figs (*Ficus*: *Moraceae*) in Gianyar district, Bali, Indonesia. *Biodiversitas*, *22*(1), 233–246. <https://doi.org/10.13057/biodiv/d220129>
- Yaghshyah, I. A., Husodo, T., Megantara, E. N., Wulandari, I., Atsaury, Z. I. A., & Febrianto, P. (2022). Daerah jelajah dan vegetasi habitat owa Jawa (*Hylobates moloch*) di Curug Walet Cisokan, Jawa Barat, Indonesia. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, *8*, 39–45. <https://doi.org/10.13057/psnmbi/m080106>
- Yao, G., Fan, Y., Li, D., Hull, V., Shen, L., Li, Y., & Hu, J. (2022). The Influence of Environmental Variables on Home Range Size and Use in the Golden Snub-Nosed Monkey (*Rhinopithecus roxellana*) in Tangjiahe National Nature Reserve, China. *Animals*, *12*(18). <https://doi.org/10.3390/ani12182338>
- Yasmin, Y., Oksari, A. A., Biologi, P. S., Bangsa, U. N., Biologi, P. S., Universitas, D., & Bangsa, N. (2024). *REVIEW ARTIKEL: KAJIAN POPULASI OWA JAWA (Hylobates moloch) DI PULAU JAWA, INDONESIA. 1*(2), 958–963.
- Yazezew, D., Bekele, A., & Ibrahim, H. (2020). Activity Budget and Feeding Ecology of Geladas (*Theropithecus gelada obscurus*) around Abogedam Church West of Debre Berhan Town, Ethiopia. *Scientific World Journal*, *2020*. <https://doi.org/10.1155/2020/9829834>
- Yumarni, Hadi Sukadi, A., Lilik Budi, P., & Rinekso, S. (2011). Analisis Populasi Owa Jawa (*Hylobates Moloch Audebert 1797*) Di Koridor Taman Nasional Gunung Halimun Salak. *Media Konservasi*, *16*(3), 133–140.
- Zhang, K. C., Zhou, Q. H., Xu, H. L., & Huang, Z. H. (2021). Diet, food availability, and climatic factors drive ranging behavior in white-headed langurs in the limestone forests of Guangxi, southwest China. *Zoological Research*, *42*(4), 406–411. <https://doi.org/10.24272/J.ISSN.2095-8137.2020.292>