

## DAFTAR PUSTAKA

- Abdullah, M., & Khairurrijal, K. (2016). A Simple Method for Determining Surface Porosity Based on SEM Images Using OriginPro Software. *Indonesian Journal of Physics*, 20(2), 37–40. <https://doi.org/10.5614/itb.ijp.2009.20.2.4>
- Agrawal, G., Negi, Y. S., & Keshari, S. (2017). Wettability and contact angle of polymeric biomaterials. In *Characterization of Polymeric Biomaterials* (pp. 57–81). Elsevier. <https://doi.org/10.1016/B978-0-08-100737-2.00003-0>
- Ahmad, A., Yasin, S., & Iqbal, T. (2018). Stability of Amorphous PEEK in Organic Solvents. *Journal of the Chemical Society of Pakistan*, 40(04).
- Akram, M., Alshemary, A. Z., Goh, Y., Aini, W., Ibrahim, W., Lintang, H. O., & Hussain, R. (2015). Continuous microwave flow synthesis of mesoporous hydroxyapatite. *Materials Science & Engineering C*, 56, 356–362. <https://doi.org/10.1016/j.msec.2015.06.040>
- Al-Mufti, S. M. S., Ali, M. M., & Rizvi, S. J. A. (2020). Synthesis and structural properties of sulfonated poly ether ether ketone (SPEEK) and Poly ether ether ketone (PEEK). *AIP Conference Proceedings*, 2220(020009). <https://doi.org/10.1063/5.0001760>
- Ali, A. S. (2016). Application of Nanomaterials in Environmental Improvement. In *Nanotechnology and the Environment* (pp. 1–13).
- Almasi, D, Izman, S., Assadian, M., Ghanbari, M., & Kadir, M. R. A. (2014). Crystalline HA coating on peek via chemical deposition. *Applied Surface Science*, 314, 1034–1040. <https://doi.org/10.1016/j.apsusc.2014.06.074>
- Almasi, Davood, Lau, W. J., Rasaei, S., Sharifi, R., & Mozaffari, H. R. (2020). Fabrication of a novel hydroxyapatite/polyether ether ketone surface nanocomposite via friction stir processing for orthopedic and dental applications. *Progress in Biomaterials*, 9(1–2), 35–44. <https://doi.org/10.1007/s40204-020-00130-7>
- Almukarrama, & Yusuf, Y. (2019). Development Carbonated Hydroxyapatite Powders from Oyster Shells (*Crassostrea gigas*) by Sintering Time Controlling. *IOP Conference Series: Materials Science and Engineering*, 546(4). <https://doi.org/10.1088/1757-899X/546/4/042001>
- Alsabi, H. A., Shafi, M. E., Almasoudi, S. H., Mufti, F. A. M., & Alowaidi, S. A. (2024). From Waste to Catalyst: Transforming Mussel Shells into a Green Solution for Biodiesel Production from *Jatropha curcas* Oil. *Catalysts*, 14(1), 59. <https://doi.org/https://doi.org/10.3390/catal14010059>
- Aminatun, A., Suciati, T., Sari, Y. W., Sari, M., Kartika, A., Purnamasari, W., & Yusuf, Y. (2021). International Journal of Polymeric Materials and Biopolymer-based polycaprolactone-hydroxyapatite scaffolds for bone tissue engineering. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 0(0), 1–10. <https://doi.org/10.1080/00914037.2021.2018315>
- Anandan, D., & Kumar, A. (2024). Synthesis methods of hydroxyapatite and biomedical

applications : an updated review. *Journal of the Australian Ceramic Society*, 60(2), 663–679.  
<https://doi.org/10.1007/s41779-023-00943-2>

- Anggraini, R. M., & Yusuf, Y. (2019). The Effect of Stirring Time on the Characteristics of Carbonated Hydroxyapatite from Pearl Shells (*Pinctada maxima*). *IOP Conference Series: Materials Science and Engineering*, 546(4). <https://doi.org/10.1088/1757-899X/546/4/042002>
- Anselme, K. (2000). Osteoblast adhesion on biomaterials. *Biomaterials*, 21(7), 667–681. [https://doi.org/doi:10.1016/s0142-9612\(99\)00242-2](https://doi.org/doi:10.1016/s0142-9612(99)00242-2)
- Astala, R., & Stott, J. . (2005). First Principles Investigation of Mineral Component of Bone: CO3 Substitutions in Hydroxyapatite. *Chemistry of Materials*, 17(16). <https://doi.org/DOI:10.1021/cm050523b>
- Bano, N., Basri, H., Adzila, S., & Dagaci, M. Z. (2019). XRD and FTIR study of A & B type carbonated hydroxyapatite extracted from bovine bone. *AIP Conference Proceedings*, 2068(March), 143–150. <https://doi.org/10.1063/1.5089399>
- Bano, N., Jikan, S. S., Basri, H., Adzila, S., & Zago, D. M. (2019). XRD and FTIR study of A&B type carbonated hydroxyapatite extracted from bovine bone. *AIP Conference Proceedings*, 1(2068), 143–150. <https://doi.org/https://doi.org/10.1063/1.5089399>
- Bastan, F. E. (2020). Fabrication and characterization of an electrostatically bonded PEEK-hydroxyapatite composites for biomedical applications. *J Biomed Mater Res*, 108(6), 1–15. <https://doi.org/10.1002/jbm.b.34583>
- Baştan, F. E., Atiq Ur Rehman, M., Avcu, Y. Y., Avcu, E., Üstel, F., & Boccaccini, A. R. (2018). Electrophoretic co-deposition of PEEK-hydroxyapatite composite coatings for biomedical applications. *Colloids and Surfaces B: Biointerfaces*, 169, 176–182. <https://doi.org/10.1016/j.colsurfb.2018.05.005>
- Beasley, M. M., Bartelink, E. J., Taylor, L., & Miller, R. M. (2014). Comparison of transmission FTIR, ATR, and DRIFT spectra: Implications for assessment of bone bioapatite diagenesis. *Journal of Archaeological Science*, 46(1), 16–22. <https://doi.org/10.1016/j.jas.2014.03.008>
- Blanton, T., Gates-Rector, S., & Fawcett, T. (2016). ICDD Powder Diffraction File ® Coverage of Polymers Used in Pharmaceutical and Biomedical Applications. In *The Pharmaceutical Powder X-ray Diffraction Symposium*. [www.icdd.com](http://www.icdd.com)
- Bohner, M., Santoni, B. L. G., & Döbelin, N. (2020).  $\beta$ -tricalcium phosphate for bone substitution: Synthesis and properties. *Acta Biomaterialia*, 113, 23–41. <https://doi.org/10.1016/j.actbio.2020.06.022>
- Bolbasov, E. N., Rybachuk, M., Golovkin, A. S., Antonova, L. V., & Shesterikov, E. V. (2014). Surface modification of poly ( L -lactide ) and polycaprolactone bioresorbable polymers using RF plasma discharge with sputter deposition of a hydroxyapatite target. *Materials Letters*, 132, 281–284. <https://doi.org/10.1016/j.matlet.2014.06.115>
- Boujaady, H. El, Mourabet, M., Rhilassi, A. E. L., Hamri, R. El, & Taitai, A. (2016). Adsorption of a textile dye on synthesized calcium deficient hydroxyapatite (CDHAp): Kinetic and thermodynamic studies. *J. Mater. Environ. Sci.*, 7(January), 4049–4063.

- Chanes-Cuevas, O. A., Perez-Soria, A., Cruz-Maya, I., Guarino, V., & Alvarez-Perez, M. A. (2018). Macro-, micro- and mesoporous materials for tissue engineering applications. *AIMS Materials Science*, 5(6), 1124–1140. <https://doi.org/10.3934/matserci.2018.6.1124>
- Chen, Q., & Thouas, G. A. (2015). Metallic implant biomaterials. *Materials Science and Engineering R: Reports*, 87, 1–57. <https://doi.org/10.1016/j.msere.2014.10.001>
- Chen, Y., Guo, H., Geng, C., Wu, Y., Dai, G., & Teng, C. (2018). Effect of poly ( ether ether ketone ) and allyl compounds on microstructure and properties of bismaleimide. *Journal of Materials Science: Materials in Electronics*, 0(0), 0. <https://doi.org/10.1007/s10854-018-0368-3>
- Cohen, J. (1998). Current concepts review. Corrosion of metal orthopaedic implants. *The Journal of Bone and Joint Surgery American*, 10(1554).
- Davis, R., Singh, A., Jackson, M. J., Coelho, R. T., Prakash, D., Charalambous, C. P., Ahmed, W., da Silva, L. R. R., & Lawrence, A. A. (2022). A comprehensive review on metallic implant biomaterials and their subtractive manufacturing. *International Journal of Advanced Manufacturing Technology*, 120(3–4), 1473–1530. <https://doi.org/10.1007/s00170-022-08770-8>
- Dědourková, T., Zelenka, J., Zelenková, M., Beneš, L., & Svoboda, L. (2012). Synthesis of sphere-like nanoparticles of hydroxyapatite. *Procedia Engineering*, 42, 1816–1821. <https://doi.org/10.1016/j.proeng.2012.07.576>
- Doan, J., Kingston, E., Kendrick, I., Anderson, K., Dimakis, N., Knauth, P., Luisa, M., Vona, D., & Smotkin, E. S. (2014). Theoretical and experimental infrared spectra of hydrated and dehydrated sulfonated poly ( ether ether ketone ). *Polymer*, 55(18), 4671–4676. <https://doi.org/10.1016/j.polymer.2014.07.011>
- Dorozhkin, S. V. (2010). Bioceramics of calcium orthophosphates. *Biomaterials*, 31(7), 1465–1485. <https://doi.org/10.1016/j.biomaterials.2009.11.050>
- Durham, J. W., Montelongo, S. A., Ong, J. L., Guda, T., Allen, M. J., & Rabiei, A. (2016). Hydroxyapatite coating on PEEK implants : Biomechanical and histological study in a rabbit model. *Materials Science & Engineering C*, 68, 723–731. <https://doi.org/10.1016/j.msec.2016.06.049>
- Elias, C. N., Lima, J. H. C., Valiev, R., & Meyers, M. A. (2008). Biomedical applications of titanium and its alloys. *Jom: The Journal of the Mineral, Metals and Society*, 60(3), 46–49. <https://doi.org/10.1007/s11837-008-0031-1>
- Epp, J. (2016). X-ray diffraction (XRD) techniques for materials characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods* (pp. 81–124). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-08-100040-3.00004-3>
- Fiume, E., Magnaterra, G., Rahdar, A., Verné, E., & Baino, F. (2021). Hydroxyapatite for biomedical applications: A short overview. *Ceramics*, 4(4), 542–563. <https://doi.org/10.3390/ceramics4040039>
- Galván-Ruiz, M., Hernández, J., Baños, L., Noriega-Montes, J., & Rodríguez-García, M. E. (2009). Characterization of Calcium Carbonate, Calcium Oxide, and Calcium Hydroxide as

- Starting Point to the Improvement of Lime for Their Use in Construction. *Journal of Materials in Civil Engineering*, 21(11), 694–698. [https://doi.org/10.1061/\(asce\)0899-1561\(2009\)21:11\(694\)](https://doi.org/10.1061/(asce)0899-1561(2009)21:11(694))
- Gong, C., Zheng, X., A, H. L., Wang, G., & Cheng, F. (2016). A new strategy for designing high-performance sulfonated poly(ether ether ketone) polymer electrolyte membranes using inorganic proton conductor-functionalized carbon nanotubes. *Journal of Power Sources*, 325(1), 453–464. <https://doi.org/https://doi.org/10.1016/j.jpowsour.2016.06.061>
- Gunatillake, P. A., & Adhikari, R. (2016). Nondegradable synthetic polymers for medical devices and implants. *Biosynthetic Polymers for Medical Applications*, 33–62. <https://doi.org/https://doi.org/10.1016/B978-1-78242-105-4.00002-X>
- Ha, S.-W., Kirch, M., & Birchler, F. (1997). Surface activation of polyetheretherketone ( PEEK ) and formation of calcium phosphate coatings by precipitation. *Journal of Materials Science: Materials In Medicine*, 8, 683–690. <https://doi.org/DOI: 10.1023/a:1018535923173>
- Hammouti, S., Pascale-Hamri, A., Faure, N., Beaugiraud, B., Guibert, M., Mauclair, C., Benayoun, S., & Valette, S. (2015). Wear rate control of peek surfaces modified by femtosecond laser. *Applied Surface Science*, 357(November), 1541–1551. <https://doi.org/10.1016/j.apsusc.2015.09.204>
- Hoque, M. E., Goh, K. L., & Sagadevan, S. (2023). Bioceramics: From Concept to Clinic. In *Advanced Bioceramics: Properties, Processing, and Applications* (pp. 199–218). CRC Press. <https://doi.org/10.1201/9781003258353>
- Htay, T. P., Peampring, C., & Thammajarak, P. (2025). Surface modification of polyether ether ketone (PEEK) via sulfonation and hydroxyapatite coating: impact on shear bond strength with resin composite. *Clinical Oral Investigations*, 29(4), 184. <https://doi.org/10.1007/s00784-025-06256-x>
- Huang, R. Y. M., Shao, P., Burns, C. M., & Feng, X. (2001). Sulfonation of poly(ether ether ketone)(PEEK): Kinetic study and characterization. *Journal of Applied Polymer Science*, 82(11), 2651–2660. <https://doi.org/10.1002/app.2118>
- Hussain, S., Rutledge, L., Acheson, J. G., Meenan, B. J., & Boyd, A. R. (2020). The Surface Characterisation of Polyetheretherketone ( PEEK ) Modified via the Direct Sputter Deposition of Calcium Phosphate Thin Films. *The Surface Characterisation of Polyetheretherketone (PEEK) Modified via the Direct Sputter Deposition of Calcium Phosphate Thin Films*, 10(1088). <https://doi.org/doi:10.3390/coatings10111088>
- Ivankovic, H., Gallego Ferrer, G., Tkalcec, E., Orlic, S., & Ivankovic, M. (2009). Preparation of highly porous hydroxyapatite from cuttlefish bone. *Journal of Materials Science: Materials in Medicine*, 20(5), 1039–1046. <https://doi.org/10.1007/s10856-008-3674-0>
- Johansson, P., Jimbo, R., Kozai, Y., Sakurai, T., Kjellin, P., Currie, F., & Wennerberg, A. (2015). Nanosized Hydroxyapatite Coating on PEEK Implants Enhances Early Bone Formation: A Histological and Three-Dimensional Investigation in Rabbit Bone. *Materials*, 8, 3815–3830. <https://doi.org/10.3390/ma8073815>
- Kannan, D. M. (2018). Scanning electron microscopy: principle, components and applications. In

- Kashan, J. S., & Ali, S. M. (2019). Modeling and simulation for mechanical behavior of modified biocomposite for scaffold application. *Ingenieria e Investigacion*, 39(1). <https://doi.org/10.15446/ing.investig.v39n1.73638>
- Kashi, A., & Saha, S. (2010). Mechanisms of failure of medical implants during long-term use. In *Biointegration of Medical Implant Materials Science and Design Woodhead Publishing Series in Biomaterials* (pp. 326–348). Woodhead Publishing. <https://doi.org/https://doi.org/10.1533/9781845699802.3.326>
- Khoshhesab, Z. M. (2012). Reflectance IR Spectroscopy. In *Infrared Spectroscopy - Material Science, Engineering and Technology* (pp. 233–244). Elsevier. [www.intechopen.com](http://www.intechopen.com)
- Kim, H.-W., Kim, H.-E., & Salih, V. (2005). Stimulation of osteoblast responses to biomimetic nanocomposites of gelatin–hydroxyapatite for tissue engineering scaffolds. *Biomaterials*, 26(25), 5221–5230. <https://doi.org/https://doi.org/10.1016/j.biomaterials.2005.01.047>
- Kristianto, N. A., Sari, M., & Yusuf, Y. (2022). Hydroxyapatite based on Abalone Mussel Shells Coating on Titanium Alloy using Electrophoretic Deposition Dip Coating as a Bone Implant Candidate. *Journal of Natural Sciences*, 21(2). <https://doi.org/10.12982/CMUJNS.2022.021>
- Kumar, G. S., Girija, E. K., Venkatesh, M., Karunakaran, G., Kolesnikov, E., & Kuznetsov, D. (2017). One step method to synthesize flower-like hydroxyapatite architecture using mussel shell bio-waste as a calcium source. *Ceramics International*, 43(3), 3457–3461. <https://doi.org/10.1016/j.ceramint.2016.11.163>
- Kurtz, S. M., & Devine, J. N. (2007). PEEK biomaterials in trauma , orthopedic , and spinal implants. *Biomaterials*, 28, 4845–4869. <https://doi.org/10.1016/j.biomaterials.2007.07.013>
- Li, S., Li, G., Hu, J., Wang, B., Wang, L., Wang, H., Chen, R., & Zhou, Z. (2021). Porous polyetheretherketone-hydroxyapatite composite: A candidate material for orthopedic implant. *Composites Communications*, 28(100908). <https://doi.org/10.1016/j.coco.2021.100908>
- Liddell, R. S., Liu, Z.-M., Mendes, V. C., & Davies, J. E. (2016). Quantifying the contributions of implant hydrophilicity and nanotopography on bone anchorage. *Front. Bioeng. Biotechnol. Conference Abstract: 10th World Biomaterials Congress*. <https://doi.org/doi:10.3389/conf.FBIOE.2016.01.00060>
- Loy, C. W., Matori, K. A., & Lim, W. F. (2016). Effects of Calcination on the Crystallography and Nonbiogenic Aragonite Formation of Ark Clam Shell under Ambient Condition. *Advances in Materials Science and Engineering*, 1–8. <https://doi.org/https://doi.org/10.1155/2016/2914368>
- Lu, C., Qiu, S., Lu, X., Wang, J., Xiao, L., Zheng, T., Wang, X., & Zhang, D. (2019). Enhancing the Interfacial Strength of Carbon Fiber / Poly ( ether ether ketone ) Hybrid Composites by Plasma Treatments. *Polymer*, 11(753). <https://doi.org/10.3390/polym11050753>
- Ma, R., Fang, L., Luo, Z., Zheng, R., Song, S., Weng, L., & Lei, J. (2014). Fabrication and characterization of modified-hydroxyapatite/ polyetheretherketone coating materials. *Applied Surface Science*, 314, 341–347. <https://doi.org/10.1016/j.apsusc.2014.06.050>

- Mahyudin, F., Widhiyanto, L., & Hermawan, H. (2016). Biomaterials in Orthopaedics. In *Biomaterials and Medical Devices* (pp. 161–181). Springer. <https://doi.org/10.1007/978-3-319-14845-8>
- Mawuntu, V. J., Yusuf, Y., & Mawuntu, V. J. (2019). Porous structure engineering of bioceramic hydroxyapatite-based scaffolds using PVA, PVP, and PEO as polymeric porogens. *Journal of Asian Ceramic Societies*, 7(2), 161–169. <https://doi.org/10.1080/21870764.2019.1595927>
- Murugiah, K., Zakaria, M. I., Suhaimi, H., Caesarendra, W., & Sambudi, N. S. (2021). Synthesis and Characterisation of Hydroxyapatite (HAp) from Asiatic Hard Clam (Meretrix meretrix) and Blood Cockle Clam (Anadara granosa) Using Wet Precipitation Process. *2021 IEEE National Biomedical Engineering Conference (NBEC)*, 1–6. <https://doi.org/10.1109/NBEC53282.2021.9618744>
- Najeeb, S., Khurshid, Z., Matinlinna, J. P., 5, F. S. M. Z. N., & Baroudi, K. (2015). Nanomodified Peek Dental Implants: Bioactive Composites and Surface Modification—A Review. *Int J Dent*, 381759. <https://doi.org/doi:10.1155/2015/381759>
- Najeeb, S., Khurshid, Z., Matinlinna, J. P., Siddiqui, F., Nassani, M. Z., & Baroudi, K. (2015). Nanomodified Peek Dental Implants: Bioactive Composites and Surface Modification - A Review. *International Journal of Dentistry*, 381759. <https://doi.org/10.1155/2015/381759>
- Nakahara, I., Takao, M., Goto, T., Ohtsuki, C., Hibino, S., & Sugano, N. (2012). Interfacial shear strength of bioactive-coated carbon fiber reinforced polyetheretherketone after in vivo implantation. *Journal of Orthopaedic Research*, 30(10), 1618–1625. <https://doi.org/10.1002/jor.22115>
- Nasir, S., Hussein, M. Z., Zainal, Z., Yusof, N. A., Mohd Zobir, S. A., & Alibe, I. M. (2019). Potential valorization of by-product materials from oil palm: A review of alternative and sustainable carbon sources for carbon-based nanomaterials synthesis potential valorization of by-product materials from oil palm: A review of alternative and sustaina. *Bioresources*, 14(1), 2352–2388. <https://doi.org/10.15376/biores.14.1.Nasir>
- Nieminen, T., Kallela, I., Wuolijoki, E., Kainulainen, H., & Hiidenheimo, I. (2007). Amorphous and crystalline polyetheretherketone: mechanical properties and tissue reactions during a 3-year follow-up. *Journal of Biomedical Materials Research Part A*, 79(4), 963–973. <https://doi.org/10.1002/jbm.a>
- Niinomi, M. (2002). Recent metallic materials for biomedical applications. In *Metallurgical and Materials Transactions A* (pp. 477–486). Springer. <https://doi.org/10.1007/s11661-002-0109-2>
- Nisa, A., Sari, M., & Yusuf, Y. (2022). Fabrication and characterization of HA-oyster shell based on biopolymer - propolis as an agent of dental enamel remineralization material Fabrication and characterization of HA-oyster shell based on biopolymer - propolis as an agent of dental enamel remin. *Material Research Express*, 9, 0–12.
- Núñez, D., Elgueta, E., Varaprasad, K., & Oyarzún, P. (2018). Hydroxyapatite nanocrystals synthesized from calcium rich bio-wastes. *Materials Letters*, 230, 64–68. <https://doi.org/10.1016/j.matlet.2018.07.077>

- Nurhayati, Muhdarina, & Linggawati, A. (2016). Preparation and Characterization of Calcium Oxide Heterogeneous Catalyst Derived from Anadara Granosa Shell for Biodiesel Synthesis. *KnE Engineering*, 1(1), 0–8. <https://doi.org/10.18502/keg.v0i0.494>
- Oliveira, T. P., Silva, S. N., & Sousa, J. A. (2018). Flexural fatigue behavior of plasma-sprayed hydroxyapatite-coated polyether-ether-ketone ( PEEK ) injection moldings derived from dynamic mechanical analysis. *International Journal of Fatigue*, 108(November 2017), 1–8. <https://doi.org/10.1016/j.ijfatigue.2017.10.016>
- Othman, M. H. D., Ismail, A. F., & Mustafa, A. (2007). Physico-Chemical Study of Sulfonated Poly(Ether Ether Ketone) Membranes for Direct Methanol Fuel Cell Application. *Malaysian Polymer Journal (MPJ)*, 2(1), 10–28.
- Palmquist, A., Omar, O. M., Esposito, M., Lausmaa, J., & Thomsen, P. (2010). Titanium oral implants: surface characteristics, interface biology and clinical outcome. *J. R. Soc. Interface*, 7(5), S515–S527. <https://doi.org/doi:10.1098/rsif.2010.0118.focus>
- Panayotov, I. V., Orti, V., Cuisinier, F., & Yachouh, J. (2016). Polyetheretherketone (PEEK) for medical applications. *Journal of Materials Science: Materials in Medicine*, 27(7). <https://doi.org/10.1007/s10856-016-5731-4>
- Pankaew, P., Limsuwan, P., & Naemchanthara, K. (2010). Temperature Effect on Calcium Phosphate Synthesized from Chicken Eggshells and Ammonium Phosphate. *Journal of Applied Sciences*, 10(December). <https://doi.org/10.3923/jas.2010.3337.3342>
- Park, S., & Jung, T. G. (2024). Surface Modification of Polyetheretherketone (PEEK) Intervertebral Fusion Implant Using Polydopamine Coating for Improved Bioactivity. *Bioengineering*, 11(4). <https://doi.org/10.3390/bioengineering11040343>
- Parnian, M. J., Rowshanzamir, S., & Gashoul, F. (2017). Comprehensive investigation of physicochemical and electrochemical properties of sulfonated poly (ether ether ketone) membranes with different degrees of sulfonation for proton exchange membrane fuel cell applications. *Energy*, 125, 614–628. <https://doi.org/10.1016/j.energy.2017.02.143>
- Patel, N. R., & Gohil, P. P. (2012). A Review on Biomaterials : Scope , Applications & Human Anatomy Significance. *International Journal of Emerging Technology and Advanced Engineering*, 2(4).
- Pawaragan, I., & Yusuf, Y. (2018). Characteristics of hydroxyapatite from buffalo bone waste synthesized by precipitation method. *IOP Conference Series: Materials Science and Engineering*, 432(1). <https://doi.org/10.1088/1757-899X/432/1/012044>
- Poinern, G. E. J., Brundavanam, R. K., & Fawcett, D. (2013). Nanometre Scale Hydroxyapatite Ceramics for Bone Tissue Engineering. *American Journal of Biomedical Engineering*, 3(May 2014), 148–168. <https://doi.org/10.5923/j.ajbe.20130306.04>
- Pourmollaabbassi, B., Karbasi, S., & Hashemibeni, B. (2016). Evaluate the growth and adhesion of osteoblast cells on nanocomposite scaffold of hydroxyapatite/titania coated with poly hydroxybutyrate. *Advanced Biomedical Research*, 5(1), 156. <https://doi.org/10.4103/2277-9175.188486>
- Pradhan, S., Rajamani, S., Agrawal, G., Dash, M., & Samal, S. K. (2017). NMR, FT-IR and raman

characterization of biomaterials. In *Characterization of Polymeric Biomaterials* (pp. 147–173). Elsevier.

- Purwasasmita, Sunendar, B., & Gultom, R. S. (2008). Sintesis dan Karakterisasi Serbuk Hidroksiapatit Skala Sub-Mikron Menggunakan Metode Presipitasi. *Jurnal Bionatura*, 10(2), 155–167.
- Rabiei, A., & Sandukas, S. (2013). Processing and evaluation of bioactive coatings on polymeric implants. *Journal of Biomedical Materials Research - Part A*, 101 A(9), 2621–2629. <https://doi.org/10.1002/jbm.a.34557>
- Rack, H. J., & Qazi, J. I. (2006). Titanium alloys for biomedical applications. *Materials Science and Engineering C*, 26(8), 1269–1277. <https://doi.org/10.1016/j.msec.2005.08.032>
- Ragunathan, S., Govindasamy, G., Raghul, D. R., Karuppaswamy, M., & VijayachandraTogo, R. K. (2020). Hydroxyapatite reinforced natural polymer scaffold for bone tissue regeneration. *Materials Today*, 23, 111–118. <https://doi.org/https://doi.org/10.1016/j.matpr.2019.07.712>
- Ramakrishnan, H., Martín, A., & N. Azhagarasan. (2020). Evaluation of the Bioactivity of Surface Modified Polyetheretherketone (PEEK) as an Implant Material: An In Vitro Study. *Medicine Materials Science*. [https://doi.org/DOI:10.4103/ccd.ccd\\_258\\_19](https://doi.org/DOI:10.4103/ccd.ccd_258_19)
- Raval, N., Maheshwari, R., & Kalyane, D. (2019). Importance of Physicochemical Characterization of Nanoparticles in Pharmaceutical Product Development. In *Basic Fundamentals of Drug Delivery* (pp. 369–400). Elsevier.
- Rizkayanti, Y., & Yusuf, Y. (2018). Effect of temperature on syntesis of hydroxyapatite from cockle shells (Anadara Granosa). *International Journal of Nanoelectronics and Materials*, 11, 43–50.
- Rony, L., Lancigu, R., & Hubert, L. (2018). Intraosseous metal implants in orthopedics: A review. *Morphologie*, 102(339), 231–242. <https://doi.org/10.1016/j.morpho.2018.09.003>
- Roy, S. D., Das, K. C., & Dhar, S. S. (2024). Green synthesis of hydroxyapatite cocooned nonmagnetic (Sr-Cu-MnO) nanocomposite for rapid degradation of colored organic dyes. *Biomass Conversion and Biorefinery*, 14(17), 20473–20483. <https://doi.org/10.1007/s13399-023-04258-x>
- Rujitanapanich, S., Kumpapan, P., & Wanjanoi, P. (2014). Synthesis of hydroxyapatite from oyster shell via precipitation. *Energy Procedia*, 56, 112–117. <https://doi.org/10.1016/j.egypro.2014.07.138>
- Rupp, F., Gittens, R. A., Scheideler, L., Marmur, A., Boyan, B. D., Schwartz, Z., & Geis-Gerstorfer, J. (2014). A review on the wettability of dental implant surfaces I: Theoretical and experimental aspects. *Acta Biomaterialia*, 10(7), 2894–2906. <https://doi.org/10.1016/j.actbio.2014.02.040>
- Rusakov, D., Menner, A., Spieckermann, F., Wilhelm, H., & Bismarck, A. (2021). Morphology and properties of foamed high crystallinity PEEK prepared by high temperature thermally induced phase separation. *J Appl Polym Sci*, 139(1). <https://doi.org/doi:10.1002/app.51423>
- Sabu, U., Logesh, G., Rashad, M., Joy, A., & Balasubramanian, M. (2019). Microwave assisted

synthesis of biomorphic hydroxyapatite. *Ceramics International*, 45(6), 6718–6722.  
<https://doi.org/10.1016/j.ceramint.2018.12.161>

- Safarzadeha, M., Cheeb, C. F., Ramesha, S., & Fauzic, M. N. A. (2020). Effect of sintering temperature on the morphology, crystallinity and mechanical properties of carbonated hydroxyapatite (CHA). *Ceramics International*, 46(17), Pages 26784-26789. <https://doi.org/https://doi.org/10.1016/j.ceramint.2020.07.153>
- Sahadat Hossain, M., Jahan, S. A., & Ahmed, S. (2023). Crystallographic characterization of bio-waste material originated CaCO<sub>3</sub>, green-synthesized CaO and Ca(OH)<sub>2</sub>. *Results in Chemistry*, 5(November 2022), 100822. <https://doi.org/10.1016/j.rechem.2023.100822>
- Saini, M., Singh, Y., Arora, P., Arora, V., & Jain, K. (2015). Implant biomaterials: A comprehensive review. *World J Clin Cases*, 3(1). <https://doi.org/doi:10.12998/wjcc.v3.i1.52>.
- Sari, M., & Yusuf, Y. (2018). Synthesis and characterization of hydroxyapatite based on green mussel shells (*perna viridis*) with the variation of stirring time using the precipitation method. *IOP Conference Series: Materials Science and Engineering*, 432(1). <https://doi.org/10.1088/1757-899X/432/1/012046>
- Sari, Mona, Hening, P., Chotimah, Ana, I. D., & Yusuf, Y. (2021). Bioceramic hydroxyapatite-based scaffold with a porous structure using honeycomb as a natural polymeric Porogen for bone tissue engineering. *Biomaterials Research*, 25(1), 1–13. <https://doi.org/10.1186/s40824-021-00203-z>
- Shah, K. N., Walker, G., Koruprolu, S. C., & Daniels, A. H. (2018). Biomechanical comparison between titanium and cobalt chromium rods used in a pedicle subtraction osteotomy model. *Orthop Rev (Pavia)*, 10(1). <https://doi.org/10.4081/or.2018.7541>
- Shariffuddin, J. H., Jones, M. I., & Patterson, D. A. (2013a). Greener photocatalysts: Hydroxyapatite derived from waste mussel shells for the photocatalytic degradation of a model azo dye wastewater. *Chemical Engineering Research and Design*, 91(9), 1693–1704. <https://doi.org/10.1016/j.cherd.2013.04.018>
- Shariffuddin, J. H., Jones, M. I., & Patterson, D. A. (2013b). Greener photocatalysts: Hydroxyapatite derived from waste mussel shells for the photocatalytic degradation of a model azo dye wastewater. *Chemical Engineering Research and Design*, 91(9), 1693–1704. <https://doi.org/https://doi.org/10.1016/j.cherd.2013.04.018>
- Shavandi, A., Alaa, A. E. D., Ali, A., Sun, Z., & Ratnayake, J. T. (2015). Microwave-assisted synthesis of high purity  $\beta$ -tricalcium phosphate crystalline powder from the waste of Green mussel shells (*Perna canaliculus*). *Powder Technology*, 273, 33–39. <https://doi.org/10.1016/j.powtec.2014.12.029>
- Shayesteh Moghaddam, N., Taheri Andani, M., Amerinatanzi, A., Haberland, C., Huff, S., Miller, M., Elahinia, M., & Dean, D. (2016). Metals for bone implants: safety, design, and efficacy. *Biomanufacturing Reviews*, 1(1), 1–16. <https://doi.org/10.1007/s40898-016-0001-2>
- Singh, R., Singh, S., & Hashmi, M. S. J. (2016). Implant Materials and Their Processing Technologies. In *Reference Module in Materials Science and Materials Engineering*. Elsevier Ltd. <https://doi.org/10.1016/b978-0-12-803581-8.04156-4>

- Srichanachaichok, W., & Pissuwan, D. (2023). Micro/Nano Structural Investigation and Characterization of Mussel Shell Waste in Thailand as a Feasible Bioresource of CaO. *Materials*, 16(2). <https://doi.org/10.3390/ma16020805>
- Sroka-bartnicka, A., Borkowski, L., Ginalska, G., Anna, Ś., & Kazarian, S. G. (2017). Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy Structural transformation of synthetic hydroxyapatite under simulated in vivo conditions studied with ATR-FTIR spectroscopic imaging. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 171, 155–161. <https://doi.org/10.1016/j.saa.2016.07.051>
- Storrie, H., & Stupp, S. I. (2005). Cellular response to zinc-containing organoapatite : An in vitro study of proliferation , alkaline phosphatase activity and biomineralization. *Biomaterials*, 26, 5492–5499. <https://doi.org/10.1016/j.biomaterials.2005.01.043>
- Stübinger, S., Drechsler, A., Bürki, A., Klein, K., Kronen, P., & Rechenberg, B. von. (2016). Titanium and hydroxyapatite coating of polyetheretherketone and carbon fiber-reinforced polyetheretherketone: A pilot study in sheep. *J Biomed Mater Res B Appl Biomater*, 104(6). <https://doi.org/10.1002/jbm.b.33471>.
- Suci, I. ayu, & Ngapa, Y. dala. (2020). Cangkang Kerang Ale-Ale Menggunakan Metode Presipitasi Double Stirring. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 8(2), 73–81.
- Sukaryo, S. ., Purnama, A., & Hermawan, H. (2016). Structure and Properties of Biomaterials. In *Biomaterials and Medical Devices: A Perspective from an Emerging Country* (pp. 1–22). Springer. [https://doi.org/10.1007/978-3-319-14845-8\\_1](https://doi.org/10.1007/978-3-319-14845-8_1)
- Syafaat, F. Y., & Yusuf, Y. (2018). Effect of Ca:P concentration and calcination temperature on Hydroxyapatite (HAp) powders from Quail Eggshell (Coturnix Coturnix). *International Journal of Nanoelectronics and Materials*, 11, 51–58.
- Tamada, Y., & Ikada, Y. (1993). Cell adhesion to plasma-treated polymer surfaces. *Polymer*, 34(10), 2208–2212. [https://doi.org/https://doi.org/10.1016/0032-3861\(93\)90752-V](https://doi.org/https://doi.org/10.1016/0032-3861(93)90752-V)
- Torres-Sanchez, C., Al Mushref, F. R. A., Norrito, M., Yendall, K., Liu, Y., & Conway, P. P. (2017). The effect of pore size and porosity on mechanical properties and biological response of porous titanium scaffolds. *Materials Science and Engineering C*, 77, 219–228. <https://doi.org/10.1016/j.msec.2017.03.249>
- Tourbin, M., Brouillet, F., Galey, B., Rouquet, N., Gras, P., Chebel, N. A., Grossin, D., & Frances, C. (2020). Agglomeration of stoichiometric hydroxyapatite : Impact on particle size distribution and purity in the precipitation and maturation steps. *Powder Technology*, 360(3), 977–988. <https://doi.org/10.1016/j.powtec.2019.10.050>
- Valence, S. De, Tille, J., Chaabane, C., Gurny, R., Bochaton-piallat, M., Walpoth, B. H., & Möller, M. (2013). European Journal of Pharmaceutics and Biopharmaceutics Plasma treatment for improving cell biocompatibility of a biodegradable polymer scaffold for vascular graft applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 85(1), 78–86. <https://doi.org/10.1016/j.ejpb.2013.06.012>
- Vallet-Regi, M., & Maria, J. (2004). Calcium phosphates as substitution of bone tissues. *Progress*

- Wang, W., Luo, C. J., Huang, J., & Edirisinghe, M. (2019). PEEK surface modification by fast ambient-temperature sulfonation for bone implant applications. *Journal of the Royal Society Interface*, 16(152). <https://doi.org/10.1098/rsif.2018.0955>
- Wati, R., & Yusuf, Y. (2019). Carbonated Hydroxyapatite Derived from *Cerastoderma edule*, *Paphia undulata*, and *Meretrix meretrix* Shells. *IOP Conference Series: Materials Science and Engineering*, 546(4). <https://doi.org/10.1088/1757-899X/546/4/042049>
- Wenten, I. G., Nurul, H., & Sofiatun, A. (2015). Membran Superhidrofobik. *Diktat Institut Teknologi Bandung*, 1, 1–42.
- Williams, D. F., McNamara, A., & Turner, R. M. (1987). Potential of polyetheretherketone (PEEK) and carbon-fibre-reinforced PEEK in medical applications. *Journal of Materials Science Letters*, 6(2), 188–190. <https://doi.org/10.1007/BF01728981>
- Wopenka, B., & Pasteris, J. D. (2005). A mineralogical perspective on the apatite in bone. *Materials Science and Engineering C*, 25(2), 131–143. <https://doi.org/10.1016/j.msec.2005.01.008>
- Wu, S. C., Hsu, H. C., Hsu, S. K., Tseng, C. P., & Ho, W. F. (2017). Preparation and characterization of hydroxyapatite synthesized from oyster shell powders. *Advanced Powder Technology*, 28(4), 1154–1158. <https://doi.org/10.1016/j.apt.2017.02.001>
- Xu, Q., Xu, F., Sun, C., Huang, X., & Luo, H. (2023). Cellulose Nanocrystals Lime Mortar Based on Biomimetic Mineralization. *Construction and Building Materials*, 366(130209). <https://doi.org/https://doi.org/10.1016/j.conbuildmat.2022.130209>
- Xue, W., Liu, X., Zheng, X., & Ding, C. (2005). In vivo evaluation of plasma-sprayed wollastonite coating. *Biomaterials*, 26(17), 3455–3460. <https://doi.org/https://doi.org/10.1016/j.biomaterials.2004.09.027>
- Yang, K., & Ren, Y. (2010). Nickel-free austenitic stainless steels for medical applications. *Science and Technology of Advanced Materials*, 11(1). <https://doi.org/https://doi.org/10.1088/1468-6996/11/1/014105>
- Yutitum, K., & Khantachawana, A. (2020). Forming and Coating of Hydroxyapatite on PEEK Substrate for Orthopedic Implants. *International Journal of Applied and Physical Sciences*, 6, 16–22.
- Zaman, T., Mostari, M. S., Al Mahmood, M. A., & Rahman, M. S. (2018). Evolution and characterization of eggshell as a potential candidate of raw material. *Ceramica*, 64(370), 236–241. <https://doi.org/10.1590/0366-69132018643702349>
- Zhang, K., Fan, Y., Dunne, N., & Li, X. (2018). Effect of microporosity on scaffolds for bone tissue engineering. *Regenerative Biomaterials*, 5(4), 115–124. <https://doi.org/https://doi.org/10.1093/rb/rby001>
- Zhao, M., An, M., Wang, Q., Liu, X., Lai, W., Zhao, X., Wei, S., & Ji, J. (2012). Quantitative proteomic analysis of human osteoblast-like MG-63 cells in response to bioinert implant material titanium and polyetheretherketone. *Journal of Proteomics*, 75(12), 3560–3573.



UNIVERSITAS  
GADJAH MADA

**PELAPISAN HIDROKSIAPATIT PADA PERMUKAAN POLIETERETERKETON (PEEK) DENGAN  
METODE DEPOSISI KIMIA  
SEBAGAI APLIKASI IMPLAN BIOMEDIS**

Ratih Samsusih Rizki, Prof. Dr. Eng. Yusril Yusuf, S.Si., M.Si., M.Eng

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.1016/j.jprot.2012.03.033>

- Zhao, Y., Wong, H. M., Wang, W., Li, P., Xu, Z., Chong, E. Y. W., Yan, C. H., Yeung, K. W. K., & Chu, P. K. (2013). Cytocompatibility, osseointegration, and bioactivity of three-dimensional porous and nanostructured network on polyetheretherketone. *Biomaterials*, 34(37), 9264–9277. <https://doi.org/10.1016/j.biomaterials.2013.08.071>
- Zysset, P. K., Guo, X. E., Moore, C. E. H., E., K., & Goldstein, S. A. (1999). Elastic modulus and hardness of cortical and trabecular bone lamellae measured by nanoindentation in the human femur. *Journal of Biomechanics*, 32(10). [https://doi.org/DOI: 10.1016/s0021-9290\(99\)00111-6](https://doi.org/DOI: 10.1016/s0021-9290(99)00111-6)