

TABLE OF CONTENTS

RATIFICATION PAGE	ii
STATEMENT OF NON-PLAGIARISM	iii
DEDICATION PAGE	iv
PREFACE	v
TABLE OF CONTENTS	vi
LIST OF TABLES	viii
LIST OF FIGURES	ix
ABSTRACT	xi
INTISARI	xii
CHAPTER I	1
I.1 Background.....	1
I.2 Objectives	3
I.3 Research Benefits	3
CHAPTER II	4
II.1 Literature Review	4
II.1.1 N-Heterocycle Compounds	4
II.1.2 Activated Methylene	5
II.1.3 Reactivity of Aldehydes and Ketones	6
II.1.4 One Pot Reaction.....	7
II.1.5 Carbohydrates in Pyrrole Synthesis.....	7
II.1.6 Pyrrole Synthesis	8
II.1.7 Cyclization Reaction	10
II.1.8 Acid and Base.....	11
II.2 Hypotheses	13
II.2.1 Formulation of Hypothesis 1	13
II.2.2 Formulation of Hypothesis 2	13
II.2.3 Formulation of Hypothesis 3	14
II.3 Design to Prove Hypothesis	14
CHAPTER III RESEARCH METHODOLOGY	15
III.1 Materials.....	15
III.2 Equipment	15

III.3 Procedure.....	16
III.3.1 Synthesis of 2-Benzyl-4-cyano-6-phenyl-1,2,3,4- tetrahydroquinoline	16
III.3.2 Synthesis of 2-(tert-Butyl)-3-(cyclopenta[b]indol-3-yl)-1- (benzyl)pyrrole-3-one	17
III.3.3 Synthesis of 6-Hexyl-4-cyano-2,3,4,5- tetrahydrobenzo[h]quinoline	17
III.3.4 Synthesis of 1-(Benzyl)-2,3,4,9-tetrahydro-2-tert-butyl-3- oxo-1H-cyclopenta[b]indole	18
CHAPTER IV	20
IV.1 Synthesis of 2-Benzyl-4-cyano-6-phenyl-1,2,3,4-tetrahydroquinoline	20
IV.2 Synthesis of 2-(tert-Butyl)-3-(cyclopenta[b]indol-3-yl)-1- (benzyl)pyrrole-3-one	23
IV.3 Synthesis of 6-Hexyl-4-cyano-2,3,4,5-tetrahydrobenzo[h]quinoline	27
IV.4 Synthesis of 1-(Benzyl)-2,3,4,9-tetrahydro-2-tert-butyl-3-oxo-1H- cyclopenta[b]indole.....	30
CHAPTER V	36
V.1 Conclusion.....	36
V.2 Recommendations	36
REFERENCES	37
APPENDICES	42
A.1 Predicted ¹ H NMR Spectra	42
A.1.1 2-Benzyl-4-cyano-6-phenyl-1,2,3,4-tetrahydroquinoline ...	42
A.1.2 2-(tert-Butyl)-3-(cyclopenta[b]indol-3-yl)-1-(benzyl)pyrrole- 3-one.....	42
A.1.3 6-Hexyl-4-cyano-2,3,4,5-tetrahydrobenzo[h]quinoline	43
A.1.4 1-(Benzyl)-2,3,4,9-tetrahydro-2-tert-butyl-3-oxo-1H- cyclopenta[b]indole.....	45
A.2 Reaction Data and Calculation.....	45

LIST OF TABLES

Table II.1 pK_a and pK_b value of the acid and base used.....	11
Table IV.1 List of hydrogens between predicted and obtained spectra of the first reaction.....	22
Table IV.2 List of hydrogens between predicted and obtained spectra of the $ZnCl_2$ -catalyzed 2,2,6,6-tetramethyl-3,5-heptanedione reaction.....	26
Table IV.3 List of hydrogens between predicted and obtained spectra of the AcOH-catalyzed 2,2,6,6-tetramethyl-3,5-heptanedione reaction.....	26
Table IV.4 List of hydrogens between predicted and obtained spectra of the 1-Hexylamine reaction.....	29
Table IV.5 List of hydrogens between predicted and obtained spectra of the DMAP-catalyzed reaction.....	33
Table IV.6 List of hydrogens between predicted and obtained spectra of the AcOH-catalyzed reaction.....	34

LIST OF FIGURES

Figure I.1 The scope of this research	2
Figure II.1 Thiophen-based heterocycle compound with antifungal properties	4
Figure II.2 Activated methylene used in this experiment 2,2,6,6-Tetramethyl-3,5- heptanedione (left), 3-Oxo-3-phenylpropanenitrile (centre), 5,5-dimethyl- 1,3-cyclohexanedione (Right)	5
Figure II.3 Pyrrole synthesis from aldehydic sugar (Xia et.al., 2021)	9
Figure II.4 Cyclization reaction from ketones	9
Figure II.5 Proposed reactants.....	13
Figure II.6 Assumed equilibrium of 2-hydroxycyclohexanone monomer/dimer	14
Figure II.7 Proposed reaction mechanism.....	14
Figure IV.1 TLC Sample of benzylamine (Left), 3-oxo-3-phenylpropanenitrile (Centre), and the crude product from the first reaction (Right)	20
Figure IV.2 TLC Sample of the column chromatography attempt using Hexanes:EtOAc (10:1), with the number indicating the vial's identifier, and the crude sample (Right)	21
Figure IV.3 ¹ H NMR spectra of product synthesized with 1-benzylamine and 3-oxo-3- phenylpropanenitrile using Et ₃ N as catalyst	22
Figure IV.4 TLC of crude sample (left), along with the crude products from experiment 2 (centre), and 2 (right) using Hexanes:EtOAc (10:1).	23
Figure IV.5 TLC of Benzylamine (left), Nitrile (centre), Crude product (right) using eluent of Hexanes:EtOAc (10:1).	24
Figure IV.6 ¹ H NMR spectra of product synthesized with 2,2,6,6-tetramethyl-3,5- heptanedione with ZnCl ₂ as catalyst	25
Figure IV.7 ¹ H NMR spectra of product synthesized with 2,2,6,6-tetramethyl-3,5- heptanedione with AcOH as catalyst	26
Figure IV.8 Reaction scheme of the synthesis of 6-Hexyl-4-cyano-2,3,4,5- tetrahydrobenzo[h]quinoline	28
Figure IV.9 ¹ H NMR spectra of product synthesized with 1-hexylamine and 3-oxo-3- phenylpropanenitrile using Et ₃ N as catalyst	29
Figure IV.10 Reaction mechanism of the DMAP-catalyzed reaction.....	30
Figure IV.11 TLC sample of 5,5-dimethyl-1,3-cyclohexanedione (1), Benzylamine (2), 1,4-diazabicyclo[2.2.2]octane (3), Tetrabutylammonium bromide (4), AcOH (5) using eluent of Hexanes:EtOAc (3:7)	31



Figure IV.12 ^1H NMR spectra of product synthesized with 5,5-dimethyl-1,3-cyclohexanedione using 4-dimethylaminopyridine as catalyst.....	32
Figure IV.13 ^1H NMR spectra of product synthesized with 5,5-dimethyl-1,3-cyclohexanedione using AcOH as catalyst	34