

DAFTAR PUSTAKA

- Aditiya, A. & Ito, T. (2023). Present-day land subsidence over Semarang revealed by time series InSAR new small baseline subset technique. *International Journal of Applied Earth Observation and Geoinformation*, 125, 103579. <https://doi.org/10.1016/j.jag.2023.103579>.
- Andreas, H., Abidin, H. Z., Sarsito, D. A., Meilano, I., & Susilo, S. (2019). Investigating the tectonic influence to the anthropogenic subsidence along northern coast of Java Island Indonesia using GNSS data sets. In *E3S Web of Conferences* (Vol. 94, 04005). EDP Sciences. <https://doi.org/10.1051/e3sconf/20199404005>.
- Aulia, T., Koeswoyo, P., Anjasmara, I. M., & Kurniawan, A. (2023). Studi deformasi Sesar Kendeng berdasarkan data pengamatan GPS kontinu dan campaign. *Jurnal Geodesi Indonesia*, 19(1), 153–163.
- Bader, J. W. (2020). Wrech faults. *Geo News*, 20–24.
- Bouraoui, S. (2013). *Time series analysis of SAR images using persistent scatterer (PS), small baseline (SB) and merged approaches in regions with small surface deformation* [Doctoral dissertation, Université de Strasbourg]. HAL Archives. <https://tel.archives-ouvertes.fr/tel-00991149>.
- Chen, Y., Zhang, G., Ding, X., & Li, Z. (1999). Monitoring earth surface deformations with InSAR technology: principle and some critical issues. *Journal of Geospatial Engineering*, 2(1), 3–21.
- Cigna, F., Osmanoglu, B., Cabral-Cano, E., Dixon, T. H., Ávila-Olivera, J. A., Garduño-Monroy, V. H., DeMets, C., & Wdowinski, S. (2012). Monitoring land subsidence and its induced geological hazard with Synthetic Aperture Radar Interferometry: A case study in Morelia, Mexico. *Remote Sensing of Environment*, 117, 146–161. <https://doi.org/10.1016/j.rse.2011.09.005>.
- Crosetto, M., Monserrat, O., Cuevas-González, M., Devanthéry, N., & Crippa, B. (2016). Persistent scatterer interferometry: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 115, 78–89.
- Dinar, A., Esteban, E., Calvo, E., Herrera, G., Teatini, P., Tomás, R., Li, Y., Ezquerro, P., Albiac, J. (2021). We lose ground: Global assessment of land subsidence impact extent. *Science of The Total Environment*, 786, 147415. <https://doi.org/10.1016/j.scitotenv.2021.147415>.
- Dong, Y., Meng, G., & Hong, S. (2020). Coseismic and postseismic deformation of the 2016 Mw 6.6 Aketao earthquake from InSAR observations and modelling. *Pure and Applied Geophysics*, 177, 265–283. <https://doi.org/10.1007/s00024-019-02092-9>.

- Eka, A., Soehaimi, A., Sopyan, Y., Setianegara, R. (2010). Seismotektonik dan potensi bencana gempabumi lajur transek Pacitan-Muria, Jawa Tengah. *Prosiding IAGI Nasional, Lombok*.
- ESA. (2012). *ESA's radar observatory mission for GMES operational services (Sentinel-1 Special Publication)*. https://sentinel.esa.int/documents/247904/349449/S1_SP-1322_1.
- ESA. (2015). *Sentinel-1*. European Space Agency.
- Ferretti, A., Prati, C., & Rocca, F. (2001). Permanent scatterers in SAR interferometry. *IEEE Transactions on Geoscience and Remote Sensing*, 39(1), 8–20.
- Ferretti, A., Monti-Guarnieri, A., Prati, C., & Rocca, F. (2007). *InSAR Principles: Guidelines for SAR Interferometry Processing and Interpretation*. ESA Publications. https://www.esa.int/esapub/tm/tm19/TM-19_ptC.pdf.
- Galloway, D. L., Jones, D. R., & Ingebritsen, S. E. (1999). *Land subsidence in the United States*. USGS Circular 1182.
- Galloway, D. & Burbey, T. J. (2001). Review: regional land subsidence accompanying groundwater extraction. *Hydrogeology Journal*, 9(1), 145–165.
- Ghilani, C. D. (2010). *Adjustment computations: spatial data analysis* (5th editing). John Wiley & Sons.
- Hamilton, W. B. (1979). *Tectonics of the Indonesian region*. U.S. Geological Survey.
- Handoko, E. Y., Kurniawan, A., & Angger, S. M. (2011). Apakah Surabaya terjadi land subsidence? Kajian awal land subsidence Surabaya. *Seminar Nasional Aplikasi Teknologi Prasarana Wilayah 2011*, Teknik Geomatika ITS, Surabaya.
- Hansen, R. F. (2001). *Radar interferometry: data interpretation and error analysis*. Springer.
- Hidayat, E. (2013). Identifikasi sesar aktif di sepanjang jalur Kali Garang, Semarang. *Jurnal Geologi dan Sumberdaya Mineral*, 23(1), 31–37.
- Himematsu, Y. & Furuya, M. (2020). Coseismic and postseismic crustal deformation associated with the 2016 Kumamoto earthquake sequence revealed by PALSAR-2 pixel tracking and InSAR. *Earth and Space Science*, 7(1), 1–19. <https://doi.org/10.1029/2020EA001200>.
- Julzarika, A., Bangfat, P., & Pusbangja, S. (2009). Pemanfaatan Interferometric Synthetic Aperture Radar (InSAR) untuk pemodelan 3D (DSM, DEM, dan DTM). *Majalah Sains dan Teknologi Dirgantara*, 4(4), 154–159.
- Keller, E. A. & Pinter, N. (2002). *Active tectonics*. Prentice Hall.
- Koulali, A., McClusky, S., Susilo, S., Leonard, Y., Cummins, P., Tregoning, P., Meilano, I., Efendi, J., & Wijanarto, A. B. (2016). The kinematics of crustal deformation in Java

from GPS observations: implications for fault slip partitioning. *Earth and Planetary Science Letters*, 1, 1–11. <https://doi.org/10.1016/j.epsl.2016.10.039>.

- Liu, H., Xie, L., Zhao, G., Ali, E., & Xu, W. (2023). A joint InSAR-GNSS workflow for correction and selection of interferograms to estimate high-resolution interseismic deformations. *Satellite Navigation*, 4(1). <https://doi.org/10.1186/s43020-023-00105-6>.
- Marliyani, G. I., Arrowsmith, J. R., & Whipple, K. X. (2016). Characterization of slow slip rate faults in humid areas: Cimandiri fault zone, Indonesia. *Journal of Geophysical Research: Earth Surface*. 122(5), 986–1015. <https://doi.org/10.1002/2016JF003846>.
- Massonnet, D. & Feigl, K. L. (1998). Radar interferometry and its application to changes in the Earth's surface. *Reviews of Geophysics*, 36(4), 441–500.
- Matsu'ura, M. & Sato, T. (1989). A dislocation model for the earthquake cycle at convergent plate boundaries. *Geophysical Journal International*, 96, 23–32.
- Morishita, Y., Lazecky, M., Wright, T. J., Weiss, J. R., Elliott, J. R., & Hooper, A. (2020). LiCSBAS: An open-source InSAR time series analysis package integrated with the LiCSAR automated Sentinel-1 InSAR processor. *Remote Sensing*, 12(3), 5–8. <https://doi.org/10.3390/rs12030424>.
- Mumtaz, A., Pratama, C., Heliani, L., Lestari, D., Wibisono, K., Rahmadina, Z., Nur, I., Nicholas, G., Sidik, W. (2025). Dampak pergeseran vertikal akibat sesar aktif terhadap laju penurunan tanah menggunakan data GNSS CORS di kota-kota pesisir utara Jawa Tengah, Indonesia. *Journal of Applied Geodesy*.
- Nur, A. (2024, Maret 20). *Kepala BPBD Demak: Kota kami sudah tenggelam*. DetikJateng. <https://www.detik.com/>.
- Peraturan Gubernur Jawa Tengah No. 28 Tahun 2023 tentang Rencana Kontinjensi Bencana di Provinsi Jawa Tengah..
- Pusat Studi Gempa Nasional. (2017). *Peta sumber dan bahaya gempa Indonesia tahun 2017*. Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Raspini, F., Caleca, F., Del Soldato, M., Festa, D., Confuorto, P., & Bianchini, S. (2022). *Review of satellite radar interferometry for subsidence analysis*. Earth Science Reviews. <https://doi.org/10.1016/j.earscirev.2022.104239>.
- Safitri, E. D., Hayati, N., & Bioresita, F. (2021). *Analisis deformasi akibat aktivitas vulkanik menggunakan data citra Sentinel-1A dengan metode DInSAR Three-pass Interferometry (Studi kasus: Gunung Semeru, Jawa Timur)*. Jurnal Teknik ITS, 10(2), A399.
- Salsabila, A. Q., & Prasetyo, Y. (2020). *Analisis penurunan muka tanah (PMT) menggunakan metode Differential Interferometry Synthetic Aperture Radar (DINSAR) (Studi kasus: Pesisir Kabupaten Demak)*. Jurnal Geodesi Undip, 10(1), 233–240.
- Sari, A. R. (2014). *Metode Differential Interferometry Synthetic Aperture Radar (DINSAR) untuk analisa deformasi di daerah rawan bencana gempa bumi (Studi kasus:*

Kepulauan Mentawai, Sumatera Barat) [Skripsi, Institut Teknologi Sepuluh Nopember].

- Sarsito, D. A., Andreas, H., Irwan, M., Abidin, H. Z., Darmawan, D., & Gamal, M. (2005). *Implikasi co-seismic dan post-seismic horizontal displacement Gempa Aceh 2004 terhadap status geometrik data spasial wilayah Aceh dan sekitarnya*.
- Savage, J. C. (1983). *A dislocation model of strain accumulation and release at a subduction zone*. *Journal of Geophysical Research*, 88, 4984–4996.
- Savirani, A. (2020, Februari 4). *Konsorsium Ground Up teliti eksploitasi berlebih air tanah di Semarang*. Antaranews. <https://www.antaranews.com/>.
- Shirzaei, M., Freymueller, J., Törnqvist, T. E., Galloway, D. L., Dura, T., & Minderhoud, P. S. J. (2021). *Measuring, modelling and projecting coastal land subsidence*. *Nature Reviews Earth & Environment*. <https://doi.org/10.1038/s43017-020-00115-x>.
- Simandjuntak, T. O., & Barber, A. J. (1996). *Contrasting tectonic styles in the Neogene orogenic belts of Indonesia*. Geological Society, London, Special Publications, 106(1), 185–201.
- Smyth, H. R., Hall, R., & Nichols, G. J. (2008). *Cenozoic volcanic arc history of East Java, Indonesia: The stratigraphic record of eruptions on an active continental margin*. Geological Society of America Special Papers, 436, 199–222.
- Susanto, & Julzarika, A. (2009). *Pemanfaatan Interferometric Synthetic Aperture Radar (InSAR) untuk pemodelan 3D (DSM, DEM, dan DTM)*. *Majalah Sains dan Teknologi Dirgantara*, 4(4), 154–159.
- Susilo, S., Salman, R., Hermawan, W., Widyaningrum, R., Wibowo, S. T., Lumban-Gaol, Y. A., Meilano, I., & Yun, S. H. (2023). *GNSS land subsidence observations along the northern coastline of Java, Indonesia*. *Scientific Data*, 10(1), 1–8. <https://doi.org/10.1038/s41597-023-02274-0>.
- Thatcher, W. & Rundle, J. B. (1984). *A viscoelastic coupling model for the cyclic deformation due to periodically repeated earthquakes at subduction zones*. *Journal of Geophysical Research*, 89, 7631–7640.
- Ulma, T. (2020). *Analisis deformasi Kota Surabaya tahun 2017–2019 akibat aktivitas Sesar Kendeng dengan metode Permanent Scatterers Interferometry Synthetic Aperture Radar (PS-InSAR) dan validasi data GPS* [Master's thesis, Institut Teknologi Sepuluh Nopember]. <https://repository.its.ac.id/87667/>.
- United States Geological Survey (USGS). (n.d.). *Earthquake map*. U.S. Geological Survey. Retrieved June 25, 2025, from <https://earthquake.usgs.gov/earthquakes/map/?extent=-6.66461,-150.99609&extent=66.51326,-38.84766&map=false>.
- Wang, K., Hu, Y., & He, J. (2012). *Deformation cycles of subduction earthquakes in a viscoelastic Earth*. *Nature*, 484(7394), 327–332.

- Wang, S., Zhang, Y., Wang, Y., Jiao, J., Ji, Z., & Han, M. (2020). *Post-seismic deformation mechanism of the July 2015 Mw 6.5 Pishan earthquake revealed by Sentinel-1A InSAR observation*. *Scientific Reports*, 10, 1–12. <https://doi.org/10.1038/s41598-020-75278-0>.
- Wright, T. J., Parsons, B., & Lu, Z. (2004). *Toward mapping surface deformation in three dimensions using InSAR*. *Geophysical Research Letters*, 31(1), L01607.
- Wu, P. C., Wei, M., & D'Hondt, S. (2022). *Subsidence in coastal cities throughout the world observed by InSAR*. *Geophysical Research Letters*, 49. <https://doi.org/10.1029/2022GL098477>.
- Xi, P., Li, X., Song, C., Wang, B., Yin, Z., & Wang, S. (2024). *Assessing slip rates on the Xianshuihe fault using InSAR with emphasis on phase unwrapping error and atmospheric delay corrections*. *Remote Sensing*, 16(11). <https://doi.org/10.3390/rs16111872>.
- Yang, C., Han, B., Zhao, C., Du, J., Zhang, D., & Zhu, S. (2019). *Co- and post-seismic deformation mechanisms of the Mw 7.3 Iran earthquake (2017) revealed by Sentinel-1 InSAR observations*. *Remote Sensing*, 11(4), 418. <https://doi.org/10.3390/rs11040418>.
- Yu, C., Li, Z., & Penna, N. T. (2018). *Generic atmospheric correction model for Interferometric Synthetic Aperture Radar observations*. *Journal of Geophysical Research: Solid Earth*, 123(10), 9202–9222. <https://doi.org/10.1029/2017JB015305>.
- Yulita, S. A. (2018). *Aplikasi metode SBAS-DInSAR menggunakan data Sentinel-1A untuk pengamatan penurunan muka tanah di Kota Surabaya* [Master's thesis, Institut Teknologi Sepuluh Nopember].
- Zerbini, S., Carbognin, L., Teatini, P., Tomasin, A., & Tosi, L. (2007). *Sea level monitoring and land subsidence: The Bologna case study*. *Journal of Geodynamics*, 43(2), 203–218. <https://doi.org/10.1016/j.jog.2006.09.024>.